

GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 2, 2004, 18:44:23 ; Search time 50.5 Seconds
(without alignments)
55.950 Million cell updates/sec

Title: US-09-857-115-6

Perfect score: 73

Sequence: 1 EHWSHGWYPG 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 1586107 seqs, 282547505 residues

Total number of hits satisfying chosen parameters: 1586107

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 500 summaries

Database : A_Geneseq_29Jan04.*

1: Geneseq1980s.*

2: Geneseq1990s.*

3: Geneseq2000s.*

4: Geneseq2001s.*

5: Geneseq2002s.*

6: Geneseq2003as.*

7: Geneseq2003bs.*

8: Geneseq2004s.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	73	100.0	10	1	AAP50612 Sequence
2	73	100.0	10	2	AAR75156 Chicken
3	73	100.0	10	2	AAW76390 Chicken
4	73	100.0	10	2	AAW96768 Chicken
5	73	100.0	10	2	AAW84295 Hormone d
6	73	100.0	10	3	AAW88386 GnRH-II a
7	73	100.0	10	3	AAW806262 Gonadotro
8	73	100.0	10	3	AAV79309 Chicken G
9	73	100.0	10	4	AAW90962 Luteinisi
10	73	100.0	10	5	ABW06175 Gonadotro
11	73	100.0	10	5	AAE15666 Chicken
12	73	100.0	10	6	ADA88928 Chicken
13	73	100.0	10	6	AAO31042 Chicken
14	73	100.0	10	6	AAO31057 African c
15	73	100.0	10	7	ADD24647 Chicken lu
16	73	100.0	12	3	AAV79311 Chicken g
17	73	100.0	16	3	AAV79310 Linker-ch
18	73	100.0	60	3	AAV79308 Chicken g
19	70	95.9	10	6	AAO31059 Pacific h
20	70	95.9	10	6	AAO31050 Spiny dog
21	70	95.9	85	2	AAW75149 H. burton
22	70	95.9	89	2	AAW75150 Treeshrew
23	70	95.9	120	5	AAE15401 Human gon
24	70	95.9	120	6	AAE35115 Human gon
25	68	93.2	9	2	AAW97761 Seabream

26	67	91.8	10	1	AAP81581	LHRH anal
27	67	91.8	10	1	AAP81582	LHRH anal
28	66	90.4	10	6	ABR39986	Chicken I
29	65	89.0	10	1	AAP81574	LHRH anal
30	65	89.0	10	1	AAP81573	LHRH anal
31	65	89.0	10	2	AAI11850	Example o
32	65	89.0	10	2	AAI11849	Example o
33	65	89.0	10	2	AAI11849	Example o
34	65	89.0	10	4	AAU08771	Chicken I
35	65	89.0	10	5	AAE28138	Alternati
36	65	89.0	10	6	ADA88935	Dogfish g
37	65	89.0	10	6	AAO31043	Dogfish g
38	64	87.7	10	1	AAP81576	LHRH anal
39	62.5	85.6	11	3	AAV88387	GnRH-II a
40	62.5	85.6	11	3	AAW88387	GnRH-II a
41	62	84.9	10	6	AAO31051	Spiny dog
42	62	84.9	10	6	AAO31051	Spiny dog
43	61	83.6	12	5	ABW06171	Gonadotro
44	60	82.2	10	1	AAP81579	LHRH anal
45	60	82.2	10	5	AAE28137	Alternati
46	59	80.8	10	1	AAP40552	Sequence
47	59	80.8	10	1	AAP50510	Sequence
48	59	80.8	10	2	AAI11843	Example o
49	59	80.8	10	2	AAI11844	Example o
50	59	80.8	10	2	AAW75154	Salmon Gn
51	59	80.8	10	2	AAW75154	Salmon Gn
52	59	80.8	10	2	AAW96767	Salmon lu
53	59	80.8	10	4	AAW90981	Luteinisi
54	59	80.8	10	5	ABW06176	Gonadotro
55	59	80.8	10	5	AAU78821	Chicken g
56	59	80.8	10	5	AAE15665	Salmon lu
57	59	80.8	10	5	AAE28135	Chicken g
58	59	80.8	10	6	ADA88929	Salmon go
59	59	80.8	10	6	AAO31041	Salmon go
60	59	80.8	10	7	ADD24646	Salmon lu
61	58	79.5	10	2	AAW96772	Lamprey I
62	58	79.5	10	2	AAW96772	Lamprey I
63	58	79.5	10	2	AAW96778	Lamprey I
64	58	79.5	10	2	AAW96780	Lamprey I
65	58	79.5	10	5	AAE15670	Lamprey I
66	58	79.5	10	5	AAE15668	Lamprey I
67	58	79.5	10	7	ADD24651	Lamprey I
68	58	79.5	10	7	ADD24649	Lamprey I
69	57	78.1	10	2	AAW03394	Cyclo[Asp
70	57	78.1	10	2	AAW03707	Lamprey-I
71	57	78.1	10	2	AAW03399	[Trp]For-
72	57	78.1	10	2	AAW76388	Rat I-LHR
73	57	78.1	10	2	AAW96792	Lamprey I
74	57	78.1	10	2	AAW96786	Lamprey I
75	57	78.1	10	2	AAW96790	Lamprey I
76	57	78.1	10	2	AAW96794	Lamprey I
77	57	78.1	10	2	AAW96784	Lamprey I
78	57	78.1	10	2	AAW96795	Lamprey I
79	57	78.1	10	5	ABW06178	Hormone d
80	57	78.1	10	5	AAE15692	Gonadotro
81	57	78.1	10	5	AAE15678	Lamprey I
82	57	78.1	10	5	AAE15668	Lamprey I
83	57	78.1	10	5	AAE15682	Lamprey I
84	57	78.1	10	5	AAE15684	Lamprey I
85	57	78.1	10	5	AAE15693	Lamprey I
86	57	78.1	10	5	AAE15685	Lamprey I
87	57	78.1	10	5	AAE15690	Lamprey I
88	57	78.1	10	5	AAE15676	Lamprey I
89	57	78.1	10	6	ADA88931	Lamprey I
90	57	78.1	10	6	AAO31044	Lamprey g
91	57	78.1	10	7	ADD24659	Lamprey I
92	57	78.1	10	7	ADD24669	Lamprey I
93	57	78.1	10	7	ADD24643	Lamprey I
94	57	78.1	10	7	ADD24665	Lamprey I
95	57	78.1	10	7	ADD24671	Lamprey I
96	57	78.1	10	7	ADD24667	Lamprey I
97	57	78.1	10	7	ADD24657	Lamprey I
98	57	78.1	10	7	ADD24657	Lamprey I

99	57	78.1	33	2	AAW76387	AAW76387 Rat 1-LHR	172	48	65.8	10	2	AAW03388	AAW03388 Lys(5)-cy
100	57	78.1	33	2	AAW84292	AAW84292 LHRH-III	173	48	65.8	10	2	AAW03387	AAW03387 Lys(5)-Gn
101	56	76.7	10	2	AAW11842	AAW11842 Example o	174	48	65.8	10	6	AAO31048	AAO31048 Pacific h
102	56	76.7	10	2	AAW11846	AAW11846 Example o	175	47	64.4	9	5	AAE15671	AAE15671 Lamprey 1
103	56	76.7	10	2	AAW03393	AAW03393 Glu(6)-Gn	176	47	64.4	9	5	AAE15669	AAE15669 Lamprey 1
104	56	76.7	10	2	AAW96782	AAW96782 Lamprey I	177	47	64.4	9	7	ADD24650	ADD24650 Lamprey 1
105	56	76.7	10	2	AAW96788	AAW96788 Lamprey I	178	47	64.4	9	7	ADD24652	ADD24652 Lamprey 1
106	56	76.7	10	2	AAW96784	AAW96784 Lamprey I	179	47	64.4	10	2	AAW03400	AAW03400 Phe(7)-Gn
107	56	76.7	10	5	AAE15682	AAE15682 Lamprey I	180	47	64.4	10	2	AAW96797	AAW96797 Lamprey I
108	56	76.7	10	5	AAE15680	AAE15680 Pacific h	181	47	64.4	10	2	AAW96796	AAW96796 Lamprey I
109	56	76.7	10	6	AAO31058	AAO31058 Pacific h	182	47	64.4	10	5	AAE15696	AAE15696 Lamprey 1
110	56	76.7	10	7	ADD24663	ADD24663 Lamprey 1	183	47	64.4	10	5	AAE15695	AAE15695 Lamprey 1
111	56	76.7	10	7	ADD24661	ADD24661 Lamprey 1	184	47	64.4	10	7	ADD24677	ADD24677 Lamprey 1
112	54	74.0	9	4	AAE15698	AAE15698 Luteinisi	185	47	64.4	10	7	ADD24676	ADD24676 Lamprey 1
113	54	74.0	10	1	AAE15677	AAE15677 LHR anal	186	46	63.0	9	5	AAE15679	AAE15679 Lamprey 1
114	54	74.0	10	2	AAW96776	AAW96776 Lamprey I	187	46	63.0	9	5	AAE15677	AAE15677 Lamprey 1
115	54	74.0	10	2	AAW96774	AAW96774 Lamprey I	188	46	63.0	9	5	AAE15685	AAE15685 Lamprey 1
116	54	74.0	10	5	AAE15674	AAE15674 Lamprey I	189	46	63.0	9	5	AAE15667	AAE15667 Lamprey 1
117	54	74.0	10	5	AAE15672	AAE15672 Lamprey 1	190	46	63.0	9	5	AAE15691	AAE15691 Lamprey 1
118	54	74.0	10	6	AAO31053	AAO31053 Sea lamp	191	46	63.0	9	5	AAE15689	AAE15689 Lamprey 1
119	54	74.0	10	7	ADD24653	ADD24653 Lamprey 1	192	46	63.0	9	5	AAE15687	AAE15687 Lamprey 1
120	54	74.0	10	7	ADD24655	ADD24655 Lamprey 1	193	46	63.0	9	7	ADD24668	ADD24668 Lamprey 1
121	53	72.6	9	1	AAE15051	AAE15051 Sequence	194	46	63.0	9	7	ADD24660	ADD24660 Lamprey 1
122	53	72.6	10	1	AAW03247	AAW03247 Sequence	195	46	63.0	9	7	ADD24670	ADD24670 Lamprey 1
123	53	72.6	10	2	AAW03390	AAW03390 Lys(4), Ly	196	46	63.0	9	7	ADD24672	ADD24672 Lamprey 1
124	53	72.6	10	2	AAW03391	AAW03391 Lys(4)-Gn	197	46	63.0	9	7	ADD24648	ADD24648 Lamprey 1
125	53	72.6	10	2	AAW03392	AAW03392 Lys(eps)1	198	46	63.0	9	7	ADD24658	ADD24658 Lamprey 1
126	52	71.2	9	2	AAW96779	AAW96779 Lamprey I	199	46	63.0	9	7	ADD24666	ADD24666 Lamprey 1
127	52	71.2	9	2	AAW96781	AAW96781 Lamprey I	200	46	63.0	10	2	AAW75153	AAW75153 Chicken 1
128	52	71.2	9	2	AAW96773	AAW96773 Lamprey I	201	46	63.0	10	2	AAW03396	AAW03396 H-D-Trp(1)
129	52	71.2	9	2	AAW96771	AAW96771 Lamprey I	202	46	63.0	10	2	AAW03398	AAW03398 H-D-Trp(1)
130	52	71.2	9	4	AAE159835	AAE159835 GnRH-III	203	46	63.0	10	2	AAW03397	AAW03397 AC-D-Trp(1)
131	52	71.2	10	1	AAW03246	AAW03246 Sequence	204	46	63.0	10	2	AAW16293	AAW16293 8-Met(S+M)
132	52	71.2	10	1	AAW96791	AAW96791 Lamprey I	205	46	63.0	10	2	AAW76389	AAW76389 Chicken 1
133	52	71.2	10	1	AAW96793	AAW96793 Lamprey I	206	46	63.0	10	2	AAW84294	AAW84294 Hormone d
134	52	71.2	10	1	AAW96795	AAW96795 Lamprey I	207	46	63.0	10	4	AAW90966	AAW90966 Luteinisi
135	52	71.2	10	1	AAW96797	AAW96797 Lamprey I	208	46	63.0	10	5	AAW06174	AAW06174 Gonadotro
136	52	71.2	10	6	AAW96799	AAW96799 FSH relea	209	46	63.0	10	6	AAW88927	AAW88927 Chicken 1
137	51	69.9	9	2	AAW96799	AAW96799 GnRH-III	210	46	63.0	10	6	AAO31040	AAO31040 Chicken 1
138	51	69.9	9	2	AAW96799	AAW96799 Lamprey I	211	46	63.0	12	5	ABB06167	ABB06167 Gonadotro
139	51	69.9	9	2	AAW96791	AAW96791 Lamprey I	212	46	63.0	89	5	ABB06168	ABB06168 Gonadotro
140	51	69.9	9	2	AAW96793	AAW96793 Lamprey I	213	46	63.0	274	2	AAW44228	AAW44228 Chimeric
141	51	69.9	10	1	AAW96795	AAW96795 Lamprey I	214	46	63.0	283	2	AAW11186	AAW11186 Plasmid p
142	51	69.9	10	2	AAW11845	AAW11845 Example o	215	46	63.0	456	3	AAW67238	AAW67238 Amino aci
143	51	69.9	10	2	AAW11848	AAW11848 Example o	216	45	61.6	9	4	AAW90977	AAW90977 Luteinisi
144	51	69.9	10	2	AAW75155	AAW75155 Catfish G	217	45	61.6	9	5	AAE15681	AAE15681 Lamprey 1
145	51	69.9	10	2	AAW03395	AAW03395 D-Ala(10)	218	45	61.6	9	5	AAE15683	AAE15683 Lamprey 1
146	51	69.9	10	2	AAW77431	AAW77431 Catfish g	219	45	61.6	9	7	ADD24662	ADD24662 Lamprey 1
147	51	69.9	10	4	AAW08772	AAW08772 Salmon g	220	45	61.6	9	7	ADD24664	ADD24664 Lamprey 1
148	51	69.9	10	5	AAW06172	AAW06172 Gonadotro	221	45	61.6	10	1	AAW10416	AAW10416 Luteinisi
149	51	69.9	10	5	AAE28136	AAE28136 Salmon go	222	45	61.6	10	1	AAW10411	AAW10411 Luteinisi
150	51	69.9	10	6	AAW88937	AAW88937 Herring g	223	45	61.6	10	1	AAW50222	AAW50222 Gonadotro
151	51	69.9	10	6	AAW88934	AAW88934 Catfish g	224	45	61.6	10	1	AAW60127	AAW60127 Gonadotro
152	51	69.9	10	6	AAO31039	AAO31039 Catfish g	225	45	61.6	10	1	AAW61403	AAW61403 Gonadotro
153	51	69.9	10	6	AAO31038	AAO31038 Herring g	226	45	61.6	10	1	AAW60576	AAW60576 Novel dec
154	51	69.9	10	7	ADD24674	ADD24674 Lamprey I	227	45	61.6	10	1	AAW70922	AAW70922 Luteinisi
155	51	69.9	10	7	ADD24673	ADD24673 Lamprey I	228	45	61.6	10	1	AAW90630	AAW90630 Sequence
156	50	68.5	9	2	AAW96783	AAW96783 Lamprey I	229	45	61.6	10	2	AAW15713	AAW15713 Peptide #
157	50	68.5	9	2	AAW96789	AAW96789 Lamprey I	230	45	61.6	10	2	AAW26819	AAW26819 LH releas
158	50	68.5	9	2	AAW96785	AAW96785 Lamprey I	231	45	61.6	10	2	AAW62689	AAW62689 LHRH hapt
159	50	68.5	9	2	AAW96787	AAW96787 Lamprey I	232	45	61.6	10	2	AAW91197	AAW91197 LHRH pept
160	50	68.5	10	1	AAW50840	AAW50840 Sequence	233	45	61.6	10	2	AAW75152	AAW75152 Gonadotro
161	49	67.1	10	1	AAW50512	AAW50512 Sequence	234	45	61.6	10	2	AAW86845	AAW86845 Gonadotro
162	49	67.1	10	1	AAW50513	AAW50513 Sequence	235	45	61.6	10	2	AAW21368	AAW21368 Gonadotro
163	49	67.1	10	2	AAW96804	AAW96804 Lamprey I	236	45	61.6	10	2	AAW21368	AAW21368 Gonadotro
164	49	67.1	10	5	AAE15694	AAE15694 Lamprey 1	237	45	61.6	10	2	AAW97757	AAW97757 Seabream
165	49	67.1	10	7	ADD24675	ADD24675 Lamprey 1	238	45	61.6	10	2	AAW65201	AAW65201 Luteinisi
166	48.5	66.4	13	2	AAW25899	AAW25899 GnRH anal	239	45	61.6	10	2	AAW65203	AAW65203 Luteinisi
167	48	65.8	9	2	AAW96777	AAW96777 Lamprey I	240	45	61.6	10	2	AAW45642	AAW45642 Luteinisi
168	48	65.8	9	2	AAW96775	AAW96775 Lamprey I	241	45	61.6	10	2	AAW16294	AAW16294 8-Lys(COC
169	48	65.8	10	2	AAW75159	AAW75159 Lamprey G	242	45	61.6	10	2	AAW04612	AAW04612 Luteinisin
170	48	65.8	10	2	AAW03386	AAW03386 Lys(eps)1	243	45	61.6	10	2	AAW76373	AAW76373 Rat GnRH
171	48	65.8	10	2	AAW03389	AAW03389 Lys(5), Ly	244	45	61.6	10	2	AAW96765	AAW96765 Luteinisi

245	45	61.6	10	2	AAW47842	318	45	61.6	20	2	AAV31178	Aay31178 Ubiquitin
246	45	61.6	10	2	AAW03856	319	45	61.6	20	4	AAW71949	Aab71949 GrnR mixe
247	45	61.6	10	2	AAV31176	320	45	61.6	20	4	AAW71948	Aab71948 GrnR dme
248	45	61.6	10	2	AAV50229	321	45	61.6	20	4	AAW71950	Aab71950 GrnR mixe
249	45	61.6	10	2	AAW94890	322	45	61.6	21	5	AAW07324	Aar07324 Luteinisi
250	45	61.6	10	2	AAW03590	323	45	61.6	21	5	AAW76113	Abb76113 GrnR-tand
251	45	61.6	10	2	AAV31067	324	45	61.6	21	5	Abb76121	Abb76121 RBA-GrnR-
252	45	61.6	10	2	AAW83360	325	45	61.6	23	3	AAW20864	Aab20864 GrnR tand
253	45	61.6	10	2	AAW84278	326	45	61.6	25	2	AAW62700	Aar62700 LHRH-cont
254	45	61.6	10	3	AAW82376	327	45	61.6	25	2	AAW62705	Aar62705 LHRH-cont
255	45	61.6	10	3	AAW68566	328	45	61.6	26	2	AAW62717	Aar62717 LHRH-cont
256	45	61.6	10	3	AAW10930	329	45	61.6	27	2	AAW62701	Aar62701 LHRH-cont
257	45	61.6	10	3	AAW55061	330	45	61.6	27	2	AAW62707	Aar62707 LHRH-cont
258	45	61.6	10	3	AAV91197	331	45	61.6	27	2	AAW74261	Aar74261 SSAL1 TH1
259	45	61.6	10	3	AAW06261	332	45	61.6	27	3	AAW68574	Aay68574 Peptide i
260	45	61.6	10	3	AAW58136	333	45	61.6	27	3	AAW68576	Aay68576 Peptide i
261	45	61.6	10	3	AAW79054	334	45	61.6	27	3	AAW68567	Aay68567 Peptide i
262	45	61.6	10	3	AAW88576	335	45	61.6	27	3	AAW68572	Aay68572 Peptide i
263	45	61.6	10	3	AAW15362	336	45	61.6	27	3	AAW68575	Aay68575 Peptide i
264	45	61.6	10	3	AAW08103	337	45	61.6	27	3	AAW68570	Aay68570 Peptide i
265	45	61.6	10	3	AAW20863	338	45	61.6	27	3	AAW68569	Aay68569 Peptide i
266	45	61.6	10	3	AAW20777	339	45	61.6	27	3	AAW68609	Aay68609 Peptide i
267	45	61.6	10	3	AAW956084	340	45	61.6	27	3	AAV91156	Aay91156 WVF-th ep
268	45	61.6	10	4	AAW71947	341	45	61.6	27	3	AAV91161	Aay91161 Modified
269	45	61.6	10	4	AAW90963	342	45	61.6	27	3	AAV91161	Aay91161 Modified
270	45	61.6	10	4	AAW73047	343	45	61.6	27	3	AAV91162	Aay91162 Modified
271	45	61.6	10	4	AAW87020	344	45	61.6	27	3	AAV91164	Aay91164 Modified
272	45	61.6	10	4	AAW49151	345	45	61.6	27	3	AAV91171	Aay91171 Modified
273	45	61.6	10	4	AAW68693	346	45	61.6	27	3	AAV91169	Aay91169 Modified
274	45	61.6	10	4	AAW74991	347	45	61.6	27	3	AAV91163	Aay91163 Modified
275	45	61.6	10	5	AAW06173	348	45	61.6	27	3	AAV91167	Aay91167 Modified
276	45	61.6	10	5	AAW76103	349	45	61.6	27	3	AAV91185	Aay91185 HBV surfa
277	45	61.6	10	5	AAW16967	350	45	61.6	27	3	AAV91170	Aay91170 Modified
278	45	61.6	10	5	AAW78822	351	45	61.6	27	7	ADD89947	Add89947 LHRH pept
279	45	61.6	10	5	AAW66082	352	45	61.6	28	2	AAW62698	Aar62698 LHRH-cont
280	45	61.6	10	5	AAW66087	353	45	61.6	28	2	AAW62726	Aar62726 LHRH-cont
281	45	61.6	10	5	AAW66080	354	45	61.6	28	3	AAW68568	Aay68568 Peptide i
282	45	61.6	10	5	AAW80729	355	45	61.6	28	3	AAW68591	Aay68591 Peptide i
283	45	61.6	10	5	AAW81563	356	45	61.6	28	3	AAV91160	Aay91160 Modified
284	45	61.6	10	5	AAW31058	357	45	61.6	28	3	AAV91158	Aay91158 Modified
285	45	61.6	10	5	AAW17139	358	45	61.6	28	3	AAV91157	Aay91157 Modified
286	45	61.6	10	6	AAW40003	359	45	61.6	28	3	AAV91159	Aay91159 Modified
287	45	61.6	10	6	AAW29838	360	45	61.6	28	3	AAV91194	Aay91194 Modified
288	45	61.6	10	6	AAW29839	361	45	61.6	29	2	AAW62716	Aar62716 LHRH-cont
289	45	61.6	10	6	AAW55039	362	45	61.6	29	2	AAW74262	Aar74262 SSAL2 TH2
290	45	61.6	10	6	AAW73255	363	45	61.6	29	3	AAW68589	Aay68589 Peptide i
291	45	61.6	10	6	AAW57100	364	45	61.6	29	3	AAW68589	Aay68589 Peptide i
292	45	61.6	10	6	AAW8925	365	45	61.6	30	2	AAW62706	Aar62706 LHRH-cont
293	45	61.6	10	6	AAW88936	366	45	61.6	30	2	AAW62727	Aar62727 LHRH-cont
294	45	61.6	10	6	AAW31056	367	45	61.6	30	2	AAW62711	Aar62711 LHRH-cont
295	45	61.6	10	6	AAW31034	368	45	61.6	30	3	AAW68588	Aay68588 Peptide i
296	45	61.6	10	6	AAW31036	369	45	61.6	30	3	AAW68590	Aay68590 Peptide i
297	45	61.6	10	6	AAW08860	370	45	61.6	30	3	AAW68610	Aay68610 Peptide i
298	45	61.6	10	7	AAW24644	371	45	61.6	30	3	AAW91186	Aay91186 Modified
299	45	61.6	10	7	AAW86800	372	45	61.6	30	3	AAV91191	Aay91191 Modified
300	45	61.6	12	1	AAW80002	373	45	61.6	30	3	AAV91190	Aay91190 Modified
301	45	61.6	13	1	AAW80005	374	45	61.6	30	3	AAV91193	Aay91193 Modified
302	45	61.6	16	2	AAW78284	375	45	61.6	30	3	AAV91189	Aay91189 Modified
303	45	61.6	16	2	AAW78285	376	45	61.6	30	3	AAV91188	Aay91188 Modified
304	45	61.6	16	3	AAW58141	377	45	61.6	30	3	AAV91187	Aay91187 Modified
305	45	61.6	16	5	AAW66086	378	45	61.6	31	2	AAW62718	Aar62718 LHRH-cont
306	45	61.6	16	5	AAW66081	379	45	61.6	31	2	AAW62710	Aar62710 LHRH-cont
307	45	61.6	17	2	AAW78283	380	45	61.6	31	3	AAW68592	Aay68592 Peptide i
308	45	61.6	17	2	AAW78282	381	45	61.6	31	3	AAW68587	Aay68587 Peptide i
309	45	61.6	17	3	AAW58139	382	45	61.6	31	3	AAW68584	Aay68584 Peptide i
310	45	61.6	17	3	AAW58140	383	45	61.6	31	3	AAW68579	Aay68579 Peptide i
311	45	61.6	17	4	AAW99520	384	45	61.6	31	3	AAW68581	Aay68581 Peptide i
312	45	61.6	17	4	AAW99519	385	45	61.6	31	3	AAW68582	Aay68582 Peptide i
313	45	61.6	17	5	AAW66084	386	45	61.6	31	3	AAW68578	Aay68578 Peptide i
314	45	61.6	17	5	AAW66085	387	45	61.6	31	3	AAV91173	Aay91173 Modified
315	45	61.6	20	2	AAW47438	388	45	61.6	31	3	AAV91181	Aay91181 Modified
316	45	61.6	20	2	AAV31177	389	45	61.6	31	3	AAV91175	Aay91175 Modified
317	45	61.6	20	2	AAV31179	390	45	61.6	31	3	AAV91227	Aay91227 Modified

391	45	61.6	31	3	RAY91196	Modified	Ray91196	Modified	464	45	61.6	442	3	RAY96091	Ray96091 GnRH tetr
392	45	61.6	31	3	RAY91174	Modified	Ray91174	Modified	465	44	60.3	10	6	ADA88939	ADA88939 Murrel 90
393	45	61.6	31	3	RAY91176	Modified	Ray91176	Modified	466	44	60.3	12	7	ADC64758	ADC64758 Insulin b
394	45	61.6	31	3	RAY91184	Modified	Ray91184	Modified	467	44	60.3	12	7	ADE15571	ADE15571 Melanoma
395	45	61.6	31	3	RAY91179	Modified	Ray91179	Modified	468	44	60.3	21	5	ABB76120	ABB76120 L7A-GnRH-
396	45	61.6	32	2	AA62709	LHRH-cont	AA62709	LHRH-cont	469	44	60.3	30	2	AA62709	AA62709 Luteinisi
397	45	61.6	32	2	AA62702	LHRH-cont	AA62702	LHRH-cont	470	44	60.3	120	4	AA62702	AA62702 Human cel
398	45	61.6	32	2	AA62719	LHRH-cont	AA62719	LHRH-cont	471	44	60.3	517	6	ABP99336	ABP99336 Orthosomy
399	45	61.6	33	2	AA62715	LHRH-cont	AA62715	LHRH-cont	472	44	60.3	518	4	ABP99336	ABP99336 Orthosomy
400	45	61.6	34	2	AA62704	LHRH-cont	AA62704	LHRH-cont	473	44	60.3	518	4	ABP99336	ABP99336 Orthosomy
401	45	61.6	34	3	RAY68594	Peptide i	RAY68594	Peptide i	474	43	58.9	9	5	AAE15673	AAE15673 Lamprey 1
402	45	61.6	34	3	RAY91244	Modified	RAY91244	Modified	475	43	58.9	9	5	AAE15673	AAE15673 Lamprey 1
403	45	61.6	35	3	AA62713	LHRH-cont	AA62713	LHRH-cont	476	43	58.9	9	7	ADD24654	ADD24654 Lamprey 1
404	45	61.6	35	3	RAY68593	Peptide i	RAY68593	Peptide i	477	43	58.9	10	2	AA62713	AA62713 Lamprey 1
405	45	61.6	35	3	RAY91242	Modified	RAY91242	Modified	478	43	58.9	10	2	AA62713	AA62713 Lamprey 1
406	45	61.6	35	3	RAY91243	Modified	RAY91243	Modified	479	43	58.9	10	2	AA62713	AA62713 Lamprey 1
407	45	61.6	37	2	AA62712	LHRH-cont	AA62712	LHRH-cont	480	43	58.9	10	2	AA62712	AA62712 Lamprey 1
408	45	61.6	37	2	AA62703	LHRH-cont	AA62703	LHRH-cont	481	43	58.9	10	3	AA62703	AA62703 Lamprey 1
409	45	61.6	40	2	AA62699	LHRH-cont	AA62699	LHRH-cont	482	43	58.9	10	5	AA62699	AA62699 Lamprey 1
410	45	61.6	40	3	RAY96085	Cattle go	RAY96085	Cattle go	483	43	58.9	10	7	ADD24656	ADD24656 Lamprey 1
411	45	61.6	42	2	AA62708	LHRH-cont	AA62708	LHRH-cont	484	43	58.9	10	7	ADD24656	ADD24656 Lamprey 1
412	45	61.6	42	3	AA620865	GnRH tand	AA620865	GnRH tand	485	43	58.9	44	4	AA620865	AA620865 GnRH tand
413	45	61.6	45	2	AA62721	LHRH-cont	AA62721	LHRH-cont	486	43	58.9	44	4	AA62721	AA62721 Lamprey 1
414	45	61.6	45	2	AA62720	LHRH-cont	AA62720	LHRH-cont	487	43	58.9	44	4	AA62720	AA62720 Lamprey 1
415	45	61.6	45	3	RAY68577	Peptide i	RAY68577	Peptide i	488	43	58.9	44	4	AA62720	AA62720 Lamprey 1
416	45	61.6	45	3	RAY68573	Peptide i	RAY68573	Peptide i	489	43	58.9	44	4	AA62720	AA62720 Lamprey 1
417	45	61.6	45	3	RAY68571	Peptide i	RAY68571	Peptide i	490	43	58.9	44	4	AA62720	AA62720 Lamprey 1
418	45	61.6	45	3	RAY91165	Modified	RAY91165	Modified	491	43	58.9	44	4	AA62720	AA62720 Lamprey 1
419	45	61.6	45	3	RAY91166	Modified	RAY91166	Modified	492	43	58.9	44	4	AA62720	AA62720 Lamprey 1
420	45	61.6	45	3	RAY91172	Modified	RAY91172	Modified	493	43	58.9	44	4	AA62720	AA62720 Lamprey 1
421	45	61.6	45	7	ADD89948	LHRH pept	ADD89948	LHRH pept	494	43	58.9	196	4	AAU53737	AAU53737 Propionib
422	45	61.6	45	7	ADD89949	LHRH pept	ADD89949	LHRH pept	495	43	58.9	246	4	AAU53737	AAU53737 Propionib
423	45	61.6	46	2	AA62728	LHRH-cont	AA62728	LHRH-cont	496	43	58.9	882	5	ABB48651	ABB48651 Listeria
424	45	61.6	46	3	RAY68595	Peptide i	RAY68595	Peptide i	497	43	58.9	1707	4	ABG07400	ABG07400 Novel hum
425	45	61.6	46	3	RAY91195	Inv epit	RAY91195	Inv epit	498	42	57.5	10	2	AAW16390	AAW16390 Gonadotro
426	45	61.6	47	2	AA62723	LHRH-cont	AA62723	LHRH-cont	499	42	57.5	10	2	AAW22390	AAW22390 Gonadotro
427	45	61.6	47	3	RAY68583	Peptide i	RAY68583	Peptide i	500	42	57.5	10	2	AAW22390	AAW22390 Gonadotro
428	45	61.6	47	3	RAY68586	Peptide i	RAY68586	Peptide i							
429	45	61.6	47	3	RAY91183	Inv epit	RAY91183	Inv epit							
430	45	61.6	47	3	RAY91180	Inv epit	RAY91180	Inv epit							
431	45	61.6	48	2	AA62729	LHRH-cont	AA62729	LHRH-cont							
432	45	61.6	48	2	AA62725	LHRH-cont	AA62725	LHRH-cont							
433	45	61.6	49	2	AA62724	LHRH-cont	AA62724	LHRH-cont							
434	45	61.6	49	2	AA62724	LHRH-cont	AA62724	LHRH-cont							
435	45	61.6	49	3	RAY68580	Peptide i	RAY68580	Peptide i							
436	45	61.6	49	3	RAY68585	Peptide i	RAY68585	Peptide i							
437	45	61.6	49	3	RAY91177	Modified	RAY91177	Modified							
438	45	61.6	49	3	RAY91178	Modified	RAY91178	Modified							
439	45	61.6	50	4	AAU56318	Propionib	AAU56318	Propionib							
440	45	61.6	50	6	ABM52837	Propionib	ABM52837	Propionib							
441	45	61.6	51	2	AA62714	LHRH-cont	AA62714	LHRH-cont							
442	45	61.6	51	2	AA62722	LHRH-cont	AA62722	LHRH-cont							
443	45	61.6	63	4	AAU64539	Propionib	AAU64539	Propionib							
444	45	61.6	63	6	ABM61058	Propionib	ABM61058	Propionib							
445	45	61.6	253	2	AA62714	LHRH-cont	AA62714	LHRH-cont							
446	45	61.6	253	2	AA62714	LHRH-cont	AA62714	LHRH-cont							
447	45	61.6	253	2	AA62714	LHRH-cont	AA62714	LHRH-cont							
448	45	61.6	253	2	AA62714	LHRH-cont	AA62714	LHRH-cont							
449	45	61.6	253	2	AA62714	LHRH-cont	AA62714	LHRH-cont							
450	45	61.6	256	2	AA62714	LHRH-cont	AA62714	LHRH-cont							
451	45	61.6	256	2	AA62714	LHRH-cont	AA62714	LHRH-cont							
452	45	61.6	257	2	AA62714	LHRH-cont	AA62714	LHRH-cont							
453	45	61.6	257	2	AA62714	LHRH-cont	AA62714	LHRH-cont							
454	45	61.6	263	2	AA62714	LHRH-cont	AA62714	LHRH-cont							
455	45	61.6	263	2	AA62714	LHRH-cont	AA62714	LHRH-cont							
456	45	61.6	323	2	AA62714	LHRH-cont	AA62714	LHRH-cont							
457	45	61.6	343	4	AAU62051	Propionib	AAU62051	Propionib							
458	45	61.6	343	6	ABM58570	Propionib	ABM58570	Propionib							
459	45	61.6	398	3	RAY96090	BHV-1 tru	RAY96090	BHV-1 tru							
460	45	61.6	399	3	RAY96093	BHV-1 tru	RAY96093	BHV-1 tru							
461	45	61.6	411	3	RAY96089	GnRH tetr	RAY96089	GnRH tetr							
462	45	61.6	437	7	ADC00344	Enterchae	ADC00344	Enterchae							
463	45	61.6	437	7	ADC00714	Enterchae	ADC00714	Enterchae							
			439	7	ADC00434	Enterchae	ADC00434	Enterchae							

ALIGNMENTS

RESULT 1
 ID AAP50612 standard; peptide; 10 AA.
 XX AAP50612;
 AC AAP50612;
 XX
 XX 24-OCT-2003 (revised)
 DT 25-MAR-2003 (revised)
 DT 26-SEP-1991 (first entry)
 XX
 DE Sequence of peptide with gonadotropin releasing activity.
 XX Hormone; gonadotropin releasing activity;
 KW hypogonadotropic hypogonadism therapy.
 OS Gallus gallus.
 XX
 XX Key' Location/Qualifiers
 FH Modified-site 1
 FT /label= pyro-Glu
 FT Modified-site 10
 FT /label= Gly-NH2
 XX
 XX US4540513-A.
 PN 10-SEP-1985.
 PD 25-SEP-1984;
 XX 84US-00654289.
 XX 25-SEP-1984;
 XX 84US-00654289.
 XX

PA (KANF) KANEGAFUCHI KAGAKU KOGYO KK.
 PI Miyamoto K;
 XX WPI; 1985-242482/39.
 DR
 XX
 XX New deca:peptide with gonadotropin releasing activity - prepd. by extrn.
 PT of chicken hypothalamus or chemical synthesis.
 PT
 XX
 XX Claim 1; Col 4; 3pp; English.
 PS
 XX The peptide has corpus luteum hormone (LH) and follicle stimulating
 CC hormone (FSH) activity. It is thus useful for treating hypogonadotropic
 CC hypogonadism. It can be prepd. by extrn. of chicken hypothalamus or by
 CC chemical reaction. (Updated on 25-MAR-2003 to correct PA field.) (Updated
 CC on 24-OCT-2003 to standardise OS field)
 XX
 XX
 XX Sequence 10 AA;
 SQ
 Query Match 100.0%; Score 73; DB 1; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.00018;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 PA 1 EHWSHGWYPG 10
 PI |||||
 XX 1 EHWSHGWYPG 10
 DB
 RESULT 2
 AAR75156
 ID AAR75156 standard; peptide; 10 AA.
 AC AAR75156;
 XX
 XX 19-DEC-1995 (first entry)
 DT
 XX Chicken (II) GnRH(5His, 7Trp, 8Tyr).
 DE
 XX Gonadotropin releasing hormone; GnRH; gonadoliberin; reproduction;
 XX transgenic animal; transgenic fish; transgenic fowl.
 KW
 XX Gallus sp.
 OS
 XX WO9512309-A1.
 PN
 XX 11-MAY-1995.
 PD
 XX 04-NOV-1994; 94WO-US012763.
 PF
 XX 05-NOV-1993; 93US-00147771.
 PR
 XX (STRD) UNIV LELAND STANFORD JUNIOR.
 PA (OYOR-) UNIV OREGON STATE.
 XX
 XX Fernald RD, Adelman JP;
 PI
 XX WPI; 1995-185526/24.
 DR
 XX New gonadotropin releasing hormone proreohormone DNA - used to develop
 PT prods. for regulation of reproductive function and diagnosis of
 PT reproductive capacity and disease.
 PT
 XX Disclosure; Fig 1a; 85pp; English.
 PS
 XX 8 Different forms of GnRH (given in AAR75152-59) have previously been
 CC isolated from vertebrate species. A precursor for an additional form of
 CC GnRH, (Ser8)-GnRH (AAR75151), has now been obtd
 CC
 XX Sequence 10 AA;
 SQ
 Query Match 100.0%; Score 73; DB 2; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.00018;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
 DB |||||
 1 EHWSHGWYPG 10
 RESULT 3
 AAW76390
 ID AAW76390 standard; peptide; 10 AA.
 XX
 XX AAW76390;
 AC
 XX 17-OCT-2003 (revised)
 DT 04-DEC-1998 (first entry)
 DD
 XX Chicken II GnRH peptide.
 DE
 XX GnRH; lytic peptide; rat; gonadotropin-releasing hormone; contraception;
 KW sterility; luteinising hormone; LH; 1-LHRH-III; fertility; pituitary;
 KW lamprey-luteinising hormone-releasing hormone; gonadotropes; inhibitor;
 KW tumour; ligand; fusion protein; reproductive capacity; insect; treatment;
 KW growth rate; pest control; L-hecate; cancer; adenoma; lymphocyte;
 KW autoimmune disease; chicken.
 XX
 XX Gallus gallus.
 OS
 XX
 XX Key Location/Qualifiers
 FH Modified-site 1
 FT /note= "pyroglutamic acid"
 FT
 XX WO9842365-A1.
 PN
 XX 01-OCT-1998.
 PD
 XX 27-MAR-1998; 98WO-US006114.
 PF
 XX 27-MAR-1997; 97US-0041009P.
 PR 04-JUN-1997; 97US-00869153.
 PR 03-SEP-1997; 97US-0057456P.
 XX
 XX (LOU) UNIV LOUISIANA STATE & AGRIC & MECH COLL.
 PA
 XX Enright FM, Jaynes JM, Hansel W, Koonce KL, Mccann SM, Yu WH;
 PI Melrose PA, Foil LD, Elzer PH;
 PI
 XX WPI; 1998-531711/45.
 DR
 XX New fusion of hormone and lytic peptide for selective cell killing -
 PT particularly for controlling fertility in animals, insect pests, fish
 PT etc., also for treatment of hormone-dependent cancer, viral infections
 PT and auto-immune diseases.
 PT
 XX Example 9-14; Page 43; 59pp; English.
 PS
 XX This sequence represents a chicken gonadotropin-releasing hormone
 CC (GnRH), which is used in a method for producing long-term contraception
 CC or sterility by administering GnRH, beta luteinising hormone (LH) or
 CC lamprey-luteinising hormone-releasing hormone (1-LHRH-III) or temporarily
 CC restoring fertility in a mammal in which the pituitary gonadotropes have
 CC been selectively destroyed by administration of GnRH or 1-LHRH-III. This
 CC sequence also has applications in methods for killing, or inhibiting
 CC growth of hormone- or ligand-dependent tumours by administering the
 CC relevant hormone or ligand plus a lytic peptide, for killing a cell the
 CC activity of which is dependent on binding of a cell-surface receptor to a
 CC ligand by administering the ligand and lytic peptide, inhibiting
 CC reproductive capacity of an insect by administration of a lytic peptide.
 CC Fusion proteins combining such proteins and lytic peptides can be fused
 CC and may also include a carrier domain, specifically vitamin B12, that
 CC facilitates intestinal uptake after oral administration. These methods
 CC have applications for increasing the growth rate of mammals, for pest
 CC control e.g. plants containing an exogenous gene encoding L-hecate. A
 CC further application is in the treatment of ovarian, breast, prostate,
 CC endometrial or testicular cancers, prolactinoma, growth hormones-,

CC thyrotropin- or gonadotropin-dependent adenomas, or any pituitary
 CC adenoma. In addition the proteins can be used to kill lymphocytes
 CC involved in a wide range of autoimmune diseases or to destroy virus-
 CC infected cells. (Updated on 17-OCT-2003 to standardise OS field)

XX SQ Sequence 10 AA;
 Query Match 100.0%; Score 73; DB 2; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.00018;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 EHWSHGWYPG 10
 |||||
 Db 1 EHWSHGWYPG 10

RESULT 4
 AAW96768
 ID AAW96768 standard; peptide; 10 AA.
 XX AC AAW96768;
 XX AC
 XX 19-APR-1999 (first entry)
 XX DE Chicken luteinising hormone releasing hormone (c-LHRH-II).
 XX DE
 XX KW Lamproy III luteinising hormone releasing hormone; 1-LHRH-III;
 XX KW mammalian FSH-releasing factor; serum FSH level; LH; luteinising hormone;
 XX KW agonist; follicle-stimulating hormone; FSH; vertebrate; fertility;
 XX KW antagonist; spermatogenesis inhibition; follicular development;
 XX KW ovarian development.
 XX OS Synthetic.
 XX OS Gallus sp.

XX FH Key Location/Qualifiers
 XX FT Modified-site 1 /note= "pyroglutamic acid"
 XX FT Modified-site 10 /note= "C-terminal amide attached to this residue"
 XX FT
 XX PN WO9855136-A1.
 XX PN
 XX PD 10-DEC-1998.
 XX PD
 XX PF 03-JUN-1998; 98WO-US011512.
 XX PF
 XX PR 04-JUN-1997; 97US-00869153.
 XX PR
 XX PA (LOU) UNIV LOUISIANA STATE & AGRIC & MECH COLL.
 XX PA
 XX PI Mccann SM, Yu WH;
 XX PI
 XX DR WPI; 1999-070238/06.
 XX DR
 XX PT Selectively altering levels of follicle stimulating hormone in
 XX PT vertebrates - using lamproy luteinising hormone releasing-hormone and its
 XX PT derivatives, for increasing or reducing fertility.
 XX PT
 XX PS Disclosure; Page 5; 40pp; English.
 XX PS
 XX CC The present sequence represents chicken luteinising hormone releasing
 XX CC hormone (c-LHRH-II). The specification describes a peptide isolated from
 XX CC Lamproy, 1-LHRH-III, that is identical with, or very similar to, the
 XX CC mammalian follicle-stimulating hormone (FSH)-releasing factor. 1-LHRH-III
 XX CC causes a selective change in serum FSH levels but not a proportional
 XX CC change in serum levels of LH (luteinising hormone). The peptide and its
 XX CC agonists (see AAW96769-95) can be used to increase the level of FSH in
 XX CC vertebrates, and so are used to increase fertility, in males or females,
 XX CC particularly in humans but also in other mammals and fish. Antagonists of
 XX CC the peptide (see AAW96796-104) can be used to decrease the release of
 XX CC FSH, and so are used to decrease fertility by inhibiting spermatogenesis
 XX CC and follicular/ovarian development

XX SQ Sequence 10 AA;
 Query Match 100.0%; Score 73; DB 2; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.00018;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 EHWSHGWYPG 10
 |||||
 Db 1 EHWSHGWYPG 10

RESULT 5
 AAW84295
 ID AAW84295 standard; peptide; 10 AA.
 XX AC AAW84295;
 XX AC
 XX 17-MAR-1999 (first entry)
 XX DE Hormone domain of gonadotropin releasing hormone (GnRH).
 XX DE
 XX KW Hormone domain; gonadotropin releasing hormone; GnRH;
 XX KW 1-luteinising hormone releasing hormone; LHRH-III; estrogen;
 XX KW testosterone; luteinising hormone; chorionic gonadotropin;
 XX KW follicle stimulating hormone; melanocyte-stimulating hormone; estradiol;
 XX KW dopamine; somatostatin; lytic peptide; long-term contraception;
 XX KW sterilisation; human; fish; insect; hormone-dependent tumour;
 XX KW hormone-related disease; autoimmune disorder; treatment.
 XX OS Synthetic.
 XX OS Gallus gallus.

XX FH Key Location/Qualifiers
 XX FT Modified-site 1 /note= "pyroglutamic acid"
 XX FT Modified-site 10 /note= "pyroglutamic acid"
 XX PN WO9842364-A1.
 XX PN
 XX PD 01-OCT-1998.
 XX PD
 XX PF 26-MAR-1998; 98WO-US006013.
 XX PF
 XX PR 27-MAR-1997; 97US-0041009P.
 XX PR 04-JUN-1997; 97US-00869153.
 XX PR 03-SEP-1997; 97US-0057456P.
 XX PR
 XX XX (DEME-) DEMETER BIOTECHNOLOGIES LTD.
 XX PA (LOU) UNIV LOUISIANA STATE & AGRIC.
 XX PA
 XX PI Enright FM, Jaynes JM, Hansel WB, Koorse KL, Foil LD;
 XX PI
 XX DR WPI; 1999-070063/06.
 XX DR
 XX PT New hormone-lytic peptide compounds - used for long-term contraception or
 XX PT sterilisation, for killing insects or virally infected cells or for
 XX PT treating tumours or autoimmune disorders.
 XX PT
 XX PS Example 14; Page 43; 48pp; English.
 XX PS
 XX CC The present sequence represents a hormone domain of gonadotropin
 XX CC releasing hormone (GnRH). The specification also describes peptides
 XX CC derived from 1-luteinising hormone releasing hormone (LHRH)-III,
 XX CC estrogen, testosterone, luteinising hormone, chorionic gonadotropin,
 XX CC follicle stimulating hormone, melanocyte-stimulating hormone, estradiol,
 XX CC dopamine, somatostatin, and analogues of these hormones. The compounds
 XX CC used in a compound, in conjunction with a lytic peptide. The compounds
 XX CC can be used for specifically inhibiting cells that are driven by or are
 XX CC dependent on specific ligand interactions. They can be used for providing
 XX CC long-term contraception or sterilisation in humans, domesticated or wild
 XX CC mammals, birds, reptiles, amphibians, bony fish, cartilaginous fish,
 XX CC jawless fish, and invertebrates such as insects or molluscs. They can
 XX CC also be used for inhibiting or killing malignant and non-malignant

CC hormone-dependent tumours, for treating other hormone-related diseases,
 CC for selectively killing virally infected cells or for treating autoimmune
 CC disorders

SQ Sequence 10 AA;

Query Match 100.0%; Score 73; DB 2; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.00018;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10

Db 1 EHWSHGWYPG 10

RESULT 6

AAAY88386
 ID AAY88386 standard; peptide; 10 AA.

XX

AC AAY88386;

XX 25-JUL-2000 (first entry)

DE GnRH-II analogue peptide #2.

XX Gonadotrophin-releasing hormone; GnRH; differentiation modulator;
 KW osteoporosis; bone metabolism; bone repair; osteogenesis imperfecta;
 KW osteomalacia; bone loss; fracture healing.

XX Synthetic.

XX GB2343182-A.

PN 03-MAY-2000.

PD 27-OCT-1998; 98GB-00023515.

XX 27-OCT-1998; 98GB-00023515.

PR (FERR) FERRING BV.

XX Akinsanya K, Hayward A, Qi S;

PI WPI; 2000-331495/29.

XX Composition containing gonadotropin-releasing hormone II peptide, useful
 PT e.g. for treating osteoporosis and for accelerating bone repair.

XX Claim 3; Page 13; 16pp; English.

PS This sequence represents a gonadotrophin-releasing hormone (GnRH) II-
 CC related peptide. GnRH is released by the hypothalamus and acts on the
 CC pituitary to stimulate the release of luteinising hormone and follicle
 CC stimulating hormone. GnRH is capable of modulating the differentiation of
 CC bone precursor cells, and inducing the expansion of osteoblast
 CC populations. The peptide can be used in compositions for treating
 CC osteoporosis (and other diseases of bone metabolism) and for the
 CC acceleration of bone repair. The compositions have osteogenic activity.
 CC The compositions are used to treat or prevent osteoporosis, other
 CC disorders of bone metabolism (e.g. osteogenesis imperfecta, osteomalacia
 CC or bone loss resulting from prolonged periods of immobility), and to
 CC accelerate bone growth and repair (e.g. for healing fractures)

XX Sequence 10 AA;

Query Match 100.0%; Score 73; DB 3; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.00018;

Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10

Db 1 EHWSHGWYPG 10

RESULT 7

AAAB06262

ID AAB06262 standard; peptide; 10 AA.

XX

AC AAB06262;

XX 16-OCT-2000 (first entry)

DE Gonadotrophin releasing hormone homologue GnRH-II.

XX GnRH-II; Gonadotrophin releasing hormone; GnRH;
 KW luteinising hormone releasing; hormone; LHRH; osteogenesis;
 KW prostatic epithelial cell proliferation; bone disorder;
 KW prostate disorder.

XX Unidentified.

XX Key Location/Qualifiers

FT Modified-site 1

FT /note= "Pyroglutamic acid"

XX GB23444287-A.

PN 07-JUN-2000.

XX 03-DEC-1998; 98GB-00026662.

XX 03-DEC-1998; 98GB-00026662.

XX (FERR) FERRING BV.

XX Akinsanya K, Hayward A, Qi S;

PI WPI; 2000-378694/33.

XX Pharmaceutical composition for treating bone and prostate disorders
 PT comprises a peptide microencapsulated within a biodegradable polymer.

XX Claim 2; Page 11; 13pp; English.

XX The present sequence is GnRH-II, a peptide with homology to gonadotrophin
 CC releasing hormone (GnRH, otherwise known as luteinising hormone releasing
 CC hormone, LHRH). GnRH-II influences osteogenesis and modulates the
 CC proliferation of prostatic epithelial cells and so may be useful for
 CC treating human disease associated with abnormal bone and prostate growth.
 CC A biodegradable polymer is used to hold the peptide in a depot, from
 CC which the peptide is released into the systemic circulation at a
 CC controlled rate

XX Sequence 10 AA;

Query Match 100.0%; Score 73; DB 3; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.00018;

Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10

Db 1 EHWSHGWYPG 10

RESULT 8

AAAY79309

ID AAY79309 standard; peptide; 10 AA.

XX

AC AAY79309;

XX 12-SEP-2003 (revised)

DT 18-JUL-2000 (first entry)

XX Chicken GnRH-II.

XX Gonadotropin releasing hormone II; chicken; cGnRH-II; GnRH-II.

XX OS Gallus gallus.
XX PN WO200017336-A1.
XX PD 30-MAR-2000.
XX PF 17-SEP-1999; 99WO-KR000559.
XX PR 19-SEP-1998; 98KR-00038835.
XX PA (LEES/) LEE S.
XX PI Lee SJ;
XX DR WPI; 2000-283569/24.
XX PT New DNA cassette comprising tandem repeating units of a nucleotide
PT sequence encoding a biologically active peptide and a linker peptide used
PT for producing the biologically active peptide.
XX PS Disclosure; Page 8; 32pp; English.
XX CC The present sequence is that of chicken gonadotropin releasing hormone II
CC (cGnRH-II). The present invention provides a means of producing
CC biologically active peptides, such as cGnRH-II, by recombinant expression
CC in microbial hosts. This involves the construction of a DNA cassette (see
CC AZ94528) comprising tandem repeating units of a nucleotide sequence
CC encoding the peptide and a linker. The DNA cassette is incorporated into
CC a vector, and the peptide-linker multimer is expressed in transformed
CC microbial cells. The linkers are designed to include sites cleavable by a
CC protease or chemical agent. Cleavage of the expressed multimer using the
CC protease or chemical agent provides the biologically active peptide.
XX CC (Updated on 12-SEP-2003 to standardise OS field)
XX SQ Sequence 10 AA;
Query Match 100.0%; Score 73; DB 3; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00018;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 EHWSHGWYPG 10
DB 1 EHWSHGWYPG 10
RESULT 9
AAB90962 ID AAB90962 standard; peptide; 10 AA.
XX AC AAB90962;
XX DT 22-JUN-2001 (first entry)
XX DE Luteinising hormone releasing hormone (LH-RH) related peptide SEQ ID:136.
XX KW Protection; endogenous therapeutic peptide; peptidase; conjugation;
XX KW blood component; modification; succinimidyl; maleimido group; amino;
XX KW hydroxyl; thiol; hormone; growth factor; neurotransmitter.
XX OS Homo sapiens.
XX OS Synthetic.
XX PN WO200069900-A2.
XX PD 23-NOV-2000.
XX PF 17-MAY-2000; 2000WO-US013576.
XX PR 17-MAY-1999; 99US-0134406P.
XX PR 10-SEP-1999; 99US-0153406P.
XX PR 15-OCT-1999; 99US-0159783P.
XX PA (CONJ-) CONJUCHEM INC.
XX PI Bridon DP, Ezrin AM, Milner PG, Holmes DL, Thibaudeau K;
XX DR WPI; 2001-112059/12.
XX PT Modifying and attaching therapeutic peptides to albumin prevents
PT peptidase degradation, useful for increasing length of in vivo activity.
XX PS Disclosure; Page 235; 733pp; English.
XX CC The present invention describes a modified therapeutic peptide (I)
CC comprising a therapeutically active amino acid region (III) and a
CC reactive group (II) (e.g. succinimidyl and maleimido groups) attached to
CC a less therapeutically active amino acid region (IV), which covalently
CC bonds with amino/hydroxyl/thiol groups on blood components to form a
CC peptidase stabilised therapeutic peptide composed of 3-50 amino acids.
CC (I) are useful for modifying therapeutic peptides e.g. hormones, growth
CC factors and neurotransmitters, to protect them from peptidase activity in
CC vivo for the treatment of various disorders. Endogenous therapeutic
CC peptides are not suitable as drug candidates as they require frequent
CC administration due to rapid degradation by peptidases in the body.
CC Modifying and attaching therapeutic peptides to albumin prevents or
CC reduces the action of peptidases to increase length of activity (half
CC life) and specificity as bonding to large molecules decreases
CC intracellular uptake and interference with physiological processes.
CC AAB90829 to AAB92441 represent peptides which can be used in the
CC exemplification of the present invention
XX SQ Sequence 10 AA;
Query Match 100.0%; Score 73; DB 4; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00018;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 EHWSHGWYPG 10
DB 1 EHWSHGWYPG 10
RESULT 10
AAB06175 ID AAB06175 standard; peptide; 10 AA.
XX AC AAB06175;
XX DT 13-MAY-2002 (first entry)
XX DE Gonadotropin-releasing hormone precursor peptide related peptide #3.
XX KW Gonadotropin-releasing hormone precursor peptide; GnRH; octopus;
KW Gonadotropin-releasing hormone; signal processing mechanism; drug;
KW nerve system; pesticide; cardiant.
XX OS Synthetic.
XX PH Key Location/Qualifiers
FT Modified-site 1 /note= "pyroglutamic acid"
FT Modified-site 10 /note= "amidated"
XX PN WO200202628-A1.
XX PD 10-JAN-2002.
XX PF 29-JUN-2001; 2001WO-JP005607.
XX PR 30-JUN-2000; 2000JP-00198430.
XX PA (SUNR) SUNTORY LTD.
XX PI Minakata H, Iwakoshi E, Kuroda K;

XX WPI; 2002-154729/20.

XX New octopus brain-originated peptide with gonadotropin-releasing hormone

PT (GnRH) activity, useful in studying signal processing mechanism in nerve

PT system and in developing pesticides and drugs, and breeding and farming

PT young octopuses.

XX Disclosure; Fig 5; 45pp; Japanese.

XX The present invention describes a peptide with gonadotropin-releasing

CC hormone (GnRH) activity comprising the sequence: pGlu-Zaa-Zaa-His-Zaa-Ser

CC -Zaa-Zaa-Zaa-Pro-Gly-NH₂ (I), where pGlu = pyroglutamic acid and Zaa

CC = any amino acid. Peptides with GnRH activity also have cardiant

CC activity. The peptides and their analogues can be used in studying signal

CC processing mechanisms in the nerve system and in developing pesticides

CC and drugs for e.g. potentiating heart beat and breeding and farming young

CC octopuses. The present sequence represents a peptide which is used in the

CC present invention

XX Sequence 10 AA;

SQ

Query Match 100.0%; Score 73; DB 5; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.00018;

Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10

Db 1 EHWSHGWYPG 10

RESULT 11

AAE15666

ID AAE15666 standard; peptide; 10 AA.

AC AAE15666;

XX 12-MAR-2002 (first entry)

XX Chicken luteinizing hormone releasing hormone peptide.

XX Chicken; Follicle stimulating hormone; FSH-releasing factor; c-LHRH;

KW luteinizing hormone releasing hormone; gonadotropin releasing hormone;

KW GnRH; fertility.

XX Gallus sp.

XX Key Location/Qualifiers

FT Modified-site 1

FT /note= "Pyroglutamic acid; This residue is given as Xaa

FT in the sequence shown as SEQ ID NO: 5 in the sequence

FT listing"

FT Modified-site 10

FT /note= "C-terminal amide; This residue is given as Xaa in

FT the sequence shown as SEQ ID NO: 5 in the sequence

FT listing"

XX US6300471-B1.

PN

XX 09-OCT-2001.

XX 03-JUN-1998; 98US-00089522.

PF

XX 04-JUN-1997; 97US-C092112P.

PR

XX (LOU) UNIV LOUISIANA STATE & AGRIC & MECH COLL.

PA

XX McCann SM, Yu WH;

PI

XX WPI; 2002-016917/02.

DR

XX Altering the secretion level of follicle-stimulating hormone in a

XX vertebrate mammal comprises using peptide 1-luteinizing hormone releasing

PT hormone-III.

XX Disclosure; Col 3-4; 17pp; English.

XX The patent discloses compositions and methods for selectively stimulating

CC or inhibiting the release of follicle stimulating hormone (FSH) from the

CC anterior lobe of pituitary gland. The method involves administration of a

CC peptide-1-luteinizing hormone releasing hormone (LHRH)-III, a potent FSH-

CC releasing factor. LHRH is also called as gonadotropin releasing hormone

CC (GnRH). LHRH and its agonists may be used to enhance fertility.

CC Antagonists to LHRH-III may be used to inhibit fertility. The method is

CC used for altering the secretion level of FSH in a vertebrate animal e.g.

CC a mammal such as a male and female human. The present sequence is chicken

CC luteinizing hormone releasing hormone (c-LHRH) peptide

XX Sequence 10 AA;

SQ

Query Match 100.0%; Score 73; DB 5; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.00018;

Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10

Db 1 EHWSHGWYPG 10

RESULT 12

ADA88928

ID ADA88928 standard; peptide; 10 AA.

XX ADA88928;

XX 20-NOV-2003 (first entry)

XX Chicken II gonadotropin releasing hormone.

XX gonadotropin releasing hormone; GnRH; muGnRH I; muGnRH II; Indian Murrel;

KW fish; fish breeding; gonadotropin.

XX Gallus sp.

XX Key Location/Qualifiers

FT Modified-site 1

FT /note= "pyroglutamic acid"

FT Modified-site 10

FT /note= "amidated"

XX WO2003064460-A2.

PN

XX 07-AUG-2003.

PD

XX 10-JAN-2003; 2003WO-IN000015.

PF

XX 30-JAN-2002; 2002US-0353041P.

PR

XX (COUL) COUNCIL SCI & IND RES.

PA

XX Chatterjee A, Ray P, Dasgupta S, Bhattacharaya S, Pasha S;

PI

XX WPI; 2003-663464/62.

DR

XX New gonadotropin releasing hormones muGnRH I and muGnRH II useful for

XX induced breeding in fishes.

PT

XX Disclosure; Fig 1; 23pp; English.

PS

XX The present invention describes gonadotropin releasing hormones (GnRH)

CC muGnRH I (ADA88923) and muGnRH II (ADA88924), isolated from Indian Murrel

CC fish. They can be used for inducing breeding in fishes both in

CC combination and alone by activating production of gonadotropin. The GnRH

CC peptide muGnRH I and muGnRH II have the amino acid sequences Gln-His-Trp-

CC Ser-Ala-Trp-Arg-Leu-Pro-Gly (I) and Gln-His-Trp-Ser-Trp-Gly-Ile-Leu-Pro-

CC Gly (II), respectively. Also described: (1) isolating and sequencing

CC muGnRH I and muGnRH II; and (2) inducing breeding in fishes using GnRH
 CC comprising exposing fishes to GnRH to help release gonadotropin, and
 CC inducing breeding in fishes using the gonadotropin. The present sequence
 CC represents a GnRH amino acid sequence given in the exemplification of the
 CC present invention.

XX XX Sequence 10 AA;
 SQ Query Match 100.0%; Score 73; DB 6; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.00018;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 EHWSHGWYPG 10
 |||||
 Db 1 EHWSHGWYPG 10

RESULT 13
 AAO31042
 ID AAO31042 standard; peptide; 10 AA.
 XX AC AAO31042;
 XX DT 06-OCT-2003 (first entry)
 XX DE Chicken gonadotropin releasing hormone (cGnRH-II) peptide.
 XX Gonadotropin releasing hormone; GnRH-I; GnRH-II; T-cell related disease;
 KW congenital immune deficiency; acquired immune deficiency; hyperreactive;
 KW psychopathology; neoplastic disease; autoimmune disease; neuroprotective;
 KW pathophysiological disease; neurological disease; allograft rejection;
 KW graft-versus-host disease; neurologic disease; immunosuppressive;
 KW cytotstatic; anti-HIV; allergic; gene therapy; chicken.
 XX Gallus gallus.

XX Key Location/Qualifiers
 XX Modified-site 1
 FT Modified-site /note= "Pyroglutamic acid"
 FT Modified-site 10
 FT Modified-site /note= "C-terminal amide"
 XX WO2003051272-A2.
 XX 26-JUN-2003.
 XX 17-DEC-2002; 2002WO-IL001014.
 XX 17-DEC-2001; 2001IL-00147138.
 XX (YEDA) YEDA RES & DEV CO LTD.
 XX Levite M, Koch Y;
 XX WPI; 2003-523498/49.
 XX Regulating activity of a T-cell population by providing a molecule that
 PT is capable of modifying an activity or expression level of GnRH-I or GnRH
 PT -II receptor to regulate GnRH-I or a GnRH-II mediated activity of the T-
 PT cell population.

XX Disclosure; Page 41; 177pp; English.
 XX The invention relates to a method for regulating activity of a T-cell
 CC population. The method comprising providing to the T-cell population a
 CC molecule that is selected to be capable of modifying an activity or
 CC expression level of a gonadotropin releasing hormone (GnRH)-I or a GnRH-
 CC II receptor to regulate GnRH-I or a GnRH-II mediated activity of a T-cell
 CC population. The method is useful for treating or preventing a T-cell
 CC related disease or condition characterised by abnormal T-cell activity,
 CC e.g. congenital immune deficiencies, acquired immune deficiencies,
 CC infection, psychopathology or neoplastic disease, autoimmune, allergic,
 CC hyperreactive, pathophysiological and neurological diseases and

CC conditions, graft-versus-host disease, or allograft rejections. The
 CC invention is useful in gene therapy. The present sequence is chicken
 CC gonadotropin releasing hormone (cGnRH-II) peptide
 XX XX Sequence 10 AA;
 SQ Query Match 100.0%; Score 73; DB 6; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.00018;
 Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
 |||||
 Db 1 EHWSHGWYPG 10

RESULT 14
 AAO31057
 ID AAO31057 standard; peptide; 10 AA.
 XX AC AAO31057;
 XX DT 06-OCT-2003 (first entry)
 XX DE African catfish gonadotropin releasing hormone (GnRH-II) peptide.
 XX Gonadotropin releasing hormone; GnRH-I; GnRH-II; T-cell related disease;
 KW congenital immune deficiency; acquired immune deficiency; hyperreactive;
 KW psychopathology; neoplastic disease; autoimmune disease; neuroprotective;
 KW pathophysiological disease; neurological disease; allograft rejection;
 KW graft-versus-host disease; neurologic disease; immunosuppressive;
 KW cytotstatic; anti-HIV; allergic; gene therapy; catfish.

XX Clarias gariepinus.
 OS
 XX WO2003051272-A2.
 XX 26-JUN-2003.
 XX 17-DEC-2002; 2002WO-IL001014.
 XX 17-DEC-2001; 2001IL-00147138.
 XX (YEDA) YEDA RES & DEV CO LTD.
 XX Levite M, Koch Y;
 XX WPI; 2003-523498/49.
 XX Regulating activity of a T-cell population by providing a molecule that
 PT is capable of modifying an activity or expression level of GnRH-I or GnRH
 PT -II receptor to regulate GnRH-I or a GnRH-II mediated activity of the T-
 PT cell population.

XX Disclosure; Page 166; 177pp; English.
 XX The invention relates to a method for regulating activity of a T-cell
 CC population. The method comprising providing to the T-cell population a
 CC molecule that is selected to be capable of modifying an activity or
 CC expression level of a gonadotropin releasing hormone (GnRH)-I or a GnRH-
 CC II receptor to regulate GnRH-I or a GnRH-II mediated activity of a T-cell
 CC population. The method is useful for treating or preventing a T-cell
 CC related disease or condition characterised by abnormal T-cell activity,
 CC e.g. congenital immune deficiencies, acquired immune deficiencies,
 CC infection, psychopathology or neoplastic disease, autoimmune, allergic,
 CC hyperreactive, pathophysiological and neurological diseases and
 CC conditions, graft-versus-host disease, or allograft rejections. The
 CC invention is useful in gene therapy. The present sequence is catfish
 CC gonadotropin releasing hormone (GnRH-II) peptide
 XX XX Sequence 10 AA;

Query Match 100.0%; Score 73; DB 6; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.00018;

Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
| | | | | | | | | |
Db 1 EHWSHGWYPG 10

RESULT 15
ADD24647
ID ADD24647 standard; peptide; 10 AA.
XX
AC ADD24647;
XX
DT 15-JAN-2004 (first entry)
XX
DE Chicken luteinising hormone releasing hormone, c-LHRH-II.
XX
KW luteinising hormone releasing hormone; LHRH;
KW follicle stimulating hormone releasing factor; FSH-RP; antiinfertility;
KW 1-LHRH-III; luteinising hormone; fertility; ovarian follicle; ovulation;
KW litter size; chicken.
XX
OS Gallus gallus.
XX
FH Key Location/Qualifiers
FT Modified-site 1
FT /label= OTHER
FT /note= "Pyroglutamic acid"
FT Modified-site 10
FT /label= OTHER
FT /note= "Gly is amidated"
XX
PN US2002165159-A1.
XX
PD 07-NOV-2002.
XX
PD 28-MAR-2002; 2002US-00109331.
XX
PR 04-JUN-1997; 97US-0092112P.
PR 03-JUN-1998; 98WO-US011512.
PR 11-MAY-1999; 99US-00297989.
XX
PA (LOU) UNIV LOUISIANA STATE & AGRIC & MECH COLL.
XX
PI McCann SM, Yu WH;
XX
XX WPI; 2003-810634/76.
DR
PT Altering level of secretion of follicle-stimulating hormone in vertebrate
PT for enhancing or inhibiting fertility in mammals, by administering 1-
PT luteinizing hormone releasing hormone peptide or its modulator peptide.
XX
PS Disclosure; SEQ ID NO 5; 19pp; English.

The invention relates to a method of altering the level of secretion of follicle-stimulating hormone (FSH) in a vertebrate animal, involving administering a peptide to cause a selective change in serum FSH level, but does not cause change in serum luteinising hormone (LH) level of animal. The peptide is chosen from 1-luteinising hormone releasing hormone (LHRH)-III agonist peptide, 1-LHRH-III superagonist peptide, 1-LHRH-III antagonist peptide, chosen from ADD24648 - ADD24683. The peptides are based on the lamprey 1-LHRH-III which has been shown to be an FSH-releasing factor (FSH-RH). Also included is a pharmaceutical composition comprising a peptide, which causes a selective change in serum FSH level, but does not cause change in serum luteinising hormone (LH) level of animal. The method is useful for altering the level of secretion of FSH in a vertebrate animal, preferably mammal or human (male or female), and for increasing or decreasing fertility of the vertebrate. The method is also applicable to other vertebrates to increase fertility, for e.g. sheep, cattle, pigs, chickens, turkeys, channel catfish, tilapia and koi. Treatment of farm animals with FSH-releasing factor leads to maturation of increased numbers of ovarian follicles and subsequent ovulations, leading to increased litter sizes. The present sequence is an

CC LHRH shown not to be an FSH-releasing factor.
XX
SQ Sequence 10 AA;
Query Match 100.0%; Score 73; DB 7; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00018; Indels 0; Gaps 0;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
| | | | | | | | | |
Db 1 EHWSHGWYPG 10

RESULT 16
AA79311
ID AA79311 standard; peptide; 12 AA.
XX
AC AA79311;
XX
DT 12-SEP-2003 (revised)
DT 18-JUL-2000 (first entry)
XX
DE Chicken gonadotropin releasing peptide II analogue.
XX
KW Gonadotropin releasing hormone II; chicken; cGnRH-II; GnRH-II.
XX
OS Gallus gallus.
XX
FH Key Location/Qualifiers
FT Peptide 1..10
FT /note= "cGnRH-II"
FT Peptide 11..12
FT /note= "linker"
XX
PN WO200017336-A1.
XX
PD 30-MAR-2000.
XX
PD 17-SEP-1999; 99WO-KR000559.
XX
PR 19-SEP-1998; 98KR-00038835.
XX
PA (LEES/) LEE S.
XX
PI Lee SJ;
XX
XX WPI; 2000-283569/24.
DR
PT New DNA cassette comprising tandem repeating units of a nucleotide
PT sequence encoding a biologically active peptide and a linker peptide used
PT for producing the biologically active peptide.
XX
PS Example 4; Page 15; 32pp; English.

The present sequence is that of a chicken gonadotropin releasing hormone II (cGnRH-II) analogue comprising cGnRH-II (see AA79309) and a C-terminal linker-derived Gly-Lys sequence. The analogue is produced by expression of a DNA cassette in a microbial host cell. The DNA cassette comprises tandem repeating units of a nucleotide sequence encoding cGnRH-II and trypsin cleavable linker peptides. The DNA cassette is incorporated into a vector, and the peptide-linker multimer is expressed in transformed microbial cells. Cleavage of the expressed multimer provides the present cGnRH-II analogue. (Updated on 12-SEP-2003 to standardise OS field)

QY 1 EHWSHGWYPG 10
| | | | | | | | | |
Query Match 100.0%; Score 73; DB 3; Length 12;
Best Local Similarity 100.0%; Pred. No. 0.00022; Indels 0; Gaps 0;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Query Match	95.9%	Score 70	DB 6	Length 10
Best Local Similarity	90.0%	Pred. No.	0.00049	
Matches	9	Mismatches	0	Gaps 0
Conservative	1	Indels	0	

Qy 1 EHWSHGWTYPG 10

Db 5 EHWSHGWPYPG 14

DT 06-OCT-2003 (first entry)
XX Spiny dogfish gonadotropin releasing hormone (GnRH-II) peptide.

XX

AC AAO31059;
XX

DT 23-OCT-2003 (revised)

DT 06-OCT-2003 (first entry)

XX DE NEGATIVE

XX
DE
FACILE MELTING GONADOTROPIN RELEASING HORMONE (GHRH-11) PEPTIDE:

KW Gonadotropin releasing hormone; GnRH-I; GnRH-II; T-cell related disease;
 KW congenital immune deficiency; acquired immune deficiency; hyperreactive;
 KW psychopathology; neoplastic disease; autoimmune disease; neuroprotective;
 KW pathopsychological disease; neurological disease; allograft rejection;
 KW graft-versus-host disease; allograft rejection; immunosuppressive;
 KW cytostatic; anti-HIV; allergic; gene therapy; pacific herring.

XX 5

XX
OS Clupea pallasii.

PN WO2003051272-A2

[illegible]

FD
XX
26-JUN-2003.

PF 17-DEC-2002; 20

	8
	9
	10
	11
	12
	13
	14
	15
	16
	17
	18
	19
	20
	21
	22
	23
	24
	25
	26
	27
	28
	29
	30
	31
	32
	33
	34
	35
	36
	37
	38
	39
	40
	41
	42
	43
	44
	45
	46
	47
	48
	49
	50
	51
	52
	53
	54
	55
	56
	57
	58
	59
	60
	61
	62
	63
	64
	65
	66
	67
	68
	69
	70
	71
	72
	73
	74
	75
	76
	77
	78
	79
	80
	81
	82
	83
	84
	85
	86
	87
	88
	89
	90
	91
	92
	93
	94
	95
	96
	97
	98
	99
	100
	101
	102
	103
	104
	105
	106
	107
	108
	109
	110
	111
	112
	113
	114
	115
	116
	117
	118
	119
	120
	121
	122
	123
	124
	125
	126
	127
	128
	129
	130
	131
	132
	133
	134
	135
	136
	137
	138
	139
	140
	141
	142
	143
	144
	145
	146
	147
	148
	149
	150
	151
	152
	153
	154
	155
	156
	157
	158
	159
	160
	161
	162
	163
	164
	165
	166
	167
	168
	169
	170
	171
	172
	173
	174
	175
	176
	177
	178
	179
	180
	181
	182
	183
	184
	185
	186
	187
	188
	189
	190
	191
	192
	193
	194
	195
	196
	197
	198
	199
	200
	201
	202
	203
	204
	205
	206
	207
	208
	209
	210
	211
	212
	213
	214
	215
	216
	217
	218
	219
	220
	221
	222
	223
	224
	225
	226
	227
	228
	229
	230
	231
	232
	233
	234
	235
	236
	237
	238
	239
	240
	241
	242
	243
	244
	245
	246
	247
	248
	249
	250
	251
	252
	253

XX
PR 17-DEC-2001; 20

PA (YEDA) YEDA RE

XX

PI
LeVite M, Koch
XX

DR WPI; 2003-52349

XX
E
E

PT is capable of m...
regulating acti...

PT -II receptor to

PT cell population

PS Disclosure: Paid

XX
XX

C-

CC The invention r
CC new, for the
CC

population: The molecule that i

CC expression level

CC II receptor to

population. The related disease

CC e.g. congenital

infection, psych

CC, hyperreactive, [

Best Local Similarity 90.0%; Pred. No. 0.00049;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWPY 10
:|||||
Db 1 QHWSHGWPY 10

RESULT 21

AAR75149
ID AAR75149 standard; protein; 85 AA.

XX AC AAR75149;

XX DT 16-OCT-2003 (revised)

XX DT 19-DEC-1995 (first entry)

XX DE H. burtoni (His5,Trp7,Tyr8)-GnRH preprohormone.

XX KW Gonadotropin releasing hormone; (His5,Trp7,Tyr8)-GnRH; gonadoliberin;
transgenic animal; transgenic fish; transgenic fowl.

XX OS Astatotilapia burtoni.

XX FH Key Location/Qualifiers

XX FT Peptide 1..23

XX FT /label= Sig_peptide

XX FT Peptide 24..33

XX FT /label= GnRH

XX FT Protein 34..85

XX FT /label= GAP_peptide

XX FN WO9512309-A1.

XX PD 11-MAY-1995.

XX PF 04-NOV-1994; 94WO-US012763.

XX PR 05-NOV-1993; 93US-00147771.

XX PA (STRD) UNIV LELAND STANFORD JUNIOR.

XX PA (UYOR-) UNIV OREGON STATE.

XX PI Fernald RD, Adelman JP;

XX DR WPI; 1995-185526/24.

XX DR N-PSDB; AAQ90624.

XX PT New gonadotropin releasing hormone preprohormone DNA - used to develop
prods. for regulation of reproductive function and diagnosis of
reproductive capacity and disease.

XX PS Claim 3; Page 60; 85pp; English.

XX CC cDNA derived from RNA isolated from ventral portions of H. burtoni brain
was amplified by PCR using primers based on (His5,Trp7,Tyr8)- GnRH
sequences. The PCR product was used to probe a H. burtoni ventral brain
cDNA library in lambda-gt10 to isolate a full-length cDNA clone encoding
the preprohormone. (Updated on 16-OCT-2003 to standardise OS field)

XX SQ Sequence 85 AA;

Query Match 95.9%; Score 70; DB 2; Length 85;

Best Local Similarity 90.0%; Pred. No. 0.0046;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWPY 10
:|||||
Db 24 QHWSHGWPY 33

RESULT 22

AAR75150

ID AAR75150 standard; protein; 89 AA.

XX AC AAR75150;

XX DT 27-AUG-2003 (revised)

XX DT 19-DEC-1995 (first entry)

XX DE Treeshrew (His5,Trp7,Tyr8)-GnRH preprohormone.

XX KW Gonadotropin releasing hormone; (His5,Trp7,Tyr8)-GnRH; gonadoliberin;
reproduction; transgenic animal; transgenic fish; transgenic fowl.

XX OS Tupala belangeri.

XX FN WO9512309-A1.

XX PD 11-MAY-1995.

XX PF 04-NOV-1994; 94WO-US012763.

XX PR 05-NOV-1993; 93US-00147771.

XX PA (STRD) UNIV LELAND STANFORD JUNIOR.

XX PA (UYOR-) UNIV OREGON STATE.

XX PI Fernald RD, Adelman JP;

XX DR WPI; 1995-185526/24.

XX DR N-PSDB; AAQ90625.

XX PT New gonadotropin releasing hormone preprohormone DNA - used to develop
prods. for regulation of reproductive function and diagnosis of
reproductive capacity and disease.

XX PS Claim 30; Page 66-67; 85pp; English.

XX CC cDNA derived from mRNA isolated from treeshrew brain was amplified by PCR
using primers based on (His5,Trp7,Tyr8)-GnRH sequences. New primers were
then generated for use in RACE, and the sequence of preprohormone cDNA
was obt'd. by aligning overlapping regions from consensus 5'RACE
templates. (Updated on 27-AUG-2003 to correct OS field.)

XX SQ Sequence 89 AA;

Query Match 95.9%; Score 70; DB 2; Length 89;

Best Local Similarity 90.0%; Pred. No. 0.0046;

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWPY 10
:|||||
Db 22 QHWSHGWPY 31

RESULT 23

AAE15401

ID AAE15401 standard; protein; 120 AA.

XX AC AAE15401;

XX DT 12-MAR-2002 (first entry)

XX DE Human gonadotropin-releasing hormone 2 (GNRH2) protein.

XX KW Human; gonadotropin-releasing hormone 2; GNRH2 protein; haplotyping;

XX KW genotyping; gene therapy; reproductive disorder; chromosome 20p13;

XX KW single nucleotide polymorphism; SNP.

XX OS Homo sapiens.

XX FH Key Location/Qualifiers

XX FT Misc-difference 16

XX FT /note= "Ala at this position is replaced with Val due to
single nucleotide polymorphism (SNP)"

FT Misc-difference 54
 FT /note= "Ala at this position is replaced with Thr due to
 FT single nucleotide polymorphism (SNP)"
 XX
 XX WO200187910-A2.
 XX
 XX 22-NOV-2001.
 XX
 XX 18-MAY-2001; 2001WO-US016353.
 XX
 XX 18-MAY-2000; 2000US-0205187P.
 XX
 XX (GENA-) GENAISSANCE PHARM INC.
 XX
 XX Duda A, Kliem SE, Nandabalan K, Sausker EA;
 XX WPI; 2002-055683/07.
 DR N-PSDB; AAD25404, AAD25405.
 DR
 XX New genetic variants of gonadotropin-releasing hormone 2 isogene, useful
 PT in studying expression and function of protein and for screening drugs to
 PT treat diseases e.g. reproduction disorders.
 XX
 XX Claim 28; Fig 3; 64pp; English.
 XX
 CC The invention relates to genetic variants of human gonadotropin-
 CC releasing hormone 2 (GNRH2) gene. The invention also relates to
 CC compositions and methods for haplotyping and/or genotyping the GNRH2 gene
 CC in an individual. Polynucleotides of the invention are useful for
 CC studying the expression and function of GNRH2 and in expressing GNRH2
 CC proteins for use in screening candidate drugs to treat diseases related
 CC to GNRH2 activity. They are also used in gene therapy. The methods of the
 CC invention are useful in determining whether an individual has a haplotype
 CC or haplotype pairs. The haplotyping method is useful for improving the
 CC efficiency and reliability of several steps in the discovery and
 CC development of drugs for treating diseases associated with GNRH2
 CC activity, e.g., reproductive disorders. The present sequence is human
 CC GNRH2 protein. The GNRH2 gene located on chromosome 20p13
 XX
 SQ Sequence 120 AA;
 Query Match 95.9%; Score 70; DB 5; Length 120;
 Best Local Similarity 90.0%; Pred. No. 0.0066;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 1 EHWSHGWYPG 10
 :|||||||
 Db 24 QHWSHGWP 33
 RESULT 24
 AAE35115
 ID AAE35115 standard; protein; 120 AA.
 XX
 AC AAE35115;
 XX
 XX 28-MAY-2003 (first entry)
 DT
 DE Human gonadotropin-releasing hormone 2 (GNRH2).
 DE
 XX Human; gonadotropin-releasing hormone 2; GNRH2; reproductive disorder;
 XX gynaecological; cytostatic; hormonal; target validation; gene therapy;
 XX drug screening; lead compound; chromosome p13.
 XX
 OS Homo sapiens.
 XX
 XX Key Location/Qualifiers
 FH
 FT Misc-difference 16
 FT /note= "This amino acid changes to Val due to single
 FT nucleotide polymorphism"
 FT
 FT Misc-difference 54
 FT /note= "This amino acid changes to Thr due to single
 FT nucleotide polymorphism"
 FT

XX WO200294850-A2.
 XX 28-NOV-2002.
 XX
 XX 01-NOV-2001; 2001WO-US050630.
 XX
 XX 18-MAY-2001; 2001WO-US016353.
 XX
 XX (GENA-) GENAISSANCE PHARM INC.
 XX
 XX Duda A, Kliem SE, Nandabalan K, Sausker EA;
 XX WPI; 2003-148454/14.
 DR N-PSDB; AAD53499, AAD53500.
 DR
 XX New gonadotropin-releasing hormone 2 (GNRH2) polypeptide encoded by
 PT genetic variants having polymorphisms in the GNRH2 gene, for studying the
 PT function of, and treating disorders, such as, reproductive disorders.
 XX
 XX Claim 27; Fig 3; 33pp; English.
 XX
 CC The invention relates to gonadotropin-releasing hormone 2 (GNRH2) and its
 CC nucleic acid sequence. Polymorphic variants of the GNRH2 gene are useful
 CC in studying the expression and function of GNRH2, and in expressing GNRH2
 CC proteins for use in screening candidate drugs for treating diseases
 CC associated with GNRH2 activity, such as reproductive disorders.
 CC Polynucleotides comprising a polymorphic gene variant or fragment may be
 CC used for therapeutic purposes, where a patient could benefit from
 CC expression or increased expression of a particular GNRH2 protein isoform,
 CC or an expression vector encoding the isoform may be administered to the
 CC patient. Haplotype information is useful in improving the efficiency and
 CC output of several steps in a drug discovery and development process,
 CC including target validation, identifying lead compounds, and early phase
 CC clinical trials. GNRH2 gene is used in gene therapy. The present sequence
 CC is human GNRH2 protein. GNRH2 gene is located at chromosome p13
 XX
 SQ Sequence 120 AA;
 Query Match 95.9%; Score 70; DB 6; Length 120;
 Best Local Similarity 90.0%; Pred. No. 0.0066;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 1 EHWSHGWYPG 10
 :|||||||
 Db 24 QHWSHGWP 33
 RESULT 25
 AAR97761
 ID AAR97761 standard; peptide; 9 AA.
 XX
 AC AAR97761;
 XX
 XX 27-AUG-1996 (first entry)
 DT
 DE Seabream gonadotropin releasing hormone sbGNRH-II.
 DE
 XX Gonadotropin releasing hormone; GnRH; sbGNRH; gonadoliberin; spawning;
 XX ovulation; fish farming; transgenic fish; seabream.
 XX
 OS Sparus aurata.
 XX
 XX WO9617619-A1.
 XX
 XX 13-JUN-1996.
 PD
 XX 04-DEC-1995; 95WO-US015886.
 PF
 XX 05-DEC-1994; 94US-00341219.
 PR
 XX (UTMA-) UNIV MARYLAND BIOTECHNOLOGY INST.
 PA (UTVI-) UNIV VICTORIA INNOVATION & DEV CORP.
 FA

XX Zohar Y, Sherwood NM, Rivier JEF, Powell J, Gothilf Y;
 XX WPI; 1996-286922/29.
 XX Novel seabream gonadotropin-releasing hormone and its analogues - useful
 XX for controlling gonadal development and spawning in fish.
 XX Disclosure; Page 25; 63pp; English.
 XX A seabream pituitary extract was subjected to HPLC. A fraction showing
 CC gonadotropin releasing hormone (GnRH) activity was subjected to
 CC pyroglutaminyl aminopeptidase digestion and the peptide obtd. (AAR37761)
 CC was sequenced. The peptide, designated sbGnRH-II, was shown to be
 CC identical to the previously described chicken GnRH-II. sbGnRH is useful
 CC for controlling reproduction in fish
 XX Sequence 9 AA;
 SQ

Query Match 93.2%; Score 68; DB 2; Length 9;
 Best Local Similarity 100.0%; Pred. No. 1.4e+06;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 2 HWSHGWPY 10
 DB 1 HWSHGWPY 9

RESULT 26
 AAP81581
 ID AAP81581 standard; protein; 10 AA.
 XX
 AC AAP81581;
 XX
 DT 25-MAR-2003 (revised)
 DT 10-OCT-1990 (first entry)
 DE LHRH analogue no. 9.
 XX Luteinising hormone releasing factor; follicle stimulating hormone;
 KW fertility; precocious puberty; mammary carcinoma; prostatic carcinoma.
 KW Synthetic.
 OS
 XX US4721775-A.
 XX
 PD 26-JAN-1988.
 XX
 PF 26-AUG-1985; 85US-00771546.
 XX
 PR 26-AUG-1985; 85US-00771546.
 XX
 PA (TEXA) UNIV TEXAS SYSTEM.
 XX
 PI Folkers K, Bowers CY, Tang PFL, Kubota M;
 XX WPI; 1988-049675/07.
 DR
 XX
 PT Deca:peptide luteinising hormone releasing hormone analogues - contain
 PT natural amino acids and have high activities for releasing luteinising
 PT hormone and FSH.
 XX
 PS Claim 9; Page 10; 10pp; English.
 XX
 CC The peptide was synthesized with D-amino acids. It will be useful for
 CC hypogonadotropic hypogonadal men, male infertility; precocious puberty;
 CC and mammary and prostatic carcinomas. It will also be useful for
 CC development of assay for veterinary medicine. See also AAP81573-82.
 CC (Updated on 25-MAR-2003 to correct PA field.) (Updated on 25-MAR-2003 to
 CC correct PI field.)
 XX
 SQ Sequence 10 AA;
 XX
 PI Folkers K, Bowers CY, Tang PFL, Kubota M;
 XX WPI; 1988-049675/07.
 DR
 XX
 PT Deca:peptide luteinising hormone releasing hormone analogues - contain
 PT natural amino acids and have high activities for releasing luteinising
 PT hormone and FSH.
 XX
 PS Claim 9; Page 10; 10pp; English.
 XX
 CC The peptide was synthesized with D-amino acids. It will be useful for
 CC hypogonadotropic hypogonadal men, male infertility; precocious puberty;
 CC and mammary and prostatic carcinomas. It will also be useful for
 CC development of assay for veterinary medicine. See also AAP81573-82.
 CC (Updated on 25-MAR-2003 to correct PA field.) (Updated on 25-MAR-2003 to
 CC correct PI field.)
 XX
 SQ Sequence 10 AA;
 XX
 DE Chicken II GnRH decapeptide analogue.

Query Match 91.8%; Score 67; DB 1; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0014;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 1 EHWSHGWPY 10
 DB 1 EHWSYGWPY 10

RESULT 27
 AAP81582
 ID AAP81582 standard; protein; 10 AA.
 XX
 AC AAP81582;
 XX
 DT 25-MAR-2003 (revised)
 DT 10-OCT-1990 (first entry)
 XX
 DE LHRH analogue no. 10.
 XX Luteinising hormone releasing factor; follicle stimulating hormone;
 KW fertility; precocious puberty; mammary carcinoma; prostatic carcinoma.
 KW Synthetic.
 OS
 XX US4721775-A.
 XX
 PD 26-JAN-1988.
 XX
 PF 26-AUG-1985; 85US-00771546.
 XX
 PR 26-AUG-1985; 85US-00771546.
 XX
 PA (TEXA) UNIV TEXAS SYSTEM.
 XX
 PI Folkers K, Bowers CY, Tang PFL, Kubota M;
 XX WPI; 1988-049675/07.
 DR
 XX
 PT Deca:peptide luteinising hormone releasing hormone analogues - contain
 PT natural amino acids and have high activities for releasing luteinising
 PT hormone and FSH.
 XX
 PS Claim 10; Page 10; 10pp; English.
 XX
 CC The peptide was synthesized with D-amino acids. It will be useful for
 CC hypogonadotropic hypogonadal men, male infertility; precocious puberty;
 CC and mammary and prostatic carcinomas. It will also be useful for
 CC development of assay for veterinary medicine. See also AAP81573-81.
 CC (Updated on 25-MAR-2003 to correct PA field.) (Updated on 25-MAR-2003 to
 CC correct PI field.)
 XX
 SQ Sequence 10 AA;
 XX
 PI Folkers K, Bowers CY, Tang PFL, Kubota M;
 XX WPI; 1988-049675/07.
 DR
 XX
 PT Deca:peptide luteinising hormone releasing hormone analogues - contain
 PT natural amino acids and have high activities for releasing luteinising
 PT hormone and FSH.
 XX
 PS Claim 10; Page 10; 10pp; English.
 XX
 CC The peptide was synthesized with D-amino acids. It will be useful for
 CC hypogonadotropic hypogonadal men, male infertility; precocious puberty;
 CC and mammary and prostatic carcinomas. It will also be useful for
 CC development of assay for veterinary medicine. See also AAP81573-81.
 CC (Updated on 25-MAR-2003 to correct PA field.) (Updated on 25-MAR-2003 to
 CC correct PI field.)
 XX
 SQ Sequence 10 AA;
 XX
 PI Folkers K, Bowers CY, Tang PFL, Kubota M;
 XX WPI; 1988-049675/07.
 DR
 XX
 PT Deca:peptide luteinising hormone releasing hormone analogues - contain
 PT natural amino acids and have high activities for releasing luteinising
 PT hormone and FSH.
 XX
 PS Claim 10; Page 10; 10pp; English.
 XX
 CC The peptide was synthesized with D-amino acids. It will be useful for
 CC hypogonadotropic hypogonadal men, male infertility; precocious puberty;
 CC and mammary and prostatic carcinomas. It will also be useful for
 CC development of assay for veterinary medicine. See also AAP81573-82.
 CC (Updated on 25-MAR-2003 to correct PA field.) (Updated on 25-MAR-2003 to
 CC correct PI field.)
 XX
 SQ Sequence 10 AA;
 XX
 DE Chicken II GnRH decapeptide analogue.

KW Gonadotropin-releasing hormone; GnRH; chorionic; placental; ovarian;
 KW proline peptidase; endopeptidase; chorionic gonadotropin; hCG;
 XX steroidogenesis; luteolytic; contraceptive; chicken.
 OS Gallus gallus.
 XX
 XX
 XX Key Location/Qualifiers
 PH Modified-site 1
 FT /note= "pyroglutamic acid"
 FT Misc-difference 6
 FT /label= D-Arg
 FT /note= "encoded by GGC"
 FT 10
 FT /note= "alpha-aza-Gly-NH2 or ethylamide or other Gly-
 FT amide"
 XX
 XX WO2003016331-A2.
 PN
 XX
 XX 27-FEB-2003.
 PD
 XX
 XX 13-AUG-2002; 2002WO-US025619.
 PF
 XX
 XX 17-AUG-2001; 2001US-00932149.
 PR
 XX
 XX (SILE/) SILER-KHODR T M.
 PA
 XX
 XX Siler-Khodr TM;
 PI
 XX
 XX WPI; 2003-300607/29.
 DR
 DR N-PSDB; ACC47385.
 XX
 XX Novel salmon gonadotropin-releasing hormone decapeptide analog that binds
 PT to human chorionic, placental or ovarian gonadotropin-releasing hormone
 PT receptors, useful as luteolytic and/or post-coital contraceptive.
 XX
 XX Example 9; Page 44; 45pp; English.
 PS
 XX
 XX The invention relates to a new salmon gonadotropin-releasing hormone
 CC (GnRH) decapeptide analogue capable of binding to human chorionic,
 CC placental or ovarian GnRH receptors and active in the presence of a post-
 CC proline peptidase or an endopeptidase. The analogue comprises a D-amino
 CC acid substitution at position 6 and an ethylamide or aza-Gly-amide
 CC substitution at position 10. The analogue is useful as a luteolytic,
 CC menses-inducing agents and/or post-coital contraceptive. It is useful to
 CC inhibit the placental production of human chorionic gonadotropin (hCG)
 CC production, and has a direct effect on steroidogenesis at the ovary. It
 CC is useful in preparing a pharmaceuticals, as a menses-regulating agent,
 CC contraceptive or as an abortifacient. It is also useful for regulating
 CC hCG production and thus progesterone production during pregnancy. The
 CC ability of the decapeptide analogue to interact with the physiologic
 CC regulation of hCG, progesterone and prostaglandin during luteal phase of
 CC the cycle and early pregnancy, may be used to specifically interrupt
 CC luteal function and early pregnancy. The present sequence represents a
 CC chicken II GnRH decapeptide analogue
 XX
 XX Sequence 10 AA;
 SQ
 Query Match 90.4%; Score 66; DB 6; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0019;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 EHWSHGWTYPG 10
 DB 1 EHWSHGWTYPG 10
 RESULT 29
 AAP81574
 ID AAP81574 standard; protein; 10 AA.
 XX
 XX AAP81574;
 AC
 XX 25-MAR-2003 (revised)
 DT

DT 10-OCT-1990 (first entry)
 XX
 DE LHRH analogue no. 2.
 XX
 KW Luteinising hormone releasing factor; follicle stimulating hormone;
 KW fertility; precocious puberty; mammary carcinoma; prostatic carcinoma.
 XX
 OS Synthetic.
 XX
 XX US4721775-A.
 PN
 XX 26-JAN-1988.
 PD
 XX
 XX 26-AUG-1985; 85US-00771546.
 PF
 XX 26-AUG-1985; 85US-00771546.
 PR
 XX (TEXA) UNIV TEXAS SYSTEM.
 PA
 XX Folkers K, Bowers CY, Tang PFL, Kubota M;
 XX WPI; 1988-049675/07.
 XX
 XX Decapeptide luteinising hormone releasing hormone analogues - contain
 PT natural amino acids and have high activities for releasing luteinising
 PT hormone and FSH.
 XX
 XX Claim 2; Page 10; 10pp; English.
 PS
 XX The peptide was synthesized with D-amino acids. It will be useful for
 CC hypogonadotropic hypogonadal men, male infertility; precocious puberty;
 CC and mammary and prostatic carcinomas. It will also be useful for
 CC development of assay for veterinary medicine. See also AAP81573-82.
 CC (Updated on 25-MAR-2003 to correct PA field.) (Updated on 25-MAR-2003 to
 CC correct PI field.)
 XX
 XX Sequence 10 AA;
 SQ
 Query Match 89.0%; Score 65; DB 1; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0027;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 EHWSHGWTYPG 10
 DB 1 EHWSHGWTYPG 10
 RESULT 30
 AAP81573
 ID AAP81573 standard; peptide; 10 AA.
 XX
 XX AAP81573;
 AC
 XX 25-MAR-2003 (revised)
 DT 10-OCT-1990 (first entry)
 XX
 XX LHRH analogue no. 1.
 XX
 KW Luteinising hormone releasing factor; follicle stimulating hormone;
 KW fertility; precocious puberty; mammary carcinoma; prostatic carcinoma.
 XX
 OS Synthetic.
 XX
 XX US4721775-A.
 PN
 XX 26-JAN-1988.
 PD
 XX 26-AUG-1985; 85US-00771546.
 PF
 XX 26-AUG-1985; 85US-00771546.
 PR
 XX (TEXA) UNIV TEXAS SYSTEM.
 PA
 XX

PI Folkers K, Bowers CY, Tang PFL, Kubota M;
 DR WPI; 1988-049675/07.
 XX
 XX Deca:peptide luteinising hormone releasing hormone analogues - contain
 PT natural amino acids and have high activities for releasing luteinising
 PT hormone and FSH.
 XX
 XX Claim 1; Page 10; 10pp; English.
 XX
 CC The peptide was synthesized with D-amino acids. It will be useful for
 CC hypogonadotropic hypogonadal men, male infertility; precocious puberty;
 CC and mammary and prostatic carcinomas. It will also be useful for
 CC development of assay for veterinary medicine. See also AAP81574-82.
 CC (Updated on 25-MAR-2003 to correct PA field.) (Updated on 25-MAR-2003 to
 CC correct PI field.)
 XX
 XX Sequence 10 AA;
 SQ
 Query Match 89.0%; Score 65; DB 1; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0027;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 EHWSHGWYPG 10
 DB 1 EHWSHGWQPG 10
 RESULT 31
 AAR11850
 ID AAR11850 standard; protein; 10 AA.
 AC AAR11850;
 XX
 XX 25-MAR-2003 (revised)
 DT 12-JUL-1991 (first entry)
 XX
 DE Example of peptide analogue of GRH.
 XX
 XX GRH; gonadotropins; gametogenesis; steroidogenesis.
 XX
 OS Synthetic.
 FH Key Location/Qualifiers
 FT Modified-site 1..1
 FT /label= OTHER
 FT /note= "pyro glutamyl"
 XX
 XX GB2237571-A.
 XX
 XX 08-MAY-1991.
 DT
 XX 01-NOV-1990; 90GB-00237488.
 PF
 XX 01-NOV-1989; 89ZA-00008317.
 PR
 XX (MILL/) MILLAR R P.
 PA
 PI Millar RP;
 XX
 XX WPI; 1991-135236/19.
 DR
 XX New gonadotropin releasing hormone analogues - stimulate reproductive
 PT processes.
 FT
 XX Claim 3; Page 20; 21pp; English.
 PS
 CC This peptide is a chimeric analogue of a naturally occurring vertebrate
 CC gonadotropin releasing hormone (GRH). It stimulates the release of GRHs
 CC from the pituitary of vertebrates. This activates gametogenesis and
 CC steroidogenesis in the gonads. It can be used to regulate eg the CNS,
 CC adrenals, gonads and mammary tissues. See also AAR11840-48 and AAR11850.
 CC (Updated on 25-MAR-2003 to correct PF field.)
 XX
 XX Sequence 10 AA;
 SQ
 Query Match 89.0%; Score 65; DB 2; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0027;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 EHWSHGWYPG 10
 DB 1 EHWSHGWYPG 10
 RESULT 33
 AAR75157
 ID AAR75157 standard; peptide; 10 AA.
 XX

XX Sequence 10 AA;
 SQ
 Query Match 89.0%; Score 65; DB 2; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0027;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 EHWSHGWYPG 10
 DB 1 EHWSHGWYPG 10
 RESULT 32
 AAR11849
 ID AAR11849 standard; protein; 10 AA.
 XX
 XX AAR11849;
 AC
 XX
 XX 25-MAR-2003 (revised)
 DT 12-JUL-1991 (first entry)
 XX
 DE Example of peptide analogue of GRH.
 XX
 XX GRH; gonadotropins; gametogenesis; steroidogenesis.
 XX
 OS Synthetic.
 FH Key Location/Qualifiers
 FT Modified-site 1..1
 FT /label= OTHER
 FT /note= "pyro glutamyl"
 XX
 XX GB2237571-A.
 XX
 XX 08-MAY-1991.
 DT
 XX 01-NOV-1990; 90GB-00237488.
 PF
 XX 01-NOV-1989; 89ZA-00008317.
 PR
 XX (MILL/) MILLAR R P.
 PA
 PI Millar RP;
 XX
 XX WPI; 1991-135236/19.
 DR
 XX New gonadotropin releasing hormone analogues - stimulate reproductive
 PT processes.
 FT
 XX Claim 3; Page 20; 21pp; English.
 PS
 CC This peptide is a chimeric analogue of a naturally occurring vertebrate
 CC gonadotropin releasing hormone (GRH). It stimulates the release of GRHs
 CC from the pituitary of vertebrates. This activates gametogenesis and
 CC steroidogenesis in the gonads. It can be used to regulate eg the CNS,
 CC adrenals, gonads and mammary tissues. See also AAR11840-48 and AAR11850.
 CC (Updated on 25-MAR-2003 to correct PF field.)
 XX
 XX Sequence 10 AA;
 SQ
 Query Match 89.0%; Score 65; DB 2; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0027;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 EHWSHGWYPG 10
 DB 1 EHWSHGWYPG 10
 RESULT 33
 AAR75157
 ID AAR75157 standard; peptide; 10 AA.
 XX

FT Misc-difference 6 /note= "D-form residue; Encoded by GGC"
 XX US2002065226-A1.
 XX 30-MAY-2002.
 XX 28-AUG-2001; 2001US-00941094.
 XX 15-OCT-1999; 99US-00419161.
 XX (SILE/) SILER-KHODR T.
 XX Siler-Khodr T;
 XX WPI; 2002-681323/73.
 XX N-PSDB; AAD44973.
 XX Novel non-mammalian gonadotropin releasing hormone analogs useful to
 PT regulate reproductive functions and disorders, as menses regulators,
 PT contraceptives or abortifacients.
 XX Claim 4; Page 18; 57pp; English.
 XX The present invention relates to novel non-mammalian peptide hormone
 CC analogues of gonadotropin releasing hormone (GnRH) capable of binding to
 CC receptors, tubal, endometrial, uterine, prostate or testicular GnRH
 CC receptors and active in the presence of a post-proline peptidase or an
 CC endopeptidase. Sequences of the invention are useful for regulating and
 CC treating a condition of the ovaries, fallopian tubes, uterus, prostate,
 CC endometrium, testicles or tissues of pregnancy in a patient or animal.
 CC They are useful in various treatment methods as a contraceptive or post-
 CC coital contraceptive agent, for maintaining pregnancy when used in very
 CC low doses and administered in pulsatile fashion. GnRH analogues of the
 CC invention are useful in the preparations for the treatment of ovarian
 CC cysts, endometriosis and leiomyomas. They are useful as luteolytic agents,
 CC in fertility regulation, as menses-inducing agents and the management of
 CC ovarian cyst, polycystic ovarian disease, abnormal uterine bleeding, in
 CC vitro fertilisation protocols, abnormal pregnancies, ectopic pregnancies,
 CC molar pregnancies and trophoblastic disease. Sequences of the invention
 CC regulate human chorionic gonadotropin (hCG) production and thus the
 CC progesterone production in pregnancy and is useful in the management of
 CC threatened abortion or the induction of abortions. The present sequence
 CC is an alternative version of chicken GnRH decapeptide. Note: This
 CC sequence is stated to be the same as that shown as SEQ ID NO: 2 in page
 CC 19 (Claim 1 and claim 4) of the specification. However the sequences
 CC differ
 XX SQ Sequence 10 AA;
 Query Match 89.0%; Score 65; DB 5; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0027;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 EHWSHGWYPG 10
 |||||
 DB 1 EHWSHRWYPG 10
 |||||
 RESULT 36
 ADA88935
 ID ADA88935 standard; peptide; 10 AA.
 XX
 XX ADA88935;
 AC
 XX 20-NOV-2003 (first entry)
 DT
 XX Dogfish gonadotropin releasing hormone.
 DE
 XX gonadotropin releasing hormone; GnRH; muGnRH I; muGnRH II; Indian Murrel;
 KW fish; fish breeding; gonadotropin.
 XX Unidentified.
 OS

XX Key Location/Qualifiers
 FH Modified-site 1
 FT Modified-site /note= "pyroglutamic acid"
 FT Modified-site 10
 FT Modified-site /note= "amidated"
 XX WO2003064460-A2.
 PN
 XX 07-AUG-2003.
 XX
 XX 10-JAN-2003; 2003WO-IN000015.
 PF
 XX 30-JAN-2002; 2002US-0353041P.
 PR
 XX (COUL) COUNCIL SCI & IND RES.
 PA
 XX Chatterjee A, Ray P, Dasgupta S, Bhattacharaya S, Pasha S;
 PI WPI; 2003-663464/62.
 XX New gonadotropin releasing hormones muGnRH I and muGnRH II useful for
 PT induced breeding in fishes.
 XX Disclosure; Fig 1; 23pp; English.
 PS The present invention describes gonadotropin releasing hormones (GnRH)
 CC muGnRH I (ADA88923) and muGnRH II (ADA8924), isolated from Indian Murrel
 CC fish. They can be used for inducing breeding in fishes both in
 CC combination and alone by activating production of gonadotropin. The GnRH
 CC peptide muGnRH I and muGnRH II have the amino acid sequences Gin-His-Trp-
 CC Ser-Ala-Trp-Arg-Leu-Pro-Gly (I) and Gin-His-Trp-Ser-Trp-Gly-Ile-Leu-Pro-
 CC Gly (II), respectively. Also described: (1) isolating and sequencing
 CC muGnRH I and muGnRH II; and (2) inducing breeding in fishes using GnRH
 CC comprising exposing fishes to GnRH to help release gonadotropin, and
 CC inducing breeding in fishes using the gonadotropin. The present sequence
 CC represents a GnRH amino acid sequence given in the exemplification of the
 CC present invention.
 XX Sequence 10 AA;
 Query Match 89.0%; Score 65; DB 6; Length 10;
 Best Local Similarity 90.0%; Pred. No. 0.0027;
 Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 EHWSHGWYPG 10
 |||||
 DB 1 EHWSHGWLPG 10
 |||||
 RESULT 37
 AA031043
 ID AA031043 standard; peptide; 10 AA.
 XX
 XX AA031043;
 AC
 XX 06-OCT-2003 (first entry)
 DT
 XX Dogfish gonadotropin releasing hormone (dfGnRH) peptide.
 DE
 XX Gonadotropin releasing hormone; GnRH-I; GnRH-II; T-cell related disease;
 KW congenital immune deficiency; acquired immune deficiency; hyperreactive;
 KW psychopathology; neoplastic disease; autoimmune disease; neuroprotective;
 KW pathophysiological disease; neurological disease; allograft rejection;
 KW graft-versus-host disease; allograft rejection; immunosuppressive;
 KW cytostatic; anti-HIV; allergic; gene therapy; dogfish.
 XX Squalus acanthias.
 OS
 XX Key Location/Qualifiers
 FH Modified-site 1
 FT Modified-site /note= "pyroglutamic acid"
 FT Modified-site 10

FT /note= "C-terminal amide"

PN WO2003051272-A2.

XX 26-JUN-2003.

PD 17-DEC-2002; 2002WO-IL001014.

XX 17-DEC-2001; 2001IL-00147138.

PR (YEDA) YEDA RES & DEV CO LTD.

PA Levite M, Koch Y;

XX WPI; 2003-523498/49.

DR Regulating activity of a T-cell population by providing a molecule that

PT is capable of modifying an activity or expression level of GnRH-I or GnRH

PT -II receptor to regulate GnRH-I or a GnRH-II mediated activity of the T-

PT cell population.

XX Disclosure; Page 41; 177pp; English.

PS The invention relates to a method for regulating activity of a T-cell

CC population. The method comprising providing to the T-cell population a

CC molecule that is selected to be capable of modifying an activity or

CC expression level of a gonadotropin releasing hormone (GnRH)-I or a GnRH-

CC II receptor to regulate GnRH-I or a GnRH-II mediated activity of a T-cell

CC population. The method is useful for treating or preventing a T-cell

CC related disease or condition characterised by abnormal T-cell activity,

CC e.g. congenital immune deficiencies, acquired immune deficiencies,

CC infection, psychopathology or neoplastic disease, autoimmune, allergic,

CC hyperreactive, psychopathological and neurological diseases and

CC conditions, graft-versus-host disease, or allograft rejections. The

CC invention is useful in gene therapy. The present sequence is dogfish

CC gonadotropin releasing hormone (dgGnRH) peptide

XX Sequence 10 AA;

SQ

Query Match 89.0%; Score 65; DB 6; Length 10;

Best Local Similarity 90.0%; Pred. No. 0.0027;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYFG 10

Db 1 EHWSHGWLPF 10

RESULT 38

AAP81576

ID AAP81576 standard; protein; 10 AA.

AC AAP81576;

XX 25-MAR-2003 (revised)

DT 10-OCT-1990 (first entry)

XX LHRH analogue no. 4.

DE Luteinising hormone releasing factor; follicle stimulating hormone;

XX fertility; precocious puberty; mammary carcinoma; prostatic carcinoma.

KW Synthetic.

OS US4721775-A.

PN 26-JAN-1988.

XX 26-AUG-1985; 85US-00771546.

PF 26-AUG-1985; 85US-00771546.

PR (TEXA) UNIV TEXAS SYSTEM.

PA

XX Folders K, Bowers CY, Tang PFL, Kubota M;

PI WPI; 1988-049675/07.

XX Deca:peptide luteinising hormone releasing hormone analogues - contain

PT natural amino acids and have high activities for releasing luteinising

PT hormone and FSH.

XX Claim 4; Page 10; 10pp; English.

PS The peptide was synthesized with D-amino acids. It will be useful for

CC hypogonadotropic hypogonadal men, male infertility; precocious puberty;

CC and mammary and prostatic carcinomas. It will also be useful for

CC development of assay for veterinary medicine. See also AAP81573-82.

CC (Updated on 25-MAR-2003 to correct PA field.) (Updated on 25-MAR-2003 to

CC correct PI field.)

XX Sequence 10 AA;

SQ

Query Match 87.7%; Score 64; DB 1; Length 10;

Best Local Similarity 90.0%; Pred. No. 0.0038;

Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYFG 10

Db 1 EHWSHGWYFG 10

RESULT 39

AA88387

ID AA88387 standard; peptide; 11 AA.

XX AA88387;

AC 25-JUL-2000 (first entry)

DT GnRH-II analogue peptide #3.

DE Gonadotropin-releasing hormone; GnRH; differentiation modulator;

XX osteoporosis; bone metabolism; bone repair; osteogenesis imperfecta;

KW osteomalacia; bone loss; fracture healing.

XX Synthetic.

OS

XX Key Location/Qualifiers

FT Modified-site 1 /note= "Pyroglutamic acid"

FT Modified-site 12 /note= "C-terminal amide"

FT

XX GB2343182-A.

PN 03-MAY-2000.

XX 27-OCT-1998; 98GB-00023515.

XX 27-OCT-1998; 98GB-00023515.

XX (FERR) FERRING BV.

PA Akinsanya K, Hayward A, Qi S;

XX WPI; 2000-331495/29.

XX Composition containing gonadotropin-releasing hormone II peptide, useful

PT e.g. for treating osteoporosis and for accelerating bone repair.

XX Example 1; Page 8; 16pp; English.

PS This sequence represents a gonadotropin-releasing hormone (GnRH) II-

CC related peptide. GnRH is released by the hypothalamus and acts on the

CC pituitary to stimulate the release of luteinizing hormone and follicle

CC

CC stimulating hormone. GnRH is capable of modulating the differentiation of
 CC bone precursor cells, and inducing the expansion of osteoblast
 CC populations. The peptide can be used in compositions for treating
 CC osteoporosis (and other diseases of bone metabolism) and for the
 CC acceleration of bone repair. The compositions have osteogenic activity.
 CC The compositions are used to treat or prevent osteoporosis, other
 CC disorders of bone metabolism (e.g. osteogenesis imperfecta, osteomalacia
 CC or bone loss resulting from prolonged periods of immobility), and to
 CC accelerate bone growth and repair (e.g. for healing fractures)
 XX
 SQ Sequence 11 AA;

Query Match 85.6%; Score 62.5; DB 3; Length 11;
 Best Local Similarity 90.9%; Pred. No. 0.007;
 Matches 10; Conservative 0; Mismatches 1; Gaps 1;

Qy 1 EHWSHGWY-PG 10
 |||||
 Db 1 EHWSHGWYHPG 11

RESULT 40
 AAB06264
 ID AAB06264 standard; peptide; 11 AA.
 AC
 AA06264;

DT 16-OCT-2000 (first entry)

XX GnRH-II resin-bound protected peptide.

KW GnRH-II; gonadotropin releasing hormone; GnRH;
 XW luteinising hormone releasing hormone; GnRH;
 KW prostatic epithelial cell proliferation; bone disorder;
 KW prostate disorder.
 XX
 OS Unidentified.

Key	Location/Qualifiers
FT Modified-site 1	/note= "Pyroglutamic acid"
FT Modified-site 2	/note= "His(Bom)"
FT Modified-site 3	/note= "Trp(CHO)"
FT Modified-site 4	/note= "Ser(Bzl)"
FT Modified-site 5	/note= "His(Bom)"
FT Modified-site 7	/note= "Trp(CHO)"
FT Modified-site 8	/note= "Tyr(Bzl)"
FT Modified-site 9	/note= "His(Bom)"
FT Modified-site 11	/note= "Gly-Ors"

XX GB2344287-A.

XX 07-JUN-2000.

XX 03-DEC-1998; 98GB-00026662.

XX 03-DEC-1998; 98GB-00026662.

XX (FERR) FERRING BV.

XX Akinsanya K, Hayward A, Qi S;

XX WPI; 2000-378694/33.

XX Pharmaceutical composition for treating bone and prostrate disorders

PT comprises a peptide microencapsulated within a biodegradable polymer.
 XX Disclosure; Page 6; 13pp; English.

CC The present sequence is GnRH-II, a peptide with homology to gonadotropin
 CC releasing hormone (GnRH), otherwise known as luteinising hormone releasing
 CC hormone (LHRH). GnRH-II influences osteogenesis and modulates the
 CC proliferation of prostatic epithelial cells and so may be useful for
 CC treating human disease associated with abnormal bone and prostate growth.
 CC A biodegradable polymer is used to hold the peptide in a depot, from
 CC which the peptide is released into the systemic circulation at a
 CC controlled rate. The peptide was first prepared in the present resin-
 CC bound protected form and was then cleaved and deprotected to produce a
 CC form suitable for use as a therapeutic agent

XX Sequence 11 AA;

Query Match 85.6%; Score 62.5; DB 3; Length 11;
 Best Local Similarity 90.9%; Pred. No. 0.007;
 Matches 10; Conservative 0; Mismatches 0; Indels 1; Gaps 1;

Qy 1 EHWSHGWY-PG 10
 |||||
 Db 1 EHWSHGWYHPG 11

RESULT 41

AA031051
 ID AA031051 standard; peptide; 10 AA.

AC AA031051;

XX 06-OCT-2003 (first entry)

XX Spiny dogfish gonadotropin releasing hormone (GnRH-I) peptide #1.

KW Gonadotropin releasing hormone; GnRH-I; GnRH-II; T-cell related disease;
 KW congenital immune deficiency; acquired immune deficiency; hyperreactive;
 KW psychopathology; neoplastic disease; autoimmune disease; neuroprotective;
 KW pathophysiological disease; neurological disease; allograft rejection;
 KW graft-versus-host disease; allograft rejection; immunosuppressive;
 KW cytostatic; anti-HIV; allergic; gene therapy; spiny dogfish.

XX Squalus acanthias.

XX WO2003051272-A2.

XX 26-JUN-2003.

XX 17-DEC-2002; 2002WO-IL001014.

XX 17-DEC-2001; 2001IL-00147138.

XX (YEDA) YEDA RES & DEV CO LTD.

XX Levite M, Koch Y;

XX WPI; 2003-523498/49.

XX Regulating activity of a T-cell population by providing a molecule that
 PT is capable of modifying an activity or expression level of GnRH-I or GnRH
 PT -II receptor to regulate GnRH-I or a GnRH-II mediated activity of the T-
 PT cell population.

XX Disclosure; Page 164; 177pp; English.

XX The invention relates to a method for regulating activity of a T-cell
 CC population. The method comprising providing to the T-cell population a
 CC molecule that is selected to be capable of modifying an activity or
 CC expression level of a gonadotropin releasing hormone (GnRH)-I or a GnRH-
 CC II receptor to regulate GnRH-I or a GnRH-II mediated activity of a T-cell
 CC population. The method is useful for treating or preventing a T-cell
 CC related disease or condition characterised by abnormal T-cell activity,

CC e.g. congenital immune deficiencies, acquired immune deficiencies,
 CC infection, psychopathology or neoplastic disease, autoimmune, allergic,
 CC hyperreactive, pathopsychological and neurological diseases and
 CC conditions, graft-versus-host disease, or allograft rejections. The
 CC invention is useful in gene therapy. The present sequence is spiny
 CC dogfish gonadotropin releasing hormone (GnRH-I) peptide
 XX
 SQ Sequence 10 AA;
 Query Match 84.9%; Score 62; DB 6; Length 10;
 Best Local Similarity 80.0%; Pred. No. 0.0075;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 QY 1 EHWSHGWYPG 10
 Db :|||||
 1 QHWSHGWLPG 10
 RESULT 42
 AAO31055
 ID AAO31055 standard; peptide; 10 AA.
 XX AC AAO31055;
 DT 06-OCT-2003 (first entry)
 XX DE Spiny dogfish gonadotropin releasing hormone (GnRH-I) peptide #2.
 XX Gonadotropin releasing hormone; GnRH-I; GnRH-II; T-cell related disease;
 KW congenital immune deficiency; acquired immune deficiency; hyperreactive;
 KW psychopathology; neoplastic disease; autoimmune disease; neuroprotective;
 KW pathopsychological disease; neurological disease; allograft rejection;
 KW graft-versus-host disease; allograft rejection; immunosuppressive;
 KW cytostatic; anti-HIV; allergic; gene therapy; spiny dogfish.
 XX
 OS Squalus acanthias.
 XX WO2003051272-A2.
 PN 26-JUN-2003.
 PD 17-DEC-2001; 2002WO-IL001014.
 XX 17-DEC-2001; 2001IL-00147138.
 PR (YEDA) YEDA RES & DEV CO LTD.
 XX PA Levite M, Koch Y;
 XX WPI; 2003-523498/49.
 XX Regulating activity of a T-cell population by providing a molecule that
 PT is capable of modifying an activity or expression level of GnRH-I or GnRH
 PT -II receptor to regulate GnRH-I or a GnRH-II mediated activity of the T-
 PT cell population.
 XX Disclosure; Page 165; 177pp; English.
 PS The invention relates to a method for regulating activity of a T-cell
 CC population. The method comprising providing to the T-cell population a
 CC molecule that is selected to be capable of modifying an activity or
 CC expression level of a gonadotropin releasing hormone (GnRH)-I or a GnRH-
 CC II receptor to regulate GnRH-I or a GnRH-II mediated activity of a T-cell
 CC population. The method is useful for treating or preventing a T-cell
 CC related disease or condition characterised by abnormal T-cell activity,
 CC e.g. congenital immune deficiencies, acquired immune deficiencies,
 CC infection, psychopathology or neoplastic disease, autoimmune, allergic,
 CC hyperreactive, pathopsychological and neurological diseases and
 CC conditions, graft-versus-host disease, or allograft rejections. The
 CC invention is useful in gene therapy. The present sequence is spiny
 CC dogfish gonadotropin releasing hormone (GnRH-I) peptide
 XX Sequence 10 AA;

Query Match 84.9%; Score 62; DB 6; Length 10;
 Best Local Similarity 80.0%; Pred. No. 0.0075;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
 Db :|||||
 1 QHWSHGWLPG 10

RESULT 43
 ABB06171
 ID ABB06171 standard; peptide; 12 AA.
 XX AC ABB06171;

DT 13-MAY-2002 (first entry)
 XX DE Gonadotropin-releasing hormone precursor peptide #3.
 XX Gonadotropin-releasing hormone precursor peptide; GnRH; octopus;
 KW gonadotropin-releasing hormone; signal processing mechanism; drug;
 KW nerve system; pesticide; cardiant.
 XX OS Octopus vulgaris.

XX Key Location/Qualifiers
 FT Modified-site 1 /note= "pyroglutamic acid"
 FT Modified-site 12 /note= "amidated"
 XX WO200202628-A1.
 PN 10-JAN-2002.
 XX 29-JUN-2001; 2001WO-JP005607.
 PF 30-JUN-2000; 2000JP-00198430.
 XX (SUNR) SUNTORY LTD.
 XX Minakata H, Iwakoshi E, Kuroda K;
 XX WPI; 2002-154729/20.

XX New octopus brain-originated peptide with gonadotropin-releasing hormone
 PT (GnRH) activity, useful in studying signal processing mechanism in nerve
 PT system and in developing pesticides and drugs, and breeding and farming
 PT young octopuses.
 XX Claim 7; Page 26; 45pp; Japanese.

XX The present invention describes a peptide with gonadotropin-releasing
 CC hormone (GnRH) activity comprising the sequence: pGlu-Zaa-Zaa-His-Zaa-Ser
 CC -Zaa-Zaa-Zaa-Zaa-Pro-Gly-NH₂ (I), where pGlu = pyroglutamic acid and Zaa
 CC = any amino acid. Peptides with GnRH activity also have cardiant
 CC activity. The peptides and their analogues can be used in studying signal
 CC processing mechanisms in the nerve system and in developing pesticides
 CC and drugs for e.g. potentiating heart beat and breeding and farming young
 CC octopuses. The present sequence represents a specifically claimed GnRH
 CC peptide from the present invention
 XX Sequence 12 AA;

Query Match 83.6%; Score 61; DB 5; Length 12;
 Best Local Similarity 88.9%; Pred. No. 0.013;
 Matches 8; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 2 HWSHGWYPG 10
 Db :|||||
 4 HWSNGWYPG 12

```

RESULT 44
AAP81579
ID AAP81579 standard; protein; 10 AA.
XX
XX AC AAP81579;
XX
XX DT 25-MAR-2003 (revised)
XX DT 10-OCT-1990 (first entry)
XX
XX DE LHPH analogue no. 7.
XX
XX KW Luteinising hormone releasing factor; follicle stimulating hormone;
XX fertility; precocious puberty; mammary carcinoma; prostatic carcinoma.
XX
XX OS Synthetic.
XX
XX PN US4721775-A.
XX
XX PD 26-JAN-1988.
XX
XX PF 26-AUG-1985; 85US-00771546.
XX
XX PR 26-AUG-1985; 85US-00771546.
XX
XX PA (TEXA ) UNIV TEXAS SYSTEM.
XX
XX PI Folkers K, Bowers CY, Tang PFL, Kubota M;
XX
XX DR WPI; 1988-049675/07.
XX
XX PT Deca:peptide luteinising hormone releasing hormone analogues - contain
XX natural amino acids and have high activities for releasing luteinising
XX hormone and FSH.
XX
XX PS Claim 7; Page 10; 10pp; English.
XX
XX CC The peptide was synthesized with D-amino acids. It will be useful for
XX hypogonadotropic hypogonadal men, male infertility; precocious puberty;
XX and mammary and prostatic carcinomas. It will also be useful for
XX development of assay for veterinary medicine. See also AAP81573-82.
XX (Updated on 25-MAR-2003 to correct PA field.) (Updated on 25-MAR-2003 to
XX correct PI field.)
XX
XX SQ Sequence 10 AA;
XX
XX Query Match 82.2%; Score 60; DB 1; Length 10;
XX Best Local Similarity 90.0%; Pred. No. 0.015;
XX Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
XX
XX QY 1 EHWSHGWYPG 10
XX |||||
XX 1 EHWSHGLYPG 10
XX
XX Db
XX
XX RESULT 45
AAE28137
ID AAE28137 standard; peptide; 10 AA.
XX
XX AC AAE28137;
XX
XX DT 27-DEC-2002 (first entry)
XX
XX DE Alternative version #1 of chicken GnRH peptide.
XX
XX KW Chicken; gonadotropin releasing hormone; postcoital contraceptive agent;
XX GnRH; pregnancy; ovarian cyst; endometriosis; polycystic ovarian disease;
XX leiomyomas; luteolytic agent; fertility regulation; menses-inducing agent;
XX abnormal uterine bleeding; abnormal pregnancy; trophoblastic disease;
XX ectopic pregnancy; molar pregnancy; human chorionic gonadotropin; hCG;
XX abortion; gynaecological; cytostatic; abortifacient; contraceptive.
XX
XX OS Gallus gallus.
XX
XX Key Location/Qualifiers
XX Misc-difference 1 /note= "Pyroglutamic acid; Encoded by CAG"
XX Misc-difference 6 /label= Arg
XX Modified-site 10 /note= "D-form residue; Encoded by GGC"
XX /note= "Aza-Gly; C-terminal amide; Encoded by GGA"
XX
XX PN US2002065226-A1.
XX
XX PD 30-MAY-2002.
XX
XX PF 28-AUG-2001; 2001US-00941094.
XX
XX PR 15-OCT-1999; 99US-00419161.
XX
XX PA (SILE/) SILER-KHODR T.
XX
XX PI Siler-Khodr T;
XX
XX DR WPI; 2002-681323/73.
XX
XX DR N-PSDB; AAD44973.
XX
XX PT Novel non-mammalian gonadotropin releasing hormone analogs useful to
XX regulate reproductive functions and disorders, as menses regulators,
XX contraceptives or abortifacients.
XX
XX PS Claim 1; Page 19; 57pp; English.
XX
XX CC The present invention relates to novel non-mammalian peptide hormone
XX analogues of gonadotropin releasing hormone (GnRH) capable of binding to
XX ovarian, tubal, endometrial, uterine, prostate or testicular GnRH
XX receptors and active in the presence of a post-proline peptidase or an
XX endopeptidase. Sequences of the invention are useful for regulating and
XX treating a condition of the ovaries, fallopian tubes, uterus, prostate,
XX endometrium, testicles or tissues of pregnancy in a patient or animal.
XX They are useful in various treatment methods as a contraceptive or post-
XX coital contraceptive agent, for maintaining pregnancy when used in very
XX low doses and administered in pulsatile fashion. GnRH analogues of the
XX invention are useful in the preparations for the treatment of ovarian
XX cysts, endometriosis and leiomyomas. They are useful as luteolytic agents,
XX in fertility regulation, as menses-inducing agents and the management of
XX ovarian cyst, polycystic ovarian disease, abnormal uterine bleeding, in
XX vitro fertilisation protocols, abnormal pregnancies, ectopic pregnancies,
XX molar pregnancies and trophoblastic disease. Sequences of the invention
XX regulate human chorionic gonadotropin (hCG) production and thus the
XX progesterone production in pregnancy and is useful in the management of
XX threatened abortion or the induction of abortions. The present sequence
XX is an alternative version of chicken GnRH decapeptide. Note: This
XX sequence is stated to be the same as that shown as SEQ ID NO: 2 in page
XX 19 (claim 4) and page 18 of the specification. However the sequences
XX differ
XX
XX SQ Sequence 10 AA;
XX
XX Query Match 82.2%; Score 60; DB 5; Length 10;
XX Best Local Similarity 88.9%; Pred. No. 0.015;
XX Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
XX
XX QY 1 EHWSHGWTP 9
XX |||||
XX 1 EHWSHXWVP 9
XX
XX Db
XX
XX RESULT 46
AAP40552
ID AAP40552 standard; peptide; 10 AA.
XX
XX AC AAP40552;
XX
XX DT 25-MAR-2003 (revised)
XX
XX OS

```

DT 31-JAN-1992 (first entry)
 XX Sequence of fish gonadotropin hormone releasing hormone (GnRH).
 DE Luteinising hormone; follicle stimulating hormone; spawning.
 KW Salmo salar.
 XX
 OS
 XX
 FH Key Location/Qualifiers
 FT Misc-difference 1
 FT Modified-site 10 /label= pyroGlu
 FT Modified-site 10 /label= Gly-NH2
 FT
 XX US4443368-A.
 PN 17-APR-1984.
 XX
 PD 01-NOV-1982; 82US-00437949.
 XX
 PF 01-NOV-1982; 82US-00437949.
 XX
 PR (SALK) SALK INST BIOLOGICAL STUDIES.
 PA (SHER/) SHERWOOD NM.
 PA (SALK) SALK INST BIOLOGICAL STUDIES.
 XX
 PI Sherwood NM, Eiden LE, Brownstein MJ, Spiess J, Rivier JEF;
 PI Vale WW;
 XX
 DR WPI; 1984-113447/18.
 XX
 XX Gonadotropin releasing hormone deca:peptide - for stimulating pituitary
 FT gland of fish to cause spawning.
 FT
 XX Claim 1; Col 7; 4pp; English.
 PS
 CC The peptide of the invention has a potent effect on the reproduction
 CC processes of fish. Spawning of teleostei fish can be promoted by
 CC administration of effective amounts of the peptide. The peptide of the
 CC invention is effective at a level of less than about 10 micrograms per
 CC 100 grams of body weight, when administered to fish. It is considered to
 CC be effective in fish and in other vertebrates, including mammals and
 CC amphibians. (Updated on 25-MAR-2003 to correct PA field.)
 XX
 XX Sequence 10 AA;
 SQ
 Query Match 80.8%; Score 59; DB 1; Length 10;
 Best Local Similarity 80.0%; Pred. No. 0.021;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 QY 1 EHWSHGWPYG 10
 DB 1 EHWSYGLWPG 10
 RESULT 47
 AAP50510
 ID AAP50510 standard; protein; 10 AA.
 AC AAP50510;
 XX
 XX 25-MAR-2003 (revised)
 DT 10-MAR-2003 (revised)
 DT 01-NOV-1991 (first entry)
 XX
 XX Sequence of gonadoliberein analogue.
 DE Hormone; reproduction; fertility; contraception; ovulation.
 XX
 KW Vertebrata.
 OS Synthetic.
 XX
 FH Key Location/Qualifiers
 FT Misc-difference 1
 FT Modified-site 10 /label= pyroGlu
 FT Modified-site 10 /label= Gly-NH2
 FT
 XX BE901307-A.
 PN 19-JUN-1985.
 XX
 PD 19-DEC-1984; 84BE-00901307.
 XX
 PF 23-DEC-1983; 83HU-00004458.
 XX
 PR (VALT-) KOEZFONTI VALTO ES HITELBANK RT.
 PA (INNO-) INNOVATIONS ALAP.
 PA (KERT-) KERTZBUTE.
 XX
 DR WPI; 1985-159468/27.
 XX
 XX New gonadoliberein analogues - useful for ovulation control in fish birds
 FT and mammals.
 FT
 XX Claim 2; Page 25; 29pp; French.
 PS
 CC The analogues of the invention are useful for controlling ovulation in
 CC fish, birds and mammals. They have higher activity than their natural
 CC counterparts. (Updated on 10-MAR-2003 to add missing OS field.) (Updated
 CC on 25-MAR-2003 to correct PA field.)
 XX
 XX Sequence 10 AA;
 SQ
 Query Match 80.8%; Score 59; DB 1; Length 10;
 Best Local Similarity 80.0%; Pred. No. 0.021;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 QY 1 EHWSHGWPYG 10
 DB 1 EHWSYGLWPG 10
 RESULT 48
 AAR11843
 ID AAR11843 standard; protein; 10 AA.
 XX
 AC AAR11843;
 XX
 XX 25-MAR-2003 (revised)
 DT 12-JUL-1991 (first entry)
 DT
 XX Example of peptide analogue of GRH.
 DE
 XX GRH; gonadotropins; gametogenesis; steroidogenesis.
 XX
 OS Synthetic.
 XX
 XX Key Location/Qualifiers
 FT Modified-site 1.1
 FT Modified-site 10 /label= OTHER
 FT /note= "pyro glutamyl"
 FT
 XX GB2237571-A.
 PN 08-MAY-1991.
 XX
 XX 01-NOV-1990; 90GB-00237488.
 XX
 PR 01-NOV-1989; 89ZA-00008317.
 XX
 XX (MILL/) MILLAR R P.
 PA
 PI Millar RP;
 XX
 XX WPI; 1991-135236/19.
 DR

XX New gonadotropin releasing hormone analogues - stimulate reproductive
PT processes.
XX
XX Claim 2; Page 19; 21pp; English.
XX
CC This peptide is a chimeric analogue of a naturally occurring vertebrate
CC gonadotropin releasing hormone (GRH). It stimulates the release of GRHs
CC from the pituitary of vertebrates. This activates gametogenesis and
CC steroidogenesis in the gonads. It can be used to regulate eg the CNS,
CC adrenals, gonads and mammary tissues. See also AAR11840-42 and AAR11844-
CC 50. (Updated on 25-MAR-2003 to correct PF field.)
XX
XX Sequence 10 AA;

Query Match 80.8%; Score 59; DB 2; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.021;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
QY 1 EHWSHGWPY 10
Db 1 EHWSYTWY 10

RESULT 49
AAR11844
ID AAR11844 standard; protein; 10 AA.
AC AAR11844;
XX
XX 25-MAR-2003 (revised)
DT 12-JUL-1991 (first entry)
XX
XX Example of peptide analogue of GRH.
DE
XX GRH; gonadotropins; gametogenesis; steroidogenesis.
XX
XX Synthetic.
XX
XX Key Location/Qualifiers
FH Modified-site 1. 1
FT /label= OTHER
FT /note= "pyro glutamyl"

XX GB2237571-A.
XX
XX 08-MAY-1991.
XX
XX 01-NOV-1990; 90GB-00237488.
XX
XX 01-NOV-1989; 89ZA-00008317.
XX
XX (MILL/) MILLAR R P.
XX
XX Millar RP;
PI
XX WPI; 1991-135236/19.
XX
XX New gonadotropin releasing hormone analogues - stimulate reproductive
PT processes.
XX
XX Claim 2; Page 19; 21pp; English.

XX This peptide is a chimeric analogue of a naturally occurring vertebrate
CC gonadotropin releasing hormone (GRH). It stimulates the release of GRHs
CC from the pituitary of vertebrates. This activates gametogenesis and
CC steroidogenesis in the gonads. It can be used to regulate eg the CNS,
CC adrenals, gonads and mammary tissues. See also AAR11840-43 and AAR11845-
CC 50. (Updated on 25-MAR-2003 to correct PF field.)
XX
XX Sequence 10 AA;

Query Match 80.8%; Score 59; DB 2; Length 10;

Best Local Similarity 80.0%; Pred. No. 0.021;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
QY 1 EHWSHGWPY 10
Db 1 EHWSYKWY 10
RESULT 50
AAR75154
ID AAR75154 standard; peptide; 10 AA.
XX
XX AAR75154;
XX
XX 19-DEC-1995 (first entry)
DT
XX Salmon GnRH(7Trp,8Leu).
DE
XX Gonadotropin releasing hormone; GnRH; gonadoliberein; reproduction;
KW transgenic animal; transgenic fish; transgenic fowl;
XX
XX Salmo sp.
OS
XX W09512309-A1.
FN
XX
XX 11-MAY-1995.
PD
XX 04-NOV-1994; 94WO-US012763.
PF
XX 05-NOV-1993; 93US-00147771.
PR
XX (STRD) UNIV LELAND STANFORD JUNIOR.
PA (UYOR-) UNIV OREGON STATE.
XX
XX Fernald RD, Adelman JP;
PI
XX WPI; 1995-185526/24.
DR
XX
XX New gonadotropin releasing hormone preprohormone DNA - used to develop
PT prods. for regulation of reproductive function and diagnosis of
PT reproductive capacity and disease.
XX
XX Disclosure; Fig 1a; 85pp; English.
PS
XX 8 Different forms of GnRH (given in AAR75152-59) have previously been
CC isolated from vertebrate species. A precursor for an additional form of
CC GnRH, (Ser8)-GnRH (AAR75151), has now been obtd
XX
XX Sequence 10 AA;

Query Match 80.8%; Score 59; DB 2; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.021;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
QY 1 EHWSHGWPY 10
Db 1 EHWSYKWLP 10

Search completed: March 2, 2004, 19:25:39
Job time : 59.5 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 2, 2004, 19:19:28 ; Search time 13.5 Seconds
(without alignments)
71.253 Million cell updates

Title: US-09-857-115-6
Perfect score: 73
Sequence: 1 EHWSHGWTYPG 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 283366 seqs, 96191526 residues

Total number of hits satisfying chosen parameters: 283366

```
Minimum DB seq length: 0
Maximum DB seq length: 20000000000
```

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 500 summaries

```
Database : PIR_78:*
1:  pir1:*
2:  pir2:*
3:  pir3:*
4:  pir4:*
```

SUMMARIES

Result No.	Query		DB	ID	Description
	Score	Match Length			
1	70	95.9	10	1	RHAQ2
2	70	95.9	10	1	gonadoliberin II -
3	70	95.9	10	1	gonadoliberin II - sp
4	70	95.9	10	2	B46030
5	70	95.9	80	2	gonadoliberin II -
6	70	95.9	85	2	chicken-II-type go
7	70	95.9	86	1	gonadoliberin II p
8	62	84.9	10	2	gonadoliberin II p
9	57	78.1	10	2	gonadoliberin I -
10	56	76.7	10	2	gonadoliberin I -
11	56	76.7	74	2	gonadoliberin I -
12	56	76.7	82	2	gonadoliberin I -
13	56	76.7	82	2	gonadoliberin I -
14	56	76.7	82	2	gonadoliberin I -
15	56	76.7	90	2	gonadoliberin I -
16	56	76.7	90	2	gonadoliberin I -
17	56	76.7	90	2	gonadoliberin I -
18	48	65.8	80	1	RHDI1S
19	47.5	65.1	319	2	H69043
20	47.5	65.1	321	2	A63088
21	45	61.6	437	2	E90968
22	45	61.6	437	2	H90854
23	45	61.6	439	2	C90769
24	45	61.6	439	2	E95816
25	43	58.9	92	1	RHAQ1
26	43	58.9	92	2	I50644
27	43	58.9	866	2	A11880
28	43	58.9	869	2	S76720
29	43	58.9	882	2	AE1416

103	37	50.7	190	2	F81932	probable anhydro-N	176	49.3	284	2	T14291	glutamate-ammonia
104	37	50.7	190	2	H81172	ampD protein NMB306	177	49.3	315	2	H64082	hypothetical prote
105	37	50.7	258	2	AF2204	beta-carotene keto	178	49.3	331	2	A69794	hypothetical prote
106	37	50.7	260	2	S71507	restriction endonu	179	49.3	349	2	G36470	wt-7a protein - m
107	37	50.7	269	2	S36166	paired box transcr	180	49.3	352	2	S45558	cytochrome c-type
108	37	50.7	278	2	S25727	hypothetical prote	181	49.3	360	2	A22047	hypothetical prote
109	37	50.7	345	2	JC1174	amidase (EC 3.5.1.	182	49.3	362	2	I37515	MHC class I histoc
110	37	50.7	346	2	H83222	amidase (EC 3.5.1.	183	49.3	364	2	D75491	conserved hypotnet
111	37	50.7	346	2	A26741	amidase (EC 3.5.1.	184	49.3	381	2	S36189	penicillin-binding
112	37	50.7	350	2	A42009	N-formyl peptide r	185	49.3	382	2	G70946	probable dioxygena
113	37	50.7	352	2	A46520	N-formyl peptide r	186	49.3	391	2	E69448	hypothetical prote
114	37	50.7	364	2	A49542	N-formyl peptide c	187	49.3	398	2	F72335	hypothetical prote
115	37	50.7	364	2	B83078	probable D-amino a	188	49.3	408	2	A47488	aminocyclase (EC 3
116	37	50.7	383	2	G96628	hypothetical prote	189	49.3	409	2	A52473	conserved hypotnet
117	37	50.7	384	2	A60688	probable bacteriop	190	49.3	411	2	E85918	conserved hypotnet
118	37	50.7	393	2	AB1870	hypothetical prote	191	49.3	418	2	A28872	cinnamoyl ester hy
119	37	50.7	404	2	S53477	IMP dehydrogenase	192	49.3	420	2	H37648	alpha-amylase (EC
120	37	50.7	416	2	S37689	paired box transcr	193	49.3	427	1	ALBHB	alpha-amylase (EC
121	37	50.7	420	2	S77102	hypothetical prote	194	49.3	429	1	JF0406	hypothetical prote
122	37	50.7	422	1	A56674	paired box transcr	195	49.3	448	2	C96542	isochorismate synt
123	37	50.7	436	1	S42234	paired box transcr	196	49.3	455	2	AQ0308	hypothetical prote
124	37	50.7	451	1	I50108	paired box transcr	197	49.3	486	2	T21566	unknown protein T1
125	37	50.7	451	2	T35914	probable carboxype	198	49.3	509	2	A67449	hypothetical prote
126	37	50.7	453	2	T38707	probable initiator	199	49.3	534	2	C70945	hypothetical prote
127	37	50.7	471	2	S64310	4-aminobutyrate tr	200	49.3	565	2	T49197	hypothetical prote
128	37	50.7	471	2	G83561	hypothetical prote	201	49.3	592	2	T27476	Ig mu chain precur
129	37	50.7	472	2	H90563	hypothetical prote	202	49.3	627	2	S14683	hypothetical prote
130	37	50.7	510	2	T22855	hypothetical prote	203	49.3	674	2	T21217	hypothetical prote
131	37	50.7	581	2	T38501	hypothetical prote	204	49.3	692	2	A97013	probable membrane
132	37	50.7	632	2	J50631	alpha-amylase (EC	205	49.3	724	2	S76804	scavenger receptor
133	37	50.7	682	2	S30995	gene 50 protein -	206	49.3	742	2	C75595	probable membrane
134	37	50.7	687	2	JQ1044	arylophorin precurs	207	49.3	746	2	S67203	hypothetical prote
135	37	50.7	721	2	DB3110	exodeoxyribonuclea	208	49.3	769	2	T24949	probable secreted
136	37	50.7	759	2	JQ1045	arylophorin precurs	209	49.3	781	2	T36143	single-strand DNA-
137	37	50.7	760	2	T48745	semaphorin B - mou	210	49.3	784	2	H83804	hypothetical prote
138	37	50.7	790	2	T48745	semaphorin B - mou	211	49.3	828	2	T08556	hypothetical prote
139	37	50.7	835	1	W2BES1	gene 51 protein -	212	49.3	829	2	S82441	pyroloquinoline q
140	37	50.7	838	2	T45557	eyeless, long form	213	49.3	862	2	E84507	hypothetical prote
141	37	50.7	998	1	QOBEB1	protein A - flock	214	49.3	876	2	D70971	hypothetical prote
142	37	50.7	998	2	S41397	bacteriocin XP2407	215	49.3	888	2	S77211	isoleucine-tRNA li
143	37	50.7	2064	2	G82562	toxin B - Clostrid	216	49.3	1202	2	S71424	nitric-oxide synth
144	37	50.7	2365	2	S10317	toxin B - Clostrid	217	49.3	1203	1	A47501	nitric-oxide synth
145	37	50.7	2367	2	S70112	Rhesus-like protei	218	49.3	1205	1	A38943	nitric-oxide synth
146	36.5	50.0	354	2	H37053	hypothetical prote	219	49.3	1366	2	S57664	IgA-specific metal
147	36.5	50.0	403	2	H87569	conserved hypotnet	220	49.3	1430	2	T21910	hypothetical prote
148	36.5	50.0	1108	2	AD3032	hypothetical prote	221	49.3	1526	2	S49763	gingipain R (EC 3.
149	36.5	50.0	1140	2	H98253	hypothetical prote	222	49.3	1581	1	VGMJBV	peplomer glycoprot
150	36.5	50.0	4568	2	T08030	dynein beta heavy	223	49.3	1704	2	A55426	gingipain R (EC 3.
151	36	49.3	68	2	H81117	hypothetical prote	224	49.3	1732	2	T30836	lysine-specific cy
152	36	49.3	96	2	E83391	hypothetical prote	225	49.3	1817	2	T10689	hypothetical prote
153	36	49.3	133	2	C33548	ig heavy chain V-1	226	49.3	1849	2	T14096	guanine nucleotide
154	36	49.3	137	1	S25968	succinate dehydrog	227	48.6	98	2	E84720	probable membrane
155	36	49.3	143	2	D83148	hypothetical prote	228	48.6	98	2	E85480	hypothetical prote
156	36	49.3	152	2	G81175	dATP pyrophosphony	229	48.6	98	2	E90629	hypothetical prote
157	36	49.3	152	2	H81930	probable nucleosid	230	48.6	197	2	I39723	ORF13 - Agrobacter
158	36	49.3	157	2	H73398	hypothetical prote	231	48.6	209	2	S01988	late L3 23K protei
159	36	49.3	160	2	B84903	hypothetical prote	232	48.6	251	2	A43314	hypothetical membr
160	36	49.3	169	2	A83077	probable signal pe	233	48.6	361	2	T39784	hypothetical prote
161	36	49.3	173	2	AC1444	hypothetical prote	234	48.6	378	2	AC0745	conserved hypotnet
162	36	49.3	174	2	D30454	conserved hypotnet	235	48.6	391	2	A42973	serum protein MS25
163	36	49.3	182	2	T35142	hypothetical prote	236	48.6	437	2	T03161	hypothetical prote
164	36	49.3	185	2	JC4085	glycine-rich cutic	237	48.6	448	2	B71257	conserved hypotnet
165	36	49.3	191	2	G70940	hypothetical prote	238	48.6	455	2	E97081	amino acid permeas
166	36	49.3	193	2	A44791	superoxide dismuta	239	48.6	458	2	S12444	hypothetical prote
167	36	49.3	196	2	H83225	hypothetical prote	240	48.6	487	2	C82137	FAD monooxygenase,
168	36	49.3	207	2	T21275	hypothetical prote	241	48.6	549	2	S74467	hypothetical prote
169	36	49.3	220	2	AD0938	hypothetical prote	242	48.6	605	2	T49780	related to beta tr
170	36	49.3	224	2	AF3473	nucleoside-triphos	243	48.6	1259	2	S25954	gene atpA intron 2
171	36	49.3	235	2	A22962	carbonate dehydrat	244	47.9	62	2	A11756	hypothetical prote
172	36	49.3	237	2	A41796	neural retina leuc	245	47.9	90	2	T42170	hypothetical prote
173	36	49.3	253	2	F59181	transcription regu	246	47.9	103	2	F75325	hypothetical prote
174	36	49.3	263	2	A30227	hypothetical prote	247	47.9	107	1	Q0EC12	prepilin peptidase
175	36	49.3	277	2	T29611	hypothetical prote	248	47.9	107	2	H91088	prepilin peptidase

249	35	47.9	107	2	B85934	prelilin peptidase	322	35	47.9	859	1	VCLJEW	env polypeptide pr
250	35	47.9	117	2	AH2059	hypothetical prote	323	35	47.9	859	1	VCLJEW	env polypeptide pr
251	35	47.9	134	2	AH7519	conserved hypothet	324	35	47.9	859	1	VCLJEW	env polypeptide pr
252	35	47.9	144	2	G90573	50S ribosomal prot	325	35	47.9	859	1	VCLJEW	env polypeptide pr
253	35	47.9	155	2	G72557	probable ribosomal	326	35	47.9	859	1	VCLJEW	env polypeptide pr
254	35	47.9	157	2	D83748	hypothetical prote	327	35	47.9	860	1	VCLJEW	sugar hydrolase ho
255	35	47.9	159	2	C49773	ecdysone-dependent	328	35	47.9	860	2	AF1128	sugar hydrolase ho
256	35	47.9	177	2	H97205	probable kinase fr	329	35	47.9	860	2	AF1128	E. coli ybgg protei
257	35	47.9	177	2	H97276	endonuclease prote	330	35	47.9	875	2	AB1125	E. coli ybgg protei
258	35	47.9	198	2	F69167	hypothetical prote	331	35	47.9	875	2	AB1125	ybgB protein - Esc
259	35	47.9	206	2	H91229	probable phosphata	332	35	47.9	875	2	AB1125	conserved hypothet
260	35	47.9	206	2	G86076	probable phosphata	333	35	47.9	886	2	G95250	conserved hypothet
261	35	47.9	206	2	S40829	hypothetical 23.5K	334	35	47.9	886	2	D98115	sugar hydrolase [i
262	35	47.9	218	2	T50070	superoxide dismuta	335	35	47.9	886	2	D98115	sugar hydrolase [i
263	35	47.9	222	2	T50078	hypothetical prote	336	35	47.9	886	2	D98115	hypothetical prote
264	35	47.9	233	2	E97062	glycerol uptake fa	337	35	47.9	934	2	B83789	hypothetical prote
265	35	47.9	241	2	T47752	superoxide dismuta	338	35	47.9	941	2	D82599	serine proteinase
266	35	47.9	247	2	E71355	probable ribosomal	339	35	47.9	1000	2	C82630	hypothetical prote
267	35	47.9	253	2	E72302	esterase - Thermot	340	35	47.9	1004	2	T31665	hypothetical prote
268	35	47.9	258	2	A75140	hypothetical prote	341	35	47.9	1248	2	G83278	cobalamin biosynth
269	35	47.9	276	2	D83786	glycerol uptake fa	342	35	47.9	1311	2	A56390	mannosyl-glycoprot
270	35	47.9	305	2	H83518	probable short-cha	343	35	47.9	1312	2	E95006	beta-N-acetylhexos
271	35	47.9	306	2	AH1868	hypothetical prote	344	35	47.9	1312	2	E95006	beta-N-acetylhexos
272	35	47.9	320	2	JC1311	cell protein precu	345	35	47.9	1477	2	AG3009	polyketide synthet
273	35	47.9	339	1	I37195	AU-specific RNA-bi	346	35	47.9	1480	2	T05566	hypothetical prote
274	35	47.9	342	2	T23125	hypothetical prote	347	35	47.9	1489	2	G98274	hypothetical prote
275	35	47.9	345	2	T33357	hypothetical prote	348	35	47.9	1544	2	T04464	hypothetical prote
276	35	47.9	351	1	A48763	transcription fact	349	34.5	47.3	63	4	OQEC31	hypothetical prote
277	35	47.9	351	2	S39603	class I histocoma	350	34.5	47.3	96	4	OQEC31	hypothetical prote
278	35	47.9	356	2	S39605	class I histocoma	351	34.5	47.3	142	2	S54232	hypothetical prote
279	35	47.9	356	2	C95161	hypothetical prote	352	34.5	47.3	234	2	C83097	phosphate-binding
280	35	47.9	361	2	A09062	hypothetical prote	353	34.5	47.3	337	1	C70473	hypothetical prote
281	35	47.9	374	2	G70947	hypothetical prote	354	34.5	47.3	373	2	A71690	hypothetical prote
282	35	47.9	377	2	AH3328	NAD(PAD)-utilizing	355	34.5	47.3	469	2	T34645	thermostable carbo
283	35	47.9	377	2	A35785	carbonate dehydrat	356	34.5	47.3	501	2	B75004	probable thermosta
284	35	47.9	394	2	T19181	hypothetical prote	357	34.5	47.3	515	2	C71158	beta-amylose (EC 3
285	35	47.9	397	2	T19182	hypothetical prote	358	34.5	47.3	555	1	S00222	probable beta-amylo
286	35	47.9	398	2	E82262	hypothetical prote	359	34.5	47.3	687	2	T02459	hypothetical prote
287	35	47.9	399	2	T19180	hypothetical prote	360	34	46.6	987	2	A64474	hypothetical prote
288	35	47.9	404	2	A93277	hypothetical prote	361	34	46.6	76	2	H64393	aldehyde reductase
289	35	47.9	426	2	C69598	spore maturation p	362	34	46.6	80	2	S39779	hypothetical prote
290	35	47.9	436	2	T48331	hypothetical prote	363	34	46.6	121	2	S31104	IG heavy chain - rat
291	35	47.9	446	2	T48183	hypothetical prote	364	34	46.6	135	2	I80184	hypothetical prote
292	35	47.9	454	2	D82364	DNA-damage-inducib	365	34	46.6	152	2	H70516	hypothetical prote
293	35	47.9	465	2	B83598	probable zinc prot	366	34	46.6	154	2	AG3578	conserved hypothet
294	35	47.9	467	2	T34617	NADH2 dehydrogenas	367	34	46.6	156	2	G96031	conserved hypothet
295	35	47.9	467	2	T26705	hypothetical prote	368	34	46.6	156	2	T33725	ribonuclease H (EC
296	35	47.9	471	2	A41478	cytolysin vvhA pre	369	34	46.6	162	2	B86387	18.7K hypothetical
297	35	47.9	485	1	CSCKPT	catalase (EC 1.11.	370	34	46.6	163	2	S67038	ribosomal protein
298	35	47.9	496	2	B83591	probable transport	371	34	46.6	170	2	AI2961	conserved hypothet
299	35	47.9	524	2	G64243	hypothetical prote	372	34	46.6	173	2	D97263	galactose-6-phosph
300	35	47.9	531	2	E69471	cationic amino aci	373	34	46.6	173	2	B98321	hypothetical prote
301	35	47.9	538	2	A70485	single-strand-DNA-	374	34	46.6	178	2	F83776	hypothetical prote
302	35	47.9	539	2	H84640	probable Rieske ir	375	34	46.6	181	2	AI2402	hypothetical prote
303	35	47.9	551	1	HQDVLC	cytochrome-c3 hydr	376	34	46.6	185	2	T51003	hypothetical prote
304	35	47.9	563	2	T08499	Rieske [2Fe-2S] ir	377	34	46.6	185	2	B70755	probable lprB prot
305	35	47.9	564	2	AC2893	adenylate cyclase	378	34	46.6	185	2	C82739	conserved hypothet
306	35	47.9	564	2	F97668	probable electron	379	34	46.6	188	2	B87048	probable lipoprote
307	35	47.9	565	2	JEO338	Frizzled-2 protein	380	34	46.6	207	2	D64009	hypothetical prote
308	35	47.9	571	1	JN0858	chitinase (EC 3.2.	381	34	46.6	212	2	B84035	hypothetical prote
309	35	47.9	584	2	B91292	hypothetical prote	382	34	46.6	212	2	JA0152	glycinin chain A7
310	35	47.9	584	2	E86133	hypothetical prote	383	34	46.6	220	2	T49559	protein tyrosine p
311	35	47.9	589	2	C70767	probable pknJ - My	384	34	46.6	222	2	T10279	protein tyrosine p
312	35	47.9	597	1	S32039	chitinase (EC 3.2.	385	34	46.6	222	2	F88082	protein tyrosine p
313	35	47.9	610	2	T35797	secreted chitinase	386	34	46.6	226	2	D90887	proline-rich prote
314	35	47.9	640	2	T09179	LRGS protein - chl	387	34	46.6	226	2	B85730	nitrate reductase
315	35	47.9	650	2	JC7095	sodium-dependent v	388	34	46.6	226	2	AG0671	respiratory nitrat
316	35	47.9	687	2	D83547	hypothetical prote	389	34	46.6	226	2	AG0671	hypothetical prote
317	35	47.9	708	2	G85418	protein T2E6.8 [im	390	34	46.6	230	2	B70732	glycerol uptake fa
318	35	47.9	749	2	T41072	hypothetical prote	391	34	46.6	233	2	S67937	glycerol uptake fa
319	35	47.9	850	2	C83081	probable oxidoredu	392	34	46.6	234	2	B72354	glycerol uptake fa
320	35	47.9	859	1	VCLJEW	env polypeptide pr	393	34	46.6	234	2	B95255	glycerol uptake fa
321	35	47.9	859	1	VCLJ22	env polypeptide pr	394	34	46.6	234	2	A99520	glycerol uptake fa

R;Lovejoy, D.A.; Sherwood, N.M.; Fischer, W.H.; Jackson, B.C.; Rivier, J.E.; Lee, T.
Gen. Comp. Endocrinol. 82, 152-161, 1991
A;Title: Primary structure of gonadotropin-releasing hormone from the brain of a holocarp
A;Reference number: A61126; MUID:91340067; PMID:1678723
A;Accession: A61126
A;Molecule type: protein
A;Residues: 1-10 <LOV>
A;Experimental source: brain
A;Superfamily: gonadoliberin
C;Keywords: amidated carboxyl end; brain; hormone; pyroglutamic acid
F;10/Modified site: pyrrolidone carboxylic acid (Gln) #status experimental
F;10/Modified site: amidated carboxyl end (Gly) #status experimental

Query Match 95.9%; Score 70; DB 1; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.00015;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
:|||||
Db 1 QHWSHGWPY 10

RESULT 3
B46030
Gonadoliberin II - spiny dogfish
N;Alternate names: gonadotropin-releasing hormone
C;Species: Squalus acanthias (spiny dogfish)
C;Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 20-Jan-2003
C;Accession: B46030
R;Lovejoy, D.A.; Fischer, W.H.; Ngamvongchon, S.; Craig, A.G.; Nahorniak, C.S.; Peter, R.
Proc. Natl. Acad. Sci. U.S.A. 89, 6373-6377, 1992
A;Title: Distinct sequence of gonadotropin-releasing hormone (GnRH) in dogfish brain pro
A;Reference number: A46030; MUID:92335300; PMID:1631133
A;Accession: B46030
A;Status: preliminary
A;Molecule type: protein
A;Residues: 1-10 <LOV>
C;Superfamily: gonadoliberin
C;Keywords: hormone; pyroglutamic acid
F;1/Modified site: pyrrolidone carboxylic acid (Gln) #status experimental

Query Match 95.9%; Score 70; DB 2; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.00015;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
:|||||
Db 1 QHWSHGWPY 10

RESULT 4
JC7394
Chicken-II-type gonadotropin-releasing hormone precursor - Japanese medaka
C;Species: Oryzias latipes (Japanese medaka)
C;Date: 17-Nov-2000 #sequence_revision 17-Nov-2000 #text_change 20-Jan-2003
C;Accession: JC7394
R;Okubo, K.; Amano, M.; Yoshiura, Y.; Suetake, H.; Aida, K.
Biochem. Biophys. Res. Commun. 276, 298-303, 2000
A;Title: A novel form of gonadotropin-releasing hormone in the medaka, Oryzias latipes.
A;Reference number: JC7393
A;Contents: Brain
A;Accession: JC7394
A;Molecule type: mRNA
A;Residues: 1-80 <OKU>
A;Cross-references: DDBJ:AB041330
C;Comment: This protein with the roles as the physiologic regulator of gonadotropin rele
C;Genetics:
A;Gene: cgnrh-II
C;Superfamily: gonadoliberin
C;Keywords: brain

Query Match 95.9%; Score 70; DB 2; Length 80;
Best Local Similarity 90.0%; Pred. No. 0.0012;

QY 1 EHWSHGWYPG 10
:|||||
Db 25 QHWSHGWPY 34

Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
:|||||
Db 22 QHWSHGWPY 31

RESULT 5
A53453
gonadoliberin II precursor - Cichlid (Haplochromis burtoni)
C;Species: Haplochromis burtoni
C;Date: 25-Aug-1995 #sequence_revision 25-Aug-1995 #text_change 16-Jul-1999
C;Accession: A53453
R;White, S.A.; Bond, C.T.; Francis, R.C.; Kasten, T.L.; Fernald, R.D.; Adelman, J.P.
Proc. Natl. Acad. Sci. U.S.A. 91, 1423-1427, 1994
A;Title: A second gene for gonadotropin-releasing hormone: cDNA and expression pattern i
A;Reference number: A53453; MUID:94151343; PMID:8108425
A;Accession: A53453
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-85 <WHI>
A;Cross-references: GB:L27435; NID:G439868; PIDN:AAA74993.1; PID:G439869
C;Superfamily: gonadoliberin
C;Keywords: brain; hormone

Query Match 95.9%; Score 70; DB 2; Length 85;
Best Local Similarity 90.0%; Pred. No. 0.0012;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
:|||||
Db 24 QHWSHGWPY 33

RESULT 6
RHID2S
gonadoliberin II precursor - sharptooth catfish
N;Alternate names: gonadoliberin, chicken-type; gonadotropin-releasing hormone II (GnRH-
N;Contents: gonadoliberin II; gonadoliberin II-associated protein
C;Species: Clarias gariepinus (sharptooth catfish)
C;Date: 30-Sep-1993 #sequence_revision 18-Mar-1997 #text_change 18-Jun-1999
C;Accession: S45600; JCI243; S42935
R;Bogerd, J.; Zandbergen, T.; Andersson, E.; Goos, H.
Eur. J. Biochem. 222, 541-549, 1994
A;Title: Isolation, characterization and expression of cDNAs encoding the catfish-type a
A;Reference number: S45600; MUID:94291651; PMID:8020492
A;Accession: S45600
A;Molecule type: mRNA
A;Residues: 1-86 <BOGL>
A;Cross-references: EMBL:X78047; NID:G459429; PIDN:CAA54969.1; PID:G459430
R;Bogerd, J.; Li, K.W.; Janssen-Dommerholt, C.; Goos, H.
Biochem. Biophys. Res. Commun. 187, 127-134, 1992
A;Title: Two gonadotropin-releasing hormones from African catfish (Clarias gariepinus).
A;Reference number: JCI242; MUID:92392313; PMID:1520292
A;Accession: JCI243
A;Molecule type: protein
A;Residues: 25-34 <BOG2>
A;Experimental source: brain
C;Superfamily: gonadoliberin
C;Keywords: amidated carboxyl end; hormone; hypothalamus; pyroglutamic acid
F;1-24/Domain: signal sequence #status predicted <SIG>
F;25-34/Product: gonadoliberin II #status experimental <MAT1>
F;38-86/Product: gonadoliberin II-associated protein #status predicted <MAT2>
F;25/Modified site: pyrrolidone carboxylic acid (Gln) (in mature form) #status experimen
F;34/Modified site: amidated carboxyl end (Gly) (amide in mature form from following gly

Query Match 95.9%; Score 70; DB 1; Length 86;
Best Local Similarity 90.0%; Pred. No. 0.0013;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
:|||||
Db 25 QHWSHGWPY 34

```

RESULT 7
A46030
gonadoliberin I - spiny dogfish
N:Alternate names: gonadotropin-releasing hormone
C:Species: Squalus acanthias (spiny dogfish)
C>Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 16-Dec-1998
C:Accession: A46030
R:Lovejoy, D.A.; Fischer, W.H.; Neamvongchon, S.; Craig, A.G.; Nahorniak, C.S.; Peter, R.
Proc. Natl. Acad. Sci. U.S.A. 89, 6373-6377, 1992
A:Title: Distinct sequence of gonadotropin-releasing hormone (GnRH) in dogfish brain pro
A:Reference number: A46030; MUID:92335300; PMID:1631133
A:Accession: A46030
A>Status: preliminary
A:Molecule type: protein
A:Residues: 1-10 <LOV>
C:Keywords: hormone; pyroglutamic acid
F:/Modified site: pyrrolidone carboxylic acid (Gln) #status experimental

Query Match      84.9%; Score 52; DB 2; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.0022;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYFG 10
:|||||
Db 1 QHWSYGLWLP 10

RESULT 8
A49187
gonadotropin-releasing hormone III - sea lamprey
C:Species: Petromyzon marinus (sea lamprey)
C>Date: 19-Dec-1993 #sequence_revision 18-Nov-1994 #text_change 03-Mar-1995
C:Accession: A49187
R:Sower, S.A.; Chiang, Y.C.; Lovas, S.; Conlon, J.M.
Endocrinology 132, 1125-1131, 1993
A:Title: Primary structure and biological activity of a third gonadotropin-releasing hor
A:Reference number: A49187; MUID:93178316; PMID:8440174
A:Accession: A49187
A>Status: preliminary
A:Molecule type: protein
A:Residues: 1-10 <SOW>
A:Experimental source: brain
A>Note: sequence extracted from NCBI backbone (NCBIP:126381)

Query Match      78.1%; Score 57; DB 2; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.012;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 EHWSHGWYFG 10
:|||||
Db 1 EHWSHDWKPG 10

RESULT 9
A21114
gonadoliberin - chum salmon
C:Species: Oncorhynchus keta (chum salmon)
C>Date: 10-Aug-1990 #sequence_revision 10-Aug-1990 #text_change 18-Jun-1993
C:Accession: A21114
R:Sherwood, N.; Eiden, L.; Brownstein, M.; Spiess, J.; Rivier, J.; Vale, W.
Proc. Natl. Acad. Sci. U.S.A. 80, 2794-2798, 1983
A:Title: Characterization of a teleost gonadotropin-releasing hormone.
A:Reference number: A21114; MUID:83195140; PMID:6341999
A:Accession: A21114
A>Status: preliminary
A:Molecule type: protein
A:Residues: 1-10 <SHE>

Query Match      76.7%; Score 56; DB 2; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.016;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

```

```

QY 1 EHWSHGWYFG 10
:|||||
Db 1 QHWSYGLWLP 10

RESULT 10
I51092
gonadotropin releasing hormone - chinook salmon (fragment)
C:Species: Oncorhynchus tshawytscha (chinook salmon)
C>Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 09-Aug-1997
C:Accession: I51092
R:Klungland, H.; Lorens, J.B.; Andersen, O.; Kisen, G.O.; Alestrom, P.
Mol. Cell. Endocrinol. 84, 167-174, 1992
A:Title: The Atlantic salmon prepro-gonadotropin releasing hormone gene and mRNA.
A:Reference number: I51040; MUID:92267241; PMID:1587389
A:Accession: I51092
A>Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: DNA
A:Residues: 1-74 <KLU>
A:Cross-references: EMBL:X79711; NID:G499322; PID:G499323
C:Genetics:
A:Gene: GnRH
A:Introns: 38/3; 65/3

Query Match      76.7%; Score 56; DB 2; Length 74;
Best Local Similarity 70.0%; Pred. No. 0.12;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYFG 10
:|||||
Db 16 QHWSYGLWLP 25

RESULT 11
I51180
gonadotropin-releasing hormone - cherry salmon
C:Species: Oncorhynchus masou (cherry salmon)
C>Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 20-Jan-2003
C:Accession: I51180
R:Suzuki, M.; Hyodo, S.; Kobayashi, M.; Aida, K.; Urano, A.
J. Mol. Endocrinol. 9, 73-82, 1992
A:Title: Characterization and localization of mRNA encoding the salmon-type gonadotropin
A:Reference number: I51180; MUID:92384893; PMID:1515027
A:Accession: I51180
A>Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-82 <SUZ>
A:Cross-references: GB:S44614; NID:G254824; PID:G254825
C:Superfamily: gonadoliberin

Query Match      76.7%; Score 56; DB 2; Length 82;
Best Local Similarity 70.0%; Pred. No. 0.13;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYFG 10
:|||||
Db 24 QHWSYGLWLP 33

RESULT 12
I51355
gonadotropin releasing hormone - Atlantic salmon
C:Species: Salmo salar (Atlantic salmon)
C>Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 21-Jul-2000
C:Accession: I51355
R:Klungland, H.; Lorens, J.B.; Andersen, O.; Kisen, G.O.; Alestrom, P.
Mol. Cell. Endocrinol. 84, 167-174, 1992
A:Title: The Atlantic salmon prepro-gonadotropin releasing hormone gene and mRNA.
A:Reference number: I51040; MUID:92267241; PMID:1587389
A:Accession: I51355
A>Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA

```

A;Residues: 1-82 <KLU>
A;Cross-references: EMBL:X79709; NID:G499341; PID:G499342
A;Accession: I51355
A;Status: preliminary; translated from GB/EMBL/DBDJ
A;Molecule type: DNA
A;Residues: 1-82 <KLU>
A;Cross-references: EMBL:X74957; NID:G402786; PIDN:CAA52912.1; PID:G402787
C;Genetics:
A;Gene: GNRH
A;Introns: 46/3; 73/3

Query Match 76.7%; Score 56; DB 2; Length 82;
Best Local Similarity 70.0%; Pred. No. 0.13;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
:|||||
Db 24 QHWSYGLWPG 33

RESULT 13
I51365
gonadotropin-releasing hormone - brown trout
C;Species: Salmo trutta (brown trout)
C;Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 21-Jul-2000
C;Accession: I51365
R;Klungland, H.; Lorens, J.B.; Andersen, O.; Kisen, G.O.; Alestrom, P.
Mol. Cell. Endocrinol. 84, 167-174, 1992
A;Title: The Atlantic salmon prepro-gonadotropin releasing hormone gene and mRNA.
A;Reference number: I51040; MUID:192267241; PMID:1587389
A;Accession: I51365
A;Status: preliminary; translated from GB/EMBL/DBDJ
A;Molecule type: DNA
A;Residues: 1-82 <KLU>
A;Cross-references: EMBL:X79713; NID:G499343; PIDN:CAA56152.1; PID:G499344
C;Genetics:
A;Gene: GNRH
A;Introns: 46/3; 73/3

Query Match 76.7%; Score 56; DB 2; Length 82;
Best Local Similarity 70.0%; Pred. No. 0.13;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
:|||||
Db 24 QHWSYGLWPG 33

RESULT 14
I51331
gonadotropin releasing hormone - brook trout
C;Species: Salvelinus fontinalis (brook trout)
C;Date: 04-Sep-1997 #sequence_revision 04-Sep-1997 #text_change 05-Nov-1999
C;Accession: I51331
R;Klungland, H.; Lorens, J.B.; Andersen, O.; Kisen, G.O.; Alestrom, P.
Mol. Cell. Endocrinol. 84, 167-174, 1992
A;Title: The Atlantic salmon prepro-gonadotropin releasing hormone gene and mRNA.
A;Reference number: I51040; MUID:192267241; PMID:1587389
A;Accession: I51331
A;Status: preliminary; translated from GB/EMBL/DBDJ
A;Molecule type: DNA
A;Residues: 1-82 <KLU>
A;Cross-references: EMBL:X79712; NID:G499336; PIDN:CAA56151.1; PID:G499337
C;Genetics:
A;Gene: GNRH
A;Introns: 46/3; 73/3

Query Match 76.7%; Score 56; DB 2; Length 82;
Best Local Similarity 70.0%; Pred. No. 0.13;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
:|||||

Db 24 QHWSYGLWPG 33

RESULT 15
JC7395
salmon-type gonadotropin-releasing hormone precursor - Japanese medaka
C;Species: Oryzias latipes (Japanese medaka)
C;Date: 17-Nov-2000 #sequence_revision 17-Nov-2000 #text_change 17-Nov-2000
C;Accession: JC7395
R;Okubo, K.; Amano, M.; Yoshiura, Y.; Suetake, H.; Aida, K.
Biochem. Biophys. Res. Commun. 276, 298-303, 2000
A;Title: A novel form of gonadotropin-releasing hormone in the medaka, Oryzias latipes.
A;Reference number: JC7393
A;Contents: Brain
A;Accession: JC7395
A;Molecule type: mRNA
A;Residues: 1-90 <OKU>
A;Cross-references: DDBJ:AB041331
C;Comment: This protein with the roles as the physiologic regulator of gonadotropin rele.
C;Genetics:
A;Gene: sgnrh
C;Keywords: brain

Query Match 76.7%; Score 56; DB 2; Length 90;
Best Local Similarity 70.0%; Pred. No. 0.14;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
:|||||
Db 24 QHWSYGLWPG 33

RESULT 16
A23735
gonadoliberin precursor - Cichlid (Haplochromis burtoni)
C;Species: Haplochromis burtoni
C;Date: 30-Dec-1991 #sequence_revision 30-Dec-1991 #text_change 18-Jun-1993
C;Accession: A23735
R;Bond, C.T.; Francis, R.C.; Fernald, R.D.; Adelman, J.P.
Mol. Endocrinol. 5, 931-937, 1991
A;Title: Characterization of complementary DNA encoding the precursor for gonadotropin-releasing hormone in the cichlid, Haplochromis burtoni.
A;Reference number: A23735; MUID:92049375; PMID:1944299
A;Accession: A23735
A;Status: preliminary; not compared with conceptual translation
A;Molecule type: mRNA
A;Residues: 1-90 <BON>
F;24-33/Product: gonadoliberin #status predicted <GLB>

Query Match 76.7%; Score 56; DB 2; Length 90;
Best Local Similarity 70.0%; Pred. No. 0.14;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
:|||||
Db 24 QHWSYGLWPG 33

RESULT 17
I51095
gonadoliberin precursor - red sea bream
N;Alternate names: prepro-sgnrh
C;Species: Chrysophrys major (red sea bream)
C;Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 21-Jul-2000
C;Accession: I51095
R;Okuzawa, K.; Araki, K.; Tanaka, H.; Kigawa, H.; Hirose, K.
Gen. Comp. Endocrinol. 96, 234-242, 1994
A;Title: Molecular cloning of a cDNA encoding the prepro-salmon gonadotropin-releasing hormone in the red sea bream, Chrysophrys major.
A;Reference number: I51095; MUID:95154651; PMID:7851723
A;Accession: I51095
A;Status: preliminary; translated from GB/EMBL/DBDJ
A;Molecule type: mRNA
A;Residues: 1-90 <OKU>
A;Cross-references: GB:D26108; NID:G685222; PIDN:BA05104.1; PID:G685223

Query Match 76.7%; Score 56; DB 2; Length 90;
 Best Local Similarity 70.0%; Pred. No. 0.14;
 Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
 :||||:|||||
 Db 24 QHWSYGLWPG 33

RESULT 18
 RH1D1S
 Gonadoliberin I precursor - sharpooth catfish
 N:Alternate names: gonadoliberin, catfish-type; gonadotropin-releasing hormone I (GRH-I)
 C:Species: Clarias gariepinus (sharpooth catfish)
 C>Date: 30-Sep-1993 #sequence_revision 18-Mar-1997 #text_change 18-Jun-1999
 C:Accession: S45602; S45601; JCL1242; S42936; S42937
 R:Bogerd, J.; Zandbergen, T.; Andersson, E.; Goos, H.
 Eur. J. Biochem. 222, 541-549, 1994
 A:Title: Isolation, characterization and expression of cDNAs encoding the catfish-type a
 A:Reference number: S45600; MUID:94291651; PMID:8020492
 A:Accession: S45602
 A:Molecule type: mRNA
 A:Residues: 1-80 <BOG1>
 A:Cross-references: EMBL:X78049; NID:9459433; PIDN:CAA54971.1; PID:g459434
 A:Note: Gonadoliberin I-associated protein form I
 A:Accession: S45601
 A:Molecule type: mRNA
 A:Residues: 1-46, 'S', '48-59, 'G', '61-80 <BOG2>
 A:Cross-references: EMBL:X78048; NID:9459431; PIDN:CAA54970.1; PID:g459432
 A:Note: Gonadoliberin I-associated protein form II, presumed to be a polymorphic form
 R:Bogerd, J.; Li, K.W.; Janssen-Dommerholt, C.; Goos, H.
 Biochem. Biophys. Res. Commun. 187, 127-134, 1992
 A:Title: Two gonadotropin-releasing hormones from African catfish (Clarias gariepinus).
 A:Reference number: JCL1242; MUID:92392313; PMID:1520292
 A:Accession: JCL1242
 A:Molecule type: protein
 A:Residues: 22-31 <BOG3>
 A:Experimental source: brain
 C:Superfamily: gonadoliberin
 C:Keywords: amidated carboxyl end; hormone; hypothalamus; pyroglutamic acid
 F:1-21/Domain: signal sequence #status predicted <Sig>
 F:22-31/Product: gonadoliberin I #status experimental <Mar1>
 F:35-80/Product: gonadoliberin I-associated protein #status predicted <Mar2>
 F:22/Modified site: pyrrolidone carboxylic acid (Gln) (in mature form) #status experimen
 F:31/Modified site: amidated carboxyl end (Gly) (amide in mature form from following gly

Query Match 65.8%; Score 48; DB 1; Length 80;
 Best Local Similarity 70.0%; Pred. No. 1.9;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
 :||||:|||||
 Db 22 QHWSYGLWPG 31

RESULT 19
 H59043
 conserved hypothetical protein MTH1330 - Methanobacterium thermoautotrophicum (strain De
 C:Species: Methanobacterium thermoautotrophicum
 C>Date: 05-Dec-1997 #sequence_revision 05-Dec-1997 #text_change 22-Oct-1999
 C:Accession: H59043
 R:Smith, D.R.; Doucette-Stamm, L.A.; Deloughery, C.; Lee, H.; Dubois, J.; Aldredge, T.;
 Qiu, D.; Spadafora, R.; Vicaire, R.; Wang, Y.; Wierzbowski, J.; Gibson, R.; Jiawani, N.
 K. S.; Church, G.M.; Daniels, C.J.; Mao, J.; Rice, P.; Noelling, J.; Reeve, J.N.
 J. Bacteriol. 179, 7135-7155, 1997
 A:Title: Complete genome sequence of Methanobacterium thermoautotrophicum Delta H: funct
 A:Reference number: A59000; MUID:98037514; PMID:9371463
 A:Accession: H59043
 A:Status: preliminary; nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-319 <MTH>

A:Cross-references: GB:AE000896; GB:AE000666; NID:g2622424; PIDN:AAB585808.1; PID:g2622443
 A:Experimental source: strain Delta H
 C:Genetics:
 A:Gene: MTH1330

Query Match 65.1%; Score 47.5; DB 2; Length 319;
 Best Local Similarity 87.5%; Pred. No. 8.8;
 Matches 7; Conservative 0; Mismatches 0; Indels 1; Gaps 1;

QY 2 HWSHGWPY 9
 :||||:|||||
 Db 256 HW-HGWYP 262

RESULT 20
 A59088
 conserved hypothetical protein MTH1653 - Methanobacterium thermoautotrophicum (strain De
 C:Species: Methanobacterium thermoautotrophicum
 C>Date: 05-Dec-1997 #sequence_revision 05-Dec-1997 #text_change 22-Oct-1999
 C:Accession: A59088
 R:Smith, D.R.; Doucette-Stamm, L.A.; Deloughery, C.; Lee, H.; Dubois, J.; Aldredge, T.;
 Qiu, D.; Spadafora, R.; Vicaire, R.; Wang, Y.; Wierzbowski, J.; Gibson, R.; Jiawani, N.
 K. S.; Church, G.M.; Daniels, C.J.; Mao, J.; Rice, P.; Noelling, J.; Reeve, J.N.
 J. Bacteriol. 179, 7135-7155, 1997
 A:Title: Complete genome sequence of Methanobacterium thermoautotrophicum Delta H: funct
 A:Reference number: A59000; MUID:98037514; PMID:9371463
 A:Accession: A59088
 A:Status: preliminary; nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-321 <MTH>
 A:Cross-references: GB:AE000924; GB:AE000666; NID:g2622777; PIDN:AAB56125.1; PID:g2622727
 A:Experimental source: strain Delta H
 C:Genetics:
 A:Gene: MTH1653
 A:Start codon: GTG

Query Match 65.1%; Score 47.5; DB 2; Length 321;
 Best Local Similarity 87.5%; Pred. No. 8.8;
 Matches 7; Conservative 0; Mismatches 0; Indels 1; Gaps 1;

QY 2 HWSHGWPY 9
 :||||:|||||
 Db 258 HW-HGWYP 264

RESULT 21
 E90968
 probable tail fiber protein [imported] - Escherichia coli (strain O157:H7, substrain RM
 C:Species: Escherichia coli
 C>Date: 18-Jul-2001 #sequence_revision 18-Jul-2001 #text_change 17-May-2002
 C:Accession: E90968
 R:Hayashi, T.; Makino, K.; Ohnishi, M.; Kurokawa, K.; Ishii, K.; Yokoyama, K.; Han, C.G.
 Gasawara, N.; Yasunaga, T.; Kuhara, S.; Shiba, T.; Hatatori, M.; Shingawa, H.
 DNA Res. 8, 11-22, 2001
 A:Title: Complete genome sequence of enterohemorrhagic Escherichia coli O157:H7 and genc
 A:Reference number: A99629; MUID:21156231; PMID:11258796
 A:Accession: E90968
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-437 <RAY>
 A:Cross-references: GB:BA000007; PIDN:BA36140.1; PID:gl3362185; GSPDB:GN00154
 A:Experimental source: strain O157:H7, substrain RIMD 0509952
 C:Genetics:
 A:Gene: ECs2717
 C:Superfamily: phage lambda hypothetical protein 401

Query Match 61.6%; Score 45; DB 2; Length 437;
 Best Local Similarity 85.7%; Pred. No. 28;
 Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 SHGWYEP 10
 :||||:|||||
 Db 377 SHGWYEP 383

RESULT 22

H90854
Probable tail fiber protein [imported] - Escherichia coli (strain O157:H7, substrain RIM C); Species: Escherichia coli
C>Date: 18-Jul-2001 #sequence_revision 18-Jul-2001 #text_change 03-Jun-2002
C/Accession: H90854
R/Hayashi, T.; Makino, K.; Ohnishi, M.; Kurokawa, K.; Ishii, K.; Yokoyama, K.; Han, C.G.; Sasawara, N.; Yasunaga, T.; Kuhara, S.; Shiba, T.; Hattori, M.; Shinagawa, H.
DNA Res. 8, 11-22, 2001
A/Title: Complete genome sequence of enterohemorrhagic Escherichia coli O157:H7 and genomic reference number: A99629; PMID:11258796
A/Accession: H90854
A/Status: preliminary
A/Molecule type: DNA
A/Residues: 1-437 <HAY>
A/Cross-references: GB:BA000007; PIDN:BA035231.1; PID:G13361273; GSPDB:GN00154
A/Experimental source: strain O157:H7, substrain RIMD 0509952
C/Genetics:
A/Gene: ECs1808
C/Superfamily: phage lambda hypothetical protein 401

Query Match 61.6%; Score 45; DB 2; Length 437;
Best Local Similarity 85.7%; Pred. No. 28;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 SHGWYPG 10
|||:|
DB 377 SHGWFPG 383

RESULT 23

C90769
Probable tail fiber protein [imported] - Escherichia coli (strain O157:H7, substrain RIM C); Species: Escherichia coli
C>Date: 18-Jul-2001 #sequence_revision 18-Jul-2001 #text_change 17-May-2002
C/Accession: C90769
R/Hayashi, T.; Makino, K.; Ohnishi, M.; Kurokawa, K.; Ishii, K.; Yokoyama, K.; Han, C.G.; Sasawara, N.; Yasunaga, T.; Kuhara, S.; Shiba, T.; Hattori, M.; Shinagawa, H.
DNA Res. 8, 11-22, 2001
A/Title: Complete genome sequence of enterohemorrhagic Escherichia coli O157:H7 and genomic reference number: A99629; PMID:11258796
A/Accession: C90769
A/Status: preliminary
A/Molecule type: DNA
A/Residues: 1-439 <HAY>
A/Cross-references: GB:BA000007; PIDN:BA034546.1; PID:G13360583; GSPDB:GN00154
A/Experimental source: strain O157:H7, substrain RIMD 0509952
C/Genetics:
A/Gene: ECs1123
C/Superfamily: phage lambda hypothetical protein 401

Query Match 61.6%; Score 45; DB 2; Length 439;
Best Local Similarity 85.7%; Pred. No. 28;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 SHGWYPG 10
|||:|
DB 379 SHGWFPG 385

RESULT 24

E85816
Probable tail fiber protein of prophage CP-933U Z3074 [imported] - Escherichia coli (strain O157:H7, substrain RIM C); Species: Escherichia coli
C/Accession: E85816
R/Perna, N.T.; Plunkett III, G.; Burland, V.; Mau, B.; Glasner, J.D.; Rose, D.J.; Mayhew, M.W.; Ziegler, L.; Grotbeck, E.J.; Davis, N.W.; Lim, A.; Dimalanta, E.; Potamousis, K.; Apodaca, N.; Nature 409, 529-533, 2001
A/Title: Genome sequence of enterohemorrhagic Escherichia coli O157:H7.
A/Reference number: A85480; PMID:12074935; PMID:11206551

A/Accession: E85816
A/Status: preliminary
A/Molecule type: DNA
A/Residues: 1-439 <SFO>
A/Cross-references: GB:AE005174; NID:G12516091; PIDN:AAG56993.1; GSPDB:GN00145; UWGP:Z30
A/Experimental source: strain O157:H7, substrain EDL933
C/Genetics:
A/Gene: Z3074
C/Superfamily: phage lambda hypothetical protein 401

Query Match 61.6%; Score 45; DB 2; Length 439;
Best Local Similarity 85.7%; Pred. No. 28;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 4 SHGWYPG 10
|||:|
DB 379 SHGWFPG 385

RESULT 25

RHAQ1
gonadoliberin I - American alligator
N/Alternate names: gonadotropin-releasing hormone I
C/Species: Alligator mississippiensis (American alligator)
C/Accession: A60066
R/Lovejoy, D.A.; Fischer, W.H.; Parker, D.B.; McRory, J.E.; Park, M.; Lance, V.; Swanson Regu. Pept. 33, 105-116, 1991
A/Title: Primary structure of two forms of gonadotropin-releasing hormone from brains of American alligator
A/Reference number: A60066; PMID:1882082
A/Accession: A60066
A/Molecule type: protein
A/Residues: 1-10 <LOW>
C/Superfamily: gonadoliberin

C/Keywords: amidated carboxyl end; hormone; hypothalamus; pyroglutamic acid
F.1/Modified site: pyroglutamate carboxylic acid (Gln) #status experimental
F.10/Modified site: amidated carboxyl end (Gly) #status experimental

Query Match 58.9%; Score 43; DB 1; Length 10;
Best Local Similarity 60.0%; Pred. No. 1.3;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
:|:|:|
DB 1 QHWSYGLQPG 10

RESULT 26

I50644
gonadoliberin I precursor - chicken
N/Alternate names: gonadotropin-releasing hormone I
C/Species: Gallus gallus (chicken)
C/Accession: I50644; S33507
R/Dunn, I.C.; Chen, Y.; Hook, C.; Sharp, P.J.; Sang, H.M.
J. Mol. Endocrinol. 11, 19-29, 1993
A/Title: Characterization of the chicken preprogonadotropin-releasing hormone-I gene.
A/Reference number: I50644; PMID:7902095
A/Accession: I50644
A/Status: translated from GB/EMBL/DBJ
A/Molecule type: DNA
A/Residues: 1-92 <DU2>
A/Cross-references: EMBL:X69491; NID:G496326; PIDN:CAA49246.1; PID:G311612
C/Genetics:
A/Introns: 47/3; 79/3
C/Superfamily: gonadoliberin

Query Match 58.9%; Score 43; DB 2; Length 92;
Best Local Similarity 60.0%; Pred. No. 1.1;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
:|:|:|

Db 24 QHWSYGLQPG 33

RESULT 27

A:Accession: A11880

A:Title: aminopeptidase [imported] - Nostoc sp. (strain PCC 7120)

C:Species: Nostoc sp. PCC 7120

C:Date: 14-Dec-2001 #sequence_revision 14-Dec-2001 #text_change 03-Dec-2002

C:Accession: A11880

R:Kaneko, T.; Nakamura, Y.; Wolk, C.P.; Kuritz, T.; Sasamoto, S.; Watanabe, A.; Iriguchi, N.; Shimpo, S.; Sugimoto, M.; Takazawa, M.; Yamada, M.; Yasuda, M.; Tabata, S.

A:Title: Complete Genomic Sequence of the Filamentous Nitrogen-fixing Cyanobacterium Anabaena PCC 7120

A:Reference number: AB1807; MUID:21595285; PMID:11759840

A:Accession: A11880

A:Status: preliminary

A:Molecule type: DNA

A:Residues: 1-866 <KUR>

A:Cross-references: GB:BA000019; PIDN:BA072552.1; PID:gl7129940; GSPDB:GN00179

A:Experimental source: strain PCC 7120

C:Genetics:

A:Gene: all0594

Query Match 59.9%; Score 43; DB 2; Length 866;

Best Local Similarity 71.4%; Pred. No. 1.1e+02;

Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGW 7

Db 325 KHWSHAW 331

RESULT 28

S76720

A:Title: hypothetical protein - Synecocystis sp. (strain PCC 6803)

C:Species: Synecocystis sp.

A:Variety: PCC 6803

C:Date: 25-Apr-1997 #sequence_revision 25-Apr-1997 #text_change 08-Oct-1999

C:Accession: S76720

R:Kaneko, T.; Sato, S.; Kotani, H.; Tanaka, A.; Asamizu, E.; Nakamura, Y.; Miyajima, N.; Ogasawara, S.; Shimpo, S.; Takeuchi, C.; Wada, T.; Watanabe, A.; Yamada, M.; Yasuda, C. K.; Okumura, S.

A:Title: Sequence analysis of the genome of the unicellular cyanobacterium Synecocystis sp. PCC 6803

A:Reference number: S74322; MUID:37061201; PMID:8905231

A:Accession: S76720

A:Status: preliminary

A:Molecule type: DNA

A:Residues: 1-869 <KAN>

A:Cross-references: ENBL:D90916; GB:AB001339; MID:gl653715; PIDN:BAA18632.1; PID:dl01936

A:Note: the nucleotide sequence was submitted to the EMBL Data Library, June 1996

Query Match 59.9%; Score 43; DB 2; Length 869;

Best Local Similarity 71.4%; Pred. No. 1.1e+02;

Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGW 7

Db 323 KHWSHAW 329

RESULT 29

AE1416

A:Title: sugar hydrolase homolog lmo2734 [imported] - Listeria monocytogenes (strain EGD-e)

C:Species: Listeria monocytogenes

C:Date: 27-Nov-2001 #sequence_revision 27-Nov-2001 #text_change 27-Nov-2001

C:Accession: AE1416

R:Glaser, P.; Frangeul, L.; Buchrieser, C.; Amend, A.; Baquero, F.; Berche, P.; Bloeker, D.; Dominguez-Bernal, G.; Duchaud, E.; Durand, L.; Dussurget, O.; Entian, K.D.; Fsihi, H.; Jones, L.M.; Karst, U.

A:Title: Primary structure of the ovine hypothalamic luteinizing hormone-releasing factor (LRF) gene

A:Reference number: A93780; MUID:72094314; PMID:4550508

A:Accession: A93780

A:Molecule type: protein

A:Authors: Kreft, J.; Kuhn, M.; Kunst, F.; Kurapkat, G.; Madueno, E.; Maitournam, A.; Ma

ok, C.; Schlueter, T.; Simoes, N.; Tierrez, A.; Vazquez-Boland, J.A.; Voss, H.; Wehland, A.; Title: Comparative genomics of Listeria species.

A:Reference number: AB1077; MUID:21537279; PMID:11579669

A:Accession: AE1416

A:Status: preliminary

A:Molecule type: DNA

A:Residues: 1-882 <GLA>

A:Cross-references: GB:NC_003210; PIDN:CAD00947.1; PID:gl6412234; GSPDB:GN00177

A:Experimental source: strain EGD-e

C:Genetics:

A:Gene: lmo2734

Query Match 59.9%; Score 43; DB 2; Length 882;

Best Local Similarity 71.4%; Pred. No. 1.1e+02;

Matches 5; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 EHWSHGW 8

Db 14 HWDHEWY 20

RESULT 30

RHPGG

gonadoliberin - pig

C:Species: Sus scrofa domestica (domestic pig)

C:Date: 13-Jul-1981 #sequence_revision 13-Jul-1981 #text_change 18-Mar-1997

C:Accession: A01411

R:Baba, Y.; Matsuo, H.; Schally, A.V.

Biochem. Biophys. Res. Commun. 44, 459-463, 1971

A:Title: Structure of the porcine LH- and FSH-releasing hormone. II. Confirmation of the

A:Reference number: A90172; MUID:72114303; PMID:4946067

A:Accession: A01411

A:Molecule type: protein

A:Residues: 1-10 <BAB>

R:Matsuo, H.; Arimura, A.; Nair, R.M.G.; Schally, A.V.

Biochem. Biophys. Res. Commun. 45, 822-827, 1971

A:Title: Synthesis of the porcine LH- and FSH-releasing hormone by the solid-phase method

A:Reference number: A90176; MUID:72065376; PMID:4942726

A:Contents: annotation; synthesis

A:Note: the synthetic and natural hormones have the same physicochemical and biological

R:Baba, Y.; Arimura, A.; Schally, A.V.

Biochem. Biophys. Res. Commun. 45, 483-487, 1971

A:Title: On the tryptophan residue in porcine LH and FSH-releasing hormone.

A:Reference number: A90175; MUID:72117544; PMID:4946275

A:Contents: annotation

A:Note: Trp-3 appears to be essential for biological activity

C:Comment: This hypothalamic hormone stimulates the secretion of both luteinizing and follicle-stimulating hormones

C:Superfamily: gonadoliberin

C:Keywords: amidated carboxyl end; hormone; hypothalamus; pyroglutamic acid

F:1/Modified site: pyroglutamate carboxylic acid (Gln) #status experimental

F:10/Modified site: amidated carboxyl end (Gly) #status experimental

Query Match 57.5%; Score 42; DB 1; Length 10;

Best Local Similarity 60.0%; Pred. No. 1.8;

Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10

Db 1 QHWSYGLRPG 10

RESULT 31

RHSHG

gonadoliberin - sheep

C:Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)

C:Date: 31-Dec-1991 #sequence_revision 31-Dec-1991 #text_change 18-Mar-1997

C:Accession: A93780; A01411

R:Burgus, R.; Butcher, M.; Amoss, M.; Ling, N.; Monahan, M.; Rivier, J.; Fellows, R.; Bl

proc. Natl. Acad. Sci. U.S.A. 69, 278-282, 1972

A:Title: Primary structure of the ovine hypothalamic luteinizing hormone-releasing factor

A:Reference number: A93780; MUID:72094314; PMID:4550508

A:Accession: A93780

A:Molecule type: protein

A:Residues: 1-10 <SUR>
A>Note: the natural and synthetic hormones have the same biological activity
C:Comment: This hypothalamic hormone stimulates the secretion of both luteinizing and follicle-stimulating hormone
C:Superfamily: gonadoliberin
C:Keywords: amidated carboxyl end; hormone; hypothalamus; pyroglutamic acid
F:1/Modified site: pyrrolidone carboxylic acid (Gln) #status experimental
F:10/Modified site: amidated carboxyl end (Gly) #status experimental

Query Match 57.5%; Score 42; DB 1; Length 10;
Best Local Similarity 60.0%; Pred. No. 1.8; Mismatches 2; Indels 0; Gaps 0;
Matches 6; Conservative 2

Qy 1 EHWSHGWYPG 10
Db 1 QHWSYGLRPG 10

RESULT 32
I78541
gonadoliberin precursor - rhesus macaque (fragment)
N:Alternate names: luteinizing hormone releasing hormone
C:Species: Macaca mulatta (rhesus macaque)
C:Date: 02-Aug-1996 #sequence_revision 02-Aug-1996 #text_change 16-Jul-1999
C:Accession: I78541
R:Ma, Y.J.; Costa, M.E.; Ojeda, S.R.
Neuroendocrinology 60, 346-359, 1994
A:Title: Developmental expression of the genes encoding transforming growth factor alpha and beta in the developing rhesus macaque
A:Reference number: I58134; MUID:95124501; PMID:7545971
A:Accession: I78541
A>Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-67 <RES>
A:Cross-references: GB:S75918; NID:9912831; PIDN:AA833096.1; PID:9912832
C:Superfamily: gonadoliberin

Query Match 57.5%; Score 42; DB 2; Length 67;
Best Local Similarity 60.0%; Pred. No. 12; Mismatches 2; Indels 0; Gaps 0;
Matches 6; Conservative 2

Qy 1 EHWSHGWYPG 10
Db 6 QHWSYGLRPG 15

RESULT 33
A24303
Na+/K+-exchanging ATPase (EC 3.6.3.9) beta chain - dog (fragments)
N:Alternate names: sodium pump beta chain; sodium/potassium-dependent pump beta chain
C:Species: Canis lupus familiaris (dog)
C:Date: 31-Mar-1988 #sequence_revision 31-Mar-1988 #text_change 19-Apr-2002
C:Accession: A24303
R:Ohta, T.; Yoshida, M.; Nagano, K.; Hirano, H.; Kawamura, M.
FEBS Lett. 204, 297-301, 1986
A:Title: Structure of the extra-membranous domain of the beta-subunit of (Na,K)-ATPase from dog erythrocytes
A:Reference number: A24303; MUID:86275272; PMID:3015682
A:Accession: A24303
A:Molecule type: protein
A:Residues: 1-71 <OHT>
C:Superfamily: Na+/K+-transporting ATPase beta chain
C:Keywords: hydrolase

Query Match 57.5%; Score 42; DB 2; Length 71;
Best Local Similarity 60.0%; Pred. No. 12; Mismatches 2; Indels 0; Gaps 0;
Matches 6; Conservative 2

Qy 1 EHWSHGWYPG 10
Db 61 EYFGLGWYPG 70

RESULT 34
I51423
gonadoliberin precursor - African clawed frog

N:Alternate names: luteinizing hormone releasing hormone
C:Species: Xenopus laevis (African clawed frog)
C:Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 16-Jul-1999
C:Accession: I51423
R:Hayes, W.P.; Wray, S.; Battey, J.F.
Endocrinology 134, 1835-1845, 1994
A:Title: The frog GnRH-I gene has a mammalian-like expression pattern and conserved domain
A:Reference number: I51423; MUID:94185563; PMID:8137750
A:Accession: I51423
A>Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: DNA
A:Residues: 1-89 <HAY>
A:Cross-references: GB:IL28040; NID:G496291; PIDN:AAA49728.1; PID:G496292
C:Genetics:
A:Gene: GnRH-I
C:Superfamily: gonadoliberin

Query Match 57.5%; Score 42; DB 2; Length 89;
Best Local Similarity 60.0%; Pred. No. 16; Mismatches 2; Indels 0; Gaps 0;
Matches 6; Conservative 2

Qy 1 EHWSHGWYPG 10
Db 24 QHWSYGLRPG 33

RESULT 35
RHMSG
gonadoliberin precursor - mouse
N:Alternate names: gonadotropin-releasing hormone (GnRH); luteinizing hormone releasing hormone
N:Contains: gonadoliberin; gonadoliberin-associated protein (GAP)
C:Species: Mus musculus (house mouse)
C:Date: 31-Dec-1993 #sequence_revision 18-Mar-1997 #text_change 18-Jun-1999
C:Accession: A47578
R:Mason, A.J.; Hayflick, J.S.; Zoeller, R.T.; Young III, W.S.; Phillips, H.S.; Nikolics, Science 234, 1366-1371, 1986
A:Title: A deletion truncating the gonadotropin-releasing hormone gene is responsible for the hypogonadism in the mouse
A:Reference number: A47578; MUID:87069928; PMID:3024317
A:Accession: A47578
A:Molecule type: DNA
A:Residues: 1-90 <MAS>
A:Cross-references: EMBL:ML4872; NID:G193576; PIDN:AAA37717.1; PID:G387175
C:Genetics:
A:Insertions: 45/3; 77/3
C:Function:
A:Description: gonadoliberin stimulates pituitary secretion of lutropin and follitropin
A>Note: gonadoliberin-associated protein may have prolactin release inhibiting activity
C:Superfamily: gonadoliberin
C:Keywords: amidated carboxyl end; hormone; hypothalamus; pyroglutamic acid
F:1-23/Domain: signal sequence #status predicted <SIG>
F:22-31/Product: gonadoliberin #status predicted <GLB>
F:35-90/Product: gonadoliberin-associated protein #status predicted <GAP>
F:22/Modified site: pyrrolidone carboxylic acid (Gln) (in mature form) #status predicted
F:31/Modified site: amidated carboxyl end (Gly) (amide in mature form from following gly)

Query Match 57.5%; Score 42; DB 1; Length 90;
Best Local Similarity 60.0%; Pred. No. 16; Mismatches 2; Indels 0; Gaps 0;
Matches 6; Conservative 2

Qy 1 EHWSHGWYPG 10
Db 22 QHWSYGLRPG 31

RESULT 36
RHMSG
gonadoliberin precursor [validated] - human
N:Alternate names: gonadotropin releasing hormone (GnRH); luteinizing hormone releasing hormone
N:Contains: gonadoliberin-associated protein (GAP); progadoliberin
C:Species: Homo sapiens (man)
C:Date: 17-Mar-1987 #sequence_revision 21-Jul-1995 #text_change 08-Dec-2000
C:Accession: S05308; A26173; A93342; A90108; A01410; S45718
R:Hayflick, J.S.; Adelman, J.P.; Seeburg, P.H.

Nucleic Acids Res. 17, 6403-6404, 1989
A:Title: The complete nucleotide sequence of the human gonadotropin-releasing hormone gene
A:Reference number: S05308; MUID:89366682; PMID:2671939
A:Accession: S05308
A:Status: translation not shown
A:Molecule type: DNA
A:Residues: 1-92 <HAY>
A:Cross-references: EMBL:X15215; NID:g31955; PIDN:CAA33285.1; PID:g31956
R:Adelman, J.P.; Mason, A.J.; Hayflick, J.S.; Seeburg, P.H.
Proc. Natl. Acad. Sci. U.S.A. 83, 179-183, 1986
A:Title: Isolation of the gene and hypothalamic cDNA for the common precursor of gonadotropin-releasing hormone
A:Reference number: A94090; MUID:86094338; PMID:2867548
A:Accession: A26173
A:Molecule type: mRNA
A:Residues: 1-92 <ADE>
A:Cross-references: GB:M12578; NID:g183418; PIDN:AAA35916.1; PID:g386749
A:Experimental source: hypothalamus
R:Seeburg, P.H.; Adelman, J.P.
Nature 311, 666-668, 1984
A:Title: Characterization of cDNA for precursor of human luteinizing hormone releasing hormone
A:Reference number: A93342; MUID:85012739; PMID:6090951
A:Accession: A93342
A:Molecule type: mRNA
A:Residues: 1-15, 'S', 17-92 <SEE>
A:Cross-references: GB:X01059; NID:g34356; PIDN:CAA25526.1; PID:g34357
A:Experimental source: placenta
R:Tan, L.; Rousseau, P.
Biochem. Biophys. Res. Commun. 109, 1061-1071, 1982
A:Title: The chemical identity of the immunoreactive LHRH-like peptide biosynthesized in vitro
A:Reference number: A90108; MUID:83126573; PMID:6760865
A:Accession: A90108
A:Molecule type: protein
A:Residues: 24-33 <TAN>
A:Experimental source: placental trophoblasts
R:Leibovitz, D.; Koch, V.; Pitzer, F.; Fridkin, M.; Dantes, A.; Baumeister, W.; Amsterda
PEBS Lett. 346, 203-206, 1994
A:Title: Sequential degradation of the neuropeptide gonadotropin-releasing hormone by th
A:Reference number: S45718; MUID:94283597; PMID:8013634
A:Contents: annotation; degradation pathway of synthetic hormone
C:Genetics:
A:Gene: GDB:GNRH; LHRH; GRH
A:Cross-references: GDB:I33746; OMIM:227200; OMIM:152760
A:Map position: 8p21-9p11.2
A:Introns: 47/3; 79/3
C:Function:
A:Description: gonadoliberein stimulates pituitary secretion of lutropin and follitropin
A:Note: gonadoliberein-associated protein may have prolactin release inhibiting activity
C:Superfamily: gonadoliberein
C:Keywords: amidated carboxyl end; hormone; hypothalamus; placenta; pyroglutamic acid
F:1-23/Domain: signal sequence #status predicted <SIG>
F:24-92/Product: progonaoliberein #status predicted <PGN>
F:24-33/Product: gonadoliberein #status predicted <GN>
F:37-92/Product: gonadoliberein-associated protein #status predicted <GAP>
F:24/Modified site: pyroglutamic acid (Gln) (in mature form) #status experimen
F:33/Modified site: amidated carboxyl end (Gly) (amide in mature form from following Gly

Query Match 57.5%; Score 42; DB 1; Length 92;
Best Local Similarity 60.0%; Pred. No. 16;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
QY 1 EHWSHGWYFG 10
DB 24 QHWSYGLRPG 33

RESULT 37
RHRTG
gonadoliberein precursor - rat
N:Alternate names: gonadoliberein-associated protein (GAP); gonadotropin releasing hormo
N:Contains: gonadoliberein; prolactin release-inhibiting factor
C:Species: Rattus norvegicus (Norway rat)
C:Date: 31-Mar-1988 #sequence_revision 31-Mar-1988 #text_change 18-Jun-1999
C:Accession: A40147; B26173; A48410

R:Bond, C.T.; Hayflick, J.S.; Seeburg, P.H.; Adelman, J.P.
Mol. Endocrinol. 3, 1257-1262, 1989
A:Title: The rat gonadotropin-releasing hormone: SH locus: structure and hypothalamic ex
A:Reference number: A40147; MUID:89384661; PMID:2476669
A:Accession: A40147
A:Status: translation not shown
A:Molecule type: DNA
A:Residues: 1-92 <BON>
A:Cross-references: GB:M31670; NID:g204447; PIDN:AAA41264.1; PID:g204448
R:Adelman, J.P.; Mason, A.J.; Hayflick, J.S.; Seeburg, P.H.
Proc. Natl. Acad. Sci. U.S.A. 83, 179-183, 1986
A:Title: Isolation of the gene and hypothalamic cDNA for the common precursor of gonadot
A:Reference number: A94090; MUID:86094338; PMID:2867548
A:Accession: B26173
A:Molecule type: mRNA
A:Residues: 1-92 <ADE>
A:Cross-references: GB:M12579; NID:g204445; PIDN:AAA41263.1; PID:g204446
R:Maier, C.C.; Marchetti, B.; LeBoeuf, R.D.; Blalock, J.E.
Cell. Mol. Neurobiol. 12, 447-454, 1992
A:Title: Thymocytes express a mRNA that is identical to hypothalamic luteinizing hormone
A:Reference number: A48410; MUID:93105480; PMID:1468115
A:Accession: A48410
A:Status: preliminary
A:Molecule type: mRNA
A:Residues: 1-92 <MAI>
A:Cross-references: GB:S50870; NID:g262059; PIDN:AAB24572.1; PID:g262060
A:Experimental source: thymus
A:Note: sequence extracted from NCBI backbone (NCBIN:121082, NCBIP:121083)
C:Genetics:
A:Introns: 47/3; 79/3
C:Function:
A:Description: stimulates pituitary secretion of lutropin and follitropin
A:Note: gonadoliberein-associated protein may have prolactin release inhibiting activity
C:Superfamily: gonadoliberein
C:Keywords: amidated carboxyl end; hormone; hypothalamus; placenta; pyroglutamic acid; r
F:1-23/Domain: signal sequence #status predicted <SIG>
F:24-92/Product: progonaoliberein #status predicted <PGN>
F:24-33/Product: gonadoliberein #status predicted <GN>
F:37-92/Product: prolactin release-inhibiting factor #status predicted <PIP>
F:24/Modified site: pyroglutamic acid (Gln) (in mature form) #status predicted
F:33/Modified site: amidated carboxyl end (Gly) (amide in mature form from following Gly

Query Match 57.5%; Score 42; DB 1; Length 92;
Best Local Similarity 60.0%; Pred. No. 16;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
QY 1 EHWSHGWYFG 10
DB 24 QHWSYGLRPG 33

RESULT 38
I50739
gonadotropin-releasing hormone - Cichlid (Haplochromis burtoni)
C:Species: Haplochromis burtoni
C:Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 21-Jul-2000
C:Accession: I50739
R:White, S.A.; Kasten, T.L.; Bond, C.T.; Adelman, J.P.; Fernald, R.D.
Proc. Natl. Acad. Sci. U.S.A. 92, 8363-8367, 1995
A:Title: Three gonadotropin-releasing hormone genes in one organism suggest novel roles
A:Reference number: I50739; MUID:95396797; PMID:7667296
A:Accession: I50739
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-98 <WHI>
A:Cross-references: EMBL:U31865; NID:g905398; PIDN:AAC59691.1; PID:g905399
C:Superfamily: gonadoliberein

Query Match 57.5%; Score 42; DB 2; Length 98;
Best Local Similarity 60.0%; Pred. No. 17;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
QY 1 EHWSHGWYFG 10
DB 24 QHWSYGLRPG 33

Db 23 QHWSYGLSPG 32

RESULT 39
I53276
Hypothetical anti-proliferative factor - rat (fragment)
C:Species: Rattus norvegicus (Norway rat)
C:Date: 02-Aug-1996 #sequence_revision 02-Aug-1996 #text_change 31-Dec-1996
C:Accession: I53276
R:Hamill, K.G.; Hall, S.H.
A:Title: Cloning of rat Sertoli cell follicle-stimulating hormone primary response comp
A:Reference number: I53276; MUID:94164020; PMID:8161377
A:Accession: I53276
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-157 <RES>
A:Cross-references: GB:L26268; NID:g432344; PID:g432345

Query Match 57.5%; Score 42; DB 2; Length 157;
Best Local Similarity 55.6%; Pred. No. 27; Mismatches 2; Indels 0; Gaps 0;
Matches 5; Conservative 2;

QY 1 EHWSHGWYP 9
||: ||: ||:
Db 36 EHYKHHWFP 44

RESULT 40
AC3314
Hypothetical membrane spanning protein BMEI0497 [imported] - Brucella melitensis (strain
C:Species: Brucella melitensis
C:Date: 01-Feb-2002 #sequence_revision 01-Feb-2002 #text_change 01-Feb-2002
C:Accession: AC3314
R:DelVecchio, V.G.; Kaparal, V.; Redkar, R.J.; Patra, G.; Majer, C.; Los, T.; Ivanova,
.; Mazur, M.; Golteanu, E.; Selkov, E.; Elzer, P.H.; Hagius, S.; O'Callaghan, D.; Letes
Proc. Natl. Acad. Sci. U.S.A. 99, 443-448, 2002
A:Title: The genome sequence of the facultative intracellular pathogen Brucella melitens
A:Reference number: AB3252; PMID:11756688
A:Accession: AC3314
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-167 <KUR>
A:Cross-references: GB:AE008917; PIDN:AAL51678.1; PID:g17982410; GSPDB:GN00190
A:Experimental source: strain 16M
C:Genetics:
A:Gene: BMEI0497
A:Map position: 1

Query Match 57.5%; Score 42; DB 2; Length 167;
Best Local Similarity 75.0%; Pred. No. 29; Mismatches 0; Indels 0; Gaps 0;
Matches 6; Conservative 0;

QY 1 EHWSHGWY 8
||: ||: ||:
Db 130 EPWSRGWY 137

RESULT 41
S19961
BTG1 protein - chicken
C:Species: Gallus gallus (chicken)
C:Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 21-Jul-2000
C:Accession: I50585; S19961
R:Rouault, J.P.; Samarut, C.; Duret, L.; Tessa, C.; Samarut, J.; Magaud, J.P.
Gene 129, 303-306, 1993
A:Title: Sequence analysis reveals that the BTG1 anti-proliferative gene is conserved th
A:Reference number: I48272; MUID:93314978; PMID:8325512
A:Accession: I50585
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-170 <ROU>
A:Cross-references: EMBL:X64146; NID:g62857; PIDN:CAA45507.1; PID:g62858

C:Genetics:
A:Gene: BTG1

Query Match 57.5%; Score 42; DB 2; Length 170;
Best Local Similarity 55.6%; Pred. No. 30; Mismatches 2; Indels 0; Gaps 0;
Matches 5; Conservative 2;

QY 1 EHWSHGWYP 9
||: ||: ||:
Db 50 EHYKHHWFP 58

RESULT 42
I48272
btg1 protein - mouse
C:Species: Mus musculus (house mouse)
C:Date: 02-Jul-1996 #sequence_revision 02-Jul-1996 #text_change 05-Nov-1999
C:Accession: I48272; S26626
R:Rouault, J.P.; Samarut, C.; Duret, L.; Tessa, C.; Samarut, J.; Magaud, J.P.
Gene 129, 303-306, 1993
A:Title: Sequence analysis reveals that the BTG1 anti-proliferative gene is conserved th
A:Reference number: I48272; MUID:93314978; PMID:8325512
A:Accession: I48272
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: DNA
A:Residues: 1-171 <RES>
A:Cross-references: EMBL:Z16410; NID:g50187; PIDN:CAA78902.1; PID:g50188

Query Match 57.5%; Score 42; DB 2; Length 171;
Best Local Similarity 55.6%; Pred. No. 30; Mismatches 2; Indels 0; Gaps 0;
Matches 5; Conservative 2;

QY 1 EHWSHGWYP 9
||: ||: ||:
Db 50 EHYKHHWFP 58

RESULT 43
S20947
BTG1 protein - human
C:Species: Homo sapiens (man)
C:Date: 16-Sep-1992 #sequence_revision 16-Sep-1992 #text_change 21-Jul-2000
C:Accession: S20947; S19962
R:Rouault, J.P.; Rimokm, R.; Tessa, C.; Paranhos, G.; French, M.; Duret, L.; Garoccio, P
EMBO J. 11, 1663-1670, 1992
A:Title: BTG1, a member of a new family of antiproliferative genes.
A:Reference number: S20947; MUID:92224907; PMID:1373383
A:Accession: S20947
A:Molecule type: mRNA
A:Residues: 1-171 <ROU>
A:Cross-references: EMBL:X61123; NID:g29508; PIDN:CAA43435.1; PID:g29509
A:Note: the sequence from Fig. 2 is inconsistent with that from Fig. 1 B in having 167-A;
C:Genetics:
A:Gene: GDB:BTG1
A:Cross-references: GDB:137082; OMIM:109580
A:Map position: 12q22-12q22

Query Match 57.5%; Score 42; DB 2; Length 171;
Best Local Similarity 55.6%; Pred. No. 30; Mismatches 2; Indels 0; Gaps 0;
Matches 5; Conservative 2;

QY 1 EHWSHGWYP 9
||: ||: ||:
Db 50 EHYKHHWFP 58

RESULT 44
F90449
conserved hypothetical protein [imported] - Sulfolobus solfataricus
C:Species: Sulfolobus solfataricus
C:Date: 24-May-2001 #sequence_revision 24-May-2001 #text_change 15-Jun-2001
C:Accession: F90449
R:She, Q.; Singh, R.K.; Confalonieri, F.; Zivanovic, Y.; Allard, G.; Aweez, M.J.; Chan-v

Jong, I.; Jeffries, A.C.; Kozera, C.J.; Medina, N.; Peng, X.; Thi-Ngoc, H.P.; Redder, P. arribett, R.A.; Ragan, M.A.; Sensen, C.W.; Van der Oost, J.
 A:Submitted to GenBank, April 2001
 A:Description: *Sulfolobus solfataricus* complete genome.
 A:Reference number: A99139
 A:Accession: F90449
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-397 <KUR>
 A:Cross-references: GB:AE006641; NID:gl13816071; PIDN:AAK42853.1; GSPDB:GN00155
 C:Genetics:
 C:Superfamily: hypothetical protein AF1590

Query Match 57.5%; Score 42; DB 2; Length 397;
 Best Local Similarity 62.5%; Pred. No. 69;
 Matches 5; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 3 WSHGWYPG 10
 | | | | |
 Db 267 WGEAWYPG 274

RESULT 45
 GS4091
 hypothetical protein BH3535 [imported] - Bacillus halodurans (strain C-125)
 C:Species: Bacillus halodurans
 C:Date: 01-Dec-2000 #sequence_revision 01-Dec-2000 #text_change 15-Jun-2001
 C:Accession: GS4091
 R:Takami, H.; Nakasone, K.; Takaki, Y.; Maeno, G.; Sasaki, R.; Masui, N.; Fujii, F.; Hira
 Nucleic Acids Res. 28, 4317-4331, 2000
 A:Title: Complete genome sequence of the alkaliphilic bacterium Bacillus halodurans and
 A:Reference number: A83650; MUID:20512582; PMID:11058132
 A:Accession: GS4091
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-449 <STO>
 A:Cross-references: GB:AP001519; GB:BA000004; NID:gl0176109; PIDN:BAB07254.1; GSPDB:GN00
 A:Experimental source: strain C-125
 C:Genetics:
 A:Gene: BH3535

Query Match 56.8%; Score 41.5; DB 2; Length 449;
 Best Local Similarity 50.0%; Pred. No. 92;
 Matches 7; Conservative 0; Mismatches 2; Indels 5; Gaps 1;

QY 2 HWSH-----GWYPG 10
 | | | | |
 Db 290 HWRHEPLYGWKPG 303

RESULT 46
 AG2431
 hypothetical protein alr5007 [imported] - Nostoc sp. (strain PCC 7120)
 C:Species: Nostoc sp. PCC 7120
 A:Note: Nostoc sp. strain PCC 7120 is a synonym of Anabaena sp. strain PCC 7120
 C:Date: 14-Dec-2001 #sequence_revision 14-Dec-2001 #text_change 09-Dec-2002
 C:Accession: AG2431
 R:Kaneko, T.; Nakamura, Y.; Wolk, C.P.; Kuritz, T.; Sasamoto, S.; Watanabe, A.; Iriguchi
 Nakazaki, N.; Shimpo, S.; Sugimoto, M.; Takazawa, M.; Yamada, M.; Yasuda, M.; Tabata, S
 DNA Res. 8, 205-213, 2001
 A:Title: Complete Genomic Sequence of the Filamentous Nitrogen-fixing Cyanobacterium Ana
 A:Reference number: AB1807; MUID:21595285; PMID:11759840
 A:Accession: AG2431
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-450 <KUR>
 A:Cross-references: GB:BA000019; PIDN:BAB76706.1; PID:gl17134145; GSPDB:GN00179
 A:Experimental source: strain PCC 7120
 C:Genetics:
 A:Gene: alr5007
 C:Superfamily: Nostoc sp. cell death suppressor protein; Rieske [2Fe-2S] homology

Query Match 56.2%; Score 41; DB 2; Length 450;
 Best Local Similarity 62.5%; Pred. No. 1.1e+02;
 Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWYP 9
 | | | | |
 Db 27 NWRHCWYP 34

RESULT 47
 A97077
 hypothetical protein CAC1436 [imported] - Clostridium acetobutylicum
 C:Species: Clostridium acetobutylicum
 C:Date: 14-Sep-2001 #sequence_revision 14-Sep-2001 #text_change 14-Sep-2001
 C:Accession: A97077
 R:Nolling, J.; Breston, G.; Omelchenko, M.V.; Markarova, K.S.; Zeng, Q.; Gibson, R.; Lee,
 J. Bacteriol. 183, 4823-4838, 2001
 A:Title: Genome Sequence and Comparative Analysis of the Solvent-Producing Bacterium Cl
 A:Reference number: A96900; MUID:21359325; PMID:21359325
 A:Accession: A97077
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-2091 <KUR>
 A:Cross-references: GB:AE001437; PIDN:AAK79404.1; PID:gl5024378; GSPDB:GN00168
 A:Experimental source: Clostridium acetobutylicum ATCC824
 C:Genetics:
 A:Gene: CAC1436

Query Match 56.2%; Score 41; DB 2; Length 2091;
 Best Local Similarity 62.5%; Pred. No. 5e+02;
 Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWYP 9
 | | | | |
 Db 822 NWHGWSP 829

RESULT 48
 B70573
 hypothetical protein RV2627C - Mycobacterium tuberculosis (strain H37RV)
 C:Species: Mycobacterium tuberculosis
 C:Date: 17-Jul-1998 #sequence_revision 17-Jul-1998 #text_change 22-Oct-1999
 C:Accession: B70573
 R:Coile, S.T.; Broesch, R.; Parkhill, J.; Garnier, T.; Churcher, C.; Harris, D.; Gordon, S
 ; Connor, R.; Davies, R.; Devlin, K.; Feltwell, T.; Gentles, S.; Hamlin, N.; Holroyd, S.
 Rajandream, M.A.; Rogers, J.; Rutter, S.; Seeger, K.; Skelton, S.; Squares, S.
 Nature 393, 537-544, 1998
 A:Authors: Sgares, R.; Sulston, J.E.; Taylor, K.; Whitehead, S.; Barrell, B.G.
 A:Title: Deciphering the biology of Mycobacterium tuberculosis from the complete genome
 A:Reference number: A70500; MUID:98295987; PMID:9634230
 A:Accession: B70573
 A:Status: preliminary; nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-413 <COL>
 A:Cross-references: GB:Z95387; GB:AL123456; NID:gl3261763; PIDN:CAB08637.1; PID:ei299818;
 A:Experimental source: strain H37RV
 C:Genetics:
 A:Gene: RV2627C

Query Match 55.5%; Score 40.5; DB 2; Length 413;
 Best Local Similarity 53.8%; Pred. No. 1.2e+02;
 Matches 7; Conservative 0; Mismatches 3; Indels 3; Gaps 1;

QY 1 BHWSHG---WYFG 10
 | | | | |
 Db 365 BHWGKPEIWWYFG 377

RESULT 49
 F69782
 hypothetical protein ydgD - Bacillus subtilis
 C:Species: Bacillus subtilis

C;Date: 05-Dec-1997 #sequence_revision 05-Dec-1997 #text_change 15-Oct-1999
 C;Accession: F69782
 R;Xunst, F.; Ogasawara, N.; Moszer, I.; Albertini, A.M.; Alloni, G.; Azevedo, V.; Berter
 C.; Bron, S.; Brouillet, S.; Bruschi, C.V.; Caldwell, B.; Capuano, V.; Carter, N.M.; Chd
 A.; Ehrlich, S.D.; Emmerson, P.T.; Entian, K.D.; Errington, J.; Fabret, C.; Ferrari, E.
 Nature 390, 249-256, 1997
 A;Authors: Foulger, D.; Fritz, C.; Fujita, M.; Fujita, Y.; Fuma, S.; Galizzi, A.; Galler
 iech, J.; Harwood, C.R.; Henaut, A.; Hilbert, H.; Holsappel, S.; Hosono, S.; Hullo, M.F.
 Koester, P.; Koningsstein, G.; Krogh, S.; Kumano, M.; Kurita, K.; Lapidus, A.; Lardinois,
 A;Authors: Lauber, J.; Lazarevic, V.; Lee, S.M.; Levine, A.; Liu, H.; Masuda, S.; Mausel
 Y.M.; Ogawa, K.; Ogiwara, A.; Oudeg, B.; Park, S.H.; Parro, V.; Pohl, T.M.; Portetelle
 Rieger, M.; Rivolta, C.; Rocha, E.; Roche, E.; Rose, M.; Sadaie, Y.; Sato, T.; Scanlon,
 A;Authors: Schleich, S.; Schroeter, R.; Scoffone, F.; Sekiguchi, J.; Sekowska, A.; Serot
 akeuchi, M.; Tamakoshi, A.; Tanaka, T.; Terpstra, P.; Tognoni, A.; Tosato, V.; Uchiyama,
 T.; Winters, P.; Wipat, A.; Yamamoto, K.; Yamane, K.; Yasumoto, K.; Yata, K.; Yoshida, K
 A;Authors: Yoshikawa, H.F.; Zumstein, E.; Yoshikawa, H.; Danchin, A.
 A;Title: The complete genome sequence of the Gram-positive bacterium *Bacillus subtilis*.
 A;Reference number: A69580; MUID:98044033; PMID:9384377
 A;Accession: F69782
 A;Status: preliminary; nucleic acid sequence not shown; translation not shown
 A;Molecule type: DNA
 A;Residues: 1-114 <KUN>
 A;Cross-references: GB:Z99106; GB:Z99107; GB:AL009126; NID:g2632866; PIDN:CAB12378.1; PI
 A;Experimental source: strain 163
 C;Genetics:
 A;Gene: ydgP

Query Match 54.8%; Score 40; DB 2; Length 114;
 Best Local Similarity 56.7%; Pred. No. 39;
 Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 Qy 1 EHWSHGWYP 9
 Db 30 EHWRYQYP 38

RESULT 50
 F81807
 Ribonuclease H (EC 3.1.26.4) I NMA1817 [imported] - *Neisseria meningitidis* (strain Z2491
 C;Species: *Neisseria meningitidis*
 C;Date: 05-May-2000 #sequence_revision 05-May-2000 #text_change 02-Feb-2001
 C;Accession: F81807
 R;Parkhill, J.; Achtman, M.; James, K.D.; Bentley, S.D.; Churcher, C.; Klee, S.R.; Morel
 ; Holroyd, S.; Jagels, K.; Leather, S.; Moule, S.; Mungall, K.; Quail, M.A.; Rajandream,
 Nature 404, 502-506, 2000
 A;Title: Complete DNA sequence of a serogroup A strain of *Neisseria meningitidis* Z2491.
 A;Reference number: A81775; MUID:20222556; PMID:10761919
 A;Accession: F81807
 A;Status: preliminary
 A;Molecule type: DNA
 A;Residues: 1-145 <PAR>
 A;Cross-references: GB:AL162757; GB:AL157959; NID:g7380371; PIDN:CAB85042.1; PID:g738045
 A;Experimental source: serogroup A, strain Z2491
 C;Genetics:
 A;Gene: rnhA; NMA1817
 C;Superfamily: ribonuclease H
 C;Keywords: hydrolase

Query Match 54.8%; Score 40; DB 2; Length 145;
 Best Local Similarity 71.4%; Pred. No. 49;
 Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 Qy 1 EHWSHGW 7
 Db 79 ENWIGHW 85

Search completed: March 2, 2004, 19:28:24
 Job time : 29.5 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 2, 2004, 19:16:38 ; Search time 10 Seconds

(without alignments)

52.070 Million cell updates/sec

Title: US-09-857-115-6

Perfect score: 73

Sequence: 1 EHWSHGWYFG 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 141681 seqs, 52070155 residues

Total number of hits satisfying chosen parameters: 141681

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 500 summaries

Database : SwissProt_42:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query %	Match	Length	DB ID	Description
1	70	95.9	10	1	GON2_CHICK	P37043 gallus gall
2	70	95.9	80	1	GON2_ORYLA	Q9dgc9 o prognado
3	70	95.9	85	1	GON2_DICLA	Q91a08 dicentrarch
4	70	95.9	85	1	GON2_HAPBU	P37044 h prognado
5	70	95.9	85	1	GON2_MORSA	O73811 morone saxa
6	70	95.9	85	1	GON2_SPAU	P51925 sparus aura
7	70	95.9	86	1	GON2_CARAU	P51924 carassius a
8	70	95.9	86	1	GON2_CARAU	O42471 carassius a
9	70	95.9	86	1	GON2_CLAGA	P43306 clarias gar
10	70	95.9	86	1	GON2_ONCMY	O42241 oncorhynch
11	70	95.9	86	1	GON2_RUTRU	Q91330 rutilus rut
12	70	95.9	93	1	GON2_RANCA	Q9d336 rana catesb
13	70	95.9	110	1	GON2_SUNMU	O97686 suncus muri
14	70	95.9	114	1	GON2_TUPGB	Q95336 tupaiia glis
15	70	95.9	120	1	GON2_HUMAN	O43555 homo sapien
16	62	84.9	10	1	GONL_SQUAC	P27429 squallus aca
17	56	76.7	10	1	GON3_ONCKE	P20367 oncorhynch
18	56	76.7	18	1	GON3_ONCMY	P55246 oncorhynch
19	56	76.7	74	1	GON3_ONCTS	Q92097 oncorhynch
20	56	76.7	82	1	GON3_ONCWA	P30973 oncorhynch
21	56	76.7	82	1	GON3_SALSA	P35629 salmo salar
22	56	76.7	82	1	GON3_SALSA	P45653 salmo trutt
23	56	76.7	89	1	GON3_PORNO	P51922 porichthys
24	56	76.7	90	1	GON3_DICLA	Q91a09 dicentrarch
25	56	76.7	90	1	GON3_HAPBU	P45652 haplochromi
26	56	76.7	90	1	GON3_ORYLA	Q91dd4 o prognado
27	56	76.7	90	1	GON3_PAGMA	P51921 pagrus majo
28	56	76.7	90	1	GON3_SPAU	P51923 sparus aura
29	56	76.7	94	1	GON3_CARAU	P51917 carassius a
30	56	76.7	94	1	GON3_RUTRU	Q92106 rutilus rut
31	54	74.0	10	1	GON3_PETMA	P30948 petromyzon
32	48	65.8	10	1	GON1_CLUPA	P81749 clupea pall
33	48	65.8	80	1	GON1_CLAGA	P33439 clarias gar

34	46	63.0	90	1	GON8_RANDY	Q91a02 rana dybows
35	45	61.6	441	1	DNE2_ADEG1	Q64759 avian adeno
36	43	58.9	10	1	GON1_ALLMI	P37041 alligator m
37	43	58.9	92	1	GON1_CHICK	P37042 gallus gall
38	42	57.5	61	1	GON1_SHEEP	Q28588 ovis aries
39	42	57.5	67	1	GON1_MESAU	Q09163 mesocricetu
40	42	57.5	63	1	GON1_MACMU	P55247 macaca mula
41	42	57.5	89	1	GON1_XENLA	P45856 xenopus lae
42	42	57.5	90	1	GON1_MOUSE	P13562 mus musculu
43	42	57.5	90	1	GON1_RANCA	Q90y63 rana catesb
44	42	57.5	91	1	GON1_PIG	P49921 sus scrofa
45	42	57.5	92	1	GON1_HUMAN	P01148 homo sapien
46	42	57.5	92	1	GON1_RAT	P07490 rattus norv
47	42	57.5	92	1	GON1_TUPGB	Q95335 tupaiia glis
48	42	57.5	94	1	GON1_HAPBU	P51918 haplochromi
49	42	57.5	95	1	GON1_MORSA	O73812 morone saxa
50	42	57.5	95	1	GON1_PAGMA	P70074 pagrus majo
51	42	57.5	95	1	GON1_SPAU	P51919 sparus aura
52	42	57.5	99	1	GON1_DICLA	Q91a10 dicentrarch
53	42	57.5	158	1	BTG2_HUMAN	P78543 homo sapien
54	42	57.5	170	1	BTG1_CHICK	P34743 gallus gall
55	42	57.5	171	1	BTG1_BOVIN	P53348 bos taurus
56	42	57.5	171	1	BTG1_HUMAN	P31607 homo sapien
57	42	57.5	171	1	BTG1_RAT	P31607 homo sapien
58	42	57.5	114	1	YDGD_BACSU	P63702 bacillus su
59	40	54.8	145	1	RNH_NEIMA	Q91td9 neisseria m
60	40	54.8	145	1	RNH_NEIMB	Q91ves neisseria m
61	40	54.8	567	1	PHNL_DESVM	P21852 desulfovibr
62	40	54.8	752	1	CO2_HUMAN	P06881 homo sapien
63	40	54.8	752	1	CO2_PANTR	Q88q74 pan troglod
64	40	54.8	760	1	CO2_MOUSE	P21180 mus musculu
65	39	53.4	75	1	VFIL_BP186	P15236 bacterioph
66	39	53.4	91	1	GON1_ORYLA	Q9dgc8 o prognado
67	39	53.4	158	1	BTG2_MOUSE	Q04211 mus musculu
68	39	53.4	158	1	BTG2_RAT	P27049 rattus norv
69	39	53.4	251	1	VIF_FIVT2	P31823 feline immu
70	39	53.4	303	1	HEM6_WIGBR	Q8dlx2 wigleswort
71	39	53.4	406	1	ACV1_PIG	P37111 sus scrofa
72	38.5	52.7	463	1	SIL9_HUMAN	Q9y236 homo sapien
73	38.5	52.7	551	1	AMVB_THETU	P19584 thermoanaer
74	38.5	52.7	690	1	FXL5_MOUSE	Q8c2e5 mus musculu
75	38.5	52.7	691	1	FXL5_HUMAN	Q9ukal1 homo sapien
76	38	52.1	93	1	ACYP_MICTU	P56543 mycobacteri
77	38	52.1	112	1	VFX_SIVSP	P19508 simian immu
78	38	52.1	393	1	YBZJ_CABEL	P91119 caenorhabdi
79	38	52.1	571	1	YRIQ_CABEL	P90794 caenorhabdi
80	38	52.1	637	1	TRGS_ECOLI	Q00184 escherichia
81	38	52.1	834	1	YM22_YEAST	Q03177 saccharomyc
82	38	52.1	1277	1	PDSS_YEAST	Q04264 saccharomyc
83	37.5	51.4	201	1	ADEN_ADEB2	O40588 equine aden
84	37.5	51.4	675	1	CPAA_BACTU	O87908 bacillus th
85	37	50.7	76	1	BB11_SCHCO	P78742 schizophyll
86	37	50.7	338	1	HEMZ_PSEPK	Q88pv4 pseudomonas
87	37	50.7	345	1	AMIE_RHOER	Q01360 rhodococcus
88	37	50.7	346	1	AMIE_BRAJA	Q89vs2 bradyrhizob
89	37	50.7	346	1	AMIE_PSEAE	P11436 pseudomonas
90	37	50.7	346	1	FMLR_GORGO	P79176 gorilla gor
91	37	50.7	346	1	FMLR_MACMU	P79189 macaca mula
92	37	50.7	346	1	FMLR_PANTR	P79241 pan troglod
93	37	50.7	346	1	FMLR_PONPY	P79235 pongo pygma
94	37	50.7	346	1	FMLR_BACSP	Q91543 bacillus sp
95	37	50.7	348	1	AMIE_BACST	Q9rg17 bacillus st
96	37	50.7	380	1	FMLR_HUMAN	P21462 homo sapien
97	37	50.7	382	1	FMLR_RABIT	Q05394 corytolagus
98	37	50.7	382	1	FMLR_MOUSE	P33766 mus musculu
99	37	50.7	384	1	Y9E8_PSEAE	P33642 pseudomonas
100	37	50.7	384	1	IMD1_YEAST	P39567 saccharomyc
101	37	50.7	403	1	PAX6_COTJA	P47238 coturnix co
102	37	50.7	416	1	PAX6_HUMAN	P26367 homo sapien
103	37	50.7	422	1	PAX6_MOUSE	P32117 mus musculu
104	37	50.7	422	1	PAX6_XENLA	P55864 xenopus lae
105	37	50.7	437	1	PAX6_BRARE	P26630 brachydanio
106	37	50.7	437	1	PAX6_ORYLA	O73917 oryzias lat

107	37	50.7	453	1	YAW6_SCHPO	Q10181	schizosacch	180	35	47.9	377	1	CAH1_CHLRE	P20507	chlamydomon
108	37	50.7	471	1	GATA_YEAST	P17649	saccharomyc	181	35	47.9	397	1	ASSY_PYRAE	Q8zu97	pyrobaculum
109	37	50.7	682	1	VG50_BPMLS	Q05862	mycobacteri	182	35	47.9	426	1	COED_BACSU	P42092	bacillus su
110	37	50.7	759	1	ARY1_CALVI	P28513	calliphora	183	35	47.9	471	1	VYHA_VIVU	P19247	vibrio vuln
111	37	50.7	759	1	ARY2_CALVI	P28514	calliphora	184	35	47.9	484	1	CATA_CANTR	P07820	candida tro
112	37	50.7	760	1	SM4A_MOUSE	Q62178	mus musculus	185	35	47.9	524	1	Y395_MYCGE	P47635	mycoplasma
113	37	50.7	835	1	OBP_VZVD	P09299	varicella-z	186	35	47.9	550	1	PHNL_DESGI	P12944	desulfovibr
114	37	50.7	857	1	PAX6_DROME	O18381	drosophila	187	35	47.9	551	1	FZD2_HENLA	Q9puu6	xenopus lae
115	37	50.7	998	1	RPPO_BBV	O96631	black-beetl	188	35	47.9	565	1	FZD2_XENLA	Q14332	homo sapien
116	37	50.7	998	1	RPPO_BOOLV	O99310	boolaria vi	189	35	47.9	570	1	FZD2_MOUSE	Q9lip6	mus musculus
117	37	50.7	998	1	RPPO_FHV	O99310	flock house	190	35	47.9	570	1	FZD2_RAT	Q08464	rattus norv
118	37	50.7	2366	1	TOXB_CLODI	P18177	clostridium	191	35	47.9	589	1	PKM1_MYCTU	Q10697	mycobacteri
119	36.5	50.0	284	1	ICMT_HUMAN	Q60725	homo sapien	192	35	47.9	597	1	CHIX_STROI	Q05638	streptomyce
120	36.5	50.0	353	1	RHL_HYLP1	O28446	hylaebates p	193	35	47.9	650	1	SVC2_HUMAN	Q9ugh3	homo sapien
121	36.5	50.0	4568	1	DYHE_CHLRE	Q39565	chlamydomon	194	35	47.9	859	1	ENV_EIAV1	P22427	equine infe
122	36	49.3	137	1	C560_MARPO	P15721	marichantia	195	35	47.9	859	1	ENV_EIAV2	P22428	equine infe
123	36	49.3	169	1	LSPA_PSEAE	O9hvm5	pseudomonas	196	35	47.9	859	1	ENV_BIAV3	P22429	equine infe
124	36	49.3	173	1	LSPA_PSESM	O889e3	pseudomonas	197	35	47.9	859	1	ENV_BIAV9	P11306	equine infe
125	36	49.3	193	1	SODF_COXBU	P19695	coxiella bu	198	35	47.9	859	1	ENV_BIAVC	P12541	equine infe
126	36	49.3	214	1	HAMI_RHIME	Q928x4	rhizobium m	199	35	47.9	859	1	ENV_EIAVW	P16082	equine infe
127	36	49.3	220	1	HAMI_BRUME	O8yev5	brucella me	200	35	47.9	859	1	ENV_EIAVY	P06751	equine infe
128	36	49.3	220	1	HAMI_RHILIO	O98dm4	rhizobium l	201	35	47.9	860	1	ENV_EIAVS	P22430	equine infe
129	36	49.3	235	1	CAH1_RABIT	P07452	oryctolagus	202	35	47.9	877	1	YBGG_ECOLI	P54746	escherichia
130	36	49.3	237	1	NRL_HUMAN	P54845	homo sapien	203	35	47.9	1312	1	STRH_STRPN	P49610	streptococc
131	36	49.3	277	1	SUR4_CABEL	O188e4	caenorhabdi	204	34.5	47.3	535	1	ANVB_HORVU	P16098	hordeum vul
132	36	49.3	315	1	RSEB_HAEIN	P44792	haemophilus	205	34.5	47.3	987	1	YD94_METUA	Q58789	methanococc
133	36	49.3	349	1	WN7A_MOUSE	P34383	mus musculus	206	34	46.6	76	1	Y752_METUA	Q58162	methanococc
134	36	49.3	352	1	RESC_BACSU	P35162	bacillus su	207	34	46.6	125	1	ALR_MOUSE	P55789	homo sapien
135	36	49.3	353	1	GLNA_LUPLU	P52782	lupinus lut	208	34	46.6	125	1	ALR_MOUSE	P56213	mus musculus
136	36	49.3	353	1	KERA_CHICK	O42235	gallus gall	209	34	46.6	125	1	ALR_RAT	Q92r90	rattus norv
137	36	49.3	353	1	KERA_COTJA	O9de66	coturnix co	210	34	46.6	153	1	RNH_RHIME	Q69014	zymomonas m
138	36	49.3	368	1	AWY3_HORVU	P04747	hordeum vul	211	34	46.6	156	1	RNH_ZYMMO	O69014	zymomonas m
139	36	49.3	378	1	B3GA_HUMAN	O96024	homo sapien	212	34	46.6	158	1	RNH_SHEON	Q8ee30	shewanella
140	36	49.3	381	1	BP4A_NOCLA	Q06317	nocardia la	213	34	46.6	163	1	RM23_YEAST	Q12487	saccharomyc
141	36	49.3	387	1	SOX1_HUMAN	O00570	homo sapien	214	34	46.6	177	1	RNH_RHILIO	Q985w1	rhizobium l
142	36	49.3	391	1	SOX1_MOUSE	P53783	mus musculus	215	34	46.6	185	1	LPB8_MYCUL	Q11045	mycobacteri
143	36	49.3	408	1	ACY1_HUMAN	Q03154	homo sapien	216	34	46.6	188	1	LPB8_MYCUL	Q9cc87	mycobacteri
144	36	49.3	427	1	AWY2_HORVU	P04063	hordeum vul	217	34	46.6	207	1	Y552_HAEIN	P44013	haemophilus
145	36	49.3	429	1	AWY6_HORVU	P04750	hordeum vul	218	34	46.6	220	1	PTP1_NPVOP	O10274	orygia pseu
146	36	49.3	433	1	LGMM_MOUSE	O99338	homo sapien	219	34	46.6	226	1	PHH1_HUMAN	P19316	escherichia
147	36	49.3	435	1	LGMM_MOUSE	O89017	mus musculus	220	34	46.6	226	1	PHH1_HUMAN	O75360	homo sapien
148	36	49.3	435	1	LGMM_RAT	O90188	rattus norv	221	34	46.6	230	1	YH86_MYCTU	Q50679	mycobacteri
149	36	49.3	513	1	PFCK_SHEON	Q8ekd3	shewanella	222	34	46.6	234	1	GLPF_STRENA	P52881	streptococc
150	36	49.3	724	1	YM76_YEAST	Q05029	saccharomyc	223	34	46.6	234	1	GLPF_STRENA	Q9xie3	thermotoga
151	36	49.3	769	1	PHK1_RHIME	O22523	caenorhabdi	224	34	46.6	236	1	YJHA_ECOLI	Q9muv7	mesostigma
152	36	49.3	789	1	PHK1_RHIME	O92t74	rhizobium m	225	34	46.6	238	1	YJHA_ECOLI	P39372	escherichia
153	36	49.3	829	1	PQOF_PSEFL	P55174	pseudomonas	226	34	46.6	249	1	GPPI_YEAST	P41277	saccharomyc
154	36	49.3	919	1	NOS3_RAT	Q26600	rattus norv	227	34	46.6	260	1	OXIR_MOUSE	P58307	mus musculus
155	36	49.3	988	1	SYI_SYNY3	P73505	synecocyst	228	34	46.6	264	1	GLPF_STROCO	P19255	streptomyce
156	36	49.3	1201	1	NOS3_MOUSE	P70313	mus musculus	229	34	46.6	268	1	DAPB_BRUME	Q9ydc8	brucella me
157	36	49.3	1202	1	NOS3_HUMAN	P29474	homo sapien	230	34	46.6	268	1	DAPB_BRUSU	O8fv07	brucella su
158	36	49.3	1204	1	NOS3_BOVIN	P29473	bos taurus	231	34	46.6	271	1	DAPB_BRAJA	Q89wk2	bradyrhizob
159	36	49.3	1204	1	NOS3_PIG	Q28969	sus scrofa	232	34	46.6	287	1	TRUB_SYNEL	Q8cwm3	synecococc
160	36	49.3	1581	1	VCLP_BEV	P23052	berne virus	233	34	46.6	298	1	COXX_PARDE	P08301	paracoccus
161	36	49.3	1785	1	BIG2_HUMAN	Q9y6d5	homo sapien	234	34	46.6	298	1	RT03_ACACA	P46754	acanthamoeb
162	36	49.3	1849	1	BIG1_BOVIN	O46382	bos taurus	235	34	46.6	301	1	AKEL_MOUSE	Q9act1	mus musculus
163	36	49.3	1849	1	BIG1_HUMAN	Q9y6d6	homo sapien	236	34	46.6	305	1	RIR2_HSVSA	Q01038	herpesvirus
164	35.5	48.6	98	1	YAAK_ECOLI	P75616	escherichia	237	34	46.6	315	1	ALD2_MOUSE	P45377	mus musculus
165	35.5	48.6	209	1	ADEN_ADE03	P10381	human adeno	238	34	46.6	315	1	ALDR_HUMAN	P16116	bos taurus
166	35.5	48.6	391	1	MSES_HUMAN	Q00587	homo sapien	239	34	46.6	315	1	ALDR_HUMAN	P15121	homo sapien
167	35.5	48.6	827	1	MAK1_MOUSE	P70218	mus musculus	240	34	46.6	315	1	ALDR_MOUSE	P45376	mus musculus
168	35	47.9	90	1	YU4Z_ECOLI	P08868	escherichia	241	34	46.6	315	1	ALDR_PIG	P80276	sus scrofa
169	35	47.9	92	1	GONI_CAVPO	O54713	cavia porce	242	34	46.6	315	1	ALDR_RAT	P07943	rattus norv
170	35	47.9	107	1	PPDC_ECOLI	P08372	escherichia	243	34	46.6	342	1	S14A_CHICK	Q11200	g cmp-n-ace
171	35	47.9	155	1	RL13_AERPE	Q9yb50	aeropyrum p	244	34	46.6	356	1	METX_CHLFE	Q8kes7	chlorobium
172	35	47.9	199	1	YTHX_ECOLI	P32145	escherichia	245	34	46.6	377	1	AMPC_ECOLI	P00811	escherichia
173	35	47.9	218	1	SODM_SCHPO	O9uqx0	schizosacch	246	34	46.6	407	1	IASP_HUMAN	Q8wu5	homo sapien
174	35	47.9	224	1	B33_TREPA	O8pdk0	xanthomonas	247	34	46.6	436	1	DSVA_DESVH	P45574	desulfovibr
175	35	47.9	247	1	R33_TREPA	O83225	treponema p	248	34	46.6	436	1	ACCD_OENHO	Q9nt13	oenothera h
176	35	47.9	320	1	CELI_AGABI	Q00023	agaricus bi	249	34	46.6	449	1	MS21_ARATH	O80998	arabidopsis
177	35	47.9	339	1	AUMH_HUMAN	Q13825	homo sapien	250	34	46.6	482	1	CATA_PSEAE	O52762	pseudomonas
178	35	47.9	351	1	SGF3_BOMMO	Q17237	bombyx mori	251	34	46.6	497	1	CAT2_CAEEL	O62763	caenorhabdi
179	35	47.9	353	1	ABA2_MOUSE	Q9d6f4	mus musculus	252	34	46.6	502	1	CATA_TOXGO	Q9xzd5	toxoplasma

253	34	46.6	506	1	CATA_BOVIN	P00432	bos taurus	326	33	45.2	379	1	CYRG_BOVIN	Q95118	bos taurus
254	34	46.6	524	1	BUTY_MOUSE	Q62556	mus musculus	327	33	45.2	384	1	CRT3_HUMAN	Q96112	homo sapien
255	34	46.6	524	1	CATI_CABEL	Q27487	caenorhabdi	328	33	45.2	390	1	ASSY_SULTO	Q87670	sulfolobus
256	34	46.6	543	1	DCUS_ECOL6	P59340	escherichia	329	33	45.2	395	1	IN84_CABEL	Q03613	caenorhabdi
257	34	46.6	543	1	DCUS_ECOL1	P39272	escherichia	330	33	45.2	406	1	ASSY_SULSO	Q90313	sulfolobus
258	34	46.6	543	1	DCUS_SHIFL	P59341	shigella fl	331	33	45.2	408	1	GPT_CRIGLO	P23338	cricketulus
259	34	46.6	544	1	MLH1_HORVU	O49873	hordeum vul	332	33	45.2	408	1	GPT_CRIGLO	P23338	cricketulus
260	34	46.6	571	1	ILVD_STRMU	Q8477	streptococc	333	33	45.2	410	1	GPT_HUMAN	Q9435	homo sapien
261	34	46.6	660	1	YJ42_CHRVO	O7509	chromobacte	334	33	45.2	410	1	GPT_MOUSE	P23338	cricketulus
262	34	46.6	687	1	INA_BACTL	P23382	bacillus th	335	33	45.2	415	1	TNR3_MOUSE	P50284	mus musculus
263	34	46.6	722	1	AD21_HUMAN	Q90438	homo sapien	336	33	45.2	417	1	DSRA_ARCFU	Q59109	archaeoglob
264	34	46.6	761	1	AD24_MOUSE	Q91160	mus musculus	337	33	45.2	421	1	CCG8_RAT	Q87670	rattus norv
265	34	46.6	794	1	Y966_CORGL	P35867	corynebacte	338	33	45.2	423	1	CCG8_MOUSE	Q87670	rattus norv
266	34	46.6	864	1	AGLU_MUCJA	Q92442	mucor javan	339	33	45.2	425	1	CCG8_HUMAN	Q87670	rattus norv
267	34	46.6	937	1	KDGM_CABEL	O10024	caenorhabdi	340	33	45.2	425	1	IUCD_ECOL1	P11295	escherichia
268	34	46.6	3110	1	KD_RAT	P51111	rattus norv	341	33	45.2	428	1	GLN2_ORYSA	P14655	oryza sativ
269	34	46.6	3119	1	HD_MOUSE	P42859	mus musculus	342	33	45.2	428	1	GLNC_BRANA	Q42624	brassica na
270	34	46.6	3144	1	HD_HUMAN	P42858	homo sapien	343	33	45.2	429	1	GLNC_BRANA	Q42624	brassica na
271	34	46.6	3770	1	ACVS_EMBENI	P27742	emeritella	344	33	45.2	429	1	QCRA_MYCTU	P15102	phaseolus v
272	34	46.6	4486	1	DYH9_HUMAN	Q91070	homo sapien	345	33	45.2	430	1	MENF_HABIN	P44613	haemophilus
273	33.5	45.9	196	1	ADEN_ADEBA	O71070	bovine aden	346	33	45.2	432	1	GLN2_DAUCA	O22506	daucus caro
274	33.5	45.9	232	1	ICMT_MOUSE	Q94044	mus musculus	347	33	45.2	432	1	YK27_CABEL	O16686	caenorhabdi
275	33.5	45.9	283	1	ICMT_MOUSE	Q94044	mus musculus	348	33	45.2	434	1	GLN2_HORVU	P13564	hordeum vul
276	33.5	45.9	383	1	SAVI_HUMAN	Q94044	mus musculus	349	33	45.2	434	1	LCAT_HUMAN	P04180	homo sapien
277	33.5	45.9	386	1	SAVI_MOUSE	Q94044	mus musculus	350	33	45.2	440	1	LCAT_PAPAN	Q08758	papio anubi
278	33.5	45.9	409	1	YUN4_YEAST	Q87670	mus musculus	351	33	45.2	440	1	LCAT_RABIT	P53761	oryctolagus
279	33.5	45.9	734	1	PSAB_PSIU	P58765	psilotum nu	352	33	45.2	455	1	EPIC_STAEP	P30196	staphylococ
280	33.5	45.9	761	1	YA88_AQUAE	O67178	aquifex aeo	353	33	45.2	455	1	CBIA_SALTY	P29946	salmonella
281	33	45.2	10	1	GONI_CHEPR	P80677	chelysoma	354	33	45.2	467	1	TM11_HUMAN	Q99022	mus musculus
282	33	45.2	10	1	GONI_PETMA	P80677	chelysoma	355	33	45.2	468	1	TM11_HUMAN	Q99022	mus musculus
283	33	45.2	15	1	GLN2_FINPS	P81107	pinus pinas	356	33	45.2	477	1	NIFE_RHOCA	P19055	rhodobacter
284	33	45.2	82	1	YF76_ARCFU	O28696	archaeoglob	357	33	45.2	510	1	VL1_HPV27	P25486	human papil
285	33	45.2	112	1	VPX_SIVM1	O28696	archaeoglob	358	33	45.2	510	1	VL1_HPV27	P25486	human papil
286	33	45.2	186	1	RB93_HUMAN	O75884	homo sapien	359	33	45.2	512	1	THRC_ASHGO	Q00063	ashbya goss
287	33	45.2	186	1	RB93_MOUSE	O88851	mus musculus	360	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
288	33	45.2	186	1	RB93_MOUSE	O88851	mus musculus	361	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
289	33	45.2	186	1	YGR9_YEAST	O88851	mus musculus	362	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
290	33	45.2	187	1	LPFJ_MYCTU	O88851	mus musculus	363	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
291	33	45.2	188	1	LCAT_FIG	P30930	mus scrofa	364	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
292	33	45.2	191	1	RNMC_WOMCH	P30930	mus scrofa	365	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
293	33	45.2	202	1	LIF_BOVIN	Q27956	bos taurus	366	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
294	33	45.2	202	1	LIF_MOUSE	P15018	homo sapien	367	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
295	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	368	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
296	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	369	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
297	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	370	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
298	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	371	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
299	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	372	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
300	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	373	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
301	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	374	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
302	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	375	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
303	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	376	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
304	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	377	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
305	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	378	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
306	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	379	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
307	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	380	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
308	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	381	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
309	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	382	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
310	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	383	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
311	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	384	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
312	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	385	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
313	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	386	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
314	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	387	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
315	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	388	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
316	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	389	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
317	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	390	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
318	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	391	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
319	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	392	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
320	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	393	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
321	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	394	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
322	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	395	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
323	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	396	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
324	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	397	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss
325	33	45.2	202	1	LIF_MOUSE	O62728	mustela vis	398	33	45.2	519	1	THRC_ASHGO	Q00063	ashbya goss

399	1	MDR_LEITA	1548	45.2	33	P21441 leishmania	472	32	43.8	371	1	MNCP_OXYFA	P15798 oxytricha f
400	1	PAPA_HUMAN	1627	45.2	33	Q13219 homo sapien	473	32	43.8	371	1	MNCP_OXYTR	Q27151 oxytricha t
401	1	ITN2_MOUSE	1658	45.2	33	Q920r6 mus musculus	474	32	43.8	378	1	HMAN_DROME	P02833 drosophila
402	1	ITN2_MOUSE	1658	45.2	33	Q920r6 mus musculus	475	32	43.8	381	1	AMPC_CITFR	P05193 citrobacter
403	1	GBF1_CRIGR	1856	45.2	33	Q9rid7 cricetus	476	32	43.8	381	1	AMPC_ENTCL	P05364 enterobacte
404	1	GBF1_HUMAN	1859	45.2	33	Q92538 homo sapien	477	32	43.8	393	1	OM45_YEAST	P16547 saccharomyc
405	1	POLG_JAEV1	3432	45.2	33	P27395 j genome po	478	32	43.8	393	1	YEC2_CABEL	O45686 caenorhabdi
406	1	POLG_JAEV5	3432	45.2	33	P19110 j genome po	479	32	43.8	394	1	HMAN_DROSU	Q24645 drosophila
407	1	POLG_JAEVJ	3432	45.2	33	P12886 j genome po	480	32	43.8	401	1	P999_PSEAE	Q9nu96 pseudomonas
408	1	PKGD_HUMAN	4074	45.2	33	Q8tct9 homo sapien	481	32	43.8	410	1	APGM_DEIRA	Q9rsao deinococcus
409	1	ADEN_ADEM1	204	44.5	32.5	P53022 mouse adeno	482	32	43.8	415	1	RF11_METAC	Q8tum4 methanosarc
410	1	ISTB_BURCE	229	44.5	32.5	P55923 burkholderi	483	32	43.8	415	1	RF11_METWA	Q8px75 methanosarc
411	1	TPIS_GLOVI	240	44.5	32.5	O7nlt1 gloeobacter	484	32	43.8	417	1	POIA_ECOLI	P43670 escherichia
412	1	V270_ASPB7	270	44.5	32.5	P18560 african swi	485	32	43.8	428	1	GLN2_MEDSA	Q8xq94 medicago sa
413	1	YG56_AGRIS	293	44.5	32.5	Q8usd8 agrobacteri	486	32	43.8	429	1	PURK_MYCTU	P08881 mycobacteri
414	1	SK19_BRARE	319	44.5	32.5	P47972 brachydancio	487	32	43.8	430	1	GLN2_PEA	Q9sa81 rhizobium l
415	1	GLN2_MAIZE	368	44.5	32.5	P38560 zea mays (m	488	32	43.8	437	1	GLA2_RHILO	P08281 psium sativ
416	1	LASA_PSEAE	418	44.5	32.5	P14789 pseudomonas	489	32	43.8	439	1	PURK_MYCLE	P46701 mycobacteri
417	1	ASM2_CABEL	618	44.5	32.5	Q23498 caenorhabdi	490	32	43.8	447	1	Y341_CHLMU	Q9pkx0 chlamydia m
418	1	NDVB_RHIME	2832	44.5	32.5	P20471 rhizobium m	491	32	43.8	448	1	FADL_ECOLI6	Q8cvu7 escherichia
419	1	ENV_SMSAV	77	43.8	32	P03384 simian sarc	492	32	43.8	450	1	CRED_ECOLI	P08369 escherichia
420	1	YK4E_PSEAE	86	43.8	32	Q91270 pseudomonas	493	32	43.8	451	1	Y069_CHLTR	O84072 chlamydia t
421	1	CYT_BITAR	111	43.8	32	P08935 bitis ariet	494	32	43.8	460	1	MLO9_ARATH	Q94kb4 arabidopsis
422	1	VFX_SIVMK	112	43.8	32	P11266 simian immu	495	32	43.8	464	1	NUAM_PARKU	P12775 paracentrot
423	1	VFX_SIVML	112	43.8	32	P11266 simian immu	496	32	43.8	494	1	ICSB_SHIFL	P33546 shigella fl
424	1	YI45_THETN	118	43.8	32	Q8ry77 thermomaneer	497	32	43.8	501	1	MLO5_ARATH	O22815 arabidopsis
425	1	APC4_RABIT	124	43.8	32	P55057 oryctolagus	498	32	43.8	501	1	S3A3_HUMAN	Q28174 homo sapien
426	1	MSRB_RALSO	128	43.8	32	Q8xyl1 ralstonia s	499	32	43.8	501	1	S3A3_MOUSE	Q9d554 mus musculu
427	1	NUIM_APTSA	130	43.8	32	P19040 artemia sal	500	32	43.8	508	1	VLL_HPVLIA	P03099 human papil
428	1	V341_BPWD2	145	43.8	32	O64228 mycobacteri							
429	1	VE6_HPV61	146	43.8	32	Q80948 human papil							
430	1	GST2_HUMAN	147	43.8	32	Q99735 homo sapien							
431	1	RACR_ECOLI	158	43.8	32	P76062 escherichia							
432	1	COTF_BACSU	160	43.8	32	P23261 bacillus su							
433	1	UBCG_SCHPO	160	43.8	32	O9p611 schizosacch							
434	1	BZRP_HUMAN	169	43.8	32	P05336 homo sapien							
435	1	RNRP_PHYPO	180	43.8	32	P81477 physarum po							
436	1	XIN_TRIHA	190	43.8	32	F48793 trichoderma							
437	1	COX1_ALEUT	195	43.8	32	Q09333 albinaria t							
438	1	AR61_HUMAN	203	43.8	32	Q15041 homo sapien							
439	1	AR61_MOUSE	203	43.8	32	Q9jkw0 mus musculus							
440	1	YF52_HABIN	215	43.8	32	P44351 haemophilus							
441	1	XYN2_TIRE	220	43.8	32	P36217 trichoderma							
442	1	RNLF_LYCES	232	43.8	32	P80022 lycopersico							
443	1	RS3_AQUPI	231	43.8	32	Q92144 aquifex pyr							
444	1	SPH_HUMAN	232	43.8	32	Q99865 homo sapien							
445	1	YGCO_YEAST	235	43.8	32	P53192 saccharomyc							
446	1	RNLX_LYCES	237	43.8	32	P80196 lycopersico							
447	1	RNRH_RHINI	238	43.8	32	P08056 rhizopus ni							
448	1	LEQ3_RABIT	241	43.8	32	P47845 oryctolagus							
449	1	UFO4_MANES	241	43.8	32	O40386 manihot esc							
450	1	MYR2_SINAL	243	43.8	32	P29738 sinapis alb							
451	1	PYRF_XANAC	243	43.8	32	Q8per4 xanthomonas							
452	1	PYRF_XANCP	243	43.8	32	O8p3d7 xanthomonas							
453	1	MYR1_SINAL	244	43.8	32	P29737 sinapis alb							
454	1	RS3_DEIRA	249	43.8	32	Q9rx16 deinococcus							
455	1	SPN2_HUMAN	258	43.8	32	O9bpz2 homo sapien							
456	1	CAPB_DROME	276	43.8	32	P48603 drosophila							
457	1	RNT2_ASPOR	276	43.8	32	P10281 aspergillus							
458	1	A41_LEIDO	288	43.8	32	P55905 leishmania							
459	1	NUIM_ARTSF	298	43.8	32	Q37714 artemia san							
460	1	LCAT_ELIOQU	299	43.8	32	O35573 eliomys que							
461	1	PRMA_SYNEL	299	43.8	32	O8dm00 synecococc							
462	1	MTH3_HABIN	309	43.8	32	P43871 haemophilus							
463	1	HXCD_MOUSE	328	43.8	32	P50207 mus musculu							
464	1	HXCD_HUMAN	330	43.8	32	P31276 homo sapien							
465	1	HEMZ_PSEAE	340	43.8	32	Q9hvd7 pseudomonas							
466	1	GLN1_ANGL	356	43.8	32	O04867 alnus glutu							
467	1	GLN2_VITVI	356	43.8	32	P51119 vitis vinif							
468	1	GLN1_MAIZE	357	43.8	32	P38559 zea mays (m							
469	1	GLN5_MAIZE	357	43.8	32	P38563 zea mays (m							
470	1	GLN4_PINSY	357	43.8	32	P52783 pinus sylve							
471	1	SPR1_HUMAN	365	43.8	32	Q15743 homo sapien							

ALIGNMENTS

RESULT 1

CON2_CHICK STANDARD; PRT; 10 AA.

AC P37043; P20408; P81750;
DT 01-FEB-1991 (Rel. 17, Created)
DT 01-FEB-1991 (Rel. 17, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberin II (Gonadotropin-releasing hormone II) (GNRH-II)
DE (LH-RH II) (Luliberin II).
OS Gallus gallus (Chicken).
OS Alligator mississippiensis (American alligator),
OS Squallus acanthias (Spiny dogfish),
OS Hydrolagus colliei (Spotted ratfish) (Pacific ratfish), and
OS Clupea pallasi (Pacific herring).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
OC Gallus.
OX NCBI_TaxID=9031, 8496, 7797, 7873, 30724;
RN [1]
RP SEQUENCE.
RC SPECIES=Chicken; TISSUE=Hypothalamus;
RX MEDLINE=84222059; PubMed=6427779;
RA Miyamoto K., Hasegawa Y., Nomura M., Igarashi M., Kangawa K.,
RA Matsuo H.
RT "Identification of the second gonadotropin-releasing hormone in
RT chicken hypothalamus: evidence that gonadotropin secretion is
RT probably controlled by two distinct gonadotropin-releasing hormones
RT in avian species.";
RL Proc. Natl. Acad. Sci. U.S.A. 81:3874-3878(1984).
RN [2]
RP SEQUENCE.
RC SPECIES=A. mississippiensis; TISSUE=Brain;
RX MEDLINE=91352338; PubMed=1682082;
RA Lovejoy D.A., Fischer W.H., Parker D.B., McRory J.E., Park M.,
RA Lance V., Swanson P., Rivier J.E., Sherwood N.M.;
RT "Primary structure of two forms of gonadotropin-releasing hormone
RT from brains of the American alligator (Alligator mississippiensis).";
RL Regul. Pept. 33:105-116(1991).
RN [3]

RP SEQUENCE.
 RC SPECIES=S.acanthias; TISSUE=Brain;
 RX MEDLINE=9233300; PubMed=1631133;
 RA Lovejoy D.A., Fischer W.H., Ngamvongchon S., Craig A.G.,
 RA Nahorniak C.S., Peter R.E., Rivier J.E., Sherwood N.M.;
 RT "Distinct sequence of gonadotropin-releasing hormone (GnRH) in
 RT dogfish brain provides insight into GnRH evolution.";
 RL Proc. Natl. Acad. Sci. U.S.A. 89:6373-6377(1992).
 RN [4]
 RP SEQUENCE.
 RC SPECIES=H.collii; TISSUE=Brain;
 RX MEDLINE=91340067; PubMed=1678723;
 RA Lovejoy D.A., Sherwood N.M., Fischer W.H., Jackson B.C., Rivier J.E.,
 RA Lee T.;
 RT "Primary structure of gonadotropin-releasing hormone from the brain
 RT of a holoccephalan (ratfish: *Hydrolagus colliei*).";
 RL Gen. Comp. Endocrinol. 82:152-161(1991).
 RN [5]
 RP SEQUENCE, AND FUNCTION.
 RC SPECIES=C.pallasii; TISSUE=Brain, and Pituitary;
 RX MEDLINE=20114351; PubMed=10650929;
 RA Carolsfeld J., Powell J.F.F., Park M., Fischer W.H., Craig A.G.,
 RA Chang J.P., Rivier J.E., Sherwood N.M.;
 RT "Primary structure and function of three gonadotropin-releasing
 RT hormones, including a novel form, from an ancient teleost, herring.";
 RL Endocrinology 141:505-512(2000).
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- SIMILARITY: Belongs to the GnRH family.
 DR PIR; A61126; A61126.
 DR PIR; A60030; B46030.
 DR PIR; B60066; RHAQ2.
 DR InterPro: IPR002012; GnRH.
 DR Pfam: PF00446; GnRH; 1.
 DR PROSITE: PS00473; GnRH; 1.
 KM Hormone; Amidation; Hypothalamus; Pyrrolidone carboxylic acid.
 FT MOD_RES 10 10 PYRROLIDONE CARBOXYLIC ACID.
 FT MOD_RES 10 10 AMIDATION.
 SQ SEQUENCE 10 AA; 1254 MW; 284B2B437871F5A3 CRC64;
 Query Match 95.9%; Score 70; DB 1; Length 10;
 Best Local Similarity 90.0%; Pred. No. 7.3e-05;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 1 EHWSHGWYGP 10
 :|||||||
 DB 1 QHWSHGWP 10
 RESULT 2
 GON2_ORYLA
 ID GON2_ORYLA STANDARD; PRT; 80 AA.
 AC QPDG9; Q8JQ5;
 DT 10-OCT-2003 (Rel. 42, Created)
 DT 10-OCT-2003 (Rel. 42, Last sequence update)
 DT 10-OCT-2003 (Rel. 42, Last annotation update)
 DE Progonadoliberein II precursor (Chicken-type II gonadotropin-releasing
 DE hormone) (GnRH-II) [Contains: Gonadoliberein II (LH-RH II)
 DE (luteinizing hormone releasing hormone II) (Gonadotropin-releasing
 DE hormone II) (GnRH II) (Luliberin II); GnRH-associated peptide II].
 OS Oryzias latipes (Medaka fish) (Japanese ricefish).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
 OC Acanthomorpha; Acanthopterygii; Percomorpha; Atherinomorpha;
 CC Belontiiformes; Adrianchthyidae; Oryziinae; Oryzias.
 CX NCBI_TaxID=8090;
 RN [1]
 RP SEQUENCE FROM N.A., AND TISSUE SPECIFICITY.
 RC TISSUE=Brain;
 RX MEDLINE=20462954; PubMed=11006121;
 RA Okubo K., Amano M., Yoshiura Y., Suetake H., Aida K.;
 RT "A novel form of gonadotropin-releasing hormone in the medaka,
 RT Oryzias latipes.";

RL Biochem. Biophys. Res. Commun. 276:298-303(2000).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=HMI, and Himedaka;
 RX MEDLINE=22133119; PubMed=12137956;
 RA Okubo K., Mitani H., Naruse K., Kondo M., Shima A., Tanaka M.,
 RA Asakawa S., Shimizu N., Yoshiura Y., Aida K.;
 RT "Structural characterization of GnRH loci in the medaka genome.";
 RL Gene 293:181-189(2002).
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins (BY
 CC similarity).
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- TISSUE SPECIFICITY: Expressed in the cell bodies of a cluster of
 CC neurons in the midbrain tegmentum.
 CC -!- MISCELLANEOUS: Teleost species possess three paralogous GnRHs:
 CC mGnRH and cGnRH-II have been identified in tetrapods; sGnRH has
 CC no tetrapod ortholog and is thought to be a duplication of cGnRH-
 CC II.
 CC -!- SIMILARITY: Belongs to the GnRH family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@sib-sib.ch).
 CC -----
 DR EMBL; AB0411330; BAB16300.1; -;
 DR EMBL; AB0411334; BAC06417.1; -;
 DR EMBL; AB0745000; BAC06423.1; -;
 DR PIR; JC7394; JC7394.
 DR GO; GO:0005576; C:extracellular; ISS.
 DR GO; GO:0005183; F:luteinizing hormone-releasing factor activity; ISS.
 DR GO; GO:0007275; P:development; ISS.
 DR InterPro: IPR002012; GnRH.
 DR Pfam: PF00446; GnRH; 1.
 DR PROSITE: PS00473; GnRH; 1.
 KW Cleavage on pair of basic residues; Hormone; Amidation; Signal;
 KM Multigene family; Pyrrolidone carboxylic acid.
 FT SIGNAL 1 21 BY SIMILARITY.
 FT CHAIN 22 80 PROGNADOLIBERIN II.
 FT PEPTIDE 22 31 GONADOLIBERIN II.
 FT PEPTIDE 35 80 GnRH-ASSOCIATED PEPTIDE II.
 FT MOD_RES 22 22 PYRROLIDONE CARBOXYLIC ACID (BY
 FT SIMILARITY).
 FT MOD_RES 31 31 AMIDATION (G-32 PROVIDE AMIDE GROUP) (BY
 FT SIMILARITY).
 FT CONFLICT 50 50 T -> A (IN REF. 2; BAC06423).
 FT CONFLICT 55 55 Y -> F (IN REF. 2; BAC06423).
 FT CONFLICT 62 62 S -> N (IN REF. 2; BAC06423).
 FT CONFLICT 71 71 A -> T (IN REF. 2; BAC06423).
 SQ SEQUENCE 80 AA; 9311 MW; CAE8F1B06B9AF26E CRC64;
 Query Match 95.9%; Score 70; DB 1; Length 80;
 Best Local Similarity 90.0%; Pred. No. 0.00055;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 1 EHWSHGWYGP 10
 :|||||||
 DB 22 QHWSHGWP 31
 RESULT 3
 GON2_DICLA
 ID GON2_DICLA STANDARD; PRT; 85 AA.
 AC Q9IA08;
 DT 16-OCT-2001 (Rel. 40, Created)
 DT 16-OCT-2001 (Rel. 40, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Gonadoliberein II precursor (Gonadotropin-releasing hormone II)
 DE (GnRH-II) (LH-RH II) (Luliberin II).
 GN GNHR2.

OS Dicotylarchus labrax (European sea bass).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
 OC Acanthomorpha; Acanthopterygii; Perciformes; Percoidae;
 OC Moronidae; Dicentrarchus.
 OX NCBI_TaxID=13489;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;
 RX MEDLINE=20540016; PubMed=11086295;
 RA Gonzalez-Martinez D., Madigou T., Zmora N., Anglade I., Zanuy S.,
 RA Zohar Y., Elizur A., Munoz-Cueto J.A., Kah O.;
 RT "Differential expression of three different prepro-GnRH
 RT (gonadotropin-releasing hormone) messengers in the brain of the
 RT European sea bass (Dicentrarchus labrax).";
 RL J. Comp. Neurol. 429:144-155(2001).
 CC -1- FUNCTION: Stimulates the secretion of gonadotropins (By
 CC similarity).
 CC -1- SUBCELLULAR LOCATION: Secreted.
 CC -1- SIMILARITY: Belongs to the GnRH family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 DR EMBL: AF224281; AAF62900.1; -;
 DR InterPro: IPR002012; GnRH; 1.
 DR Pfam: PF00446; GnRH; 1.
 DR PROSITE: PS00473; GnRH; 1.
 KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 KW Signal; Pyroglutamate carboxylic acid.
 FT SIGNAL 1 23 BY SIMILARITY.
 FT CHAIN 24 85 PROGNADOLIBERIN II.
 FT PEPTIDE 24 33 GONADOLIBERIN II.
 FT PEPTIDE 24 33 GNRH-ASSOCIATED PEPTIDE II.
 FT MOD_RES 27 85 GNRH-ASSOCIATED PEPTIDE II.
 FT MOD_RES 34 24 PYROLIDONE CARBOXYLIC ACID
 FT MOD_RES 33 33 (BY SIMILARITY).
 FT MOD_RES 33 33 AMIDATION (G-34 PROVIDE AMIDE GROUP) (BY
 FT SIMILARITY).
 SQ SEQUENCE 85 AA; 9646 MW; F832C0698C842C64 CRC64;
 Query Match 95.98; Score 70; DB 1; Length 85;
 Best Local Similarity 90.0%; Pred. No. 0.00058;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 1 EHWSHGWYPG 10
 Db :|||||
 24 QHWSHGWTGP 33
 RESULT 4
 GON2 HAPBU
 ID GON2 HAPBU STANDARD; PRT; 85 AA.
 AC P37044; P20408;
 DT 01-JUN-1994 (Rel. 29, Created)
 DT 01-JUN-1994 (Rel. 29, Last sequence update)
 DT 10-OCT-2003 (Rel. 42, Last annotation update)
 DE Progonadoliberein II precursor [Contains: Gonadoliberein II (Luteinizing
 DE hormone releasing hormone II) (Gonadotropin-releasing hormone II);
 DE (GnRH-II) (LH-RH II) (Luliberin II); GnRH-associated peptide II-1;
 DE GnRH-associated peptide II-2].
 GN GNRH2.
 OS Haplochromis burtoni (Burton's mouthbrooder).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
 OC Acanthomorpha; Acanthopterygii; Perciformes; Labroidae;
 OC Cichlidae; Astatotilapia.
 OX NCBI_TaxID=8153;
 RN [1]

RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;
 RX MEDLINE=94151343; PubMed=8108425;
 RA White S.A.; Bond C.T.; Francis R.C.; Kasten T.L.; Fernald R.D.,
 RA Adelman J.P.;
 RT "A second gene for gonadotropin-releasing hormone: cDNA and
 RT expression pattern in the brain.";
 RL Proc. Natl. Acad. Sci. U.S.A. 91:1423-1427(1994).
 CC -1- FUNCTION: Stimulates the secretion of gonadotropins.
 CC -1- SUBCELLULAR LOCATION: Secreted.
 CC -1- TISSUE SPECIFICITY: EXPRESSED IN ONLY ONE CELL GROUP IN THE
 CC MESENCEPHALON.
 CC -1- SIMILARITY: Belongs to the GnRH family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 DR EMBL: L27435; AAA74993.1; -;
 DR PIR: A53453; A53453
 DR GO: GO:0005576; Extracellular; NAS.
 DR GO: GO:0005183; F:lutinizing hormone-releasing factor activity; NAS.
 DR GO: GO:0007275; P:development; NAS.
 DR InterPro: IPR002012; GnRH.
 DR Pfam: PF00446; GnRH; 1.
 DR PROSITE: PS00473; GnRH; 1.
 KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 KW Signal; Multigene family; Pyroglutamate carboxylic acid.
 FT SIGNAL 1 23
 FT CHAIN 24 85 PROGNADOLIBERIN II.
 FT PEPTIDE 24 33 GONADOLIBERIN II.
 FT PEPTIDE 37 64 GNRH-ASSOCIATED PEPTIDE II-1 (POTENTIAL).
 FT PEPTIDE 67 85 GNRH-ASSOCIATED PEPTIDE II-2 (POTENTIAL).
 FT MOD_RES 24 24 PYROLIDONE CARBOXYLIC ACID.
 FT MOD_RES 33 33 AMIDATION (G-34 PROVIDE AMIDE GROUP).
 SQ SEQUENCE 85 AA; 9631 MW; CF8C0EBDF277365F CRC64;
 Query Match 95.98; Score 70; DB 1; Length 85;
 Best Local Similarity 90.0%; Pred. No. 0.00058;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 1 EHWSHGWYPG 10
 Db :|||||
 24 QHWSHGWTGP 33
 RESULT 5
 GON2 MORSA
 ID GON2 MORSA STANDARD; PRT; 85 AA.
 AC O73811;
 DT 16-OCT-2001 (Rel. 40, Created)
 DT 16-OCT-2001 (Rel. 40, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Gonadoliberein II precursor (Gonadotropin-releasing hormone II)
 DE (GnRH-II) (LH-RH II) (Luliberin II).
 GN GNRH2.
 OS Morone saxatilis (Striped bass).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
 OC Acanthomorpha; Acanthopterygii; Perciformes; Percoidae;
 OC Moronidae; Morone.
 OX NCBI_TaxID=34816;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=99061809; PubMed=9845669;
 RA Chow M.M., Kight K.E., Gothill Y., Alok D., Stubblefield J., Zohar Y.;
 RT "Multiple GnRHs present in a teleost species are encoded by separate
 RT genes: analysis of the sbGnRH and cGnRH-II genes from the striped
 RT bass, Morone saxatilis.";


```

DR EMBL; X78047; CAA54969.1; -
DR PIR; S45600; RHID2S.
DR InterPro; IPR002012; GnRH.
DR Pfam; PF00446; GnRH; 1.
DR PROSITE; PS00473; GnRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Signal; Pyrrolidone carboxylic acid.
FT SIGNAL 1 24
FT CHAIN 25 86
FT PEPTIDE 25 34
FT PEPTIDE 25 34
FT PEPTIDE 38 86
FT MOD_RES 25 25
FT MOD_RES 34 34
FT MOD_RES 34 34
SQ SEQUENCE 86 AA; 9766 MW; 4AD9F24597E77EBF CRC64;

Query Match 95.9%; Score 70; DB 1; Length 86;
Best Local Similarity 90.0%; Pred. No. 0.00059;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
Db :|||||
25 QHWSHGWPY 34

RESULT 10
GON2_ONCMY STANDARD; PRT; 86 AA.
AC Q42241;
DT 15-JUL-1998 (Rel. 36, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein II precursor (Gonadotropin-releasing hormone II)
DE (GnRH-II) (LH-RH II) (Luliberin II).
GN GNRH2.
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
RN [1]
RP SEQUENCE FROM N.A.
RA Penlington M.C.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GnRH family.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; AF023618; AAB82559.1; -
CC InterPro; IPR002012; GnRH.
CC Pfam; PF00446; GnRH; 1.
CC PROSITE; PS00473; GnRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Signal; Pyrrolidone carboxylic acid.
FT SIGNAL 1 24
FT CHAIN 25 86
FT PEPTIDE 25 34
FT PEPTIDE 25 34
FT PEPTIDE 38 86
FT MOD_RES 25 25
FT MOD_RES 34 34
SQ SEQUENCE 86 AA; 9723 MW; D6ED59151DC9915 CRC64;

Query Match 95.9%; Score 70; DB 1; Length 86;
Best Local Similarity 90.0%; Pred. No. 0.00059;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

```

```

QY 1 EHWSHGWYPG 10
Db :|||||
25 QHWSHGWPY 34

RESULT 11
GON2_RUTRU STANDARD; PRT; 86 AA.
AC Q91330;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein II precursor (Gonadotropin-releasing hormone II)
DE (GnRH-II) (LH-RH II) (Luliberin II).
GN GNRH2.
OS Rutilus rutilus (Roach).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Rutilus.
OX NCBI_TaxID=48668;
RN [1]
RP SEQUENCE FROM N.A.
RA Penlington M.C.;
RL MEDLINE=98121986; PubMed=9460654;
RA Hoole D.; Arme C.;
RT Isolation and characterisation of mRNA encoding the salmon- and
RT chicken- II type gonadotropin-releasing hormones in the teleost fish
RT Rutilus rutilus (Cyprinidae).
RL J. Mol. Endocrinol. 19:337-346(1997).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GnRH family.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; U60668; AAB65770.1; -
CC InterPro; IPR002012; GnRH.
CC Pfam; PF00446; GnRH; 1.
CC PROSITE; PS00473; GnRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Signal; Pyrrolidone carboxylic acid.
FT SIGNAL 1 24
FT CHAIN 25 86
FT PEPTIDE 25 34
FT PEPTIDE 38 86
FT MOD_RES 25 25
FT MOD_RES 34 34
SQ SEQUENCE 86 AA; 9838 MW; 931E886357715P40 CRC64;

Query Match 95.9%; Score 70; DB 1; Length 86;
Best Local Similarity 90.0%; Pred. No. 0.00059;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
Db :|||||
25 QHWSHGWPY 34

RESULT 12
GON2_RANCA STANDARD; PRT; 93 AA.
ID GON2_RANCA
AC Q9D336; Q90Y64;
DT 10-OCT-2003 (Rel. 42, Created)

```

DT 10-OCT-2003 (Rel. 42, Last sequence update)
 DE 10-OCT-2003 (Rel. 42, Last annotation update)
 DE Progonadoliberin II precursor [Contains: Gonadoliberin II (LHRH II)
 DE (luteinizing hormone releasing hormone II) (Gonadotropin-releasing
 DE hormone II) (GnRH II) (Luliberin II); GnRH-associated peptide II
 DE (GAP2)].
 GN GNRH2 OR GNRH II.
 OS Rana catesbeiana (Bull frog).
 OC Sukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Amphibia; Batrachia; Anura; Neobatrachia; Ranioidea; Ranidae; Rana.
 OX NCBI_TaxID=8400;
 RN [1]
 RP SEQUENCE FROM N.A. (ISOFORMS 1 AND 2), TISSUE SPECIFICITY, AND
 RP DEVELOPMENTAL STAGE.
 RC TISSUE=Hindbrain; and Midbrain;
 RX MEDLINE=21102951; PubMed=11170016;
 RA Wang L., Yoo M.S., Kang H.M., Im W.B., Choi H.S., Bogerd J.,
 RA Kwon H.B.;
 RT "Cloning and characterization of cDNAs encoding the GNRH1 and GNRH2
 RT precursors from bullfrog (Rana catesbeiana).";
 RL J. Exp. Zool. 289:190-201(2001).
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins (By
 CC similarity).
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- ALTERNATIVE PRODUCTS:
 CC Event=Alternative splicing; Named isoforms=2;
 CC Name=1;
 CC IsoId=Q9DG36-1; Sequence=Displayed;
 CC Name=2;
 CC IsoId=Q9DG36-2; Sequence=VSP_050476;
 CC -!- TISSUE SPECIFICITY: Midbrain and hindbrain.
 CC -!- DEVELOPMENTAL STAGE: Expressed at significantly higher levels
 CC during hibernation and post-breeding. Not expressed in pituitary.
 CC -!- SIMILARITY: Belongs to the GnRH family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 DR EMBL; AF192464; AAC21894.1; -
 DR EMBL; AF186096; AAL05971.1; -
 DR GO; GO:0005756; C:extracellular; NAS.
 DR GO; GO:0005183; F:luteinizing hormone-releasing factor activity; NAS.
 DR GO; GO:0009755; P:hormone mediated signaling; NAS.
 DR GO; GO:0000003; P:reproduction; NAS.
 DR InterPro; IPR002012; GnRH.
 DR Pfam; PF00446; GNRH; 1.
 DR PROSITE; PS00473; GNRH; 1.
 KW Cleavage on pair of basic residues; Hormone; Amidation; Signal;
 KW Alternative splicing; Pyrrolidone carboxylic acid.
 FT SIGNAL 1 24
 FT CHAIN 25 93
 FT PROGNADOLIBERIN II.
 FT PEPTIDE 25 34
 FT GNRH-ASSOCIATED PEPTIDE II.
 FT PEPTIDE 38 93
 FT PYRROLIDONE CARBOXYLIC ACID (BY
 FT MOD_RES 25 25
 FT SIMILARITY).
 FT MOD_RES 34 34
 FT AMIDATION (G-35 PROVIDE AMIDE GROUP) (BY
 FT SIMILARITY).
 FT VARSPPLIC 75 82
 FT Missing (in isoform 2).
 FT /FTId=VSP_050476.
 SQ SEQUENCE 93 AA; 10668 MW; B3DE9920DCF6EAA9 CRC64;
 Query Match 95.9%; Score 70; DB 1; Length 93;
 Best Local Similarity 90.0%; Pred. No. 0.00064;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 1 EHWSHGWYPG 10
 :|||||
 Db 25 QHWSHGWTYP 34

RESULT 13
 GON2_SUNMU STANDARD; PRT; 110 AA.
 AC O97686;
 DT 16-OCT-2001 (Rel. 40, Created)
 DT 16-OCT-2001 (Rel. 40, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Progonadoliberin II precursor [Contains: Gonadoliberin II (LH-RH II)
 DE (luteinizing hormone-releasing hormone II) (Gonadotropin-releasing
 DE hormone II) (GnRH II) (Luliberin II); GnRH-associated peptide II].
 GN GNRH2.
 OS Suncus murinus (House shrew) (Musk shrew).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Insectivora; Soricidae; Crocidurinae; Suncus.
 OX NCBI_TaxID=9378;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;
 RA White R.B., Kasten T.L., White S.A., Rissman E.F., Fernald R.D.;
 RT "GnRH-II cDNA expression in the musk shrew.";
 RL Submitted (NOV-1998) to the EMBL/GenBank/DBJ databases.
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
 CC the secretion of both luteinizing and follicle-stimulating
 CC hormones (By similarity).
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- TISSUE SPECIFICITY: MIDBRAIN.
 CC -!- SIMILARITY: Belongs to the GnRH family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 DR EMBL; AF107315; AAD09114.1; -
 DR InterPro; IPR002012; GNRH.
 DR Pfam; PF00446; GNRH; 1.
 DR PROSITE; PS00473; GNRH; 1.
 KW Cleavage on pair of basic residues; Hormone; Amidation; Signal;
 KW Pyrrolidone carboxylic acid.
 FT SIGNAL 1 26
 FT CHAIN 27 110
 FT PROGNADOLIBERIN II.
 FT PEPTIDE 27 36
 FT GNRH-ASSOCIATED PEPTIDE II.
 FT PEPTIDE 40 110
 FT PYRROLIDONE CARBOXYLIC ACID
 FT MOD_RES 27 27
 FT (BY SIMILARITY).
 FT MOD_RES 36 36
 FT AMIDATION (G-37 PROVIDE AMIDE GROUP).
 SQ SEQUENCE 110 AA; 12120 MW; AB986905FB83D9DB CRC64;
 Query Match 95.9%; Score 70; DB 1; Length 110;
 Best Local Similarity 90.0%; Pred. No. 0.00075;
 Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
 QY 1 EHWSHGWYPG 10
 :|||||
 Db 27 QHWSHGWTYP 36
 RESULT 14
 GON2_TUPGB STANDARD; PRT; 114 AA.
 AC Q95336;
 DT 15-DEC-1998 (Rel. 37, Created)
 DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Progonadoliberin II precursor [Contains: Gonadoliberin II (LH-RH II)
 DE (luteinizing hormone-releasing hormone II) (Gonadotropin-releasing
 DE hormone II) (GnRH II) (Luliberin II); GnRH-associated peptide II].
 GN GNRH2.

Proc. Natl. Acad. Sci. U.S.A. 95:305-309(1998).

[2] SEQUENCE FROM N.A. (ISOFORMS 1; 2 AND 3).

RP MEDLINE=21638749; PubMed=11780052;

RX Deloukas P., Matthews L.H., Ashurst J., Burton J., Gilbert J.G.R., Jones M., Stavrides G., Almeida J.P., Babbage A.K., Bagguley C.L., Bailey J., Barlow K.F., Bates K.N., Beard L.M., Beare D.M., Beasley O.P., Bird C.P., Blakey S.E., Bridgeman A.M., Brown A.J., Buck D., Burrill W.D., Butler A.P., Carder C., Carter N.P., Clegg S.C., Clamp M., Clark G., Clark L.N., Clark S.Y., Clee C.M., Chapman J.C., Copley V.E., Collier R.E., Connor R.E., Corby N.R., Coulson A., Coville G.J., Deadman R., Dhani P.D., Dunn M., Ellington A.G., Frankland J.A., Fraser A., French L., Garner P., Grahnam D.V., Griffiths C., Griffiths M.N.D., Gwilliam R., Hall R.E., Hammond S., Harley J.L., Heath P.D., Ho S., Holden J.L., Howden P.J., Huckle E., Hunt A.L., Hunt S.E., Jekosch K., Johnson C.M., Johnson D., Kay M.P., Kimberley A.M., King A., Knights A., Laird G.K., Lawlor S., Lehesvaisto M.H., Leversha M.A., Lloyd C., Lloyd D.M., Lovell J.D., Mah V.L., Martin S.L., McConachie I.J., McMay K., McMurray A.A., Milne S.A., Mistry D., Moore M.J.F., Mullikin J.C., Nickerson T., Oliver K., Parker A., Patel R., Pearce T.A.V., Peck A.I., Phillips B.J.C.T., Prathalingam S.R., Plumb R.W., Ramsay H., Rice C.M., Rose M.T., Scott C.E., Senra H.K., Showkeen R., Sims S., Skuce R.D., Smith M.L., Soderlund C., Steward C.A., Sulston J.E., Swann R.M., Symcote N., Taylor R., Tee L., Thomas D.W., Thorpe A., Tracey A., Tromans A.C., Vaudin M., Wall M., Wallis J.M., Whitehead S.L., Whittaker P., Willey D.L., Williams L., Williams S.A., Wilming L., Wray P.W., Hubbard T., Durbin R.M., Bentley D.R., Beck S., Rogers J.,

RT "The DNA sequence and comparative analysis of human chromosome 20.";

RL Nature 414:865-871(2001).

RC -1- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates the secretion of both luteinizing and follicle-stimulating hormones.

CC -1- SUBCELLULAR LOCATION: Secreted.

CC -1- ALTERNATIVE PRODUCTS:

CC Event-Alternative splicing; Named isoforms=3;

CC Comment-Experimental confirmation may be lacking for some isoforms;

CC Name=1;

CC IsoId=O43555-1; Sequence=Displayed;

CC Name=2;

CC IsoId=O43555-2; Sequence=VSP_001825;

CC Name=3;

CC IsoId=O43555-3; Sequence=VSP_001826;

CC -1- TISSUE SPECIFICITY: MIDBRAIN; EXPRESSED AT SIGNIFICANTLY HIGHER LEVELS OUTSIDE THE BRAIN (UP TO 30-FOLD), PARTICULARLY IN THE KIDNEY, BONE MARROW, AND PROSTATE.

CC -1- SIMILARITY: Belongs to the GnRH family.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

CC -----

CC EMBL; AF036329; AAC02980.1; -

CC EMBL; AF036330; AAC02981.1; -

CC EMBL; AL121905; CAC10338.1; -

CC EMBL; AL121905; CAC10339.1; -

CC EMBL; AL121905; CAC29100.1; -

CC EMBL; AL121905; CAC29101.1; -

CC Genew; HGNC:4420; GNRH2.

CC MIM; 602352; -

CC GO; GO:0005625; C:soluble fraction; TAS.

CC GO; GO:0005179; F:hormone activity; TAS.

CC GO; GO:0007165; P:signal transduction; TAS.

CC InterPro; IPR002012; GNRH.

CC Pfam; PF00446; GNRH; 1.

CC PROSITE; PS00473; GNRH; 1.

CC Cleavage on pair of basic residues; Hormone; Amidation; Signal;

CC Alternative splicing; Pyrrolidone carboxylic acid.

KW


```

FT SIGNAL 1 23 POTENTIAL.
FT CHAIN 24 120 PROGNADOLIBERIN II.
FT PEPTIDE 24 33 GNADOLIBERIN II.
FT PEPTIDE 39 120 GNHR-ASSOCIATED PEPTIDE II.
FT MOD_RES 24 24 PYROLIDONE CARBOXYLIC ACID
(BY SIMILARITY).
FT MOD_RES 33 33 AMIDATION (G-34 PROVIDE AMIDE GROUP).
FT VARSPPLIC 52 59 Missing (in isoform 2).
FT VARSPPLIC 52 58 /Frid=Vsp 001825.
FT VARSPPLIC 52 58 Missing (in isoform 3).
FT VARSPPLIC 52 58 /Frid=Vsp 001826.
SQ SEQUENCE 120 AA; 12917 MW; D58CDA14B6D6FB8D CRC64;

Query Match 95.9%; Score 70; DB 1; Length 120;
Best Local Similarity 90.0%; Pred. No. 0.00081;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
Db 24 QHWSHGWLPG 33

RESULT 16
GNL SQAC STANDARD; PRT; 10 AA.
AC P27429;
DT 01-AUG-1992 (Rel. 23, Created)
DT 01-AUG-1992 (Rel. 23, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein (Gonadotropin-releasing hormone) (GNRH) (LH-RH)
DE (Luliberin).
OS Squalus acanthias (Spiny dogfish).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Chondrichthyes;
OC Elasmobranchii; Squala; Squaloidei; Squalidae; Squalus.
OX NCBI_TaxID=7797;
RN [1]
RP SEQUENCE.
RC TISSUE=Brain;
RX MEDLINE=92335300; PubMed=1631133;
RA Lovejoy D.A., Fischer W.H., Ngamwongchon S., Craig A.G.,
RA Nahorniak C.S., Peter R.E., Rivier J.E., Sherwood N.M.;
RT "Distinct sequence of gonadotropin-releasing hormone (GNRH) in
RT dogfish brain provides insight into GNRH evolution.";
RL Proc. Natl. Acad. Sci. U.S.A. 89:6373-6377(1992).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GNRH family.
DR PIR; A46030; A46030.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Hormone; Amidation; Hypothalamus; Pyroliidone carboxylic acid.
FT MOD_RES 1 1 PYROLIDONE CARBOXYLIC ACID.
FT MOD_RES 10 10 AMIDATION.
SQ SEQUENCE 10 AA; 1204 MW; 284B32337871F5A3 CRC64;

Query Match 84.9%; Score 62; DB 1; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.0011;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
Db 1 QHWSHGWLPG 10

RESULT 17
GN3 ONCKE STANDARD; PRT; 10 AA.
AC P20367; P81751;
DT 01-FEB-1991 (Rel. 17, Created)
DT 01-FEB-1991 (Rel. 17, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein III (Gonadotropin-releasing hormone III) (GNRH-III) (LH-

```

```

DE RH III) (Luliberin III).
GN GNRH3.
OS Oncorhynchus keta (Chum salmon), and
OS Clupea pallasi (Pacific herring).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8018, 30724;
RN [1]
RP SEQUENCE.
RC SPECIES=O. keta;
RX MEDLINE=83195140; PubMed=6341999;
RA Sherwood N., Eiden L., Brownstein M., Spiess J., Rivier J., Vale W.;
RT "Characterization of a teleost gonadotropin-releasing hormone.";
RL Proc. Natl. Acad. Sci. U.S.A. 80:2794-2798(1983).
RN [2]
RP SEQUENCE, AND FUNCTION.
RC SPECIES=C. pallasi; TISSUE=Brain, and Pituitary;
RX MEDLINE=20114351; PubMed=10650929;
RA Carolsfeld J., Powell J.F.F., Park M., Fischer W.H., Craig A.G.,
RA Chang J.P., Rivier J.E., Sherwood N.M.;
RT "Primary structure and function of three gonadotropin-releasing
RT hormones, including a novel form, from an ancient teleost, herring.";
RL Endocrinology 141:505-512(2000).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
CC the secretion of both luteinizing and follicle-stimulating
CC hormones.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GNRH family.
DR PIR; A21114; A21114.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Hormone; Amidation; Hypothalamus; Pyroliidone carboxylic acid.
FT MOD_RES 1 1 PYROLIDONE CARBOXYLIC ACID.
FT MOD_RES 10 10 AMIDATION.
SQ SEQUENCE 10 AA; 1230 MW; 284B3233786B45A3 CRC64;

Query Match 76.7%; Score 56; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.008;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
Db 1 QHWSHGWLPG 10

RESULT 18
GN3 ONCMY STANDARD; PRT; 74 AA.
AC P55246;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein III precursor (Gonadotropin-releasing hormone III)
DE (GNRH-III) (LH-RH III) (Luliberin III) (Fragment).
GN GNRH3.
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Muscle;
RA Klungland H., Anderson O., Alestroem P.;
RT "The salmon gonadotropin-releasing hormone encoding gene in
RT salmonids."
RL Mol. Mar. Biol. Biotechnol. 1:420-425(1992).
RN [2]
RP SEQUENCE OF 1-65 FROM N.A.
RX MEDLINE=93386322; PubMed=1308825;
RA Alestroem P., Kisen G., Klungland H., Andersen O.;

```

RT "Fish gonadotropin-releasing hormone gene and molecular approaches
RT for control of sexual maturation: development of a transgenic fish
model.";

RL Mol. Mar. Biol. Biotechnol. 1:376-379(1992).

CC -!- FUNCTION: Stimulates the secretion of gonadotropins.

CC -!- SUBCELLULAR LOCATION: Secreted.

CC -!- SIMILARITY: Belongs to the GnRH family.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

CC EMBL; X79710; CAA56149.1; -.

DR EMBL; S65569; AAD13966.1; -.

DR InterPro; IPR002012; GnRH.

DR Pfam; PF00446; GnRH; 1.

DR PROSITE; PS00473; GnRH; 1.

KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Signal; Pyrrolidone carboxylic acid.

FT NON_TER 1 1

FT SIGNAL <1 15 BY SIMILARITY.

FT CHAIN 16 74 PROGNADOLIBERIN III.

FT PEPTIDE 16 25 GONADOLIBERIN III.

FT PEPTIDE 29 74 GnRH-ASSOCIATED PEPTIDE III.

FT MOD_RES 16 16 PYRROLIDONE CARBOXYLIC ACID

FT MOD_RES 25 25 (BY SIMILARITY).

FT MOD_RES 25 25 AMIDATION (G-26 PROVIDE AMIDE GROUP).

FT SEQUENCE 74 AA; 8254 MW; BD63C46D8228EF84 CRC64;

SQ

Query Match 76.7%; Score 56; DB 1; Length 74;

Best Local Similarity 70.0%; Pred. No. 0.055; 1; Indels 0; Gaps 0;

Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10

Db 16 QHWSYGLWPG 25

RESULT 19

GON3 ONCTS STANDARD; PRT; 74 AA.

AC Q92097;

DT 15-DEC-1998 (Rel. 37, Created)

DT 15-DEC-1998 (Rel. 37, Last sequence update)

DT 28-FEB-2003 (Rel. 41, Last annotation update)

DE Gonadoliberin III precursor (Gonadotropin-releasing hormone III)

DE (GnRH-III) (LH-RH III) (Luliberin III) (Fragment).

GN GnRH3.

OS Oncorhynchus tshawytscha (Chinook salmon) (King salmon).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;

OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.

OC NCBI_TaxID=74940;

OX [1]

SEQUENCE FROM N.A.

TISSUE=Muscle;

MEBLINE=92267241; PubMed=1587389;

RA Klungland H., Lorenz J.B., Andersen O., Kisen G.O., Alestroem P.;

RT "The Atlantic salmon prepro-gonadotropin releasing hormone gene and

mRNA.";

RL Mol. Cell. Endocrinol. 84:167-174(1992).

CC -!- FUNCTION: Stimulates the secretion of gonadotropins.

CC -!- SUBCELLULAR LOCATION: Secreted.

CC -!- SIMILARITY: Belongs to the GnRH family.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -

CC the European Bioinformatics Institute. There are no restrictions on its

CC use by non-profit institutions as long as its content is in no way

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

CC EMBL; X79711; CAA56150.1; -.

DR PIR; I51092; I51092.

DR InterPro; IPR002012; GnRH.

DR Pfam; PF00446; GnRH; 1.

DR PROSITE; PS00473; GnRH; 1.

KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Signal; Pyrrolidone carboxylic acid.

FT NON_TER 1 1

FT SIGNAL <1 15 BY SIMILARITY.

FT CHAIN 16 74 PROGNADOLIBERIN III.

FT PEPTIDE 16 25 GONADOLIBERIN III.

FT PEPTIDE 29 74 GnRH-ASSOCIATED PEPTIDE III.

FT MOD_RES 16 16 PYRROLIDONE CARBOXYLIC ACID

FT MOD_RES 25 25 (BY SIMILARITY).

FT MOD_RES 25 25 AMIDATION (G-26 PROVIDE AMIDE GROUP).

FT SEQUENCE 74 AA; 8254 MW; BEAF0B783F80EF84 CRC64;

SQ

Query Match 76.7%; Score 56; DB 1; Length 74;

Best Local Similarity 70.0%; Pred. No. 0.055; 1; Indels 0; Gaps 0;

Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10

Db 16 QHWSYGLWPG 25

RESULT 20

GON3 ONCMA STANDARD; PRT; 82 AA.

AC P30973;

DT 01-JUL-1993 (Rel. 26, Created)

DT 01-JUL-1993 (Rel. 26, Last sequence update)

DT 28-FEB-2003 (Rel. 41, Last annotation update)

DE Gonadoliberin III precursor (Gonadotropin-releasing hormone III)

DE (GnRH-III) (LH-RH III) (Luliberin III).

GN GnRH3.

OS Oncorhynchus masou (Cherry salmon) (Masu salmon).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;

OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.

OC NCBI_TaxID=8020;

OX [1]

SEQUENCE FROM N.A.

MEBLINE=92384893; PubMed=1515027;

RA Suzuki M., Hyodo S., Kobayashi M., Aida K., Urano A.;

RT "Characterization and localization of mRNA encoding the salmon-type

gonadotropin-releasing hormone precursor of the masu salmon.";

J. Mol. Endocrinol. 9:73-82(1992).

CC -!- FUNCTION: Stimulates the secretion of gonadotropins.

CC -!- SUBCELLULAR LOCATION: Secreted.

CC -!- SIMILARITY: Belongs to the GnRH family.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -

CC the European Bioinformatics Institute. There are no restrictions on its

CC use by non-profit institutions as long as its content is in no way

CC modified and this statement is not removed. Usage by and for commercial

CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

CC EMBL; D10946; BAA01740.1; -.

DR EMBL; 844614; AAB63599.1; -.

DR PIR; I51180; I51180.

DR InterPro; IPR002012; GnRH.

DR Pfam; PF00446; GnRH; 1.

DR PROSITE; PS00473; GnRH; 1.

KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;

KW Signal; Pyrrolidone carboxylic acid.

FT SIGNAL 1 23

```

FT CHAIN          24      82      PRONADOLIBERIN III.
FT PEPTIDE        24      33      GONADOLIBERIN III.
FT PEPTIDE        37      24      GNRH-ASSOCIATED PEPTIDE III.
FT MOD_RES        24      82      PYRROLIDONE CARBOXYLIC ACID
FT MOD_RES        33      33      (BY SIMILARITY).
FT MOD_RES        33      33      AMIDATION (G-34 PROVIDE AMIDE GROUP).
SQ SEQUENCE       82 AA; 9184 MW; 7595A038964B9B86 CRC64;

Query Match      76.7%; Score 56; DB 1; Length 82;
Best Local Similarity 70.0%; Pred. No. 0.061;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWTPG 10
DB 24 QHWSYGWLPG 33

RESULT 21
GON3_SALSA
ID GON3_SALSA STANDARD; PRT; 82 AA.
AC P35629; PS1920;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberin III precursor (Gonadotropin-releasing hormone III)
DE (GNRH-III) (LH-RH III) (Luliberin III).
GN GNRH3.
OS Salmo salar (Atlantic salmon).
OS Salvelinus fontinalis (Brook trout) (Brook char), and
OS Oncorhynchus nerka (Sockeye salmon).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Salmo.
OC NCBI_TaxID=8030, 8038, 8023;
OX [1]
RN SEQUENCE FROM N.A.
RC SPECIES=S.salar, and S.fontinalis; TISSUE=Hypothalamus;
RX MEDLINE=92267241; PubMed=1587389;
RA Klungland H., Lorens J.B., Andersen O., Kisen G.O., Alestroem P.;
RT "The Atlantic salmon prepro-gonadotropin releasing hormone gene and
RT mRNA.";
RL Mol. Cell. Endocrinol. 84:167-174 (1992).
RN [2]
RP SEQUENCE FROM N.A.
RC SPECIES=O.nerka; TISSUE=Liver;
RX MEDLINE=96227617; PubMed=8674859;
RA Coe I.R., von Schalburg K.R., Sherwood N.M.;
RT "Characterization of the pacific salmon gonadotropin-releasing hormone
RT gene, copy number and transcription start site.";
RL Mol. Cell. Endocrinol. 115:113-122 (1995).
RN [3]
RP SEQUENCE FROM N.A.
RC SPECIES=O.nerka; STRAIN=Nikko; TISSUE=Brain;
RX MEDLINE=96020547; PubMed=8546809;
RA Ashihara M., Suzuki M., Kubokawa K., Aida K., Urano A.;
RT "Two differing precursor genes for the salmon-type gonadotropin-
RT releasing hormones exist in salmonids.";
RL J. Mol. Endocrinol. 15:1-9 (1995).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- TISSUE SPECIFICITY: Brain.
CC -!- SIMILARITY: Belongs to the GNRH family.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; X79709; CAA56148.1; -
CC EMBL; X74957; CAA52912.1; -

```

```

DR EMBL; X79712; CAA56151.1; -
DR EMBL; X91408; CAA62751.1; -
DR EMBL; D31869; BAA06667.1; -
DR PIR; I51331; I51331.
DR PIR; I51356; I51355.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Signal; Pyrrolidone carboxylic acid.
FT CHAIN          24      82      PRONADOLIBERIN III.
FT PEPTIDE        24      33      GONADOLIBERIN III.
FT PEPTIDE        37      82      GNRH-ASSOCIATED PEPTIDE III.
FT MOD_RES        24      24      PYRROLIDONE CARBOXYLIC ACID
FT MOD_RES        33      33      (BY SIMILARITY). PROVIDE AMIDE GROUP).
FT MOD_RES        33      33      AMIDATION (G-34 PROVIDE AMIDE GROUP).
FT VARIANT        81      81      H -> Q.
SQ SEQUENCE       82 AA; 9143 MW; 8053F4E4A765408 CRC64;

Query Match      76.7%; Score 56; DB 1; Length 82;
Best Local Similarity 70.0%; Pred. No. 0.061;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWTPG 10
DB 24 QHWSYGWLPG 33

RESULT 22
GON3_SALTR
ID GON3_SALTR STANDARD; PRT; 82 AA.
AC P45653;
DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DT 10-OCT-2003 (Rel. 42, Last annotation update)
DE Gonadoliberin III precursor (Gonadotropin-releasing hormone III)
DE (Luteinizing hormone releasing hormone III) (Gonadotropin-releasing
DE hormone III) (GNRH-III) (LH-RH III) (Luliberin III); GNRH-associated
DE peptide III].
DE GNRH3.
OS Salmo trutta (Brown trout).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Salmo.
OC NCBI_TaxID=8032;
OX [1]
RN SEQUENCE FROM N.A.
RC TISSUE=Muscle;
RA Klungland H., Anderson O., Alestroem P.;
RT "The salmon gonadotropin-releasing hormone encoding gene in
RT salmonids.";
RL Mol. Mar. Biol. Biotechnol. 1:420-425 (1992).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GNRH family.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; X79713; CAA56152.1; -
DR PIR; I51365; I51365.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Signal; Pyrrolidone carboxylic acid.
FT CHAIN          24      82      PRONADOLIBERIN III.
FT PEPTIDE        24      33      GONADOLIBERIN III.
FT PEPTIDE        37      82      GNRH-ASSOCIATED PEPTIDE III.
FT MOD_RES        24      24      PYRROLIDONE CARBOXYLIC ACID
FT MOD_RES        33      33      (BY SIMILARITY). PROVIDE AMIDE GROUP).
FT MOD_RES        33      33      AMIDATION (G-34 PROVIDE AMIDE GROUP).
FT VARIANT        81      81      H -> Q.
SQ SEQUENCE       82 AA; 9143 MW; 8053F4E4A765408 CRC64;

Query Match      76.7%; Score 56; DB 1; Length 82;
Best Local Similarity 70.0%; Pred. No. 0.061;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWTPG 10
DB 24 QHWSYGWLPG 33

```

```

FT CHAIN 24 82 PROGNADOLIBERIN III.
FT PEPTIDE 24 33 GONADOLIBERIN III.
FT PEPTIDE 37 82 GNRH-ASSOCIATED PEPTIDE III (POTENTIAL).
FT MOD_RES 24 24 PYRROLIDONE CARBOXYLIC ACID.
FT MOD_RES 33 33 AMIDATION (G-34 PROVIDE AMIDE GROUP).
SQ SEQUENCE 82 AA; 9191 MW; 805389534A765408 CRC64;

Query Match 76.7%; Score 56; DB 1; Length 82;
Best Local Similarity 70.0%; Pred. No. 0.061;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
:|||||
Db 24 QHWSYGLWPG 33

RESULT 23
GON3_PORNO STANDARD; PRT; 89 AA.
AC P51922;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein III precursor (Gonadotropin-releasing hormone III)
DE (GNRH-III) (LH-RH III) (Luliberin III).
GN GNRH3.
OS Porichthys notatus (Plainfin midshipman).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Paracanthopterygii; Batrachoididae; Porichthys.
OX NCBI_TaxID=45384;
[1]
SEQUENCE FROM N.A.
MEDLINE=95385993; PubMed=7657161;
RA Grober M.S., Myers T.R., Marchaterra M.A., Bass A.H., Myers D.A.;
RT "Structure, localization, and molecular phylogeny of a GnRH cDNA from
RT a paracanthopterygian fish, the plainfin midshipman (Porichthys
RT notatus).";
RL Gen. Comp. Endocrinol. 99:85-99(1995).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GnRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
DR EMBL; U41689; AAC59784.1; -
DR EMBL; S79620; AAG35188.1; -
DR InterPro; IPR002012; GnRH.
DR Pfam; PF00446; GnRH; 1.
DR PROSITE; PS00473; GNRH; 1.
DR Signal; Pyrrolidone carboxylic acid.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
FT SIGNAL 1 23 BY SIMILARITY.
FT CHAIN 24 89 GONADOLIBERIN III.
FT PEPTIDE 24 33 GONADOLIBERIN III.
FT PEPTIDE 37 89 GNRH-ASSOCIATED PEPTIDE III (POTENTIAL).
FT MOD_RES 24 24 PYRROLIDONE CARBOXYLIC ACID
(BY SIMILARITY).
FT MOD_RES 33 33 AMIDATION (G-34 PROVIDE AMIDE GROUP).
SQ SEQUENCE 89 AA; 10118 MW; AED32789B9F1475 CRC64;

Query Match 76.7%; Score 56; DB 1; Length 89;
Best Local Similarity 70.0%; Pred. No. 0.066;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
:|||||
Db 24 QHWSYGLWPG 33

RESULT 25
GON3_HAPBU STANDARD; PRT; 90 AA.
AC P45652;
DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)

```

```

Db 24 QHWSYGLWPG 33

RESULT 24
GON3_DICLA STANDARD; PRT; 90 AA.
AC Q91A09;
DT 16-OCT-2001 (Rel. 40, Created)
DT 16-OCT-2001 (Rel. 40, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein III precursor (Gonadotropin-releasing hormone III)
DE (GNRH-III) (LH-RH III) (Luliberin III).
GN GNRH3.
OS Dicertrarchus labrax (European sea bass).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Perciformes; Percidae;
OC Moronidae; Dicertrarchus.
OX NCBI_TaxID=13489;
[1]
SEQUENCE FROM N.A.
MEDLINE=20540016; PubMed=11086295;
RA Gonzalez-Martinez D., Madigou T., Zmora N., Anglade I., Zanuy S.,
RA Zohar Y., Elizur A., Munoz-Cueto J.A., Kah O.;
RT "Differential expression of three different prepro-GnRH
RT (gonadotropin-releasing hormone) messengers in the brain of the
RT european sea bass (Dicertrarchus labrax).";
RL J. Comp. Neurol. 429:144-155(2001).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins (By
CC similarity).
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GnRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
DR EMBL; AF224280; AAF62899.1; -
DR InterPro; IPR002012; GnRH.
DR Pfam; PF00446; GnRH; 1.
DR PROSITE; PS00473; GNRH; 1.
DR Signal; Pyrrolidone carboxylic acid.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
FT SIGNAL 1 23 BY SIMILARITY.
FT CHAIN 24 90 GONADOLIBERIN III.
FT PEPTIDE 24 33 GONADOLIBERIN III.
FT PEPTIDE 37 82 GNRH-ASSOCIATED PEPTIDE III (POTENTIAL).
FT MOD_RES 24 24 PYRROLIDONE CARBOXYLIC ACID
(BY SIMILARITY).
FT MOD_RES 33 33 AMIDATION (G-34 PROVIDE AMIDE GROUP).
SQ SEQUENCE 90 AA; 10154 MW; B06A7BA413930C67 CRC64;

Query Match 76.7%; Score 56; DB 1; Length 90;
Best Local Similarity 70.0%; Pred. No. 0.067;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
:|||||
Db 24 QHWSYGLWPG 33

RESULT 25
GON3_HAPBU STANDARD; PRT; 90 AA.
AC P45652;
DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)

```

```

DE Gonadoliberin III precursor (Gonadotropin-releasing hormone III)
DE (GNRH-III) (LH-RH III) (Luliberin III).
GN GNRH3.
OS Haplochromis burtoni (Burton's mouthbrooder).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Labroidae;
OC Cichlidae; Astototillapia.
OX NCBI_TaxID=8153;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=92049375; PubMed=1944299;
RA Bond C.T., Francis R.C., Fernald R.D., Adelman J.P.;
RT "Characterization of complementary DNA encoding the precursor for
RT gonadotropin-releasing hormone and its associated peptide from a
RT teleost fish."
RL Mol. Endocrinol. 5:931-937(1991).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- TISSUE SPECIFICITY: EXPRESSED ONLY IN THE TERMINAL NERVE NUCLEUS
CC OF THE TELECEPHALON.
CC -!- SIMILARITY: Belongs to the GnRH family.
DR PIR: A23735; A23735.
DR InterPro: IPR002012; GnRH.
DR Pfam: PF00446; GnRH; 1.
DR PROSITE: PS00473; GnRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Signal; Multigene family; Pyrrolidone carboxylic acid.
FT SIGNAL 1 23
FT CHAIN 24 90 PROGNADOLIBERIN III.
FT PEPTIDE 24 33 GNADOLIBERIN III.
FT PEPTIDE 37 82 GNRH-ASSOCIATED PEPTIDE III (POTENTIAL).
FT MOD_RES 24 24 PYRROLIDONE CARBOXYLIC ACID
FT MOD_RES 33 33 (BY SIMILARITY).
FT MOD_RES 33 33 AMIDATION (G-34 PROVIDE AMIDE GROUP).
SQ SEQUENCE 90 AA; 10096 MW; B36362E9F4A53A4E CRC64;

Query Match 76.7%; Score 56; DB 1; Length 90;
Best Local Similarity 70.0%; Pred. No. 0.067;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
Db :|||||
24 QHWSYGLWPG 33

RESULT 26
GN3_ORYLA STANDARD; PRT; 90 AA.
AC Q9DD49; Q8J1Q3;
DT 10-OCT-2003 (Rel. 42, Created)
DT 10-OCT-2003 (Rel. 42, Last sequence update)
DT 10-OCT-2003 (Rel. 42, Last annotation update)
DE Prognadoliberin III precursor (Salmon-type gonadotropin-releasing
DE hormone) (sgnRH) [Contains: Gonadoliberin III (LH-RH III) (Luteinizing
DE hormone releasing hormone III) (Gonadotropin releasing hormone III)
DE (GNRH III) (Luliberin III); GNRH-associated peptide III].
OS Oryzias latipes (Medaka fish) (Japanese ricefish).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Atherinomorpha;
OC Belontiiformes; Adrianichthyidae; Oryziinae; Oryzias.
OX NCBI_TaxID=8090;
RN [1]
RP SEQUENCE FROM N.A., AND TISSUE SPECIFICITY.
RC TISSUE=Brain;
RX MEDLINE=20462954; PubMed=11006121;
RA Okubo K., Amano M., Yoshiura Y., Suetake H., Aida K.;
RT "A novel form of gonadotropin-releasing hormone in the medaka,
RT Oryzias latipes."
RL Biochem. Biophys. Res. Commun. 276:298-303(2000).
RN [2]
RP SEQUENCE FROM N.A.

RC STRAIN=HNI, and Himedaka;
RX MEDLINE=22133319; PubMed=12137956;
RA Okubo K., Mitani H., Naruse K., Kondo M., Shima A., Tanaka M.,
RA Asakawa S., Shimizu N., Yoshiura Y., Aida K.;
RT "Structural characterization of GnRH loci in the medaka genome."
RL Gene 293:181-189(2002).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins (By
CC similarity).
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- TISSUE SPECIFICITY: Expressed in neuron cell bodies of the nucleus
CC olfactoretinalis.
CC -!- MISCELLANEOUS: Teleost species possess three paralogous GnRHs:
CC mdGnRH and cGnRH-II have been identified in teleosts; sGnRH has
CC no trapped ortholog and is thought to be a duplication of cGnRH-
CC II.
CC -!- SIMILARITY: Belongs to the GnRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
DR EMBL; AB041331; BAB16301.1; -
DR EMBL; AB041332; BAB16302.1; -
DR EMBL; AB041335; BAC06418.1; -
DR EMBL; AB074501; BAC06425.1; -
DR PIR: JC7395; JC7395.
DR GO: GO:0005576; C:extracellular; ISS.
DR GO: GO:0005183; F:luteinizing hormone-releasing factor activity; ISS.
DR GO: GO:0007275; F:development; ISS.
DR InterPro: IPR002012; GnRH.
DR Pfam: PF00446; GnRH; 1.
DR PROSITE: PS00473; GnRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Signal;
KW Multigene family; Pyrrolidone carboxylic acid.
FT SIGNAL 1 23
FT CHAIN 24 90 PROGNADOLIBERIN III.
FT PEPTIDE 24 33 GNADOLIBERIN III.
FT PEPTIDE 37 90 GNRH-ASSOCIATED PEPTIDE III.
FT MOD_RES 24 24 PYRROLIDONE CARBOXYLIC ACID (BY
FT SIMILARITY).
FT MOD_RES 33 33 AMIDATION (G-34 PROVIDE AMIDE GROUP) (BY
FT SIMILARITY).
FT CONFLICT 17 17 V -> M (IN REF. 2; BAC06425).
SQ SEQUENCE 90 AA; 10176 MW; AE0B3DC9047475B9 CRC64;

Query Match 76.7%; Score 56; DB 1; Length 90;
Best Local Similarity 70.0%; Pred. No. 0.067;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
Db :|||||
24 QHWSYGLWPG 33

RESULT 27
GN3_PAGMA STANDARD; PRT; 90 AA.
AC P51921;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberin III precursor (Gonadotropin-releasing hormone III)
DE (GNRH-III) (LH-RH III) (Luliberin III).
GN GNRH3.
OS Pagrus major (Red sea bream) (Chrysophrys major).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Percoidae;
OC Sparidae; Pagrus.

```

```

OX NCBI_TaxID=143350;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Olfactory bulb; PubMed=7851723;
RX MEDLINE=95154651; PubMed=7851723;
RA Okuzawa K., Ataki K., Tanaka H., Kagawa H., Hirose K.;
RT "Molecular cloning of a cDNA encoding the prepro-salmon gonadotropin-releasing hormone of the red seabream.";
RL Gen. Comp. Endocrinol. 96:234-242(1994).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GnRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See http://www.isb-sib.ch/announce/ or send an email to license@isb-sib.ch).
CC
CC EMBL; D26108; BAA05104.1; -.
DR PIR; I51095;
DR InterPro; IPR002012; GnRH.
DR Pfam; PF00446; GnRH; 1.
DR PROSITE; PS00473; GnRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Signal; Pyrrolidone carboxylic acid.
FT SIGNAL 1 23 BY SIMILARITY.
FT CHAIN 24 90 PROGONADOLIBERIN III.
FT PEPTIDE 24 33 GONADOLIBERIN III.
FT PEPTIDE 37 82 GnRH-ASSOCIATED PEPTIDE III (POTENTIAL).
FT MOD_RES 24 24 PYRROLIDONE CARBOXYLIC ACID
FT (BY SIMILARITY).
FT MOD_RES 33 33 AMIDATION (G-34 PROVIDE AMIDE GROUP).
FT SEQUENCE 90 AA; 10070 MW; F84E5993868C2FED CRC64;
SQ
Query Match 76.7%; Score 56; DB 1; Length 90;
Best Local Similarity 70.0%; Pred. No. 0.067;
Matches 7; Conservative 1; Indels 0; Gaps 0;
QY 1 EHWSHGWPG 10
DB :|||:|
24 QHWSYGLWPG 33

RESULT 28
GON3_SPAU
ID GON3_SPAU STANDARD; PRT; 90 AA.
AC F51923;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein III precursor (Gonadotropin-releasing hormone III) (GnRH-III) (LH-RH III) (Luliberin III).
GN GnRH3.
OS Sparus aurata (Gilthead sea bream).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Percoidae;
OC Sparidae; Sparus.
OX NCBI_TaxID=8175;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RX MEDLINE=99061849; PubMed=98436645;
RA Holland M.C.H., Gothif Y., Meiri I., King J.A., Okuzawa K., Elizur A., Zohar Y.;
RT "Levels of the native forms of GnRH in the pituitary of the gilthead seabream, Sparus aurata, at several characteristic stages of the gonadal cycle.";
RL Gen. Comp. Endocrinol. 112:394-405(1998).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.

```

```

CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GnRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See http://www.isb-sib.ch/announce/ or send an email to license@isb-sib.ch).
CC
CC EMBL; U30311; AAA98845.1; -.
DR InterPro; IPR002012; GnRH.
DR Pfam; PF00446; GnRH; 1.
DR PROSITE; PS00473; GnRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Signal; Pyrrolidone carboxylic acid.
FT SIGNAL 1 23 BY SIMILARITY.
FT CHAIN 24 90 PROGONADOLIBERIN III.
FT PEPTIDE 24 33 GONADOLIBERIN III.
FT PEPTIDE 37 82 GnRH-ASSOCIATED PEPTIDE III (POTENTIAL).
FT MOD_RES 24 24 PYRROLIDONE CARBOXYLIC ACID
FT (BY SIMILARITY).
FT MOD_RES 33 33 AMIDATION (G-34 PROVIDE AMIDE GROUP).
FT SEQUENCE 90 AA; 10030 MW; FB4E47EB868C2FBD CRC64;
SQ
Query Match 76.7%; Score 56; DB 1; Length 90;
Best Local Similarity 70.0%; Pred. No. 0.067;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
QY 1 EHWSHGWPG 10
DB :|||:|
24 QHWSYGLWPG 33

RESULT 29
GON3_CARAU
ID GON3_CARAU STANDARD; PRT; 94 AA.
AC F51917;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein III precursor (Gonadotropin-releasing hormone III) (GnRH-III) (LH-RH III) (Luliberin III).
GN GnRH3.
OS Carassius auratus (Goldfish).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Carassius.
OX NCBI_TaxID=7957;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=96276584; PubMed=8729938;
RA Lin X.-W., Peter R.E.;
RT "Expression of salmon gonadotropin-releasing hormone (GnRH) and chicken GnRH-II precursor messenger ribonucleic acids in the brain and ovary of goldfish.";
RL Gen. Comp. Endocrinol. 101:282-296(1996).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GnRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See http://www.isb-sib.ch/announce/ or send an email to license@isb-sib.ch).
CC
CC EMBL; U30301; AAC59888.1; -.
DR InterPro; IPR002012; GnRH.
DR Pfam; PF00446; GnRH; 1.

```

DR PROSITE; PS00473; GNRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
FT SIGNAL; Pyrrolidone carboxylic acid.
FT CHAIN 1 23
FT CHAIN 24 94
FT PEPTIDE 24 33
FT PEPTIDE 37 94
FT MOD_RES 24 24
FT MOD_RES 33 33
FT MOD_RES 33 33
SQ SEQUENCE 94 AA; 10511 MW; 14405ED82ECD2BEB CRC64;
Query Match 76.7%; Score 56; DB 1; Length 94;
Best Local Similarity 70.0%; Pred. No. 0.07;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
Oy 1 EHWSHGWYPG 10
Db 24 QHWSYGNLPG 33
:||||:|||||
RESULT 30
GON3_RUTRU STANDARD; PRT; 94 AA.
AC Q92106;
DT 15-JUL-1998 (Rel. 36, Created)
DT 15-JUL-1998 (Rel. 36, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberin III precursor (Gonadotropin-releasing hormone III)
DE (GNRH-III) (LH-RH III) (Luliberin III).
GN GNRH3.
OS Rutilus rutilus (Roach).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Rutilus.
OX NCBI_TaxID=48668;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Olfactory bulb;
RX MEDLINE=98121986; PubMed=9460654;
RA Penington M.C., Williams M.A., Sumpter J.P., Rand-Weaver M.,
RA Hoole D., Arne C.;
RT "Isolation and characterisation of mRNA encoding the salmon- and
RT chicken- II type gonadotropin-releasing hormones in the teleost fish
RT Rutilus rutilus (Cyprinidae).";
RL J. Mol. Endocrinol. 19:337-346 (1997).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins (By
CC similarity).
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GNRH family.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

CC EMBL; U60667; AAB65821.1; -.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
FT SIGNAL 1 23
FT CHAIN 24 94
FT PEPTIDE 24 33
FT PEPTIDE 37 94
FT MOD_RES 24 24
FT MOD_RES 33 33
FT MOD_RES 33 33
SQ SEQUENCE 94 AA; 10511 MW; 14405ED82ECD2BEB CRC64;
Query Match 76.7%; Score 56; DB 1; Length 94;
Best Local Similarity 70.0%; Pred. No. 0.07;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
Oy 1 EHWSHGWYPG 10
Db 24 QHWSYGNLPG 33
:||||:|||||
RESULT 31
GON3_PETMA STANDARD; PRT; 10 AA.
AC P30348;
DT 01-JUL-1993 (Rel. 26, Created)
DT 01-JUL-1993 (Rel. 26, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberin III (Gonadotropin-releasing hormone III) (GNRH-III)
DE (Luliberin III).
OS Petromyzon marinus (Sea lamprey).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Hyperoartia;
OC Petromyzontiformes; Petromyzontidae; Petromyzon.
OX NCBI_TaxID=7757;
RN [1]
RP SEQUENCE.
RC TISSUE=Brain;
RX MEDLINE=93178316; PubMed=8440174;
RA Sower S.A., Chiang Y.-C., Lovas S., Conlon J.M.;
RT "Primary structure and biological activity of a third gonadotropin-
RT releasing hormone from lamprey brain.";
RL Endocrinology 132:1125-1131 (1993).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
CC the secretion of both luteinizing and follicle-stimulating
CC hormones.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GNRH family.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Hormone; Amidation; Hypothalamus; Pyrrolidone carboxylic acid.
FT MOD_RES 1 1
FT MOD_RES 10 10
FT MOD_RES 10 10
SQ SEQUENCE 10 AA; 1277 MW; 284B36237AA1F5A3 CRC64;
Query Match 74.0%; Score 54; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.016;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
Oy 1 EHWSHGWYPG 10
Db 1 QHWSHDKWPG 10
:||||:|||||
RESULT 32
GON1_CLUPA STANDARD; PRT; 10 AA.
AC P81749;
DT 16-OCT-2001 (Rel. 40, Created)
DT 16-OCT-2001 (Rel. 40, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberin I (Gonadotropin-releasing hormone I) (GNRH-I) (LH-RH)
DE (Luliberin I).
GN GNRH1.
OS Clupea pallasii (Pacific herring).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Clupeomorpha; Clupeidae;
OC Clupea.
OX NCBI_TaxID=30724;
RN [1]
RP SEQUENCE, AND FUNCTION.
RC TISSUE=Brain, and Pituitary;
RX MEDLINE=20114351; PubMed=10650929;

SQ SEQUENCE 94 AA; 10683 MW; CB1ED2215AA4DC4D CRC64;
Query Match 76.7%; Score 56; DB 1; Length 94;
Best Local Similarity 70.0%; Pred. No. 0.07;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
Oy 1 EHWSHGWYPG 10
Db 24 QHWSYGNLPG 33
:||||:|||||
RESULT 31
GON3_PETMA STANDARD; PRT; 10 AA.
AC P30348;
DT 01-JUL-1993 (Rel. 26, Created)
DT 01-JUL-1993 (Rel. 26, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberin III (Gonadotropin-releasing hormone III) (GNRH-III)
DE (Luliberin III).
OS Petromyzon marinus (Sea lamprey).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Hyperoartia;
OC Petromyzontiformes; Petromyzontidae; Petromyzon.
OX NCBI_TaxID=7757;
RN [1]
RP SEQUENCE.
RC TISSUE=Brain;
RX MEDLINE=93178316; PubMed=8440174;
RA Sower S.A., Chiang Y.-C., Lovas S., Conlon J.M.;
RT "Primary structure and biological activity of a third gonadotropin-
RT releasing hormone from lamprey brain.";
RL Endocrinology 132:1125-1131 (1993).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
CC the secretion of both luteinizing and follicle-stimulating
CC hormones.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GNRH family.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Hormone; Amidation; Hypothalamus; Pyrrolidone carboxylic acid.
FT MOD_RES 1 1
FT MOD_RES 10 10
FT MOD_RES 10 10
SQ SEQUENCE 10 AA; 1277 MW; 284B36237AA1F5A3 CRC64;
Query Match 74.0%; Score 54; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.016;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
Oy 1 EHWSHGWYPG 10
Db 1 QHWSHDKWPG 10
:||||:|||||
RESULT 32
GON1_CLUPA STANDARD; PRT; 10 AA.
AC P81749;
DT 16-OCT-2001 (Rel. 40, Created)
DT 16-OCT-2001 (Rel. 40, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberin I (Gonadotropin-releasing hormone I) (GNRH-I) (LH-RH)
DE (Luliberin I).
GN GNRH1.
OS Clupea pallasii (Pacific herring).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Clupeomorpha; Clupeidae;
OC Clupea.
OX NCBI_TaxID=30724;
RN [1]
RP SEQUENCE, AND FUNCTION.
RC TISSUE=Brain, and Pituitary;
RX MEDLINE=20114351; PubMed=10650929;


```

FT  SEQUENCE  90 AA; 10368 MW; C3D573E78B52ABFA CRC64;
SQ  SEQUENCE  90 AA; 10368 MW; C3D573E78B52ABFA CRC64;

Query Match      63.0%; Score 46; DB 1; Length 90;
Best Local Similarity 60.0%; Pred. No. 1.9;
Matches 6; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

Oy  1 EHWSHGWYPG 10
Db  25 QHWSYGLWPG 34

RESULT 35
DNB2 ADEG1          STANDARD;          PRT;          441 AA.
AC  Q64759;
DT  01-NOV-1997 (Rel. 35, Created)
DT  01-NOV-1997 (Rel. 35, Last sequence update)
DT  01-NOV-1997 (Rel. 35, Last annotation update)
DE  Early E2A DNA-binding protein.
GN  DBP.
OS  Avian adenovirus gall (strain Phelps) (Fowl adenovirus 1) (CELO).
OC  Viruses; dsDNA viruses, no RNA stage; Adenoviridae; Aviadenovirus.
OX  NCBI_TaxID=10553;
RN  [1]
RP  SEQUENCE FROM N.A.
RX  MEDLINE=96186720; PubMed=8627769;
RA  Chiocca S., Kurzbaue R., Schaffner G., Baker A., Mautner V.,
RA  Corten M.;
RT  "The complete DNA sequence and genomic organization of the avian
RT  adenovirus CELO.";
RL  J. Virol. 70:2939-2949(1996).
CC  -!- FUNCTION: Binds cooperatively single-stranded DNA in a sequence-
CC  independent manner. Involved in DNA-replication, regulation of
CC  mRNA formation, and host-range specificity. Zinc is required for
CC  DNA binding (by similarity).
CC  -!- SUBCELLULAR LOCATION: NUCLEAR. ACCUMULATES IN INFECTED CELLS.
CC  -----
CC  This SWISS-PROT entry is copyright. It is produced through a collaboration
CC  between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC  the European Bioinformatics Institute. There are no restrictions on its
CC  use by non-profit institutions as long as its content is in no way
CC  modified and this statement is not removed. Usage by and for commercial
CC  entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC  or send an email to license@isb-sib.ch).
CC  -----
DR  EMBL; U46933; AAC54914.1; -.
DR  HSSP; P03265; 1ADU.
DR  InterPro; IPR003176; Vir DNA-binding.
DR  InterPro; IPR005376; Vir DNA_Zn_bind.
DR  Pfam; PF02236; Vir DNA-binding_1.
DR  Pfam; PF03728; Vir DNA_Zn_bind_2.
KW  Early protein; DNA-binding; Zinc-finger; Phosphorylation.
SQ  SEQUENCE  441 AA; 49331 MW; 5E78E8684F50429F CRC64;

Query Match      61.6%; Score 45; DB 1; Length 441;
Best Local Similarity 71.4%; Pred. No. 12;
Matches 5; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Oy  3 WSHGWYP 9
Db  176 WRHGWFP 182

RESULT 36
GONI_ALLMI
ID  GONI_ALLMI          STANDARD;          PRT;          10 AA.
AC  P37041; P20407;
DT  01-FEB-1991 (Rel. 17, Created)
DT  01-FEB-1991 (Rel. 17, Last sequence update)
DT  01-FEB-1991 (Rel. 17, Last annotation update)
DE  Gonadoliberin I (Gonadotropin-releasing hormone I) (LH-RH I)
DE  (Luliberin I).

```

```

OS  Alligator mississippiensis (American alligator).
OC  Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC  Archosauria; Crocodylidae; Alligatorinae; Alligator.
OX  NCBI_TaxID=8496;
RN  [1]
RP  SEQUENCE.
RC  TISSUE=Brain;
RX  MEDLINE=91352338; PubMed=1862082;
RA  Lovejoy D.A., Fischer W.H., Parker D.B., McRory J.E., Park M.,
RA  Lance V., Swanson P., Rivier J.E., Sherwood N.M.;
RT  "Primary structure of two forms of gonadotropin-releasing hormone
RT  from brains of the American alligator (Alligator mississippiensis).";
RL  Regul. Pept. 33:105-116(1991).
CC  -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC  -!- SUBCELLULAR LOCATION: Secreted.
CC  -!- SIMILARITY: Belongs to the GnRH family.
DR  PIR; A60066; RHAQ1.
DR  InterPro; IPR002012; GnRH.
DR  Pfam; PF00446; GnRH; 1.
DR  PROSITE; PS00473; GnRH; 1.
KW  Hormone; Amidation; Hypothalamus; Pyroglutamate carboxylic acid.
FT  MOD_RES 1 1 PYRROLIDONE CARBOXYLIC ACID.
FT  MOD_RES 10 10 AMIDATION.
SQ  SEQUENCE 10 AA; 1172 MW; 284B23D7286B45A3 CRC64;

Query Match      58.9%; Score 43; DB 1; Length 10;
Best Local Similarity 60.0%; Pred. No. 0.62;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Oy  1 EHWSHGWYPG 10
Db  1 QHWSYGLWPG 10

RESULT 37
GONI_CHICK
ID  GONI_CHICK          STANDARD;          PRT;          92 AA.
AC  P37042; P20407;
DT  01-FEB-1991 (Rel. 17, Created)
DT  01-JUN-1994 (Rel. 29, Last sequence update)
DE  28-FEB-2003 (Rel. 41, Last annotation update)
DE  Progonadoliberin I precursor [Contains: Gonadoliberin I (LH-RH I)
DE  (luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
DE  hormone I) (GnRH I) (Luliberin I); GnRH-associated peptide I].
OS  Gallus gallus (Chicken).
OC  Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC  Archosauria; Aves; Neognathae; Galliformes; Phasianidae;
OC  Gallus.
OX  NCBI_TaxID=9031;
RN  [1]
RP  SEQUENCE FROM N.A.
RC  STRAIN=White leghorn;
RX  MEDLINE=94059355; PubMed=7902095;
RA  Dunn I.C., Chen Y., Hook C., Sharp P.J., Sang H.M.;
RT  "Characterization of the chicken pregonadotropin-releasing
RT  hormone-I gene.";
RL  J. Mol. Endocrinol. 11:19-29(1993).
RN  [2]
RP  SEQUENCE OF 24-33.
RC  TISSUE=Hypothalamus;
RX  MEDLINE=82265778; PubMed=7050119;
RA  King J.A., Millar R.P.;
RT  "Structure of chicken hypothalamic luteinizing hormone-releasing
RT  hormone. II. Isolation and characterization.";
RL  J. Biol. Chem. 257:10729-10732(1982).
RN  [3]
RP  SEQUENCE OF 24-33.
RC  TISSUE=Hypothalamus;
RA  King J.A., Millar R.P.;
RT  "Structure of avian hypothalamic gonadotropin-releasing hormone.";
RL  S. Afr. J. Sci. 78:124-125(1982).
RN  [4]
RP  SYNTHESIS OF 24-33.

```

```

RX MEDLINE=82265777; PubMed:7050118;
RA King J.A., Millar R.P.;
RT "Structure of chicken hypothalamic luteinizing hormone-releasing
RT hormone. I. Structural determination on partially purified
RT material.";
RL J. Biol. Chem. 257:10722-10728(1982).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GnRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; X69491; CAA49246.1; -
DR PIR; I50644; I50644.
DR GO; GO:0005576; C:extracellular; IDA.
DR GO; GO:0005183; F:luteinizing hormone-releasing factor activity; IDA.
DR GO; GO:0007275; P:development; IDA.
DR InterPro; IPR002012; GnRH.
DR InterPro; IPR004079; Gonadolibnerin.
DR Pfam; PF00446; GnRH; 1.
DR PRINTS; PR01541; GONADOLIBNERI.
DR PROSITE; PS00473; GnRH; 1.
DR Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Signal; Pyroglutamate carboxylic acid.
FT SIGNAL 1 23
FT CHAIN 24 33 PROGONADOLIBNERIN I.
FT PEPTIDE 24 33 GONADOLIBNERIN I.
FT PEPTIDE 37 92 GnRH-ASSOCIATED PEPTIDE I.
FT MOD_RES 24 24 PYROGLUTAMATE CARBOXYLIC ACID.
FT MOD_RES 33 33 AMIDATION (G-34 PROVIDE AMIDE GROUP).
SQ SEQUENCE 92 AA; 10206 MW; 61AE7EBAF508B6A CRC64;

Query Match 58.9%; Score 43; DB 1; Length 92;
Best Local Similarity 60.0%; Pred. No. 5.3;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
Db 24 QHWSYGLQPG 33
:||||:|

RESULT 38
GONL_SHEEP STANDARD; PRT; 61 AA.
AC Q28588;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Progadoliberin I precursor [Contains: Gonadolibnerin I (LH-RH I)
DE (luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
DE hormone I) (GnRH I) (Luliberin I); GnRH-associated peptide I]
DE (Fragment).
DE GNRH1 OR GnRH OR LHRH.
OS Ovis aries (Sheep).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidae;
OC Bovidae; Caprinae; Ovis.
OX NCBI_TaxID=9940;
RN [1]
RP SEQUENCE OF 12-61 FROM N.A.
RC STRAIN=Western range; TISSUE=Hypothalamus;
RA Rodriguez R.E., Wise M.E.;
RL Submitted (OCT-1993) to the EMBL/GenBank/DBJ databases.
RN [2]
RP SEQUENCE OF 1-10.
RX MEDLINE=72094314; PubMed:4550508;
RA Burgus R., Butcher M., Amoss M., Ling N., Monahan M., Rivier J.,

```

```

RA Fellows R., Blackwell R., Vale W., Guillemin R.;
RT "Primary structure of the ovine hypothalamic luteinizing hormone-
RT releasing factor (LRF) (LH-hypothalamus-LRF-gas chromatography-mass
RT spectrometry-decapeptide-Edman degradation).";
RL Proc. Natl. Acad. Sci. U.S.A. 69:278-282(1972).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
CC the secretion of both luteinizing and follicle-stimulating
CC hormones.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GnRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; U02517; AAA03433.1; -
DR InterPro; IPR002012; GnRH.
DR InterPro; IPR004079; Gonadolibnerin.
DR Pfam; PF00446; GnRH; 1.
DR PRINTS; PR01541; GONADOLIBNERI.
DR PROSITE; PS00473; GnRH; 1.
DR Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Placenta; Pyroglutamate carboxylic acid.
FT NON_TER 1 1
FT CHAIN 1 >61 PROGONADOLIBNERIN I.
FT PEPTIDE 1 10 GONADOLIBNERIN I.
FT PEPTIDE 14 >61 GnRH-ASSOCIATED PEPTIDE I.
FT ACT_SITE 3 3 APPEARS TO BE ESSENTIAL FOR BIOLOGICAL
FT ACTIVITY.
FT MOD_RES 1 1 PYROGLUTAMATE CARBOXYLIC ACID.
FT MOD_RES 10 10 AMIDATION (G-11 PROVIDE AMIDE GROUP).
FT NON_TER 61 61
SQ SEQUENCE 61 AA; 6828 MW; 63962A1AE319B8F0 CRC64;

Query Match 57.5%; Score 42; DB 1; Length 61;
Best Local Similarity 60.0%; Pred. No. 5;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
Db 1 QHWSYGLRPG 10
:||||:|

RESULT 39
GONL_MESAU STANDARD; PRT; 63 AA.
AC Q09163;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Progadoliberin I precursor [Contains: Gonadolibnerin I (LH-RH I)
DE (luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
DE hormone I) (GnRH I) (Luliberin I); GnRH-associated peptide I]
DE (Fragment).
DE GNRH1 OR GnRH OR LHRH.
OS Mesocricetus auratus (Golden hamster).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Cricetinae;
OC Mesocricetus.
OX NCBI_TaxID=10036;
RN [1]
RP SEQUENCE FROM N.A.
RA Jansen H.T., Stevens P.J., Zeitler P., Lehman M.N.;
RL Submitted (MAR-1997) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
CC the secretion of both luteinizing and follicle-stimulating
CC hormones.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GnRH family.

```

```

CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; U91938; AAB51302.1; -.
DR InterPro; IPR002012; GnRH.
DR InterPro; IPR004079; GonadoliberinI.
DR Pfam; PF00446; GnRH; 1.
DR PRINTS; PR01541; GONADOLIBERNI.
DR PROSITE; PS00473; GnRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Placenta; Pyroglutamate carboxylic acid.
FT NON_TER 1 1
FT CHAIN 1 >63 PROGONADOLIBERIN I.
FT PEPTIDE 1 10 GONADOLIBERIN I.
FT PEPTIDE 14 >63 GnRH-ASSOCIATED PEPTIDE I (BY
FT ACT_SITE 3 3 SIMILARITY).
FT MOD_RES 1 1 APPEARS TO BE ESSENTIAL FOR BIOLOGICAL
FT MOD_RES 10 10 ACTIVITY (BY SIMILARITY).
FT MOD_RES 10 10 PYROGLUTAMATE CARBOXYLIC ACID (BY
FT NON_TER 63 63 AMIDATION (G-11 PROVIDE AMIDE GROUP) (BY
FT SEQUENCE 63 AA; 7370 MW; FC94995676577180 CRC64;

Query Match 57.5%; Score 42; DB 1; Length 63;
Best Local Similarity 60.0%; Pred. No. 5.2;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Qy 1 EHWGHWYPG 10
Db 1 QHWSYGLRPG 10

RESULT 40
GONI_MACMU STANDARD; PRT; 67 AA.
AC P55247;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Progadoliberin I precursor [Contains: Gonadoliberin I (LH-RH I)
DE (Luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
DE hormone I) (GnRH I) (Luliberin I); GnRH-associated peptide I]
DE (Fragment).
GN GnRH1 OR GnRH OR LHRH.
OS Macaca mulatta (Rhesus macaque).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
OC Cercopithecinae; Macaca.
OX NCBI_TaxID=9544;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Hypothalamus;
RX MEDLINE=95124501; PubMed=7545971;
RA Ma Y.J., Costa M.E., Ojeda S.R.;
RT "Developmental expression of the genes encoding transforming growth
RT factor alpha and its receptor in the hypothalamus of female rhesus
RT macaques."
RL Neuroendocrinology 60:346-359 (1994).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
CC the secretion of both luteinizing and follicle-stimulating
CC hormones.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GnRH family.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration

```

```

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; S75918; AAB33096.1; -.
DR InterPro; IPR002012; GnRH.
DR InterPro; IPR004079; GonadoliberinI.
DR Pfam; PF00446; GnRH; 1.
DR PRINTS; PR01541; GONADOLIBERNI.
DR PROSITE; PS00473; GnRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Signal; Pyroglutamate carboxylic acid.
FT NON_TER 1 1
FT SIGNAL <1 5 BY SIMILARITY.
FT CHAIN 6 >67 PROGONADOLIBERIN I.
FT PEPTIDE 6 15 GONADOLIBERIN I.
FT PEPTIDE 19 >67 GnRH-ASSOCIATED PEPTIDE I.
FT ACT_SITE 8 8 APPEARS TO BE ESSENTIAL FOR BIOLOGICAL
FT MOD_RES 6 6 ACTIVITY (BY SIMILARITY).
FT MOD_RES 15 15 PYROGLUTAMATE CARBOXYLIC ACID (BY
FT NON_TER 67 67 AMIDATION (G-16 PROVIDE AMIDE GROUP) (BY
FT SEQUENCE 67 AA; 7573 MW; 505394DAA261A3F2 CRC64;

Query Match 57.5%; Score 42; DB 1; Length 67;
Best Local Similarity 60.0%; Pred. No. 5.5;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Qy 1 EHWGHWYPG 10
Db 6 QHWSYGLRPG 15

RESULT 41
GONI_XENLA STANDARD; PRT; 89 AA.
AC P45656;
DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberin I precursor (Gonadotropin-releasing hormone I) (GnRH-I)
DE (LH-RH) (Luliberin I).
OS Xenopus laevis (African clawed frog).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Amphibia; Batrachia; Anura; Mesobatrachia; Pipidae;
OC Xenopodinae; Xenopus.
OX NCBI_TaxID=8355;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Forebrain;
RX MEDLINE=94185563; PubMed=8137750;
RA Hayes W.P., Wray S., Battey J.F.;
RT "The frog gonadotropin-releasing hormone-I (GnRH-I) gene has a
RT mammalian-like expression pattern and conserved domains in
RT GnRH-associated peptide, but brain onset is delayed until
RT metamorphosis."
RL Endocrinology 134:1835-1844 (1994).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GnRH family.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/

```

```

or send an email to license@sib-sib.ch).
CC EMBL; L28040; AAA49728.1; -.
CC PIR; I51423; I51423.
DR InterPro; IPR002012; GnRH.
DR InterPro; IPR004079; GonadoliberinI.
DR Pfam; PF00446; GnRH; 1.
DR PRINTS; PRO1541; GONADOLIBERNI.
DR PROSITE; PS00473; GnRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
  Placenta; Signal; Pyrrolidone carboxylic acid.
FT SIGNAL 1 23
FT CHAIN 24 89
FT PEPTIDE 24 33
FT PEPTIDE 37 89
FT PEPTIDE 37 85
FT MOD_RES 24 24
FT MOD_RES 33 33
FT MOD_RES 33 33
SQ SEQUENCE 89 AA; 10246 MW; 6F4F36FEAE0D4284 CRC64;

Query Match 57.5%; Score 42; DB 1; Length 89;
Best Local Similarity 60.0%; Pred. No. 7.2;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

OY 1 EHWSHGWYPG 10
DB 24 QHWSYGLRPG 33

RESULT 42
GONI_MOUSE
ID GONI_MOUSE STANDARD; PRT; 90 AA.
AC P13562;
DT 01-JAN-1990 (Rel. 13, Created)
DT 01-JAN-1990 (Rel. 13, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Progonadoliberin I precursor [Contains: Gonadoliberin I (LH-RH I)
DE (luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
DE hormone I) (GnRH I) (Luliberin I); Prolactin release-inhibiting factor
DE I].
GN GnRH1 OR GnRH.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=87069928; PubMed=3024317;
RA Mason A.J., Hayflick J.S., Zoeller R.T., Young W.S. III,
RA Phillips H.S., Nikolic K., Seeburg P.H.;
RA "A deletion truncating the gonadotropin-releasing hormone gene is
RT responsible for hypogonadism in the hpg mouse."
RL Science 234:1366-1371(1986).
CC -1- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
CC the secretion of both luteinizing and follicle-stimulating
CC hormones.
CC -1- SUBCELLULAR LOCATION: Secreted.
CC -1- SIMILARITY: Belongs to the GnRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@sib-sib.ch).
CC
CC EMBL; M14872; AAA37717.1; -.
CC PIR; A45758; REMSG.
CC MGD; MGI:95789; GnRH.
CC InterPro; IPR002012; GnRH.
CC InterPro; IPR004079; GonadoliberinI.

```

```

Pfam; PF00446; GnRH; 1.
DR PRINTS; PRO1541; GONADOLIBERNI.
DR PROSITE; PS00473; GnRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
  Placenta; Signal; Pyrrolidone carboxylic acid.
FT SIGNAL 1 21
FT CHAIN 22 90
FT PEPTIDE 22 31
FT PEPTIDE 35 90
FT ACT_SITE 24 24
FT MOD_RES 22 22
FT MOD_RES 31 31
FT MOD_RES 31 31
SQ SEQUENCE 90 AA; 10337 MW; 1C076FA4826E4D9 CRC64;

Query Match 57.5%; Score 42; DB 1; Length 90;
Best Local Similarity 60.0%; Pred. No. 7.3;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

OY 1 EHWSHGWYPG 10
DB 22 QHWSYGLRPG 31

RESULT 43
GONI_RANCA
ID GONI_RANCA STANDARD; PRT; 90 AA.
AC Q90Y63;
DT 10-OCT-2003 (Rel. 42, Created)
DT 10-OCT-2003 (Rel. 42, Last sequence update)
DT 10-OCT-2003 (Rel. 42, Last annotation update)
DE Progonadoliberin I precursor [Contains: Gonadoliberin I (LHRH I)
DE (luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
DE hormone I) (GnRH I) (Luliberin I); GnRH-associated peptide I (GAP)].
GN GnRH1 OR GnRH.
OS Rana catesbeiana (Bull frog).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Amphibia; Batrachia; Anura; Neobatrachia; Ranoidae; Rana.
OX NCBI_TaxID=8400;
RN [1]
RP SEQUENCE FROM N.A., TISSUE SPECIFICITY, AND DEVELOPMENTAL STAGE.
RX TISSUE=Forebrain;
RX MEDLINE=211102951; PubMed=11170016;
RA Wang L., Yoo M.S., Kang H.M., Im W.B., Choi H.S., Bogerd J.,
RA Kwon H.B.;
RA "Cloning and characterization of cDNAs encoding the GnRH1 and GnRH2
RT precursors from bullfrog (Rana catesbeiana).";
RL J. Exp. Zool. 289:190-201(2001).
CC -1- FUNCTION: Stimulates the secretion of gonadotropins (By
CC similarity).
CC -1- SUBCELLULAR LOCATION: Secreted.
CC -1- TISSUE SPECIFICITY: Forebrain.
CC -1- DEVELOPMENTAL STAGE: Expressed at significantly higher levels
CC during post-breeding. Not expressed in pituitary.
CC -1- SIMILARITY: Belongs to the GnRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@sib-sib.ch).
CC
CC EMBL; AF188754; AAL05972.1; -.
CC GO; GO:0005576; C:extracellular; NAS.
CC GO; GO:0005183; F:luteinizing hormone-releasing factor activity; NAS.
CC GO; GO:0009755; P:hormone mediated signaling; NAS.
CC GO; GO:0000003; P:reproduction; NAS.
CC InterPro; IPR004079; GonadoliberinI.
CC Pfam; PF00446; GnRH; 1.
CC PRINTS; PRO1541; GONADOLIBERNI.

```

DR PROSITE; PS00473; GNRH; 1.
 KW Cleavage on pair of basic residues; Hormone; Amidation; Signal;
 KW Pyroglutamate carboxylic acid.
 FT SIGNAL 1 24
 FT CHAIN 25 90
 FT PEPTIDE 25 34
 FT PEPTIDE 38 86
 FT MOD_RES 25 25
 FT MOD_RES 34 34
 FT MOD_RES 34 34
 SQ SEQUENCE 90 AA; 10291 MW; 317203B4E3DA2FE7 CRC64;

Query Match 57.5%; Score 42; DB 1; Length 90;
 Best Local Similarity 60.0%; Pred. No. 7.3;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

OY 1 EHWSHGWYGP 10
 DB 25 QHWSYGLRPG 34

RESULT 44
 GONI_PIG
 ID GONI_PIG STANDARD; PRT; 91 AA.
 AC P49921;
 DT 01-OCT-1996 (Rel. 34, Created)
 DT 01-OCT-1996 (Rel. 34, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Progonadoliberein I precursor [Contains: Gonadoliberein I (LH-RH I)
 (Luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
 hormone I) (GNRH I) (Luliberin I); GNRH-associated peptide I].
 DE GNRH1 OR GNRH.
 GN Sus scrofa (Pig).
 OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
 OX NCBI_TaxID=9823;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Wesener G.D., Matteri R.L., Becker B.A.;
 RL Submitted (MAY-1994) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE OF 24-33.
 RX MEDLINE=72114303; PubMed=4946067;
 RA Baba Y., Matsuo H., Schally A.V.;
 RT "Structure of the porcine LH- and FSH-releasing hormone. II.
 Confirmation of the proposed structure by conventional sequential
 analyses".
 RL Biochem. Biophys. Res. Commun. 44:459-463 (1971).
 RN [3]
 RP SYNTHESIS OF GONADOLIBERIN.
 RX MEDLINE=72065376; PubMed=4942726;
 RA Matsuo H., Arimura A., Nair R.M.G., Schally A.V.;
 RT "Synthesis of the porcine LH- and FSH-releasing hormone by the solid-
 phase method".
 RL Biochem. Biophys. Res. Commun. 45:822-827 (1971).
 RN [4]
 RP SYNTHESIS OF GONADOLIBERIN.
 RX MEDLINE=72117544; PubMed=4946275;
 RA Baba Y., Arimura A., Schally A.V.;
 RT "On the tryptophan residue in porcine LH and FSH-releasing hormone".
 RL Biochem. Biophys. Res. Commun. 45:483-487 (1971).
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
 the secretion of both luteinizing and follicle-stimulating
 hormones.
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- SIMILARITY: Belongs to the GNRH family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL Outstation -
 the European Bioinformatics Institute. There are no restrictions on its

use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).

 DR EMBL; L32864; AAA31066.1;
 DR InterPro; IPR002012; GNRH.
 DR InterPro; IPR004079; Gonadoliberein1.
 DR Pfam; PF00446; GNRH; 1.
 DR PRINTS; PR01541; GONADOLIBERN1.
 DR PROSITE; PS00473; GNRH; 1.
 KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 KW Placenta; Signal; Pyroglutamate carboxylic acid.
 FT SIGNAL 1 23
 FT CHAIN 24 91
 FT PEPTIDE 24 33
 FT PEPTIDE 34 91
 FT ACT_SITE 26 26
 FT MOD_RES 24 24
 FT MOD_RES 33 33
 SQ SEQUENCE 91 AA; 10090 MW; 8340474F32DDAA99 CRC64;

Query Match 57.5%; Score 42; DB 1; Length 91;
 Best Local Similarity 60.0%; Pred. No. 7.4;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

OY 1 EHWSHGWYGP 10
 DB 24 QHWSYGLRPG 33

RESULT 45
 GONI_HUMAN
 ID GONI_HUMAN STANDARD; PRT; 92 AA.
 AC P01148;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 01-APR-1988 (Rel. 07, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Progonadoliberein I precursor [Contains: Gonadoliberein I (LH-RH I)
 (Luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
 hormone I) (GNRH I) (Luliberin I) (Gonadorelin); GNRH-associated
 peptide I].
 DE GNRH1 OR GNRH OR LHRH.
 GN Homo sapiens (Human).
 OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=89366682; PubMed=2671939;
 RA Hayflick J.S., Adelman J.P., Seeburg P.H.;
 RT "The complete nucleotide sequence of the human gonadotropin-releasing
 hormone gene".
 RL Nucleic Acids Res. 17:6403-6403 (1989).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=86094338; PubMed=2867548;
 RA Adelman J.P., Mason A.J., Hayflick J.S., Seeburg P.H.;
 RT "Isolation of the gene and hypothalamic cDNA for the common precursor
 of gonadotropin-releasing hormone and prolactin release-inhibiting
 factor in human and rat".
 RL Proc. Natl. Acad. Sci. U.S.A. 83:179-183 (1986).
 RN [3]
 RP SEQUENCE FROM N.A. AND VARIANT SER-16.
 RX MEDLINE=85012739; PubMed=6090951;
 RA Seeburg P.H., Adelman J.P.;
 RT "Characterization of cDNA for precursor of human luteinizing hormone
 releasing hormone".
 RL Nature 311:666-668 (1984).
 RN [4]
 RP SEQUENCE OF 24-33.
 RX MEDLINE=83126573; PubMed=6760865;

Tan L., Rousseau P.;
 "The chemical identity of the immunoreactive LHRH-like peptide
 biosynthesized in the human placenta.";
 Biochem. Biophys. Res. Commun. 109:1061-1071(1982).
 [5]
 VARIANT SER-16;
 MEDLINE=99318093; PubMed=10391209;
 Cargill M., Altschuler D., Ireland J., Sklar P., Ardlie K., Patil N.,
 Shaw N., Lane C.R., Lim E.P., Kalyanaran N., Nemes J., Ziaugra L.,
 Friedland L., Rolfe A., Warrington J., Lipshutz R., Daley G.Q.,
 Lander E.S.;
 "Characterization of single-nucleotide polymorphisms in coding regions
 of human genes.";
 Nat. Genet. 22:231-238(1999).
 [6]
 ERRATUM.
 Cargill M., Altschuler D., Ireland J., Sklar P., Ardlie K., Patil N.,
 Shaw N., Lane C.R., Lim E.P., Kalyanaran N., Nemes J., Ziaugra L.,
 Friedland L., Rolfe A., Warrington J., Lipshutz R., Daley G.Q.,
 Lander E.S.;
 Nat. Genet. 23:373-373(1999).
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
 the secretion of both luteinizing and follicle-stimulating
 hormones.
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- PHARMACEUTICAL: Available under the names Factrel (Ayerst Labs),
 Lutrepulse or Lutrelief (Ferring Pharmaceuticals) and Relisorm
 (Serono).
 CC -!- SIMILARITY: Belongs to the GnRH family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).
 CC
 EMBL; X01059; CAA25526.1; -;
 DR EMBL; M12578; AAA35916.1; -;
 DR EMBL; X15215; CAA33285.1; -;
 DR PIR; S05308; RHUG.
 DR Genew; HGNC:4419; GNRH1.
 DR MIM; 152760; -;
 DR GO; GO:0003625; C-soluble fraction; TAS.
 DR GO; GO:0005183; Follicle-stimulating hormone-releasing factor activity; TAS.
 DR GO; GO:0007267; P:cell-cell signaling; TAS.
 DR GO; GO:0007275; P:development; TAS.
 DR GO; GO:0008285; P:negative regulation of cell proliferation; TAS.
 DR GO; GO:0007165; P:signal transduction; TAS.
 DR InterPro; IPR002012; GNRH.
 DR InterPro; IPR004079; Gonadoliberein.
 DR Pfam; PF00446; GNRH; 1.
 DR PRINTS; PR01541; GONADOLIBERN.
 DR PROSITE; PS00473; GNRH; 1.
 KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 KW Placenta; Pharmaceutical; Signal; Polymorphism;
 KW Pyroglutamate carboxylic acid.
 FT SIGNAL 1 23
 FT CHAIN 24 92 PROGONADOLIBERIN I.
 FT PEPTIDE 24 33 GONADOLIBERIN I.
 FT PEPTIDE 37 92 GNRH-ASSOCIATED PEPTIDE I.
 FT ACT_SITE 26 26 APPEARS TO BE ESSENTIAL FOR BIOLOGICAL
 ACTIVITY.
 FT MOD_RES 24 24 PYROGLUTAMATE CARBOXYLIC ACID.
 FT MOD_RES 33 33 AMIDATION (G-34 PROVIDE AMIDE GROUP).
 FT VARIANT 16 16 W -> S (in dbSNP:6185).
 FT FTID=VAR 013943.
 SQ SEQUENCE 92 AA; 10380 MW; 30A72221B076FA79 CRC64;
 Query Match 57.5%; Score 42; DB 1; Length 92;
 Best Local Similarity 60.08; Pred. No. 7.4;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Qy 1 EHWSHGWYDG 10
 Db 24 QHWSYGLRPG 33
 RESULT 46
 GONI_RAT
 ID GONI_RAT STANDARD; PRT; 92 AA.
 AC P07430;
 DT 01-APR-1988 (Rel. 07, Created)
 DT 01-APR-1988 (Rel. 07, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Progonadoliberein I precursor [Contains: Gonadoliberein I (LH-RH I)
 (Luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
 hormone I) (GnRH I) (Luliberin I); Prolactin release-inhibiting factor
 I].
 DE GN
 GN Rattus norvegicus (Rat).
 OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
 OX NCBI_TaxID=10116;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=86094338; PubMed=2867548;
 RA Adelman J.P.; Mason A.J.; Hayflick J.S.; Seeburg P.H.;
 RT "Isolation of the gene and hypothalamic cDNA for the common precursor
 of gonadotropin-releasing hormone and prolactin release-inhibiting
 factor in human and rat.";
 RT factor in human and rat.";
 RL Proc. Natl. Acad. Sci. U.S.A. 83:179-183(1986).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=8934661; PubMed=2476669;
 RA Bond C.T.; Hayflick J.S.; Seeburg P.H.; Adelman J.P.;
 RT "The rat gonadotropin-releasing hormone: SH locus: structure and
 hypothalamic expression.";
 RL Mol. Endocrinol. 3:1257-1262(1989).
 RN [3]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Thymus;
 RX MEDLINE=93105480; PubMed=1468115;
 RA Maier C.C.; Marchetti B.; Leboeuf R.D.; Bialock J.E.;
 RT "Thymocytes express a mRNA that is identical to hypothalamic
 luteinizing hormone-releasing hormone mRNA.";
 RL Cell. Mol. Neurobiol. 12:447-454(1992).
 RN [4]
 RP SEQUENCE OF 1-47 FROM N.A.
 RC TISSUE=Heart;
 RX MEDLINE=87149087; PubMed=3547652;
 RA Adelman J.P.; Bond C.T.; Douglass J.; Herbert E.;
 RT "Two mammalian genes transcribed from opposite strands of the same
 DNA locus.";
 RL Science 235:1514-1517(1987).
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
 the secretion of both luteinizing and follicle-stimulating
 hormones.
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- TISSUE SPECIFICITY: Central nervous system.
 CC -!- SIMILARITY: Belongs to the GnRH family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).
 CC
 EMBL; S50870; AAB24572.1; -;
 DR EMBL; M12579; AAA41263.1; -;
 DR EMBL; M31670; AAA41264.1; -;
 DR EMBL; M15527; AAA42141.1; ALT_SEQ.
 DR EMBL; M15529; AAA42139.1; -;

DR EMBL; M15528; -: NCT_ANNOTATED_CDS.
 DR PIR; A40147; RHRTG.
 DR InterPro; IPR002012; GnRH.
 DR InterPro; IPR004079; Gonadoliberin I.
 DR Pfam; PF00446; GnRH; 1.
 DR PRINTS; PS00473; GnRH; 1.
 DR PROSITE; PS00473; GnRH; 1.
 KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 KW Placenta; Signal; Pyroglutamate carboxylic acid.
 FT SIGNAL 1 23
 FT CHAIN 24 92
 FT PEPTIDE 24 33
 FT PEPTIDE 37 92
 FT ACT_SITE 26 26
 FT MOD_RES 24 24
 FT MOD_RES 33 33
 FT MOD_RES 33 33
 SQ SEQUENCE 92 AA; 10500 MW; 494B5C64DABA3EB3 CRC64;
 Query Match 57.5%; Score 42; DB 1; Length 92;
 Best Local Similarity 60.0%; Pred. No. 7.4;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
 Qy 1 EHWGHWYYPG 10
 Db 24 QHWSYGLRPG 33
 RESULT 47
 GONI_TUPGB STANDARD; PRT; 92 AA.
 AC Q95335;
 DT 15-DEC-1998 (Rel. 37, Created)
 DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Progonadoliberin I precursor [Contains: Gonadoliberin I (LH-RH I)
 DE (Luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
 DE hormone I) (GnRH I) (Luliberin I); GnRH-associated peptide I].
 GN GNRH1 OR GNRH.
 OS Tupia glis belangeri (Common tree shrew).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Scandentia; Tupaiidae; Tupia.
 OX NCBI_TaxID=37344;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=97079639; PubMed=8921350;
 RA Kasten T.L., White S.A., Norton T.T., Bond C.T., Adelman J.P.,
 RA Fernald R.D.
 RT "Characterization of two new preproGnRH mRNAs in the tree shrew:
 RT first direct evidence for mesencephalic GnRH gene expression in a
 RT placental mammal."
 RL Gen. Comp. Endocrinol. 104:7-19(1996).
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
 CC the secretion of both luteinizing and follicle-stimulating
 CC hormones
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- SIMILARITY: Belongs to the GnRH family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (see <http://www.isb-sib.ch/announce/>
 CC or send an email to license@sib-sib.ch).
 CC
 CC EMBL; U63326; AAB16837.1; -
 DR InterPro; IPR002012; GnRH.
 DR InterPro; IPR004079; Gonadoliberin I.
 DR Pfam; PF00446; GnRH; 1.
 DR PRINTS; PS00473; GnRH; 1.
 DR PROSITE; PS00473; GnRH; 1.

KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 KW Placenta; Signal; Pyroglutamate carboxylic acid.
 FT SIGNAL 1 23
 FT CHAIN 24 92
 FT PEPTIDE 24 33
 FT PEPTIDE 37 92
 FT ACT_SITE 26 26
 FT MOD_RES 24 24
 FT MOD_RES 33 33
 FT MOD_RES 33 33
 SQ SEQUENCE 92 AA; 10197 MW; 4FDBF2C58CF5F63B CRC64;
 Query Match 57.5%; Score 42; DB 1; Length 92;
 Best Local Similarity 60.0%; Pred. No. 7.4;
 Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
 Qy 1 EHWGHWYYPG 10
 Db 24 QHWSYGLRPG 33
 RESULT 48
 GONI_HAPBU STANDARD; PRT; 94 AA.
 AC P51918; O93387;
 DT 01-OCT-1996 (Rel. 34, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DT 10-OCT-2003 (Rel. 42, Last annotation update)
 DE Progonadoliberin I precursor [Contains: Gonadoliberin I (Luteinizing
 DE hormone releasing hormone I) (Gonadotropin-releasing hormone I)
 DE (GnRH-I) (LH-RH I) (Luliberin I); GnRH-associated peptide I].
 GN GNRH1.
 OS Haplochromis burtoni (Burton's mouthbrooder).
 OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
 OC Acanthomorpha; Acanthopterygii; Perciformes; Labroidae;
 OC Cichlidae; Astatotilapia.
 OX NCBI_TaxID=8153;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=95396797; PubMed=7667296;
 RA White S.A., Kasten T.L., Bond C.T., Adelman J.P., Fernald R.D.;
 RA "Three gonadotropin-releasing hormone genes in one organism suggest
 RT novel roles for an ancient peptide."
 RL Proc. Natl. Acad. Sci. U.S.A. 92:8363-8367(1995).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=99061842; PubMed=9843638;
 RA White R.B., Fernald R.D.;
 RA "Ontogeny of gonadotropin-releasing hormone (GnRH) gene expression
 RT reveals a distinct origin for GnRH-containing neurons in the
 RT midbrain."
 RL Gen. Comp. Endocrinol. 112:322-329(1998).
 RN [3]
 RP SEQUENCE OF 23-32, AND MASS SPECTROMETRY.
 RC TISSUE= pituitary;
 RX MEDLINE=95372591; PubMed=7644702;
 RA Powell J.F.F., Fischer W.H., Park M., Craig A.G., Rivier J.E.,
 RA White S.A., Francis R.C., Fernald R.D., Licht P., Warby C.,
 RA Sherwood N.M.;
 RT "Primary structure of solitary form of gonadotropin-releasing hormone
 RT (GnRH) in cichlid pituitary; three forms of GnRH in brain of cichlid
 RT and pumpkinseed fish."
 RL Regul. Pept. 57:43-53(1995).
 CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS. MAY BE
 CC RESPONSIBLE FOR THE REGULATION OF THE HYPOTHALAMIC-PITUITARY-
 CC GONADAL AXIS.
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- TISSUE SPECIFICITY: SYNTHESIZED IN PREOPTIC NEURONS AND IS
 CC TRANSPORTED TO THE PITUITARY IN THE PREOPTIC-HYPHYSAL AXONS.
 CC -!- MASS SPECTROMETRY: MW=1113.9; METHOD=MALDI; RANGE=23-32.

CC -!- SIMILARITY: Belongs to the GnRH family.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: U31865; AAC59691.1; -.
 CC EMBL: AF076961; AAC27716.1; -.
 CC PIR: I50739; I50739.
 CC GO: GO:0005576; C:extracellular; NAS.
 CC GO: GO:0005183; F:luteinizing hormone-releasing factor activity; NAS.
 CC GO: GO:0007275; P:development; IDA.
 CC InterPro: IPR002012; GnRH.
 CC InterPro: IPR004079; GonadoliberinI.
 CC Pfam: PF00446; GnRH; 1.
 CC PRINTS: PR01541; GONADOLIBERNI.
 CC PROSITE: PS00473; GnRH; 1.
 CC Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 CC Signal; Multigene family; Pyrrolidone carboxylic acid.
 CC SIGNAL 1 22
 CC CHAIN 23 94 PROGONADOLIBERIN I.
 CC PEPTIDE 23 32 GONADOLIBERIN I.
 CC PEPTIDE 36 94 GnRH-ASSOCIATED PEPTIDE I (POTENTIAL).
 CC MOD_RES 23 23 PYRROLIDONE CARBOXYLIC ACID.
 CC MOD_RES 32 32 AMIDATION (G-33 PROVIDE AMIDE GROUP).
 CC CONFLICT 86 94 ENGHRTFKK -> KMDTGHSENERFL (IN REF. 1).
 CC SEQUENCE 94 AA; 10382 MW; E57DBA8333278D7 CRC64;
 CC
 CC Query Match 57.5%; Score 42; DB 1; Length 94;
 CC Best Local Similarity 60.0%; Pred. No. 7.6; Mismatches 2; Indels 0; Gaps 0;
 CC Matches 6; Conservative 2;
 CC
 CC QY 1 EHWSHGWYGP 10
 CC :|||:|
 CC Db 23 QHWSYGLSPG 32
 CC
 CC RESULT 49
 CC GONI MORSA
 CC ID -GONI MORSA STANDARD; PRT; 95 AA.
 CC AC Q73812;
 CC DT 16-OCT-2001 (Rel. 40, Created)
 CC DT 16-OCT-2001 (Rel. 40, Last sequence update)
 CC DT 28-FEB-2003 (Rel. 41, Last annotation update)
 CC DE Gonadoliberin I precursor (Gonadotropin-releasing hormone I) (GnRH-I)
 CC (LH-RH I) (Luliberin I).
 CC GN GnRH.
 CC OS Morone saxatilis (Striped bass).
 CC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
 CC Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Percoidae;
 CC Moronidae; Morone.
 CC NCBI_TaxID=34816;
 CC [1]
 CC SEQUENCE FROM N.A.
 CC MEDLINE=99061809; PubMed=9845669;
 CC Chow M.M., Kight K.E., Gorthof Y., Alok D., Stubblefield J., Zohar Y.;
 CC "Multiple GnRHs present in a teleost species are encoded by separate
 CC genes: analysis of the sbGnRH and GNRH-II genes from the striped
 CC bass, Morone saxatilis.";
 CC J. Mol. Endocrinol. 21:277-289(1998).
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins (By
 CC similarity).
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- SIMILARITY: Belongs to the GnRH family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its

CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: AF056314; RAD03817.1; -.
 CC InterPro: IPR002012; GnRH.
 CC InterPro: IPR004079; GonadoliberinI.
 CC Pfam: PF00446; GnRH; 1.
 CC PRINTS: PR01541; GONADOLIBERNI.
 CC PROSITE: PS00473; GnRH; 1.
 CC Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 CC Signal; Multigene family; Pyrrolidone carboxylic acid.
 CC SIGNAL 1 22
 CC CHAIN 23 95 PROGONADOLIBERIN I.
 CC PEPTIDE 23 32 GONADOLIBERIN I.
 CC PEPTIDE 36 95 GnRH-ASSOCIATED PEPTIDE I (POTENTIAL).
 CC MOD_RES 23 23 PYRROLIDONE CARBOXYLIC ACID (BY
 CC SIMILARITY).
 CC MOD_RES 32 32 AMIDATION (G-33 PROVIDE AMIDE GROUP)
 CC (BY SIMILARITY).
 CC SEQUENCE 95 AA; 10411 MW; 980C65988FC279BFC CRC64;
 CC
 CC Query Match 57.5%; Score 42; DB 1; Length 95;
 CC Best Local Similarity 60.0%; Pred. No. 7.7;
 CC Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
 CC
 CC QY 1 EHWSHGWYGP 10
 CC :|||:|
 CC Db 23 QHWSYGLSPG 32
 CC
 CC RESULT 50
 CC GONI PAGMA
 CC ID -GONI PAGMA STANDARD; PRT; 95 AA.
 CC AC P00774;
 CC DT 15-JUL-1998 (Rel. 36, Created)
 CC DT 15-JUL-1998 (Rel. 36, Last sequence update)
 CC DT 28-FEB-2003 (Rel. 41, Last annotation update)
 CC DE Gonadoliberin I precursor (Gonadotropin-releasing hormone I) (GnRH-I)
 CC (LH-RH I) (Luliberin I).
 CC GN GnRH.
 CC OS Pagrus major (Red sea bream) (Chrysophrys major).
 CC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
 CC Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Percoidae;
 CC Sparidae; Pagrus.
 CC NCBI_TaxID=143350;
 CC [1]
 CC SEQUENCE FROM N.A.
 CC TISSUE=Brain;
 CC RA Okuzawa K., Granneman J., Bogerd J., Goos H., Zohar Y., Kagawa H.;
 CC Submitted (SEP-1996) to the EMBL/GenBank/DBJ databases.
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins (By
 CC similarity).
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- SIMILARITY: Belongs to the GnRH family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: D86582; BAA13129.1; -.
 CC InterPro: IPR002012; GnRH.
 CC InterPro: IPR004079; GonadoliberinI.
 CC Pfam: PF00446; GnRH; 1.
 CC PRINTS: PR01541; GONADOLIBERNI.
 CC PROSITE: PS00473; GnRH; 1.
 CC Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 CC Signal; Multigene family; Pyrrolidone carboxylic acid.

KW Signal; Multigene family; Pyrrolidone carboxylic acid.
FT SIGNAL 1 23 POTENTIAL.
FT CHAIN 24 95 PROGNADOLIBERIN I.
FT PEPTIDE 24 33 GONADOLIBERIN I.
FT PEPTIDE 37 95 GNRH-ASSOCIATED PEPTIDE I (POTENTIAL).
FT MOD_RES 24 24 PYRROLIDONE CARBOXYLIC ACID (BY
SIMILARITY).
FT MOD_RES 33 33 AMIDATION (G-34 PROVIDE AMIDE GROUP)
(BY SIMILARITY).
SQ SEQUENCE 95 AA; 10566 MW; 61E79C90328D73E CRC64;
Query Match 57.5%; Score 42; DB 1; Length 95;
Best Local Similarity 60.0%; Pred. No. 7.7;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
Qy 1 EHWSHGWYPG 10
Db 24 QHWSYGLSPG 33

Search completed: March 2, 2004, 19:26:15
Job time : 22 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 2, 2004, 19:19:03 ; Search time 36 Seconds
(without alignments)
87.644 Million cell updates/sec

Title: US-09-857-115-6

Perfect score: 73

Sequence: 1 EHWGHWPG 10

Scoring table: BLOSUMP62

Gapop 10.0 , Gapext 0.5

Searched: 1017041 seqs, 315518202 residues

Total number of hits satisfying chosen parameters: 1017041

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 500 summaries

Database :

SPREMBL 25:
1: sp.archaea:
2: sp.bacteria:
3: sp.fungi:
4: sp.human:
5: sp.invertebrate:
6: sp.mammal:
7: sp.mhc:
8: sp.organelle:
9: sp.phage:
10: sp.plant:
11: sp.podent:
12: sp.virus:
13: sp.vertebrate:
14: sp.unclassified:
15: sp.rvirus:
16: sp.bacteriap:
17: sp.archaeap:

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	70	95.9	62	Q7TIL5	Q7TIL5 odontesthes
2	70	95.9	75	Q9TTV0	Q9TTV0 trichosurus
3	70	95.9	85	Q8UW81	Q8UW81 verasper mo
4	70	95.9	86	Q9PT25	Q9PT25 oncorhynch
5	70	95.9	86	Q9PW69	Q9PW69 typhonect
6	70	95.9	86	Q8QF08	Q8QF08 brachydanio
7	70	95.9	86	Q8UUK5	Q8UUK5 scleropages
8	70	95.9	86	Q8AWI6	Q8AWI6 cyprinus ca
9	70	95.9	86	Q8JHF1	Q8JHF1 brachydanio
10	70	95.9	86	Q7ZT17	Q7ZT17 cyprinus ca
11	70	95.9	87	Q9PRI3	Q9PRI3 anguilla ja
12	70	95.9	107	Q9TSI3	Q9TSI3 macaca mula
13	70	95.9	114	Q97655	Q97655 macaca mula
14	56	76.7	33	Q9W7G0	Q9W7G0 oncorhynch
15	56	76.7	33	Q9PT34	Q9PT34 oncorhynch
16	56	76.7	54	Q9W0W9	Q9W0W9 oncorhynch

17	56	76.7	62	13	Q90ZE1	Q90ZE1 oncorhynch
18	56	76.7	68	13	Q7TIL1	Q7TIL1 odontesthes
19	56	76.7	82	13	Q92094	Q92094 oncorhynch
20	56	76.7	82	13	Q90VY3	Q90VY3 oncorhynch
21	56	76.7	82	13	Q9W7G1	Q9W7G1 oncorhynch
22	56	76.7	82	13	Q918P9	Q918P9 oncorhynch
23	56	76.7	82	13	Q918Q0	Q918Q0 oncorhynch
24	56	76.7	88	13	Q9PSY9	Q9PSY9 sparus aura
25	56	76.7	90	13	Q8UW82	Q8UW82 verasper mo
26	56	76.7	90	13	Q8UW82	Q8UW82 verasper mo
27	56	76.7	90	13	Q7ZT00	Q7ZT00 oreochromis
28	56	76.7	94	13	Q9DD88	Q9DD88 brachydanio
29	56	76.7	94	13	Q9DEH5	Q9DEH5 carassius a
30	56	76.7	94	13	Q8UUK6	Q8UUK6 scleropages
31	56	76.7	94	13	Q9DEH6	Q9DEH6 carassius a
32	56	76.7	94	13	Q8UHC3	Q8UHC3 cyprinus ca
33	56	76.7	94	13	Q8UHC3	Q8UHC3 cyprinus ca
34	56	76.7	94	13	Q8UHC3	Q8UHC3 cyprinus ca
35	56	76.7	94	13	Q8UHC3	Q8UHC3 cyprinus ca
36	49	67.1	63	4	Q9HBX7	Q9HBX7 homo sapien
37	48	65.8	86	13	Q8JH60	Q8JH60 alosa sapid
38	47.5	65.1	319	17	Q27385	Q27385 methanobact
39	47.5	65.1	321	17	Q27690	Q27690 methanobact
40	47	64.4	380	4	Q15885	Q15885 homo sapien
41	47	64.4	818	4	Q9H6S2	Q9H6S2 homo sapien
42	46	63.0	89	5	Q8T9D2	Q8T9D2 octopus vul
43	45	61.6	437	16	Q8X5D0	Q8X5D0 escherichia
44	45	61.6	439	16	Q8X5A7	Q8X5A7 escherichia
45	45	61.6	439	16	Q8X5A7	Q8X5A7 escherichia
46	45	61.6	439	16	Q8X5A7	Q8X5A7 escherichia
47	44	60.3	377	2	Q93JN5	Q93JN5 rhizobium l
48	44	60.3	415	2	Q8GDL7	Q8GDL7 bacteroides
49	44	60.3	602	16	Q7USD7	Q7USD7 rhodopirell
50	43	58.9	219	5	Q86D90	Q86D90 ciona intes
51	43	58.9	219	5	Q86D90	Q86D90 ciona intes
52	43	58.9	219	5	Q86D90	Q86D90 ciona intes
53	43	58.9	219	5	Q86D90	Q86D90 ciona intes
54	43	58.9	219	5	Q86D90	Q86D90 ciona intes
55	43	58.9	219	5	Q86D90	Q86D90 ciona intes
56	43	58.9	219	5	Q86D90	Q86D90 ciona intes
57	43	58.9	219	5	Q86D90	Q86D90 ciona intes
58	43	58.9	219	5	Q86D90	Q86D90 ciona intes
59	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
60	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
61	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
62	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
63	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
64	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
65	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
66	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
67	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
68	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
69	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
70	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
71	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
72	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
73	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
74	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
75	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
76	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
77	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
78	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
79	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
80	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
81	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
82	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
83	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
84	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
85	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
86	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
87	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
88	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent
89	42	57.5	882	16	Q8JIF3	Q8JIF3 dentex dent

90	40	54.8	162	16	Q8ZS38	Q8zs38 anabaena sp	163	39	53.4	645	9	Q7Y3C2	Q7y3c2 stx1 conver
91	40	54.8	173	8	Q8HMF8	Q8hmf8 boremba imb	164	39	53.4	645	9	Q7Y2W1	Q7y2w1 stx2 conver
92	40	54.8	228	16	Q7WPF3	Q7wpg3 bordetella	165	39	53.4	645	16	Q8XAX7	Q8xax7 escherichia
93	40	54.8	228	16	Q7WBR1	Q7wbr1 bordetella	166	39	53.4	678	9	Q8SCA4	Q8sca4 stx2 conver
94	40	54.8	228	16	Q7VSS9	Q7vss9 bordetella	167	39	53.4	737	13	Q8O2W8	Q8o2w8 brachydanio
95	40	54.8	260	10	Q7XLM7	Q7xlm7 oryza sativ	168	39	53.4	851	15	Q7O145	Q7o145 human immun
96	40	54.8	278	10	Q74HM7	Q74hm7 oryza sativ	169	39	53.4	918	16	Q81K50	Q81k50 bacillus an
97	40	54.8	278	10	Q74H09	Q74h09 oryza sativ	170	39	53.4	1021	16	Q8YXZ7	Q8yxz7 anabaena sp
98	40	54.8	307	4	Q14792	Q14792 homo sapien	171	39	53.4	1185	16	Q7UXA1	Q7uxa1 rhodopirell
99	40	54.8	307	5	Q9VJ65	Q9vj65 drosophila	172	39	53.4	1344	12	Q88483	Q88483 tomato blac
100	40	54.8	320	5	Q8INX3	Q8inx3 drosophila	173	39	53.4	1480	12	Q7TBE2	Q7tbe2 canine coro
101	40	54.8	321	5	Q9VY52	Q9vy52 drosophila	174	39	53.4	2046	16	Q7ULY0	Q7uly0 rhodopirell
102	40	54.8	328	4	Q8NL6	Q8nl6 homo sapien	175	39	53.4	2367	2	Q9EXR0	Q9exr0 clostridium
103	40	54.8	417	5	Q9TX12	Q9tx12 caenorhabdi	176	39	53.4	261	2	Q8GI01	Q8gi01 pseudomonas
104	40	54.8	500	10	Q8ANQ1	Q8and1 oryza sativ	177	39	53.4	316	2	P95446	P95446 pseudomonas
105	40	54.8	543	2	Q9L868	Q9l868 desulfovibr	178	39	53.4	66	16	Q8ZID5	Q8zid5 salmonella
106	40	54.8	575	10	Q7Y0B2	Q7y0b2 oryza sativ	179	39	53.4	76	16	Q8FJU4	Q8fju4 escherichia
107	40	54.8	577	7	Q95IG1	Q95ig1 homo sapien	180	39	53.4	82	4	Q8NEE0	Q8nee0 homo sapien
108	40	54.8	610	16	Q8A579	Q8a579 bacteroides	181	39	53.4	101	16	Q89I73	Q89i73 bradyrhizob
109	40	54.8	635	13	Q7ZUD0	Q7zud0 brachydanio	182	39	53.4	112	15	Q88131	Q88131 chimpanzee
110	40	54.8	697	16	Q93Q08	Q93q08 rhizobium m	183	39	53.4	112	15	Q88137	Q88137 chimpanzee
111	40	54.8	752	6	Q8SQ75	Q8sq75 ponga pygma	184	39	53.4	112	15	Q88125	Q88125 chimpanzee
112	40	54.8	752	6	Q8SQ74	Q8sq74 pan troglod	185	39	53.4	112	15	Q88827	Q88827 chimpanzee
113	40	54.8	752	6	Q863A0	Q863a0 gorilla gor	186	39	53.4	123	2	Q8GLJ4	Q8glj4 legionella
114	40	54.8	760	11	Q7O350	Q7o350 mus musculu	187	39	53.4	132	16	Q92X97	Q92x97 rhizobium m
115	40	54.8	827	8	Q35056	Q35056 marchantia	188	39	53.4	132	16	Q916C9	Q916c9 pseudomonas
116	40	54.8	856	11	Q62121	Q62121 mus musculu	189	39	53.4	209	11	Q9DAS6	Q9das6 mus musculu
117	40	54.8	888	5	Q96232	Q96232 plasmodium	190	39	53.4	211	5	Q9VUK1	Q9vuk1 drosophila
118	40	54.8	1191	16	Q884Z0	Q884z0 pseudomonas	191	39	53.4	250	16	Q888I2	Q888i2 lactobacill
119	39.5	54.1	300	11	Q8BX89	Q8bx89 mus musculu	192	39	53.4	256	16	Q7T2P6	Q7t2p6 mycobacteri
120	39.5	54.1	449	16	Q93LK3	Q93lk3 enterococu	193	39	53.4	256	16	P71986	P71986 mycobacteri
121	39.5	54.1	463	16	Q81V11	Q81v11 bacillus an	194	39	53.4	260	5	Q95T44	Q95t44 drosophila
122	39.5	54.1	463	16	Q81HU3	Q81hu3 bacillus ce	195	39	53.4	267	2	Q54020	Q54020 paracoccus
123	39	53.4	54	2	Q8V5I7	Q8v5i7 shigella fl	196	39	53.4	311	16	Q7U613	Q7u613 synecchococ
124	39	53.4	72	13	Q7M1L2	Q7m1l2 odontesthes	197	39	53.4	345	16	Q82A21	Q82a21 streptomyce
125	39	53.4	112	16	Q7U6Z4	Q7u6z4 synecchococ	198	39	53.4	349	16	Q7UA26	Q7ua26 synecchococ
126	39	53.4	116	10	Q8W5G8	Q8w5g8 oryza sativ	199	39	53.4	385	16	Q8UD44	Q8ud44 agrobacteri
127	39	53.4	152	9	Q854J3	Q854j3 mycobacteri	200	39	53.4	386	2	Q9KWS7	Q9kws7 pectobacter
128	39	53.4	158	11	Q8C2A8	Q8c2a8 mus musculu	201	39	53.4	386	16	Q7U8H5	Q7u8h5 synecchococ
129	39	53.4	169	13	Q8AVV7	Q8avv7 xenopus lae	202	39	53.4	400	17	Q973A3	Q973a3 sulfobolus
130	39	53.4	169	13	Q9PVQ0	Q9pvq0 xenopus lae	203	39	53.4	414	16	Q87Z24	Q87z24 pseudomonas
131	39	53.4	243	12	Q91T18	Q91t18 tupaia herp	204	39	53.4	421	17	Q9HIF9	Q9hif9 thermoplasm
132	39	53.4	251	15	Q66934	Q66934 felina immu	205	39	53.4	438	12	Q8VSE3	Q8vse3 ndelle viru
133	39	53.4	278	11	Q9D1J4	Q9d1j4 mus musculu	206	39	53.4	439	5	Q9VUJ1	Q9vuj1 drosophila
134	39	53.4	278	11	Q91WA1	Q91wa1 mus musculu	207	39	53.4	468	16	Q8AZW8	Q8azw8 bacteroides
135	39	53.4	278	11	Q9CQM3	Q9cqm3 mus musculu	208	39	53.4	474	16	Q8FQ44	Q8fq44 corynebacte
136	39	53.4	301	4	Q9BWZ6	Q9bwz6 homo sapien	209	39	53.4	478	16	Q7VWX3	Q7vw3 bordetella
137	39	53.4	301	4	Q9BVW5	Q9bvw5 homo sapien	210	39	53.4	480	16	Q7W507	Q7w507 bordetella
138	39	53.4	347	2	P95470	P95470 cellvibrio	211	39	53.4	492	16	Q82M06	Q82m06 streptomyce
139	39	53.4	347	16	Q8ZKJ7	Q8zkj7 salmonella	212	39	53.4	509	2	Q54345	Q54345 streptomyce
140	39	53.4	364	10	Q9SJM9	Q9sjm9 arabidopsis	213	39	53.4	520	2	Q54344	Q54344 streptomyce
141	39	53.4	380	16	Q8A9F8	Q8a9f8 bacteroides	214	39	53.4	520	16	Q9ADF5	Q9adf5 streptomyce
142	39	53.4	381	2	Q8VXZ1	Q8vxz1 enterobacte	215	39	53.4	521	5	Q31195	Q31195 caenorhabdi
143	39	53.4	381	2	Q83024	Q83024 enterobacte	216	39	53.4	524	5	O18059	O18059 caenorhabdi
144	39	53.4	387	12	O11422	O11422 duck adenov	217	39	53.4	527	3	Q9HE31	Q9he31 neuropsora
145	39	53.4	390	10	Q84VP8	Q84vp8 arabidopsis	218	39	53.4	530	5	Q9U3K9	Q9u3k9 caenorhabdi
146	39	53.4	407	16	Q8X5F6	Q8x5f6 escherichia	219	39	53.4	562	16	Q87BP5	Q87bp5 vibrio para
147	39	53.4	428	13	Q9PWC8	Q9pwc8 brachydanio	220	39	53.4	565	16	Q8CK53	Q8ck53 streptomyce
148	39	53.4	430	13	Q98SS0	Q98ss0 brachydanio	221	39	53.4	588	10	Q9SDC0	Q9sd0 oryza sativ
149	39	53.4	430	13	Q98SS3	Q98ss3 brachydanio	222	39	53.4	589	16	Q7UW98	Q7uw98 rhodopirell
150	39	53.4	431	13	Q98SS2	Q98ss2 brachydanio	223	39	53.4	606	16	Q8R5T2	Q8r5t2 thermococ
151	39	53.4	432	13	Q98SS1	Q98ss1 brachydanio	224	39	53.4	637	2	Q937B8	Q937b8 pseudomonas
152	39	53.4	438	16	Q8X3D6	Q8x3d6 escherichia	225	39	53.4	637	2	Q7X3D2	Q7x3d2 gamma-prote
153	39	53.4	440	16	Q8X3W0	Q8x3w0 escherichia	226	39	53.4	712	13	Q8O0R0	Q8o0r0 anableps an
154	39	53.4	450	16	Q891V1	Q891v1 bradyrhizob	227	39	53.4	749	2	Q8KJB6	Q8kjr6 gordonia sp
155	39	53.4	457	2	Q9KHG6	Q9khg6 haemophilus	228	39	53.4	1189	16	Q7UPG0	Q7upg0 rhodopirell
156	39	53.4	542	16	Q8PP22	Q8pf22 xanthomonas	229	39	53.4	1219	10	Q9S121	Q9s121 arabidopsis
157	39	53.4	599	2	Q8L0X1	Q8l0x1 acinetobact	230	39	53.4	1436	16	Q8G523	Q8g523 bifidobacte
158	39	53.4	601	16	Q91612	Q91612 pseudomonas	231	39	53.4	5060	2	Q9K5M1	Q9k5m1 anabaena sp
159	39	53.4	601	16	Q88QW6	Q88qw6 pseudomonas	232	39	53.4	5216	5	Q9VXZ5	Q9vxz5 drosophila
160	39	53.4	601	16	Q88A92	Q88a92 pseudomonas	233	39	53.4	5233	5	Q9NB71	Q9nb71 drosophila
161	39	53.4	645	2	Q9KXB9	Q9kxb9 escherichia	234	39	53.4	385	5	Q9KX90	Q9kx90 caenorhabdi
162	39	53.4	645	9	Q9XJK8	Q9xjk8 bacterioph	235	39	53.4	401	16	P72927	P72927 synecchocyst

236	37.5	51.4	491	17	Q82Y98	Q82Y98 pyrobaculum	309	50.7	133	12	041700	041700 hepatitis g
237	37.5	51.4	496	2	Q9AKN4	Q9AKN4 rickettsia	310	50.7	133	12	041736	041736 hepatitis g
238	37.5	51.4	496	2	Q9AKN1	Q9AKN1 rickettsia	311	50.7	133	12	041736	041736 hepatitis g
239	37.5	51.4	496	16	Q92J41	Q92J41 rickettsia	312	50.7	133	12	041693	041693 hepatitis g
240	37.5	51.4	496	16	Q9GHS7	Q9GHS7 lophiola au	313	50.7	133	12	041738	041738 hepatitis g
241	37.5	51.4	508	8	Q9YB20	Q9YB20 aeropyrum p	314	50.7	133	12	041715	041715 hepatitis g
242	37.5	51.4	538	16	Q8S7D3	Q8S7D3 rhodopirell	315	50.7	133	12	041721	041721 hepatitis g
243	37.5	51.4	80	10	Q7URP5	Q7URP5 oryza sativ	316	50.7	133	12	041711	041711 hepatitis g
244	37.5	51.4	80	10	Q7XC11	Q7XC11 oryza sativ	317	50.7	133	12	041711	041711 hepatitis g
245	37.5	51.4	80	16	Q8A4G1	Q8A4G1 bacteroides	318	50.7	133	12	041716	041716 hepatitis g
246	37.5	51.4	90	16	Q90388	Q90388 hepatitis g	319	50.7	133	12	041733	041733 hepatitis g
247	37.5	51.4	92	12	Q90389	Q90389 hepatitis g	320	50.7	133	12	041717	041717 hepatitis g
248	37.5	51.4	92	12	Q90397	Q90397 hepatitis g	321	50.7	133	12	041691	041691 hepatitis g
249	37.5	51.4	92	12	Q90390	Q90390 hepatitis g	322	50.7	133	12	041713	041713 hepatitis g
250	37.5	51.4	92	12	Q90393	Q90393 hepatitis g	323	50.7	133	12	041728	041728 hepatitis g
251	37.5	51.4	92	12	Q90394	Q90394 hepatitis g	324	50.7	133	12	041731	041731 hepatitis g
252	37.5	51.4	92	12	Q90392	Q90392 hepatitis g	325	50.7	133	12	041707	041707 hepatitis g
253	37.5	51.4	92	12	Q90395	Q90395 hepatitis g	326	50.7	133	12	041735	041735 hepatitis g
254	37.5	51.4	92	12	Q90396	Q90396 hepatitis g	327	50.7	133	12	041704	041704 hepatitis g
255	37.5	51.4	92	12	Q90391	Q90391 hepatitis g	328	50.7	133	12	041725	041725 hepatitis g
256	37.5	51.4	99	13	Q90WU7	Q90WU7 ctenophorus	329	50.7	133	12	041685	041685 hepatitis g
257	37.5	51.4	103	12	Q55297	Q55297 hepatitis g	330	50.7	133	12	041689	041689 hepatitis g
258	37.5	51.4	103	12	Q55306	Q55306 hepatitis g	331	50.7	133	12	041696	041696 hepatitis g
259	37.5	51.4	103	12	Q55294	Q55294 hepatitis g	332	50.7	133	12	041732	041732 hepatitis g
260	37.5	51.4	103	12	Q55308	Q55308 hepatitis g	333	50.7	133	12	041701	041701 hepatitis g
261	37.5	51.4	103	12	Q55305	Q55305 hepatitis g	334	50.7	133	12	041682	041682 hepatitis g
262	37.5	51.4	103	12	Q55302	Q55302 hepatitis g	335	50.7	133	12	041687	041687 hepatitis g
263	37.5	51.4	103	12	Q55299	Q55299 hepatitis g	336	50.7	133	12	041690	041690 hepatitis g
264	37.5	51.4	103	12	Q55307	Q55307 hepatitis g	337	50.7	133	12	041709	041709 hepatitis g
265	37.5	51.4	103	12	Q55296	Q55296 hepatitis g	338	50.7	133	12	041699	041699 hepatitis g
266	37.5	51.4	103	12	Q55314	Q55314 hepatitis g	339	50.7	133	12	041726	041726 hepatitis g
267	37.5	51.4	103	12	Q55310	Q55310 hepatitis g	340	50.7	133	12	041701	041701 hepatitis g
268	37.5	51.4	103	12	Q55309	Q55309 hepatitis g	341	50.7	133	12	041682	041682 hepatitis g
269	37.5	51.4	103	12	Q55298	Q55298 hepatitis g	342	50.7	133	12	041719	041719 hepatitis g
270	37.5	51.4	103	12	Q55311	Q55311 hepatitis g	343	50.7	133	12	041727	041727 hepatitis g
271	37.5	51.4	103	12	Q55295	Q55295 hepatitis g	344	50.7	133	12	041723	041723 hepatitis g
272	37.5	51.4	103	12	Q55295	Q55295 hepatitis g	345	50.7	133	12	041703	041703 hepatitis g
273	37.5	51.4	103	12	Q55313	Q55313 hepatitis g	346	50.7	133	12	041710	041710 hepatitis g
274	37.5	51.4	103	12	Q55316	Q55316 hepatitis g	347	50.7	133	12	041720	041720 hepatitis g
275	37.5	51.4	103	12	Q55303	Q55303 hepatitis g	348	50.7	133	12	041706	041706 hepatitis g
276	37.5	51.4	103	12	Q55301	Q55301 hepatitis g	349	50.7	133	12	041694	041694 hepatitis g
277	37.5	51.4	103	12	Q55312	Q55312 hepatitis g	350	50.7	133	12	041722	041722 hepatitis g
278	37.5	51.4	103	12	Q55312	Q55312 hepatitis g	351	50.7	133	12	041718	041718 hepatitis g
279	37.5	51.4	104	12	Q36459	Q36459 hepatitis g	352	50.7	133	12	041737	041737 hepatitis g
280	37.5	51.4	104	12	Q36482	Q36482 hepatitis g	353	50.7	133	12	041681	041681 hepatitis g
281	37.5	51.4	104	12	Q36481	Q36481 hepatitis g	354	50.7	133	12	041739	041739 hepatitis g
282	37.5	51.4	104	12	Q36480	Q36480 hepatitis g	355	50.7	133	12	041692	041692 hepatitis g
283	37.5	51.4	104	12	Q36471	Q36471 hepatitis g	356	50.7	134	16	Q8CXR5	Q8CXR5 leptospira
284	37.5	51.4	104	12	Q36469	Q36469 hepatitis g	357	50.7	140	12	072494	072494 hepatitis g
285	37.5	51.4	104	12	Q36458	Q36458 hepatitis g	358	50.7	140	12	072496	072496 hepatitis g
286	37.5	51.4	104	12	Q36477	Q36477 hepatitis g	359	50.7	140	12	072497	072497 hepatitis g
287	37.5	51.4	104	12	Q36461	Q36461 hepatitis g	360	50.7	140	12	072495	072495 hepatitis g
288	37.5	51.4	104	12	Q36472	Q36472 hepatitis g	361	50.7	140	12	072502	072502 hepatitis g
289	37.5	51.4	104	12	Q36484	Q36484 hepatitis g	362	50.7	140	12	072499	072499 hepatitis g
290	37.5	51.4	104	12	Q36485	Q36485 hepatitis g	363	50.7	140	12	072504	072504 hepatitis g
291	37.5	51.4	104	12	Q36457	Q36457 hepatitis g	364	50.7	140	12	072500	072500 hepatitis g
292	37.5	51.4	104	12	Q36475	Q36475 hepatitis g	365	50.7	140	12	072498	072498 hepatitis g
293	37.5	51.4	104	12	Q36479	Q36479 hepatitis g	366	50.7	141	12	072501	072501 hepatitis g
294	37.5	51.4	104	12	Q36473	Q36473 hepatitis g	367	50.7	141	12	072503	072503 hepatitis g
295	37.5	51.4	104	12	Q36465	Q36465 hepatitis g	368	50.7	148	6	Q9GKU3	Q9GKU3 macaca fasc
296	37.5	51.4	104	12	Q36460	Q36460 hepatitis g	369	50.7	148	16	Q915B7	Q915B7 pseudomonas
297	37.5	51.4	104	12	Q36460	Q36460 hepatitis g	370	50.7	148	16	Q97XU5	Q97XU5 sulfolobus
298	37.5	51.4	104	12	Q36462	Q36462 hepatitis g	371	50.7	155	16	Q8A5L2	Q8A5L2 bacteroides
299	37.5	51.4	104	12	Q36466	Q36466 hepatitis g	372	50.7	166	16	Q889E0	Q889E0 pseudomonas
300	37.5	51.4	104	12	Q36474	Q36474 hepatitis g	373	50.7	173	8	Q8HKQ0	Q8HKQ0 aspasma min
301	37.5	51.4	104	12	Q36467	Q36467 hepatitis g	374	50.7	175	16	Q8PJB0	Q8PJB0 xanthomonas
302	37.5	51.4	104	12	Q36468	Q36468 hepatitis g	375	50.7	179	10	Q7V1I4	Q7V1I4 oryza sativ
303	37.5	51.4	104	12	Q36470	Q36470 hepatitis g	376	50.7	189	12	Q91A03	Q91A03 hepatitis g
304	37.5	51.4	104	12	Q36483	Q36483 hepatitis g	377	50.7	189	12	Q91A04	Q91A04 hepatitis g
305	37.5	51.4	105	11	Q8C1Q3	Q8C1Q3 mus musculus	378	50.7	189	12	Q91A05	Q91A05 hepatitis g
306	37.5	51.4	108	13	Q802T9	Q802T9 brachydanio	379	50.7	189	12	Q91A02	Q91A02 hepatitis g
307	37.5	51.4	108	13	Q802T8	Q802T8 brachydanio	380	50.7	189	12	Q91A00	Q91A00 hepatitis g
308	37.5	51.4	131	13	Q8QGR8	Q8QGR8 scylliorhinu	381	50.7	189	12		

382	37	50.7	189	12	Q919Z7	Q919Z7 hepatitis g	455	37	50.7	393	13	Q91AS7	Q91as7 xenopus lae
383	37	50.7	189	12	Q919Z8	Q919Z8 hepatitis g	456	37	50.7	393	13	Q91AS8	Q91as8 xenopus lae
384	37	50.7	189	12	Q919Z9	Q919Z9 hepatitis g	457	37	50.7	394	16	Q8YZF3	Q8yzf3 anabaena sp
385	37	50.7	189	12	Q91A01	Q91A01 hepatitis g	458	37	50.7	395	16	Q82PH0	Q82ph0 streptomyce
386	37	50.7	189	12	Q91A06	Q91A06 hepatitis g	459	37	50.7	397	5	Q81198	Q81198 drosophila
387	37	50.7	190	16	Q9K0E1	Q9K0E1 neisseria m	460	37	50.7	400	5	Q9W115	Q9w115 drosophila
388	37	50.7	190	16	Q9JVE9	Q9JVE9 neisseria m	461	37	50.7	404	13	Q9PRE5	Q9pre5 ambystoma m
389	37	50.7	191	4	Q96ER7	Q96er7 homo sapien	462	37	50.7	407	13	P70053	P70053 fugu rubrip
390	37	50.7	194	5	Q43957	Q43957 trichomonas	463	37	50.7	409	13	Q93435	Q93435 cynops pyrr
391	37	50.7	195	5	Q95052	Q95052 tritrichomo	464	37	50.7	409	13	O57582	O57582 cynops pyrr
392	37	50.7	195	5	Q95051	Q95051 tritrichomo	465	37	50.7	412	16	Q8DL89	Q8dl89 synecococ
393	37	50.7	197	16	Q8AB85	Q8ab85 bacteroides	466	37	50.7	414	16	Q8D4L0	Q8d4l0 vibrio vuln
394	37	50.7	203	2	Q93K55	Q93K55 frankia sp.	467	37	50.7	419	13	Q9PRE4	Q9pre4 ambystoma m
395	37	50.7	204	16	Q7WES9	Q7wes9 bordetella	468	37	50.7	420	16	P73615	P73615 synecocyst
396	37	50.7	204	16	Q7W3F9	Q7w3f9 bordetella	469	37	50.7	421	13	P70001	P70001 xenopus lae
397	37	50.7	204	16	Q7W0P5	Q7w0p5 bordetella	470	37	50.7	421	16	Q87WE8	Q87we8 pseudomonas
398	37	50.7	207	16	Q88B25	Q88b25 pseudomonas	471	37	50.7	422	11	Q8CE15	Q8ce15 mus musculu
399	37	50.7	211	2	Q8KQY1	Q8kqy1 vibrio chol	472	37	50.7	422	13	Q91877	Q91877 xenopus lae
400	37	50.7	213	13	O12974	O12974 oryzias sp.	473	37	50.7	423	13	O57581	O57581 cynops pyrr
401	37	50.7	216	16	Q8NSP0	Q8nsp0 corynebacte	474	37	50.7	427	16	Q987C9	Q987c9 rhizobium l
402	37	50.7	220	16	Q8EY8	Q8ey8 pseudomonas	475	37	50.7	427	16	Q89T23	Q89t23 bradyrhizob
403	37	50.7	230	17	Q8TWH0	Q8twh0 methanopyru	476	37	50.7	428	16	Q89T23	Q89t23 bradyrhizob
404	37	50.7	233	13	P87389	P87389 triturus al	477	37	50.7	433	2	Q8GDF1	Q8gdf1 propionibac
405	37	50.7	235	4	Q75296	Q75296 homo sapien	478	37	50.7	433	13	O42292	O42292 astyanax fa
406	37	50.7	237	3	Q873M4	Q873m4 malassezia	479	37	50.7	435	16	Q88W38	Q88w38 ambystoma m
407	37	50.7	245	16	Q8E8H0	Q8e8h0 shewanella	480	37	50.7	435	16	Q88W38	Q88w38 lactobacill
408	37	50.7	246	11	Q8CER0	Q8cer0 mus musculu	481	37	50.7	436	11	Q921Q8	Q921q8 mus musculu
409	37	50.7	253	2	O32402	O32402 rhodocyclu	482	37	50.7	436	11	O921Q8	Q921q8 mus musculu
410	37	50.7	258	16	Q8YSA0	Q8ysa0 anabaena sp	483	37	50.7	437	13	Q9VHZ8	Q9vHz8 gallus gall
411	37	50.7	260	2	F71102	F71102 curtbacter	484	37	50.7	437	13	O42348	O42348 brachydanio
412	37	50.7	272	16	Q881U2	Q881u2 pseudomonas	485	37	50.7	438	13	O42612	O42612 astyanax fa
413	37	50.7	273	16	Q92KY1	Q92ky1 rhizobium m	486	37	50.7	441	5	Q8MQ19	Q8mq19 caenorhabdi
414	37	50.7	278	2	O53051	O53051 rhodococcus	487	37	50.7	442	2	O7WXY2	O7wxy2 pseudomonas
415	37	50.7	292	11	Q8VDB7	Q8vdb7 mus musculu	488	37	50.7	448	13	Q90YA2	Q90ya2 lampetra ja
416	37	50.7	298	11	Q91WL2	Q91wl2 mus musculu	489	37	50.7	451	16	Q92541	Q92541 streptomyce
417	37	50.7	298	12	Q9EP55	Q9ep55 hepatitis g	490	37	50.7	452	13	O57583	O57583 cynops pyrr
418	37	50.7	298	12	Q9EP97	Q9ep97 hepatitis g	491	37	50.7	453	13	Q8AVP0	Q8avp0 xenopus lae
419	37	50.7	298	12	Q9EP96	Q9ep96 hepatitis g	492	37	50.7	453	13	O42293	O42293 astyanax fa
420	37	50.7	298	12	Q9EP90	Q9ep90 hepatitis g	493	37	50.7	459	13	O42293	O42293 streptomyce
421	37	50.7	298	12	Q9EP98	Q9ep98 hepatitis g	494	37	50.7	461	16	Q91202	Q91202 streptomyce
422	37	50.7	298	12	Q9EP91	Q9ep91 hepatitis g	495	37	50.7	471	16	Q915Q1	Q915q1 pseudomonas
423	37	50.7	298	12	Q9EP92	Q9ep92 hepatitis g	496	37	50.7	471	16	Q82DY7	Q82dy7 streptomyce
424	37	50.7	298	12	Q9EP98	Q9ep98 hepatitis g	497	37	50.7	472	16	Q98QF0	Q98qf0 mycoplasma
425	37	50.7	298	12	Q9EP93	Q9ep93 hepatitis g	498	37	50.7	510	5	O20929	O20929 caenorhabdi
426	37	50.7	298	12	Q9EP99	Q9ep99 hepatitis g	499	37	50.7	519	12	O41677	O41677 hepatitis g
427	37	50.7	298	12	Q9EP96	Q9ep96 hepatitis g	500	37	50.7	519	12	O41679	O41679 hepatitis g
428	37	50.7	298	12	Q9EP90	Q9ep90 hepatitis g							
429	37	50.7	298	12	Q9EP93	Q9ep93 hepatitis g							
430	37	50.7	298	12	Q9EP90	Q9ep90 hepatitis g							
431	37	50.7	298	12	Q9EP90	Q9ep90 hepatitis g							
432	37	50.7	298	12	Q9EP95	Q9ep95 hepatitis g							
433	37	50.7	298	12	Q9EP91	Q9ep91 hepatitis g							
434	37	50.7	298	12	Q9EP92	Q9ep92 hepatitis g							
435	37	50.7	298	12	Q9EP90	Q9ep90 hepatitis g							
436	37	50.7	298	12	Q9EP94	Q9ep94 hepatitis g							
437	37	50.7	298	16	Q871Z8	Q871z8 vibrio para							
438	37	50.7	299	4	Q9HF2	Q9hf2 homo sapien							
439	37	50.7	309	11	Q8VDB3	Q8vdb3 mus musculu							
440	37	50.7	317	8	Q8HQ86	Q8hq86 schizosacch							
441	37	50.7	338	5	P91504	P91504 caenorhabdi							
442	37	50.7	338	16	Q8BPV4	Q8bpv4 pseudomonas							
443	37	50.7	340	6	Q8HZ90	Q8hz90 saginus oe							
444	37	50.7	340	4	Q7Z6A4	Q7z6a4 homo sapien							
445	37	50.7	352	11	Q8VHL9	Q8vhl9 mus musculu							
446	37	50.7	358	2	Q7WZP5	Q7wzp5 pseudomonas							
447	37	50.7	365	16	Q88Q83	Q88q83 pseudomonas							
448	37	50.7	367	16	Q889D3	Q889d3 pseudomonas							
449	37	50.7	370	13	P70002	P70002 xenopus lae							
450	37	50.7	383	10	O22692	O22692 arabidopsis							
451	37	50.7	384	16	Q8Z6T4	Q8z6t4 salmonella							
452	37	50.7	390	13	Q91AS6	Q91as6 xenopus lae							
453	37	50.7	390	13	Q9PRE3	Q9pre3 ambystoma m							
454	37	50.7	393	13	Q91AS5	Q91as5 xenopus lae							

ALIGNMENTS

RESULT 1

ID	Q7T1L5	PRELIMINARY;	PRT;	62 AA.
AC	Q7T1L5			
DT	01-OCT-2003 (TRENBLZrel. 25, Created)			
DT	01-OCT-2003 (TRENBLZrel. 25, Last sequence update)			
DT	01-OCT-2003 (TRENBLZrel. 25, Last annotation update)			
DE	Gonadotropin-releasing hormone-II (Fragment).			
OS	Odontesthes bonariensis.			
OC	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;			
OC	Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;			
OC	Acanthomorpha; Acanthopterygii; Percomorpha; Atherinomorpha;			
OC	Atheriniformes; Atherinoidei; Atherinidae; Atherinopsinae;			
OC	Odontesthes.			
OX	NCBI_TaxID=219752;			
RN	[1]			
RP	SEQUENCE FROM N.A.			
RC	TISSUE=Brain;			
RA	Guligur L.G., Miranda L.A., Somoza G.M.;			
RT	"Characterization of three GnRH cDNA sequences in the pejerrey fish			
RT	Odontesthes bonariensis."			
RL	Submitted (JUN-2003) to the EMBL/GenBank/DBJ databases.			

```

DR EMBL; AY316690; AAP84604.1; -.
FT NON_TER 1
SQ SEQUENCE 62 AA; 7259 MW; 0D24C3AA0E94083F CRC64;

Query Match 95.9%; Score 70; DB 13; Length 62;
Best Local Similarity 90.0%; Pred. No. 0.0042;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
Db :|||||

RESULT 2
Q9TTVO PRELIMINARY; PRT; 75 AA.
AC Q9TTVO;
DT 01-MAY-2000 (TREMELrel. 13, Created)
DT 01-MAY-2000 (TREMELrel. 13, Last sequence update)
DT 01-JUN-2003 (TREMELrel. 24, Last annotation update)
DE Type II gonadotropin-releasing hormone (Gonadoliberin) (Gonadotropin-
releasing hormone) (GnRH) (LH-RH) (Luliberin).
OS Trichosurus vulpecula (Brush-tailed possum).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Metatheria; Diprotodontia; Phalangeridae; Trichosurus.
OX NCBI_TaxID=9337;
RN [1]
RP SEQUENCE FROM N.A.
RA Lawrence S.B., McNatty K.P., Fidler A.E.;
RT "cDNA Sequence of the chicken type II gonadotropin releasing hormone
(cII GnRH) gene of the brushtail possum (Trichosurus vulpecula).";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE GnRH FAMILY.
DR EMBL; AF193516; AAF07190.1; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GnRH.
DR Pfam; PF00446; GnRH; 1.
DR PROSITE; PS00473; GnRH; 1.
KW Amidation; Hormone.
SQ SEQUENCE 75 AA; 8381 MW; 1C0E324492CA4283 CRC64;

Query Match 95.9%; Score 70; DB 6; Length 75;
Best Local Similarity 90.0%; Pred. No. 0.0051;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
Db :|||||

RESULT 3
Q8UW81 PRELIMINARY; PRT; 85 AA.
AC Q8UW81;
DT 01-MAR-2002 (TREMELrel. 20, Created)
DT 01-MAR-2002 (TREMELrel. 20, Last sequence update)
DT 01-JUN-2003 (TREMELrel. 24, Last annotation update)
DE Chicken-II type gonadotropin-releasing hormone precursor
(Gonadoliberin) (GnRH) (LH-RH) (Luliberin).
OS Versaper moseri (Barfin flounder).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Pleuronectiformes;
OC Pleuronectoidae; Pleuronectidae; Verasper.
OX NCBI_TaxID=98923;
RN [1]
RP SEQUENCE FROM N.A.
RA Amano M.;
RT "Molecular cloning of three cDNAs encoding GnRH in the brain of barfin

```

```

flounder.";
RL Submitted (JUL-2001) to the EMBL/GenBank/DBJ databases. (BY
CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE GnRH FAMILY.
DR EMBL; AB066359; BAB83983.1; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GnRH.
DR Pfam; PF00446; GnRH; 1.
DR PROSITE; PS00473; GnRH; 1.
KW Amidation; Hormone; signal.
FT SIGNAL 1 23
FT CHAIN 24 33
FT CHAIN 37 85
SQ SEQUENCE 85 AA; 9593 MW; 73B102A23528AA02 CRC64;
PEPTIDE.
GONADOTROPIN-RELEASING HORMONE ASSOCIATED
POTENTIAL.
CHICKEN-II-TYPE GONADOTROPIN-RELEASING
HORMONE
GONADOTROPIN-RELEASING HORMONE ASSOCIATED
PEPTIDE.

Query Match 95.9%; Score 70; DB 13; Length 85;
Best Local Similarity 90.0%; Pred. No. 0.0058;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
Db :|||||

RESULT 4
Q9PT25 PRELIMINARY; PRT; 86 AA.
AC Q9PT25;
DT 01-MAY-2000 (TREMELrel. 13, Created)
DT 01-MAY-2000 (TREMELrel. 13, Last sequence update)
DT 01-JUN-2003 (TREMELrel. 24, Last annotation update)
DE Chicken-II type gonadotropin-releasing hormone (Gonadoliberin) (GnRH)
(LH-RH) (Luliberin).
GN CGNRH-II.
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Ovary;
RX MEDLINE=20084414; PubMed=10619396;
RA von Schalburg K.R., Harrower W.L., Sherwood N.M.;
RT "Regulation and expression of GnRH in salmon embryo and gonad.";
RL Mol. Cell. Endocrinol. 157:41-54(1999).
CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE GnRH FAMILY.
DR EMBL; AF125973; AAF08687.1; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GnRH.
DR Pfam; PF00446; GnRH; 1.
DR PROSITE; PS00473; GnRH; 1.
KW Amidation; Hormone.
SQ SEQUENCE 86 AA; 9811 MW; D6F0A3FD4BDFC257 CRC64;

Query Match 95.9%; Score 70; DB 13; Length 86;
Best Local Similarity 90.0%; Pred. No. 0.0059;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
Db :|||||

25 QHWSHGWPY 34

```

```

RESULT 5
Q9PW69 ID Q9PW69 PRELIMINARY; PRT; 86 AA.
AC Q9PW69;
DT 01-MAY-2000 (TREMBlrel. 13, Created)
DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
DT 01-JUN-2003 (TREMBlrel. 24, Last annotation update)
DE Gonadotropin-releasing hormone II precursor (Gonadoliberin) (GNRH)
DE (LH-RH) (Luliberin).
OS Typhlonectes natans (Rubber eel).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Amphibia; Gymnophiona; Caeciliidae; Typhlonectes.
CX NCBI_TaxID=8456;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RA Ebersole T.U., Goetz F.W., Boyd S.K.;
RT "Cloning of chicken II (cII) GnRH cDNA from the brain of a caecilian
RT amphibian, Typhlonectes natans."
RL Submitted (JUL-1999) to the EMBL/GenBank/DBJ databases.
CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.
DR EMBL; AF167558; AAD48032.1;
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Amidation; Hormone; Signal.
FT SIGNAL 1 24
FT CHAIN 25 34
SQ SEQUENCE 86 AA; 9788 MW; 2A02299F73B3720A CRC64;
Query Match 95.9%; Score 70; DB 13; Length 86;
Best Local Similarity 90.0%; Pred. No. 0.0059;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYGP 10
Db 25 QHWSHGWP 34

RESULT 6
Q8QF08 ID Q8QF08 PRELIMINARY; PRT; 86 AA.
AC Q8QF08;
DT 01-JUN-2002 (TREMBlrel. 21, Created)
DT 01-JUN-2002 (TREMBlrel. 21, Last sequence update)
DT 01-JUN-2003 (TREMBlrel. 24, Last annotation update)
DE CII gonadotropin releasing hormone (Gonadoliberin) (GNRH) (LH-RH)
DE (Luliberin).
OS Brachydanio rerio (zebrafish) (Danio rerio).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Danio.
CX NCBI_TaxID=7955;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RA Whitlock K.E., Gopinath A., Tseng A.L., Boyce M.L.;
RT "Characterization of gonadotropin releasing hormone (GNRH) expression
RT in the juvenile zebrafish Danio rerio."
RL Submitted (APR-2002) to the EMBL/GenBank/DBJ databases.
CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.
DR EMBL; AY094357; AAM15717.1;
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.

RESULT 7
Q8UUK5 ID Q8UUK5 PRELIMINARY; PRT; 86 AA.
AC Q8UUK5;
DT 01-MAR-2002 (TREMBlrel. 20, Created)
DT 01-MAR-2002 (TREMBlrel. 20, Last sequence update)
DT 01-JUN-2003 (TREMBlrel. 24, Last annotation update)
DE Prepro-chicken-II-type gonadotropin-releasing hormone precursor
DE (Gonadoliberin) (GNRH) (LH-RH) (Luliberin).
GN CGNRH-II.
OS Scleropages jardini (Australian bonytongue).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Osteoglossomorpha;
OC Osteoglossiformes; Osteoglossidae; Scleropages.
CX NCBI_TaxID=113541;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RA MEDLINE=21560666; PubMed=11703078;
RA Okubo K., Aida K.;
RT "Gonadotropin-releasing hormones (GNRHs) in a primitive teleost, the
RT arwana: phylogenetic evidence that three paralogous lineages of GNRH
RT occurred prior to the emergence of teleosts."
RL Gen. Comp. Endocrinol. 124:125-133(2001).
CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.
DR EMBL; AB047326; BAB72183.1;
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Amidation; Hormone; Signal.
FT SIGNAL 1 24
FT CHAIN 25 34
SQ SEQUENCE 86 AA; 9635 MW; F7A4643016307D05 CRC64;
Query Match 95.9%; Score 70; DB 13; Length 86;
Best Local Similarity 90.0%; Pred. No. 0.0059;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYGP 10
Db 25 QHWSHGWP 34

RESULT 8
Q8AWI6 ID Q8AWI6 PRELIMINARY; PRT; 86 AA.
AC Q8AWI6;
DT 01-MAR-2003 (TREMBlrel. 23, Created)
DT 01-MAR-2003 (TREMBlrel. 23, Last sequence update)
DT 01-OCT-2003 (TREMBlrel. 25, Last annotation update)
DE Chicken-II-type gonadotropin-releasing hormone precursor.
OS Cyprinus carpio (Common carp).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;

```

```

OC Cyprinidae; Cyprinus.
RN NCBI_TaxID=7962;
RP [1]
RA SEQUENCE FROM N.A.
RP Li S.F., Hu W., Wang Y.P., Zhu Z.Y.;
RT "Genetics, cloning and promoter function analysis of the GnRH gene.";
RT Submitted (DEC-2002) to the EMBL/GenBank/DBJ databases.
DR EMBL; AY147400; AAN64351.3; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GnRH.
DR Pfam; PF00446; GnRH; 1.
DR PROSITE; PS00473; GnRH; 1.
KW Signal.
FT SIGNAL.
FT CHAIN 1 24
FT CHAIN 25 34
FT CHAIN 35 86
FT CHAIN 86 AA; 9959 MW; AA34E0B17ADIDA55 CRC64;
SQ SEQUENCE 86 AA; 9959 MW; AA34E0B17ADIDA55 CRC64;

Query Match 95.9%; Score 70; DB 13; Length 86;
Best Local Similarity 90.0%; Pred. No. 0.0059;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
Db :|||||
25 QHWSHGWPY 34

RESULT 9
Q8JHF1 PRELIMINARY; PRT; 86 AA.
AC Q8JHF1
DT 01-OCT-2002 (TrEMBLrel. 22, Created)
DT 01-OCT-2002 (TrEMBLrel. 22, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Gonadotropin-releasing hormone type-II precursor.
OS Brachydanio rerio (Zebrafish) (Danio rerio).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Danio.
OX NCBI_TaxID=7955;
RN [1]
RA SEQUENCE FROM N.A.
RA Steven C., Ijiri S., Zohar Y.;
RT "Characterization of the gonadotropin-releasing hormone system in the
RT zebrafish (Danio rerio).";
RT Submitted (MAY-2002) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF511531; AAM43951.1; -.
DR EMBL; AF511532; AAP34360.1; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GnRH.
DR Pfam; PF00446; GnRH; 1.
DR PROSITE; PS00473; GnRH; 1.
KW Signal.
FT SIGNAL.
FT CHAIN 1 24
FT CHAIN 25 34
FT CHAIN 35 86
FT CHAIN 86 AA; 9792 MW; 9DA1B3ACBCEC86A4 CRC64;
SQ SEQUENCE 86 AA; 9792 MW; 9DA1B3ACBCEC86A4 CRC64;

Query Match 95.9%; Score 70; DB 13; Length 86;
Best Local Similarity 90.0%; Pred. No. 0.0059;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
Db :|||||
25 QHWSHGWPY 34

RESULT 10
Q7ZTL7 PRELIMINARY; PRT; 86 AA.
AC Q7ZTL7
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Chicken-II-type gonadotropin-releasing hormone precursor.
GN GnRH-II.
OS Cyprinus carpio (Common carp).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Cyprinus.
OX NCBI_TaxID=7962;
RN [1]
RA SEQUENCE FROM N.A.
RA Li S.F., Hu W., Wang Y.P., Zhu Z.Y.;
RT "Isolation and identification of two differing sgRH from common carp
RT (Cyprinus carpio).";
RT Submitted (DEC-2002) to the EMBL/GenBank/DBJ databases.
RN [2]
RA SEQUENCE FROM N.A.
RA Li S.F., Hu W., Wang Y.P., Zhu Z.Y.;
RT "Gene clone and promoter functional analysis of cGnRH-II.";
RT Submitted (FEB-2003) to the EMBL/GenBank/DBJ databases.
DR EMBL; AY189961; AAC39753.1; -.
DR EMBL; AY246698; AAC89186.1; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GnRH.
DR Pfam; PF00446; GnRH; 1.
DR PROSITE; PS00473; GnRH; 1.
KW Signal.
FT SIGNAL.
FT CHAIN 1 24
FT CHAIN 25 34
FT CHAIN 35 86
FT CHAIN 86 AA; 9917 MW; 6F19886E2B85DB61 CRC64;
SQ SEQUENCE 86 AA; 9917 MW; 6F19886E2B85DB61 CRC64;

Query Match 95.9%; Score 70; DB 13; Length 86;
Best Local Similarity 90.0%; Pred. No. 0.0059;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
Db :|||||
25 QHWSHGWPY 34

RESULT 11
Q9PRI3 PRELIMINARY; PRT; 87 AA.
AC Q9PRI3
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Prepro-cGnRH-II precursor (Gonadotropin-releasing
DE hormone) (LH-RH) (Luliberin).
OS Anguilla japonica (Japanese eel).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Anguilliformes; Anguillidae;
OC Anguilla.
OX NCBI_TaxID=7937;
RN [1]
RA SEQUENCE FROM N.A.
RA Tissue=Brain;
RC Kubo K., Suetake H., Aida K.;
RT "Expression of two gonadotropin-releasing hormone (GnRH) precursor
RT genes in various tissues of the Japanese eel and evolution of GnRH.";
RL Zool. Sci. 16:471-478(1999).
RN [2]
RP SEQUENCE FROM N.A.

```



```

RA Okubo K., Suetake H., Aida K.;
RT "A splicing variant for the prepro-mammalian gonadotropin-releasing
RT hormone (prepro-mGnRH) mRNA is present in the brain and various
RT peripheral tissues of the Japanese eel.";
RL Zool. Sci. 16:645-651(1999)
CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.
DR ENBL; ABO26990; BAA82609.1; -.
DR ENBL; ABO26992; BAA83598.1; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Amidation; Hormone; Signal.
FT SIGNAL 1 24 POTENTIAL.
FT CHAIN 25 34 GNRH-II.
FT CHAIN 35 87 GNRH ASSOCIATED PEPTIDE.
SQ SEQUENCE 87 AA; 9837 MW; 6B24DE452338B48A CRC64;

Query Match 95.9%; Score 70; DB 13; Length 87;
Best Local Similarity 90.0%; Pred. NO. 0.0059;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
Db 25 QHWSHGWYPG 34

RESULT 12
Q9TSI3 PRELIMINARY; PRT; 107 AA.
AC Q9TSI3
DT 01-MAY-2000 (TREMBlrel. 13, Created)
DT 01-MAY-2000 (TREMBlrel. 13, Last sequence update)
DT 01-JUN-2003 (TREMBlrel. 24, Last annotation update)
DE Chicken luteinizing hormone-releasing hormone II (Gonadoliberin)
DE (Gonadotropin-releasing hormone) (GNRH) (LH-RH) (Luliberin)
DE (Fragment).
OS Macaca mulatta (Rhesus macaque).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopitheidae;
OC Cercopitheciniae; Macaca.
OX NCBI_TaxID=9544;
RN [1]
RP SEQUENCE FROM N.A.
RA Adler L.A., Sherwood N.M., Grendell R.L., Golos T.G., Terasawa E.;
RT "cDNA of a second form of luteinizing hormone releasing, chicken LHRH-
RT II, isolated from the non-human primate brain (Abstract 632.8).";
RL Abstr. - Soc. Neurosci. 24:1607-1607(1998).
CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.
DR ENBL; AF04307; A013775.1; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Amidation; Hormone.
FT NON_TER 107 107
SQ SEQUENCE 107 AA; 11823 MW; FACEE52703C3B1D CRC64;

Query Match 95.9%; Score 70; DB 6; Length 107;
Best Local Similarity 90.0%; Pred. NO. 0.0073;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
Db 25 QHWSHGWYPG 34

us-09-857-115-6.rspt

```

```

RESULT 13
Q97655 PRELIMINARY; PRT; 114 AA.
AC Q97655
DT 01-MAY-1999 (TREMBlrel. 10, Created)
DT 01-MAY-1999 (TREMBlrel. 10, Last sequence update)
DT 01-JUN-2003 (TREMBlrel. 24, Last annotation update)
DE Gonadotropin-releasing hormone II (Gonadoliberin) (GNRH) (LH-RH)
DE (Luliberin).
GN GNRH2.
OS Macaca mulatta (Rhesus macaque).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopitheidae;
OC Cercopitheciniae; Macaca.
OX NCBI_TaxID=9544;
RN [1]
RP SEQUENCE FROM N.A.
RA White R.B., Urbanski H.F., Fernald R.D.;
RT "A second gene for gonadotropin-releasing hormone is expressed in the
RT rhesus macaque (Abstract #632.18).";
RL Abstr. - Soc. Neurosci. 24:1609-1609(1998).
CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.
DR ENBL; AF097356; AAO09106.1; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Amidation; Hormone.
SQ SEQUENCE 114 AA; 12533 MW; 8B70D690D5BD5103 CRC64;

Query Match 95.9%; Score 70; DB 6; Length 114;
Best Local Similarity 90.0%; Pred. NO. 0.0078;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
Db 25 QHWSHGWYPG 34

RESULT 14
Q9W7G0 PRELIMINARY; PRT; 33 AA.
AC Q9W7G0
DT 01-NOV-1999 (TREMBlrel. 12, Created)
DT 01-NOV-1999 (TREMBlrel. 12, Last sequence update)
DT 01-JUN-2003 (TREMBlrel. 24, Last annotation update)
DE Gonadotropin-releasing hormone (Gonadoliberin) (GNRH) (LH-RH)
DE (Luliberin) (Fragment).
GN GNRH2.
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
RN [1]
RP SEQUENCE FROM N.A.
RA MEDLINE=99312119; PubMed=10385393;
RA Von Schalburg K.R., Sherwood N.M.;
RT "Regulation and expression of gonadotropin-releasing hormone gene
RT differs in brain and gonads in rainbow trout.";
RL Endocrinology 140:3012-3024(1999).
RN [2]
RP SEQUENCE FROM N.A.
RA von Schalburg K.R., Sherwood N.M.;
RL Submitted (DEC-1998) to the ENBL/GenBank/DBJ databases.
CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC SIMILARITY).

```

CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.
 DR EMBL; AF110593; AAD43463.1; -.
 DR GO; GO:0005576; C:extracellular; IEA.
 DR GO; GO:0005179; F:hormone activity; IEA.
 DR InterPro; IPR002047; GNRH.
 DR Pfam; PF00446; GNRH; 1.
 DR PROSITE; PS00473; GNRH; 1.
 DR Amidation; Hormone.
 FT NON_TER 33
 SQ SEQUENCE 33 AA; 3668 MW; 099C825E4A7A2A3BB CRC64;

Query Match 76.7%; Score 56; DB 13; Length 33;
 Best Local Similarity 70.0%; Pred. No. 0.23;
 Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
 Db 24 QHWSYGLWPG 33

RESULT 15

Q9PT34 PRELIMINARY; PRT; 33 AA.
 AC Q9PT34; (Created)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Gonadotropin-releasing hormone (Gonadoliberein) (GNRH) (LH-RH)
 DE (Luliberin) (Fragment).
 GN GNRH.
 OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
 OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
 OX NCBI_TaxID=8022;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=99312119; PubMed=10385393;
 RA von Schalburg K.R., Sherwood N.M.;
 RL Submitted (DEC-1998) to the EMBL/GenBank/DBJ databases.
 CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
 CC SIMILARITY).
 CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.
 DR EMBL; AF110533; AAD43461.1; -.
 DR GO; GO:0005576; C:extracellular; IEA.
 DR GO; GO:0005179; F:hormone activity; IEA.
 DR GO; GO:0007275; P:development; IEA.
 DR InterPro; IPR002047; AKH.
 DR InterPro; IPR002012; GNRH.
 DR Pfam; PF00446; GNRH; 1.
 DR PROSITE; PS00256; AKH; 1.
 DR PROSITE; PS00473; GNRH; 1.
 DR Amidation; Hormone.
 FT NON_TER 33
 SQ SEQUENCE 33 AA; 3741 MW; 1FE1535E742B7EBB CRC64;

Query Match 76.7%; Score 56; DB 13; Length 33;
 Best Local Similarity 70.0%; Pred. No. 0.23;
 Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
 Db 24 QHWSYGLWPG 33

RESULT 16

Q90W09 PRELIMINARY; PRT; 54 AA.
 AC Q90W09; (Created)
 DT 01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
 DT 01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Gonadotropin-releasing hormone precursor II isoform D (Gonadotropin-releasing hormone precursor II isoform C) (Gonadoliberein) (GNRH) (LH-RH) (Luliberin).
 OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
 OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
 OX NCBI_TaxID=8022;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Testis;
 RX MEDLINE=21232987; PubMed=11335940;
 RA Uzbekova S., Ferriere F., Guiguen Y., Bailhache T., Breton B., Lareyre J.J.;
 RT "Stage-dependent and alternative splicing of sGNRH messengers in rainbow trout testis during spermatogenesis.";
 RT Mol. Reprod. Dev. 59:1-10(2001).
 CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
 CC SIMILARITY).
 CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.
 DR EMBL; AF269107; AAK54679.1; -.
 DR EMBL; AF269106; AAK54678.1; -.
 DR GO; GO:0005576; C:extracellular; IEA.
 DR GO; GO:0005179; F:hormone activity; IEA.
 DR GO; GO:0007275; P:development; IEA.
 DR InterPro; IPR002012; GNRH.
 DR Pfam; PF00446; GNRH; 1.
 DR PROSITE; PS00473; GNRH; 1.
 DR Amidation; Hormone.
 KW Amidation; Hormone.
 SQ SEQUENCE 54 AA; 5963 MW; 06BF365F658E08B7 CRC64;

Query Match 76.7%; Score 56; DB 13; Length 54;
 Best Local Similarity 70.0%; Pred. No. 0.37;
 Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
 Db 24 QHWSYGLWPG 33

RESULT 17

Q90ZE1 PRELIMINARY; PRT; 62 AA.
 AC Q90ZE1; (Created)
 DT 01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
 DT 01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Pre-pro-GNRH-I protein (Gonadoliberein) (Gonadotropin-releasing hormone) (LH-RH) (Luliberin) (Fragment).
 OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
 OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
 OX NCBI_TaxID=8022;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Uzbekova S., Ferriere F., Breton B.;
 RL Submitted (FEB-2000) to the EMBL/GenBank/DBJ databases.
 CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
 CC SIMILARITY).
 CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.
 DR EMBL; AF231728; AAK82957.1; -.
 DR GO; GO:0005576; C:extracellular; IEA.
 DR GO; GO:0005179; F:hormone activity; IEA.
 DR GO; GO:0007275; P:development; IEA.
 DR InterPro; IPR002047; AKH.
 DR InterPro; IPR002012; GNRH.

```

DR Pfam; PF00446; Gnrh; 1.
DR PROSITE; PS00256; AKH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Amidation; Hormone.
FT NON_TER 1
FT NON_TER 62
FT NON_TER 62
SQ SEQUENCE 62 AA; 7018 MW; E388AAAS7E96B8DC CRC64;

Query Match 76.7%; Score 56; DB 13; Length 62;
Best Local Similarity 70.0%; Pred. No. 0.42;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYGP 10
Db :|||||
6 QHWSYGLWLP 15

RESULT 18
Q7TLL1 PRELIMINARY; PRT; 68 AA.
AC Q7TLL1
DT 01-OCT-2003 (TrEMBLrel. 25, Created)
DT 01-OCT-2003 (TrEMBLrel. 25, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Gonadotropin-releasing hormone (Fragment).
OS Odontesthes bonariensis.
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Perciformes; Atherinomorpha;
OC Atheriniformes; Atherinidae; Atherinopsinae;
OC Odontesthes.
OX NCBI_TaxID=219752;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RA Guilgur L.G., Miranda L.A., Somoza G.M.;
RT "Characterization of three Gnrh cDNA sequences in the pejerrey fish
RL Submitted (JUN-2003) to the EMBL/GenBank/DBJ databases.
DR EMBL; AY323198; AAP84608.1; -.
FT NON_TER 1
FT NON_TER 1
SQ SEQUENCE 68 AA; 7717 MW; FAA92A3AD5211AAA CRC64;

Query Match 76.7%; Score 56; DB 13; Length 68;
Best Local Similarity 70.0%; Pred. No. 0.46;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYGP 10
Db :|||||
1 QHWSYGLWLP 10

RESULT 19
Q92094 PRELIMINARY; PRT; 82 AA.
AC Q92094
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Gonadotropin-releasing hormone precursor (Gonadoliberin) (Gnrh) (LH-
DE RH) (Luliberin).
GN PREPRO-GNRH-I.
OS Oncorhynchus nerka (Sockeye salmon).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8023;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=Nikko; TISSUE=Brain;
RA Ashihara M., Suzuki M., Kubokawa K., Yoshiura Y., Kobayashi M.,
RA Urano A., Aida K.;

```

```

RT "Two different precursor genes for the salmon-type gonadotropin-
RT releasing hormone exist in salmonids.";
RL J. Mol. Endocrinol. 15:1-9(1995).
CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE GNRH FAMILY.
DR EMBL; D31868; BAA06666.1; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002047; AKH.
DR InterPro; IPR002012; Gnrh.
DR Pfam; PF00446; Gnrh; 1.
DR PROSITE; PS00256; AKH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Amidation; Hormone; Signal.
FT SIGNAL 1
FT CHAIN 24
FT CHAIN 33
FT CHAIN 82
SQ SEQUENCE 82 AA; 9126 MW; C64044EA521B2B8B CRC64;

Query Match 76.7%; Score 56; DB 13; Length 82;
Best Local Similarity 70.0%; Pred. No. 0.56;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYGP 10
Db :|||||
24 QHWSYGLWLP 33

RESULT 20
Q90VY3 PRELIMINARY; PRT; 82 AA.
AC Q90VY3
DT 01-DEC-2001 (TrEMBLrel. 19, Created)
DT 01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Gonadotropin-releasing hormone precursor II isoform B2 (Gonadotropin-
DE releasing hormone precursor II isoform A) (Gonadotropin-releasing
DE hormone precursor II isoform B1) (Gonadoliberin) (Gnrh) (LH-RH)
DE (Luliberin).
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Testis;
RX MEDLINE=21232987; PubMed=11335940;
RA Uzbekova S., Ferriere F., Guiguen Y., Bailhache T., Breton B.,
RA Lareyre J.J.;
RT "Stage-dependent and alternative splicing of sGnrh messengers in
RT rainbow trout testis during spermatogenesis.";
RL Mol. Reprod. Dev. 59:1-10(2001).
CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE GNRH FAMILY.
DR EMBL; AF269105; AAK34677.1; -.
DR EMBL; AF269103; AAK34675.1; -.
DR EMBL; AF269104; AAK34676.1; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; Gnrh.
DR Pfam; PF00446; Gnrh; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Amidation; Hormone.
SQ SEQUENCE 82 AA; 9171 MW; 8053F4F23B115408 CRC64;

Query Match 76.7%; Score 56; DB 13; Length 82;
Best Local Similarity 70.0%; Pred. No. 0.56;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

```

QY 1 EHWSHGWYPG 10
:|||||
Db 24 QHWSYGLWPG 33

RESULT 21
Q9W7G1 PRELIMINARY; PRT; 82 AA.
AC Q9W7G1;
DT 01-NOV-1999 (TrEMBLrel. 12, Created)
DT 01-NOV-1999 (TrEMBLrel. 12, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Gonadotropin-releasing hormone (Gonadoliberin) (GNRH) (LH-RH)
DE (Laliberin).
GN GNRH.
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=99312119; PubMed=10385393;
RA Von Schalburg K.R., Sherwood N.M.;
RT "Regulation and expression of gonadotropin-releasing hormone gene
RT differs in brain and gonads in rainbow trout.";
RL Endocrinology 140:3012-3024 (1999).
RN [2]
RP SEQUENCE FROM N.A.
RA von Schalburg K.R., Sherwood N.M.;
RL Submitted (DEC-1998) to the EMBL/GenBank/DBJ databases.
RN [3]
RP SEQUENCE FROM N.A.
RX MEDLINE=21232987; PubMed=11335940;
RA Uzbekova S., Ferriere F., Guiguen Y., Bailhache T., Breton B.,
RA Lareyre J.J.;
RT "Stage-dependent and alternative splicing of sGnRH messengers in
RT rainbow trout testis during spermatogenesis.";
RL Mol. Reprod. Dev. 59:1-10 (2001).
CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC -1- SIMILARITY). BELONGS TO THE GNRH FAMILY.
CC EMBL; AF110992; AAD43462.1; -.
DR EMBL; AF269108; AAK54680.1; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002047; AKH.
DR ProSITE; PS00473; GNRH; 1.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00256; AKH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Amidation; Hormone.
SQ SEQUENCE 82 AA; 9232 MW; 7595B4FC65FDFD6 CRC64;

Query Match 76.7%; Score 56; DB 13; Length 82;
Best Local Similarity 70.0%; Pred. No. 0.56;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
:|||||
Db 24 QHWSYGLWPG 33

RESULT 22
Q9I8P9 PRELIMINARY; PRT; 82 AA.
AC Q9I8P9;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Pro-sGnRH-II (Gonadoliberin) (Gonadotropin-releasing hormone) (LH-RH)

(Laliberin).
DE Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RA Ferriere F., Bailhache T., Jégo P.;
RT "Oncorhynchus mykiss sGnRH-II cDNA in the brain.";
RL Submitted (FEB-2000) to the EMBL/GenBank/DBJ databases.
CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC -1- SIMILARITY). BELONGS TO THE GNRH FAMILY.
CC EMBL; AF232213; AAF91281.1; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
DR PROSITE; PS00256; AKH; 1.
KW Amidation; Hormone.
SQ SEQUENCE 82 AA; 9203 MW; 8053F4F221A0FF08 CRC64;

Query Match 76.7%; Score 56; DB 13; Length 82;
Best Local Similarity 70.0%; Pred. No. 0.56;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
:|||||
Db 24 QHWSYGLWPG 33

RESULT 23
Q9I8Q0 PRELIMINARY; PRT; 82 AA.
ID Q9I8Q0
AC Q9I8Q0;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Pro-sGnRH-I (Gonadoliberin) (Gonadotropin-releasing hormone) (LH-RH)
DE (Laliberin).
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RA Ferriere F., Bailhache T., Jégo P.;
RT "Oncorhynchus mykiss sGnRH-I cDNA from brain.";
RL Submitted (FEB-2000) to the EMBL/GenBank/DBJ databases.
CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC -1- SIMILARITY). BELONGS TO THE GNRH FAMILY.
CC EMBL; AF232212; AAF91280.1; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002047; AKH.
DR ProSITE; PS00473; GNRH; 1.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00256; AKH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Amidation; Hormone.
SQ SEQUENCE 82 AA; 9198 MW; 7595A0B896556A69 CRC64;

Query Match 76.7%; Score 56; DB 13; Length 82;
Best Local Similarity 70.0%; Pred. No. 0.56;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
:||||:|
Db 24 QHWSYGLPG 33

RESULT 24

Q9PSY9 PRELIMINARY; PRT; 88 AA.
AC Q9PSY9
DT 01-MAY-2000 (Tremblrel. 13, Created)
DT 01-MAY-2000 (Tremblrel. 13, Last sequence update)
DT 01-JUN-2003 (Tremblrel. 24, Last annotation update)
DE SGRH (Gonadoliberin) (Gonadotropin-releasing hormone) (LH-RH)
DE (Luliberin) (Fragment)
OS Sparus aurata (Gilthead sea bream).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Percoidae;
OC Sparidae; Sparus.
OX NCBI_TaxID=8175;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE-Ovary;
RA Nabissi M.;
RL Submitted (FEB-1998) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE GNRH FAMILY.
DR EMBL; AF046799; AAD02425.1; .
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; P:development; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR02012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Amidation; Hormone.
FT NON_TER 88
SQ SEQUENCE 88 AA; 9788 MW; F7E868C2PBDFl9F CRC64;

RESULT 26

Q8AWF6 PRELIMINARY; PRT; 90 AA.
AC Q8AWF6
DT 01-MAR-2003 (Tremblrel. 23, Created)
DT 01-MAR-2003 (Tremblrel. 23, Last sequence update)
DT 01-OCT-2003 (Tremblrel. 25, Last annotation update)
DE Gonadotropin-releasing hormone III precursor.
GN GNRH3.
OS Oreochromis mossambicus (Mozambique tilapia) (Tilapia mossambica).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Labroidae;
OC Cichlidae; Oreochromis.
OX NCBI_TaxID=8127;
RN [1]
RP SEQUENCE FROM N.A.
RA Molina A.I., Pellegrini E., Baihache T., Martial J.A., Muller M.;
RT "Cloning and brain expression analysis of the tilapia salmon type GNRH."
RL Submitted (OCT-2002) to the EMBL/GenBank/DBJ databases.
DR EMBL; AY167989; AAO11648.1; .
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; P:development; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR02012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Signal.
FT SIGNAL 1 33
SQ SEQUENCE 90 AA; 10083 MW; B3637E3839A53A4E CRC64;

Query Match 76.7%; Score 56; DB 13; Length 88;
Best Local Similarity 70.0%; Pred. No. 0.6;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
:||||:|
Db 24 QHWSYGLPG 33

RESULT 25

Q8UW82 PRELIMINARY; PRT; 90 AA.
AC Q8UW82
DT 01-MAR-2002 (Tremblrel. 20, Created)
DT 01-MAR-2002 (Tremblrel. 20, Last sequence update)
DT 01-JUN-2003 (Tremblrel. 24, Last annotation update)
DE Salmon-type gonadotropin-releasing hormone precursor (Gonadoliberin) (LH-RH) (Luliberin).
OS Verasper moseri (Barfin flounder).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Pleuronectiformes;
OC Pleuronectoidei; Pleuronectidae; Verasper.
OX NCBI_TaxID=98923;
RN [1]
RP SEQUENCE FROM N.A.
RA Amano M.;
RT "Molecular cloning of three cDNAs encoding GNRH in the brain of barfin flounder."
RL Submitted (JUL-2001) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE GNRH FAMILY.
DR EMBL; AB066358; BAB83982.1; .

DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; P:development; IEA.
DR InterPro; IPR02012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Amidation; Hormone; Signal.
FT SIGNAL 1 23
FT CHAIN 24 33
FT CHAIN 37 90
FT CHAIN 37 90
SQ SEQUENCE 90 AA; 10090 MW; 5BFD01586CEABC9D CRC64;

Query Match 76.7%; Score 56; DB 13; Length 90;
Best Local Similarity 70.0%; Pred. No. 0.61;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
:||||:|
Db 24 QHWSYGLPG 33

RESULT 27

Q7ZT00 PRELIMINARY; PRT; 90 AA.
AC Q7ZT00
DT 01-JUN-2003 (Tremblrel. 24, Created)
DT 01-JUN-2003 (Tremblrel. 24, Last sequence update)
DT 01-OCT-2003 (Tremblrel. 25, Last annotation update)
DE Salmon-type gonadotropin-releasing hormone precursor.
GN GNRH3.
OS Salmon-type gonadotropin-releasing hormone precursor.
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Labroidae;
OC Cichlidae; Oreochromis.
OX NCBI_TaxID=8127;
RN [1]
RP SEQUENCE FROM N.A.
RA Molina A.I., Pellegrini E., Baihache T., Martial J.A., Muller M.;
RT "Cloning and brain expression analysis of the tilapia salmon type GNRH."
RL Submitted (OCT-2002) to the EMBL/GenBank/DBJ databases.
DR EMBL; AY167989; AAO11648.1; .
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; P:development; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR02012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Signal.
FT SIGNAL 1 33
SQ SEQUENCE 90 AA; 10083 MW; B3637E3839A53A4E CRC64;

Query Match 76.7%; Score 56; DB 13; Length 90;
Best Local Similarity 70.0%; Pred. No. 0.61;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYPG 10
:||||:|
Db 24 QHWSYGLPG 33

RESULT 27

Q7ZT00 PRELIMINARY; PRT; 90 AA.
AC Q7ZT00
DT 01-JUN-2003 (Tremblrel. 24, Created)
DT 01-JUN-2003 (Tremblrel. 24, Last sequence update)
DT 01-OCT-2003 (Tremblrel. 25, Last annotation update)
DE Salmon-type gonadotropin-releasing hormone precursor.
GN GNRH3.

OS Oreochromis niloticus (Nile tilapia) (Tilapia nilotica).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
 OC Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Labroidae;
 OC Cichlidae; Oreochromis.
 OX NCBI_TaxID=8128;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Sato H., Sakuma Y., Parhar I.S.;
 RT "Molecular cloning of three kinds of GnRH genes and 5' untranslated
 regions in tilapia (Oreochromis niloticus).";
 RL Submitted (MAR-2003) to the EMBL/GenBank/DBJ databases.
 [2]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;
 RA Parhar I.S., Ogawa S., Sakuma Y.;
 RT "Molecular cloning of tilapia (Oreochromis niloticus) GnRH cDNA.";
 RL Submitted (FEB-2003) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF104863; BAC65156.1; -;
 DR EMBL; AB101667; BAC56851.1; -;
 DR GO; GO:0005576; C:extracellular; IEA.
 DR GO; GO:0005179; F:hormone activity; IEA.
 DR GO; GO:0007275; P:development; IEA.
 DR InterPro; IPR002012; GnRH.
 DR Pfam; PF00446; GnRH; 1.
 DR PROSITE; PS00473; GnRH; 1.
 DR SIGNAL
 FT CHAIN 1 23 Potential.
 FT CHAIN 24 33 salmon-type gonadotropin-releasing
 hormone.
 FT CHAIN 34 46 GnRH-associated peptide.
 FT CHAIN 47 73 GnRH-associated peptide.
 FT SEQUENCE 90 AA; 10083 MW; B3637E3839A53A4E CRC64;
 SQ SEQUENCE 90 AA; 10083 MW; B3637E3839A53A4E CRC64;
 Query Match 76.7%; Score 56; DB 13; Length 90;
 Best Local Similarity 70.0%; Pred. No. 0.61; Indels 0; Gaps 0;
 Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
 QY 1 EHWSHGWPFG 10
 Db 24 QHWSYGLWPG 33
 RESULT 28
 Q9DDDB PRELIMINARY; PRT; 94 AA.
 AC Q9DDDB
 DT 01-MAR-2001 (TREMBlrel. 16, Created)
 DT 01-MAR-2001 (TREMBlrel. 16, Last sequence update)
 DT 01-JUN-2003 (TREMBlrel. 24, Last annotation update)
 DE Gonadotropin releasing hormone precursor (Gonadoliberin) (GnRH) (LH-
 RH) (Luliberin).
 GN SGNRH.
 OS Brachydanio rerio (Zebrafish) (Danio rerio).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
 OC Cyprinidae; Danio.
 OX NCBI_TaxID=7955;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;
 RA Torgersen J., Nourizadeh-Lillabadi R., Husebye H., Liang M.R.,
 RA Alestrom P.;
 RT "Characterization and Functional Studies of the Zebrafish (Danio
 rerio) GnRH Gene.";
 RL Submitted (DEC-2000) to the EMBL/GenBank/DBJ databases.
 [2]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;
 RA Husebye H.;
 RA Thesis (1997), Department of Food Science,
 RL Agricultural University of Norway, As, Norway.
 [3]

RP SEQUENCE FROM N.A.
 RA Husebye H.;
 RT "Characterization and Functional Studies of the Zebrafish (Danio
 rerio) GnRH Gene.";
 RL Thesis (1997), Department of Food Science,
 RL Agricultural University of Norway, Aas, Norway.
 [4]
 RP SEQUENCE FROM N.A.
 RA Torgersen J., Nourizadeh-Lillabadi R., Husebye H., Alestrom P.;
 RT "In Silico and In Situ Characterization of the Zebrafish (Danio rerio)
 GnRH III Gene.";
 RL Submitted (MAR-2002) to the EMBL/GenBank/DBJ databases.
 CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
 SIMILARITY).
 CC -1- SIMILARITY: BELONGS TO THE GnRH FAMILY.
 DR EMBL; AJ304429; CAC18539.1; -;
 DR EMBL; AF490354; AAL99294.1; -;
 DR GO; GO:0005576; C:extracellular; IEA.
 DR GO; GO:0005179; F:hormone activity; IEA.
 DR GO; GO:0007275; P:development; IEA.
 DR InterPro; IPR002012; GnRH.
 DR Pfam; PF00446; GnRH; 1.
 DR PROSITE; PS00473; GnRH; 1.
 DR Amidation; Hormone; Signal.
 FT CHAIN 1 23
 FT CHAIN 24 33 GONADOTROPIN RELEASING HORMONE.
 FT CHAIN 37 94 GnRH ASSOCIATED PEPTIDE (GAP).
 FT SEQUENCE 94 AA; 10576 MW; D0101FF655A81726 CRC64;
 SQ SEQUENCE 94 AA; 10576 MW; D0101FF655A81726 CRC64;
 Query Match 76.7%; Score 56; DB 13; Length 94;
 Best Local Similarity 70.0%; Pred. No. 0.64; Indels 0; Gaps 0;
 Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;
 QY 1 EHWSHGWPFG 10
 Db 24 QHWSYGLWPG 33
 RESULT 29
 Q9DEHS PRELIMINARY; PRT; 94 AA.
 AC Q9DEHS
 DT 01-MAR-2001 (TREMBlrel. 16, Created)
 DT 01-MAR-2001 (TREMBlrel. 16, Last sequence update)
 DT 01-JUN-2003 (TREMBlrel. 24, Last annotation update)
 DE Salmon-type gonadotropin-releasing hormone (Gonadoliberin) (GnRH) (LH-
 RH) (Luliberin).
 GN SGNRH.
 OS Carassius auratus (Goldfish).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
 OC Cyprinidae; Carassius.
 OX NCBI_TaxID=7957;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Suetake H.;
 RT "Two salmon gonadotropin-releasing hormone genes and their
 differential expressions in the goldfish Carassius auratus.";
 RL Fisheries Sci. 66:49-57(2000).
 CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
 SIMILARITY).
 CC -1- SIMILARITY: BELONGS TO THE GnRH FAMILY.
 DR EMBL; AB017272; BAB18905.1; -;
 DR GO; GO:0005576; C:extracellular; IEA.
 DR GO; GO:0005179; F:hormone activity; IEA.
 DR GO; GO:0007275; P:development; IEA.
 DR InterPro; IPR002012; GnRH.
 DR Pfam; PF00446; GnRH; 1.
 DR PROSITE; PS00473; GnRH; 1.
 DR Amidation; Hormone.
 SQ SEQUENCE 94 AA; 10545 MW; 1EEA5ED54EC0468B CRC64;
 Query Match 76.7%; Score 56; DB 13; Length 94;

```

Best Local Similarity 70.0%; Pred. No. 0.64; Mismatches 2; Indels 1; Gaps 0;
Matches 7; Conservative 2;

QY 1 EHWSHGWYPG 10
DB 24 QHWSYGLWPG 33

RESULT 30
O8UUK6 PRELIMINARY; PRT; 94 AA.
ID Q8UUK6
AC Q8UUK6
DT 01-MAR-2002 (TrEMBLrel. 20, Created)
DT 01-MAR-2002 (TrEMBLrel. 20, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Prepro-salmon-type gonadotropin-releasing hormone precursor
DE (Gonadoliberein) (GNRH) (LH-RH) (Luliberin).
GN SGNRH.
OS Scleropages jardinii (Australian bonytongue).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Osteoglossomorpha;
OC Osteoglossiformes; Osteoglossidae; Scleropages.
OX NCBI_TaxID=113541;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RA MEDLINE=21560666; PubMed=11703078;
RX Okubo K., Aida K.;
RT "Gonadotropin-releasing hormones (GNRHs) in a primitive teleost, the
RT atwana: phylogenetic evidence that three paralogous lineages of GNRH
RT occurred prior to the emergence of teleosts.";
RL Gen. Comp. Endocrinol. 124:125-133(2001).
CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.
DR EMBL; AB047325; BAB72182.1;
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GNRH.
DR PROSITE; PS00473; GNRH; 1.
DR AMIDATION; Hormone; Signal.
FT SIGNAL 1 23
FT CHAIN 24 36
FT SEQUENCE 94 AA; 10541 MW; 779050E92FA0D66 CRC64;

Query Match 76.7%; Score 56; DB 13; Length 94;
Best Local Similarity 70.0%; Pred. No. 0.64;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
DB 24 QHWSYGLWPG 33

RESULT 31
Q9DEH6 PRELIMINARY; PRT; 94 AA.
ID Q9DEH6
AC Q9DEH6
DT 01-MAR-2001 (TrEMBLrel. 16, Created)
DT 01-MAR-2001 (TrEMBLrel. 16, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Salmon-type gonadotropin-releasing hormone (Gonadoliberein) (GNRH) (LH-
DE RH) (Luliberin).
GN SGNRH.
OS Carassius auratus (Goldfish).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Carassius.
OX NCBI_TaxID=7957;
RN [1]

```

```

RP SEQUENCE FROM N.A.
RT two salmon gonadotropin-releasing hormone genes and their
RT differential expressions in the goldfish Carassius auratus.";
RL Fisheries Sci. 56:49-57(2000).
CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.
DR EMBL; AB017271; BAB18904.1;
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Amidation; Hormone.
SQ SEQUENCE 94 AA; 10573 MW; 0141745425917E85 CRC64;

Query Match 76.7%; Score 56; DB 13; Length 94;
Best Local Similarity 70.0%; Pred. No. 0.64;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
DB 24 QHWSYGLWPG 33

RESULT 32
Q8JHC3 PRELIMINARY; PRT; 94 AA.
ID Q8JHC3
AC Q8JHC3
DT 01-OCT-2002 (TrEMBLrel. 22, Created)
DT 01-OCT-2002 (TrEMBLrel. 22, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Salmon-type gonadotropin-releasing hormone.
OS Cyprinus carpio (Common carp).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Cyprinus.
OX NCBI_TaxID=7962;
RN [1]
RP SEQUENCE FROM N.A.
RA Li S., Hu W., Wang Y., Zhu Z.;
RT "Gene clone and promoter functional analysis of sGNRH.";
RL Submitted (JUN-2002) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF521130; AAM77660.1;
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
SQ SEQUENCE 94 AA; 10445 MW; C3DD3F7C2A852A80 CRC64;

Query Match 76.7%; Score 56; DB 13; Length 94;
Best Local Similarity 70.0%; Pred. No. 0.64;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
DB 24 QHWSYGLWPG 33

RESULT 33
Q804C1 PRELIMINARY; PRT; 94 AA.
ID Q804C1
AC Q804C1
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Salmon-type gonadotropin-releasing hormone precursor.
GN GNRH.
OS Cyprinus carpio (Common carp).

```


RESULT 37

Q8JH60 PRELIMINARY; PRT; 86 AA.
 AC Q8JH60;
 DT 01-OCT-2002 (TrEMBLrel. 22, Created)
 DT 01-OCT-2002 (TrEMBLrel. 22, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Gonadotropin-releasing hormone.
 OS Alosa sapidissima (American shad).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Clupeomorpha; Clupeidae;
 OC Alosa.
 OX NCBI_TaxID=34773;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Abraham E., Gohlif Y., Zohar Y.;
 RT "American shad (*Alosa sapidissima*) hrGRH sequence.";
 RL Submitted (AUG-2002) to the EMBL/GenBank/DBJ databases.
 DR ENBL; AFS36381; AAN04492.1;
 DR GO; GO:0005576; C:extracellular; IEA.
 DR GO; GO:0005179; F:hormone activity; IEA.
 DR GO; GO:0007275; P:development; IEA.
 DR InterPro; IPR002012; GRH.
 DR Pfam; PF00446; GRH; 1.
 DR PROSITE; PS00473; GRH; 1.
 SQ SEQUENCE 86 AA; 9554 MW; 8E4921F3CF2350E3 CRC64;

Query Match 65.8%; Score 48; DB 13; Length 86;
 Best Local Similarity 70.0%; Pred. No. 8.1;
 Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 EWSHGWPYG 10

:|||||

Db 23 QWSHGLSPG 32

RESULT 38

O27385 PRELIMINARY; PRT; 319 AA.
 AC O27385;
 DT 01-JAN-1998 (TrEMBLrel. 05, Created)
 DT 01-JAN-1998 (TrEMBLrel. 05, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Conserved protein.
 GN MTH1330.
 OS Methanobacterium thermoautotrophicum.
 OC Archaea; Euryarchaeota; Methanobacteria; Methanobacteriales;
 OC Methanobacteriaceae; Methanothermobacter.
 OX NCBI_TaxID=187420;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=Delta H;
 RX MEDLINE=98037514; PubMed=9371463;
 RA Smith D.R., Doucette-Stamm L.A., DeLoughery C., Lee H.-M., Dubois J.,
 RA Aldredge T., Bashirzadeh R., Blakely D., Cook R., Gilbert K.,
 RA Harrison D., Hoang L., Keagle P., Lumm W., Pothier B., Qiu D.,
 RA Spadafora R., Vicare R., Wang Y., Wierzbowski J., Gibson R.,
 RA Jiwani N., Caruso A., Bush D., Safer H., Patwell D., Prabhakar S.,
 RA McDougall S., Shimer G., Goyal A., Pietrowski S., Church G.M.,
 RA Daniels C.J., Mao J.-I., Rice P., Noelling J., Reeve J.N.;
 RT "Complete genome sequence of *Methanobacterium thermoautotrophicum*
 J. Bacteriol. 179:7135-7155 (1997)."
 DR EMBL; AE000896; AAB85808.1; -;
 DR PIR; H69043; H69043
 DR GO; GO:0016021; C:integral to membrane; IEA.
 DR GO; GO:0005524; F:ATP binding; IEA.
 DR GO; GO:0008233; F:peptidase activity; IEA.
 DR GO; GO:0006508; P:proteolysis and peptidolysis; IEA.
 DR InterPro; IPR005074; Peptidase_C39.
 DR Pfam; PF03412; Peptidase_C39; 1.
 KW Complete proteome.
 SQ SEQUENCE 319 AA; 35602 MW; AB65763CEFFCC6C47 CRC64;

Query Match 65.1%; Score 47.5; DB 17; Length 321;
 Best Local Similarity 87.5%; Pred. No. 35;
 Matches 7; Conservative 0; Mismatches 0; Indels 1; Gaps 1;

QY 2 HWSHGWPY 9

:|||||

Db 256 HW-HGWYP 264

:|||||

O15885 PRELIMINARY; PRT; 380 AA.

AC O15885

DT 01-NOV-1996 (TrEMBLrel. 01, Created)

DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)

DT 01-DEC-2001 (TrEMBLrel. 19, Last annotation update)

DE Partial cDNA sequence, clone x529, unknown open reading frame;

DE (Fragment).

OS Homo sapiens (Human).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

OX NCBI_TaxID=9606;

RN [1]

RP SEQUENCE FROM N.A.

KW Complete proteome.

SQ SEQUENCE 319 AA; 35602 MW; AB65763CEFFCC6C47 CRC64;

Query Match 65.1%; Score 47.5; DB 17; Length 319;
 Best Local Similarity 87.5%; Pred. No. 35;
 Matches 7; Conservative 0; Mismatches 0; Indels 1; Gaps 1;

QY 2 HWSHGWPY 9

:|||||

Db 256 HW-HGWYP 262

:|||||

O15885 PRELIMINARY; PRT; 321 AA.

AC O15885

DT 01-JAN-1998 (TrEMBLrel. 05, Created)

DT 01-JAN-1998 (TrEMBLrel. 05, Last sequence update)

DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)

DE Conserved protein.

GN MTH1653.

OS Methanobacterium thermoautotrophicum.

OC Archaea; Euryarchaeota; Methanobacteria; Methanobacteriales;

OC Methanobacteriaceae; Methanothermobacter.

OX NCBI_TaxID=187420;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=Delta H;

RX MEDLINE=98037514; PubMed=9371463;

RA Smith D.R., Doucette-Stamm L.A., DeLoughery C., Lee H.-M., Dubois J.,

RA Aldredge T., Bashirzadeh R., Blakely D., Cook R., Gilbert K.,

RA Harrison D., Hoang L., Keagle P., Lumm W., Pothier B., Qiu D.,

RA Spadafora R., Vicare R., Wang Y., Wierzbowski J., Gibson R.,

RA Jiwani N., Caruso A., Bush D., Safer H., Patwell D., Prabhakar S.,

RA McDougall S., Shimer G., Goyal A., Pietrowski S., Church G.M.,

RA Daniels C.J., Mao J.-I., Rice P., Noelling J., Reeve J.N.;

RT "Complete genome sequence of *Methanobacterium thermoautotrophicum*
 J. Bacteriol. 179:7135-7155 (1997)."

DR EMBL; AE000924; AAB86125.1; -;

DR PIR; A69088; A69088

DR GO; GO:0016021; C:integral to membrane; IEA.

DR GO; GO:0005524; F:ATP binding; IEA.

DR GO; GO:0008233; F:peptidase activity; IEA.

DR GO; GO:0006508; P:proteolysis and peptidolysis; IEA.

DR InterPro; IPR005074; Peptidase_C39.

DR Pfam; PF03412; Peptidase_C39; 1.

KW Complete proteome.

SQ SEQUENCE 321 AA; 36003 MW; 3FED952C3B79DBB7 CRC64;

RA Chiamlikulchai N., Pasturaud P., Richard I., Auffray C.,
 RA Beckmann J.S.;
 RT "cDNA selection in the LGMD2A region.";
 RN Submitted (Oct-1995) to the EMBL/GenBank/DBJ databases.
 RL [2]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Fetal;
 RA Genethon;
 RN Submitted (DEC-1994) to the EMBL/GenBank/DBJ databases.
 RL [3]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Petal;
 RX MEDLINE=95359980; PubMed=7633422;
 RA Chiamlikulchai N., Pasturaud P., Richard I., Auffray C.,
 RA Beckmann J.S.;
 RT "A primary expression map of the chromosome 15q15 region containing
 RT the recessive form of limb-girdle muscular dystrophy (LGMD2A) gene.";
 RL Hum. Mol. Genet. 4:717-725(1995).
 DR EMBL; 247043; CAA87105.1; -;
 FT NON_TER 1
 FT NON_TER 380
 SQ SEQUENCE 380 AA; 41627 MW; 6F5BF18C94D8FF55 CRC64;

Query Match 64.4%; Score 47; DB 4; Length 380;
 Best Local Similarity 66.7%; Pred. No. 49;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 EHWSHGWYP 9

Db 239 DHWSQGWAP 247

RESULT 41

Q9H6S2 Q9H6S2 PRELIMINARY; PRT; 818 AA.

AC Q9H6S2;

DT 01-MAR-2001 (TrEMBLrel. 16, Created)

DT 01-MAR-2001 (TrEMBLrel. 16, Last sequence update)

DT 01-OCT-2002 (TrEMBLrel. 22, Last annotation update)

DE Hypothetical protein FLJ21936 (Fragment).

OS Homo sapiens (Human).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

OX NCBI_TaxID=9606;

RN [1]

RP SEQUENCE FROM N.A.

RA Kawabata A., Hikiji T., Kobatake N., Inagaki H., Ikema Y., Okamoto S.,

RA Okitani R., Ota T., Suzuki Y., Obayashi M., Nishi T., Shibahara T.,

RA Tanaka T., Nakamura Y., Isogai T., Sugano S.;

RA "NEDO human cDNA sequencing project.";

RL Submitted (AUG-2000) to the EMBL/GenBank/DBJ databases.

DR EMBL; AK025589; BAB15181.1; -;

KW Hypothetical protein.

FT NON_TER 818

SQ SEQUENCE 818 AA; 90684 MW; 19933B51DA2E42EB CRC64;

Query Match 64.4%; Score 47; DB 4; Length 818;

Best Local Similarity 66.7%; Pred. No. 1.le+02;

Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 EHWSHGWYP 9

Db 587 DHWSQGWAP 595

RESULT 42

Q8T8D2 Q8T8D2 PRELIMINARY; PRT; 89 AA.

AC Q8T8D2;

DT 01-JUN-2002 (TrEMBLrel. 21, Created)

DT 01-JUN-2002 (TrEMBLrel. 21, Last sequence update)

DT 01-JUN-2002 (TrEMBLrel. 21, Last annotation update)

DE GnRH-related peptide.

GN OCTGNHRP.
 OS Octopus vulgaris (Octopus).
 OC Eukaryota; Metazoa; Mollusca; Cephalopoda; Coleoidea; Neocoleoidea;
 OC Octopodiformes; Octopoda; Incirrata; Octopodidae; Octopus.
 OX NCBI_TaxID=6645;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=21881366; PubMed=11883942;
 RA Iwakoshi E., Takawa-Kuroda K., Fujisawa Y., Hisada M., Ukena K.,
 RA Teutsui K., Minakata H.;
 RT "Isolation and Characterization of a GnRH-like Peptide from Octopus
 RT vulgaris.";
 RL Biochem. Biophys. Res. Commun. 291:1187-1193(2002).
 DR EMBL; AB037165; BAB86782.1; -;
 SQ SEQUENCE 89 AA; 9977 MW; 883D43937ABB3768 CRC64;

Query Match 63.0%; Score 46; DB 5; Length 89;
 Best Local Similarity 66.7%; Pred. No. 16;
 Matches 6; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

QY 2 HWSHGWP 10

Db 35 HFSNGWHPG 43

RESULT 43

Q8XSD0 Q8XSD0 PRELIMINARY; PRT; 437 AA.

AC Q8XSD0;

DT 01-MAR-2002 (TrEMBLrel. 20, Created)

DT 01-MAR-2002 (TrEMBLrel. 20, Last sequence update)

DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)

DE Putative tail fiber protein (Putative tail fiber protein of cryptic

DE prophage CP-933P).

GN Z6027 OR ECS1808.

OS Escherichia coli O157:H7.

OC Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;

OC Enterobacteriaceae; Escherichia.

OX NCBI_TaxID=83334;

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=O157:H7 / EDL933 / ATCC 700927;

RX MEDLINE=21074935; PubMed=1126551;

RA Perna N.T., Plunkett G., Evans P.S., Gregor J., Kirkpatrick H.A.,

RA Rose D.J., Mayhew G.F., Boutin A., Shao Y., Miller L.,

RA Posfai G., Hackett J., Klink S., Lim A., Dimalanta E.T., Potamousis K.,

RA Grotbeck E.J., Davis N.W., Lin J., Yen G., Schwartz D.C.,

RA Apodaca J., Anantharaman T.S., Lin J., Ven G., Schwartz D.C.,

RA Welch R.A., Blattner F.R.;

RT "Genome sequence of enterohaemorrhagic Escherichia coli O157:H7.";

RL Nature 409:529-533(2001).

RN [2]

RP SEQUENCE FROM N.A.

RC STRAIN=O157:H7 / RIMD 0509952;

RX MEDLINE=21156231; PubMed=11258796;

RA Hayashi T., Makino K., Onnishi M., Kurokawa K., Ishii K., Yokoyama K.,

RA Han C.-G., Ohtsubo E., Nakayama K., Murata T., Tanaka M., Tobe T.,

RA Ikeda T., Takami H., Honda T., Sasakawa C., Ogasawara N., Yasunaga T.,

RA Kuhara S., Shiba T., Hattori M., Shinagawa H.;

RT "Complete genome sequence of enterohaemorrhagic Escherichia coli

RT O157:H7 and genomic comparison with a laboratory strain K-12.";

RL DNA Res. 8:11-22(2001).

DR EMBL; AB006458; AAK16943.1; -;

DR EMBL; AP002556; BAB35231.1; -;

DR FIR; H90854; H90854.

DR InterPro; IPR008969; CarboxypepD_reg.

DR InterPro; IPR008160; Collagen.

DR Pfam; PF01391; Collagen; 2.

KW Complete proteome.

SQ SEQUENCE 437 AA; 44111 MW; 65D8914DF28DD31B CRC64;

Query Match

Best Local Similarity 61.6%; Score 45; DB 16; Length 437;

Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

```

Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
Qy 4 SHGWYFG 10
Db 377 SHGWFFG 383

RESULT 44
Q8XEG4 PRELIMINARY; PRT; 439 AA.
AC Q8XEG4;
DT 01-MAR-2002 (TrEMBLrel. 20, Created)
DT 01-MAR-2002 (TrEMBLrel. 20, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Putative tail fiber protein of prophage CP-9330.
GN Z2147 OR ECS1123.
OS Escherichia coli O157:H7.
OC Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
OC Enterobacteriaceae; Escherichia.
OX NCBI_TaxID=83334;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=O157:H7 / EDL933 / ATCC 700927;
RX MEDLINE=21074935; PubMed=11206551;
RA Perna N.T., Plunkett G., Evans P.S., Gregor J., Kirkpatrick H.A.,
RA Rose D.J., Mayhew G.F., Boutin A., Shao Y., Miller L.,
RA Posfai G., Hackett J., Klink S., Lim A., Dimalanta E.T., Potamocis K.,
RA Grotbeck E.J., Davis N.W., Lin J., Yen G., Schwartz D.C.,
RA Apodaca J., Anantharaman T.S., Lin J., Yen G., Schwartz D.C.,
RA Weich R.A., Blattner F.R.;
RT "Genome sequence of enterohaemorrhagic Escherichia coli O157:H7."
RL Nature 409:529-533(2001).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=O157:H7 / RMD 0509952;
RX MEDLINE=21156231; PubMed=11258796;
RA Hayashi T., Makino K., Ohnishi M., Kurokawa K., Ishii K., Yokoyama K.,
RA Han C.-G., Ohtsubo E., Nakayama K., Murata T., Tanaka M., Tobe T.,
RA Iida T., Takami H., Honda T., Sasakawa C., Ogasawara N., Yasunaga T.,
RA Kuhara S., Shiba T., Hattori M., Shinagawa H.;
RT "Complete genome sequence of enterohaemorrhagic Escherichia coli O157:H7 and genomic comparison with a laboratory strain K-12."
RL DNA Res. 8:11-22(2001).
DR EMBL; AE005419; AAG56993.1; -
DR EMBL; AP002559; BAB36140.1; ALT_INIT.
DR PIR; E85816; E85816.
DR PIR; E90968; E90968.
DR InterPro; IPR008969; CarboxypepD_reg.
DR InterPro; IPR008160; Collagen.
DR Pfam; PF01391; Collagen; 2.
KW Complete proteome.
SQ SEQUENCE 439 AA; 44328 MW; ED01C18956369CA9 CRC64;

Query Match 61.6%; Score 45; DB 16; Length 439;
Best Local Similarity 85.7%; Pred. No. 1.1e+02;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
Qy 4 SHGWYFG 10
Db 379 SHGWFFG 385

RESULT 46
Q93JN5 PRELIMINARY; PRT; 1333 AA.
AC Q93JN5;
DT 01-DEC-2001 (TrEMBLrel. 19, Created)
DT 01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Putative non-ribosomal peptide synthase.
GN VBSS.
OS Rhizobium leguminosarum (biovar viciae).
OC Bacteria; Proteobacteria; Alphaproteobacteria; Rhizobiales;
OC Rhizobiaceae; Rhizobium/Agrobacterium group; Rhizobium.
OX NCBI_TaxID=387;
RN [1]
RP SEQUENCE FROM N.A.
RA Carter R.A.;
RT "Structure, function and regulation of the Rhizobium leguminosarum vbs genes, which specify the synthesis of the siderophore vibibactin."
RL Submitted (JUL-2001) to the EMBL/GenBank/DBJ databases.
DR EMBL; A0315451; CAC48062.1; -
DR GO; GO:0003824; F:metabolic activity; IEA.
DR GO; GO:0008152; P:metabolism; IEA.
DR InterPro; IPR000873; AMP-bind.
DR InterPro; IPR001242; Condensatn.
DR InterPro; IPR006162; Peantne S.
DR InterPro; IPR006163; PP_bind.
DR Pfam; PF00501; AMP-binding; 1.

```

```

OS Escherichia coli O157:H7.
OC Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
OC Enterobacteriaceae; Escherichia.
OX NCBI_TaxID=83334;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=O157:H7 / EDL933 / ATCC 700927;
RX MEDLINE=21074935; PubMed=11206551;
RA Perna N.T., Plunkett G., Evans P.S., Gregor J., Kirkpatrick H.A.,
RA Rose D.J., Mayhew G.F., Boutin A., Shao Y., Miller L.,
RA Posfai G., Hackett J., Klink S., Lim A., Dimalanta E.T., Potamocis K.,
RA Apodaca J., Anantharaman T.S., Lin J., Yen G., Schwartz D.C.,
RA Weich R.A., Blattner F.R.;
RT "Genome sequence of enterohaemorrhagic Escherichia coli O157:H7."
RL Nature 409:529-533(2001).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=O157:H7 / RMD 0509952;
RX MEDLINE=21156231; PubMed=11258796;
RA Hayashi T., Makino K., Ohnishi M., Kurokawa K., Ishii K., Yokoyama K.,
RA Han C.-G., Ohtsubo E., Nakayama K., Murata T., Tanaka M., Tobe T.,
RA Iida T., Takami H., Honda T., Sasakawa C., Ogasawara N., Yasunaga T.,
RA Kuhara S., Shiba T., Hattori M., Shinagawa H.;
RT "Complete genome sequence of enterohaemorrhagic Escherichia coli O157:H7 and genomic comparison with a laboratory strain K-12."
RL DNA Res. 8:11-22(2001).
DR EMBL; AE005419; AAG56993.1; -
DR EMBL; AP002559; BAB36140.1; ALT_INIT.
DR PIR; E85816; E85816.
DR PIR; E90968; E90968.
DR InterPro; IPR008969; CarboxypepD_reg.
DR InterPro; IPR008160; Collagen.
DR Pfam; PF01391; Collagen; 2.
KW Complete proteome.
SQ SEQUENCE 439 AA; 44328 MW; ED01C18956369CA9 CRC64;

Query Match 61.6%; Score 45; DB 16; Length 439;
Best Local Similarity 85.7%; Pred. No. 1.1e+02;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
Qy 4 SHGWYFG 10
Db 379 SHGWFFG 385

RESULT 46
Q93JN5 PRELIMINARY; PRT; 1333 AA.
AC Q93JN5;
DT 01-DEC-2001 (TrEMBLrel. 19, Created)
DT 01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Putative non-ribosomal peptide synthase.
GN VBSS.
OS Rhizobium leguminosarum (biovar viciae).
OC Bacteria; Proteobacteria; Alphaproteobacteria; Rhizobiales;
OC Rhizobiaceae; Rhizobium/Agrobacterium group; Rhizobium.
OX NCBI_TaxID=387;
RN [1]
RP SEQUENCE FROM N.A.
RA Carter R.A.;
RT "Structure, function and regulation of the Rhizobium leguminosarum vbs genes, which specify the synthesis of the siderophore vibibactin."
RL Submitted (JUL-2001) to the EMBL/GenBank/DBJ databases.
DR EMBL; A0315451; CAC48062.1; -
DR GO; GO:0003824; F:metabolic activity; IEA.
DR GO; GO:0008152; P:metabolism; IEA.
DR InterPro; IPR000873; AMP-bind.
DR InterPro; IPR001242; Condensatn.
DR InterPro; IPR006162; Peantne S.
DR InterPro; IPR006163; PP_bind.
DR Pfam; PF00501; AMP-binding; 1.

```

```

DR Pfam: PF00568; Condensation; 1.
DR Pfam: PF00550; PP-binding; 1.
DR PRINTS: PR00184; AMP-BINDING.
DR PROSITE: PS00075; ACP DOMAIN; 1.
DR PROSITE: PS00455; AMP BINDING; 1.
DR PROSITE: PS00012; PHOSPHOPANTETHEINE; 1.
DR PROSITE: PS00012; PHOSPHOPANTETHEINE; 1.
DR KW Phosphopantetheine.
DR SEQUENCE 1333 AA; 147537 MW; 7180746EDAB5DC7D CRC64;

Query Match 61.6%; Score 45; DB 2; Length 1333;
Best Local Similarity 85.7%; Pred. No. 3.3e+02;
Matches 6; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EWSHGW 7
Db 494 EWSHGW 500

RESULT 47
Q9XDJ6 PRELIMINARY; PRT; 377 AA.
ID Q9XDJ6
AC Q9XDJ6;
DT 01-NOV-1999 (TrEMBLrel. 12, Created)
DT 01-NOV-1999 (TrEMBLrel. 12, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Putative glycosyl transferase.
GN WCFG.
OS Bacteroides fragilis.
OC Bacteroidetes; Bacteroides (class); Bacteroidales;
OC Bacteroidaceae; Bacteroides.
OX NCBI_TaxID=817;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=NCTC 9343;
RX MEDLINE=99307214; PubMed=10377135;
RA Comerck L.E., Coyne M.J., Tzianabos A.O., Pantosti A.,
RA Onderdonk A.B., Kasper D.L.;
RT "Analysis of a capsular polysaccharide biosynthesis locus of
RT Bacteroides fragilis.";
RL Infect. Immun. 67:3525-3532(1999).
DR EMBL: AF048749; AAD40719.1; -.
DR GO: GO:0016740; F:transferase activity; IEA.
DR GO: GO:0003058; P:biocatalysis; IEA.
DR InterPro: IPR001296; Glyco_transf_1.
DR Pfam: PF00534; Glycob_transf_1; 1.
DR KW Transferase.
DR SEQUENCE 377 AA; 43999 MW; B53EDDEA946D540F CRC64;

Query Match 60.3%; Score 44; DB 2; Length 377;
Best Local Similarity 83.3%; Pred. No. 1.3e+02;
Matches 5; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Qy 3 WSHGWY 8
Db 113 WTHGWY 118

RESULT 48
Q8GDL7 PRELIMINARY; PRT; 415 AA.
ID Q8GDL7
AC Q8GDL7;
DT 01-MAR-2003 (TrEMBLrel. 23, Created)
DT 01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
DT 01-MAR-2003 (TrEMBLrel. 23, Last annotation update)
DE Orf4.
GN ORF4.
OS Photobacterium luminescens (Xenothabbus luminescens).
OC Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
OC Enterobacteriaceae; Photobacterium.
OX NCBI_TaxID=29488;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=W14;

```

```

RA Waterfield N.R., ffrench-Constant R.H.;
RT "Genomic islands in the insect pathogen Photobacterium";
RL Trends Microbiol. 0:0-0(2003);.
DR EMBL: AY144118; AAN64208.1; -.
DR SEQUENCE 415 AA; 48343 MW; D1691D85246B8BAE CRC64;

Query Match 60.3%; Score 44; DB 2; Length 415;
Best Local Similarity 58.3%; Pred. No. 1.4e+02;
Matches 7; Conservative 1; Mismatches 0; Indels 4; Gaps 1;

Qy 2 HW----SHGWYP 9
Db 207 YWASASHGWYP 218

RESULT 49
Q7USD7 PRELIMINARY; PRT; 602 AA.
ID Q7USD7
AC Q7USD7;
DT 01-OCT-2003 (TrEMBLrel. 25, Created)
DT 01-OCT-2003 (TrEMBLrel. 25, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Sodium/glucose cotransporter.
GN SGLT OR RB4564.
OS Rhodospirillum rubrum.
OC Bacteria; Planctomycetes; Planctomycetacia; Planctomycetales;
OC Planctomycetaceae; Pirellula.
OX NCBI_TaxID=117;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=1.
RX MEDLINE=22735913; PubMed=12835416;
RA Gloeckner F.O., Kube M., Bauer M., Teeling H., Lombardot T.,
RA Ludwig W., Gade D., Beck A., Borzym K., Heitmann K., Rabus R.,
RA Schlesner H., Amann R., Reinhardt R.;
RT "Complete genome sequence of the marine planctomycete Pirellula sp.
RT strain 1.";
RL Proc. Natl. Acad. Sci. U.S.A. 100:8298-8303(2003).
DR EMBL: BX294140; CAD73860.1; -.
DR KW Complete proteome.
DR SEQUENCE 602 AA; 65661 MW; 1E75E8E15604237B CRC64;

Query Match 60.3%; Score 44; DB 16; Length 602;
Best Local Similarity 75.0%; Pred. No. 2.1e+02;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 3 WSHGWYPG 10
Db 249 WWSGWYPG 256

RESULT 50
Q86D90 PRELIMINARY; PRT; 219 AA.
ID Q86D90
AC Q86D90;
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Preprogonadotropin-releasing hormone 1 precursor.
OS Ciona intestinalis.
OC Eukaryota; Metazoa; Chordata; Urochordata; Ascidiacea; Enterogona;
OC Phlebobranchia; Cionidae; Ciona.
OX NCBI_TaxID=7719;
RN [1]
RP SEQUENCE FROM N.A.
RC MEDLINE=22583575; PubMed=12697698;
RA Adams B.A., Tello J.A., Erchegyi J., Warby C., Hong D.J.,
RA Akinsanya K.O., Mackie G.O., Vale W., Rivier J.E., Sherwood N.M.;
RT "Six Novel Gonadotropin-Releasing Hormones Are Encoded as Triplets on
RT Each of Two Genes in the Protochordate, Ciona intestinalis.";
RL Endocrinology 144:1907-1919(2003).
DR EMBL: AY204706; AAP06793.1; -.
DR GO: GO:0005576; C:extracellular; IEA.

```

```

DR GO; GO:00051179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPRO02012; GNRH.
DR Pfam; PF00446; GNRH; 2.
DR PROSITE; PS00473; GNRH; 3.
DR KEGG; K04466; GNRH; 2.
DR SIGNAL.
DR FT 1 86 Potential.
DR FT 88 97 gonadotropin-releasing hormone 3.
DR FT CHAIN 115 124 gonadotropin-releasing hormone 5.
DR FT CHAIN 138 147 gonadotropin-releasing hormone 6.
DR FT CHAIN 151 219 GnRH-associated peptide.
DR SQ SEQUENCE 219 AA; 24970 MW; B8A0545882DCD8F7 CRC64;
Query March 58.9%; Score 43; DB 5; Length 219;
Best Local Similarity 60.0%; Pred. NO. 1.le-02;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
Qy 1 EHWSHGWYPG 10
||| |
||| |
Db 138 QHWSKGYSPG 147
Search completed: March 2, 2004, 19:27:47
Job time : 55 secs

```

GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 2, 2004, 19:24:53 ; Search time 16 Seconds
(without alignments)
32.266 Million cell updates/sec

Title: US-09-857-115-6

Perfect score: 73

Sequence: 1 EHWSHGWPG 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 389414 seqs, 51625971 residues

Total number of hits satisfying chosen parameters: 389414

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 500 summaries

Database : Issued Patents AA:*

1: /cgn2_6/prodata/2/iaa/5A_COMB.pep:*

2: /cgn2_6/prodata/2/iaa/5B_COMB.pep:*

3: /cgn2_6/prodata/2/iaa/6A_COMB.pep:*

4: /cgn2_6/prodata/2/iaa/6B_COMB.pep:*

5: /cgn2_6/prodata/2/iaa/PCTUS_COMB.pep:*

6: /cgn2_6/prodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	73	100.0	10	1	US-08-341-219-16
2	73	100.0	10	3	US-08-912-314A-16
3	70	95.9	85	1	US-08-341-219-22
4	70	95.9	85	3	US-08-912-314A-22
5	68	93.2	9	1	US-08-341-219-9
6	68	93.2	9	3	US-08-912-314A-9
7	68	93.2	10	4	US-09-381-879-18
8	66	90.4	10	4	US-09-419-161-2
9	66	90.4	10	4	US-09-941-094C-2
10	65	89.0	10	1	US-08-341-219-15
11	65	89.0	10	3	US-08-912-314A-15
12	62	84.9	10	1	US-07-690-983D-4
13	62	84.9	10	4	US-09-089-522A-5
14	62	84.9	10	4	US-09-297-989-5
15	59	80.8	10	1	US-08-341-219-14
16	59	80.8	10	3	US-08-912-314A-14
17	57	78.1	10	1	US-08-341-219-17
18	57	78.1	10	3	US-08-912-314A-17
19	56	76.7	90	1	US-08-341-219-24
20	56	76.7	90	3	US-08-912-314A-24
21	54	74.0	10	1	US-08-242-678D-8
22	52	71.2	10	4	US-09-419-161-4
23	52	71.2	10	4	US-09-941-094C-4
24	52	71.2	10	4	US-09-381-879-16
25	52	71.2	33	4	US-09-381-879-15
26	51	69.9	10	1	US-08-341-219-13
27	51	69.9	10	3	US-08-912-314A-13

28	48	65.8	10	1	US-07-690-983D-5	Sequence 5, Appli
29	48	65.8	10	4	US-08-912-314A-4	Sequence 4, Appli
30	48	65.8	10	4	US-09-297-989-4	Sequence 4, Appli
31	48	65.8	80	1	US-08-341-219-23	Sequence 23, Appli
32	48	65.8	80	3	US-08-912-314A-23	Sequence 23, Appli
33	47	64.4	10	4	US-09-089-522A-7	Sequence 7, Appli
34	47	64.4	10	4	US-09-297-989-7	Sequence 7, Appli
35	46	63.0	10	1	US-08-341-219-12	Sequence 12, Appli
36	46	63.0	10	1	US-08-242-678D-9	Sequence 9, Appli
37	46	63.0	10	3	US-08-912-314A-12	Sequence 12, Appli
38	46	63.0	10	4	US-09-089-522A-1	Sequence 1, Appli
39	46	63.0	10	4	US-09-089-522A-9	Sequence 9, Appli
40	46	63.0	10	4	US-09-089-522A-13	Sequence 13, Appli
41	46	63.0	10	4	US-09-089-522A-15	Sequence 15, Appli
42	46	63.0	10	4	US-09-089-522A-17	Sequence 17, Appli
43	46	63.0	10	4	US-09-089-522A-21	Sequence 21, Appli
44	46	63.0	10	4	US-09-089-522A-23	Sequence 23, Appli
45	46	63.0	10	4	US-09-089-522A-25	Sequence 25, Appli
46	46	63.0	10	4	US-09-089-522A-27	Sequence 27, Appli
47	46	63.0	10	4	US-09-089-522A-29	Sequence 29, Appli
48	46	63.0	10	4	US-09-089-522A-31	Sequence 31, Appli
49	46	63.0	10	4	US-09-089-522A-32	Sequence 32, Appli
50	46	63.0	10	4	US-09-297-989-1	Sequence 1, Appli
51	46	63.0	10	4	US-09-297-989-9	Sequence 9, Appli
52	46	63.0	10	4	US-09-297-989-13	Sequence 13, Appli
53	46	63.0	10	4	US-09-297-989-15	Sequence 15, Appli
54	46	63.0	10	4	US-09-297-989-17	Sequence 17, Appli
55	46	63.0	10	4	US-09-297-989-21	Sequence 21, Appli
56	46	63.0	10	4	US-09-297-989-23	Sequence 23, Appli
57	46	63.0	10	4	US-09-297-989-25	Sequence 25, Appli
58	46	63.0	10	4	US-09-297-989-27	Sequence 27, Appli
59	46	63.0	10	4	US-09-297-989-29	Sequence 29, Appli
60	46	63.0	10	4	US-09-297-989-31	Sequence 31, Appli
61	46	63.0	10	4	US-09-297-989-32	Sequence 32, Appli
62	46	63.0	10	4	US-09-369-954-2	Sequence 2, Appli
63	46	63.0	10	4	US-09-369-954-3	Sequence 3, Appli
64	45	61.6	10	1	US-07-714-540-9	Sequence 9, Appli
65	45	61.6	10	1	US-07-690-983D-2	Sequence 2, Appli
66	45	61.6	10	1	US-07-690-983D-32	Sequence 32, Appli
67	45	61.6	10	1	US-08-343-883-1	Sequence 1, Appli
68	45	61.6	10	1	US-08-000-931-5	Sequence 5, Appli
69	45	61.6	10	1	US-08-428-488-22	Sequence 22, Appli
70	45	61.6	10	1	US-08-341-219-11	Sequence 11, Appli
71	45	61.6	10	1	US-08-453-588-22	Sequence 22, Appli
72	45	61.6	10	1	US-08-591-917-1	Sequence 1, Appli
73	45	61.6	10	1	US-08-446-692-1	Sequence 1, Appli
74	45	61.6	10	2	US-08-796-598-6	Sequence 6, Appli
75	45	61.6	10	2	US-08-694-865-18	Sequence 18, Appli
76	45	61.6	10	2	US-08-488-351A-1	Sequence 1, Appli
77	45	61.6	10	2	US-08-480-494B-1	Sequence 1, Appli
78	45	61.6	10	2	US-08-447-175A-6	Sequence 6, Appli
79	45	61.6	10	3	US-08-521-079-22	Sequence 22, Appli
80	45	61.6	10	3	US-09-124-491-18	Sequence 18, Appli
81	45	61.6	10	3	US-09-100-414B-77	Sequence 77, Appli
82	45	61.6	10	3	US-08-927-128-13	Sequence 13, Appli
83	45	61.6	10	3	US-08-912-314A-11	Sequence 11, Appli
84	45	61.6	10	3	US-09-303-323-77	Sequence 77, Appli
85	45	61.6	10	3	US-08-373-180-1	Sequence 1, Appli
86	45	61.6	10	4	US-09-089-522A-19	Sequence 19, Appli
87	45	61.6	10	4	US-09-026-276-28	Sequence 28, Appli
88	45	61.6	10	4	US-09-451-013-1	Sequence 1, Appli
89	45	61.6	10	4	US-09-297-989-19	Sequence 19, Appli
90	45	61.6	10	4	US-08-973-378-1	Sequence 1, Appli
91	45	61.6	10	4	US-09-598-134-1	Sequence 1, Appli
92	45	61.6	10	4	US-09-556-599-1	Sequence 1, Appli
93	45	61.6	10	4	US-09-639-483C-3	Sequence 3, Appli
94	45	61.6	10	4	US-09-383-912-18	Sequence 18, Appli
95	45	61.6	10	4	US-09-770-014-77	Sequence 77, Appli
96	45	61.6	10	4	US-09-525-007-1	Sequence 1, Appli
97	45	61.6	10	4	US-09-964-201A-28	Sequence 28, Appli
98	45	61.6	10	4	US-09-890-650-28	Sequence 28, Appli
99	45	61.6	10	6	5168061-1	Patent No. 5168061
100	45	61.6	10	6	5169865-10	Patent No. 5169865

101	45	61.6	10	6	5169935-1	Patent No. 5169935	174	45	61.6	28	3	US-09-100-414B-74	Sequence 74, Appl
102	45	61.6	10	6	5198533-2	Patent No. 5198533	175	45	61.6	28	3	US-09-303-323-37	Sequence 37, Appl
103	45	61.6	10	6	5488036-1	Patent No. 5488036	176	45	61.6	28	3	US-09-303-323-38	Sequence 38, Appl
104	45	61.6	10	6	5492893-1	Patent No. 5492893	177	45	61.6	28	3	US-09-303-323-39	Sequence 39, Appl
105	45	61.6	12	1	US-08-302-915-2	Sequence 2, Appl	178	45	61.6	28	3	US-09-303-323-40	Sequence 40, Appl
106	45	61.6	14	1	US-07-690-983D-22	Sequence 22, Appl	179	45	61.6	28	3	US-09-303-323-41	Sequence 41, Appl
107	45	61.6	14	1	US-07-690-983D-24	Sequence 24, Appl	180	45	61.6	28	3	US-09-303-323-42	Sequence 42, Appl
108	45	61.6	14	1	US-07-690-983D-26	Sequence 26, Appl	181	45	61.6	28	3	US-09-303-323-43	Sequence 43, Appl
109	45	61.6	14	1	US-07-690-983D-30	Sequence 30, Appl	182	45	61.6	28	3	US-09-303-323-44	Sequence 44, Appl
110	45	61.6	16	1	US-07-690-983D-14	Sequence 14, Appl	183	45	61.6	28	3	US-09-303-323-45	Sequence 45, Appl
111	45	61.6	17	1	US-07-690-983D-16	Sequence 16, Appl	184	45	61.6	28	3	US-09-303-323-46	Sequence 46, Appl
112	45	61.6	17	1	US-07-690-983D-18	Sequence 18, Appl	185	45	61.6	28	3	US-09-303-323-47	Sequence 47, Appl
113	45	61.6	18	1	US-07-690-983D-20	Sequence 20, Appl	186	45	61.6	28	3	US-09-303-323-48	Sequence 48, Appl
114	45	61.6	18	1	US-07-690-983D-28	Sequence 28, Appl	187	45	61.6	28	3	US-09-303-323-49	Sequence 49, Appl
115	45	61.6	20	1	US-07-690-983D-40	Sequence 40, Appl	188	45	61.6	28	3	US-09-303-323-50	Sequence 50, Appl
116	45	61.6	20	4	US-09-026-276-29	Sequence 29, Appl	189	45	61.6	28	3	US-09-303-323-51	Sequence 51, Appl
117	45	61.6	20	4	US-09-026-276-30	Sequence 30, Appl	190	45	61.6	28	3	US-09-303-323-52	Sequence 52, Appl
118	45	61.6	20	4	US-09-026-276-31	Sequence 31, Appl	191	45	61.6	28	3	US-09-303-323-53	Sequence 53, Appl
119	45	61.6	20	4	US-09-964-201A-29	Sequence 29, Appl	192	45	61.6	28	3	US-09-303-323-54	Sequence 54, Appl
120	45	61.6	20	4	US-09-964-201A-30	Sequence 30, Appl	193	45	61.6	28	3	US-09-303-323-55	Sequence 55, Appl
121	45	61.6	20	4	US-09-964-201A-31	Sequence 31, Appl	194	45	61.6	28	3	US-09-303-323-56	Sequence 56, Appl
122	45	61.6	24	1	US-07-690-983D-43	Sequence 43, Appl	195	45	61.6	28	3	US-09-303-323-57	Sequence 57, Appl
123	45	61.6	25	1	US-08-446-692-12	Sequence 12, Appl	196	45	61.6	28	3	US-09-303-323-58	Sequence 58, Appl
124	45	61.6	25	1	US-08-446-692-17	Sequence 17, Appl	197	45	61.6	28	3	US-09-303-323-59	Sequence 59, Appl
125	45	61.6	25	1	US-08-488-351A-12	Sequence 12, Appl	198	45	61.6	28	3	US-09-303-323-60	Sequence 60, Appl
126	45	61.6	25	2	US-08-488-351A-17	Sequence 17, Appl	199	45	61.6	28	3	US-09-303-323-61	Sequence 61, Appl
127	45	61.6	25	2	US-08-446-692-29	Sequence 29, Appl	200	45	61.6	28	3	US-09-303-323-62	Sequence 62, Appl
128	45	61.6	25	2	US-08-488-351A-29	Sequence 29, Appl	201	45	61.6	28	3	US-09-303-323-63	Sequence 63, Appl
129	45	61.6	27	1	US-08-446-692-13	Sequence 13, Appl	202	45	61.6	28	3	US-09-303-323-64	Sequence 64, Appl
130	45	61.6	27	1	US-08-446-692-19	Sequence 19, Appl	203	45	61.6	28	3	US-09-303-323-65	Sequence 65, Appl
131	45	61.6	27	2	US-08-488-351A-13	Sequence 13, Appl	204	45	61.6	28	3	US-09-303-323-66	Sequence 66, Appl
132	45	61.6	27	2	US-08-488-351A-19	Sequence 19, Appl	205	45	61.6	28	3	US-09-303-323-67	Sequence 67, Appl
133	45	61.6	27	2	US-08-488-351A-36	Sequence 36, Appl	206	45	61.6	28	3	US-09-303-323-68	Sequence 68, Appl
134	45	61.6	27	3	US-09-100-414B-36	Sequence 36, Appl	207	45	61.6	28	3	US-09-303-323-69	Sequence 69, Appl
135	45	61.6	27	3	US-09-100-414B-41	Sequence 41, Appl	208	45	61.6	28	3	US-09-303-323-70	Sequence 70, Appl
136	45	61.6	27	3	US-09-100-414B-42	Sequence 42, Appl	209	45	61.6	28	3	US-09-303-323-71	Sequence 71, Appl
137	45	61.6	27	3	US-09-100-414B-43	Sequence 43, Appl	210	45	61.6	28	3	US-09-303-323-72	Sequence 72, Appl
138	45	61.6	27	3	US-09-100-414B-44	Sequence 44, Appl	211	45	61.6	28	3	US-09-303-323-73	Sequence 73, Appl
139	45	61.6	27	3	US-09-100-414B-45	Sequence 45, Appl	212	45	61.6	28	3	US-09-303-323-74	Sequence 74, Appl
140	45	61.6	27	3	US-09-100-414B-48	Sequence 48, Appl	213	45	61.6	28	3	US-09-303-323-75	Sequence 75, Appl
141	45	61.6	27	3	US-09-100-414B-50	Sequence 50, Appl	214	45	61.6	28	3	US-09-303-323-76	Sequence 76, Appl
142	45	61.6	27	3	US-09-100-414B-51	Sequence 51, Appl	215	45	61.6	28	3	US-09-303-323-77	Sequence 77, Appl
143	45	61.6	27	3	US-09-100-414B-55	Sequence 55, Appl	216	45	61.6	28	3	US-09-303-323-78	Sequence 78, Appl
144	45	61.6	27	3	US-09-303-323-36	Sequence 36, Appl	217	45	61.6	28	3	US-09-303-323-79	Sequence 79, Appl
145	45	61.6	27	3	US-09-303-323-41	Sequence 41, Appl	218	45	61.6	28	3	US-09-303-323-80	Sequence 80, Appl
146	45	61.6	27	3	US-09-303-323-42	Sequence 42, Appl	219	45	61.6	28	3	US-09-303-323-81	Sequence 81, Appl
147	45	61.6	27	3	US-09-303-323-43	Sequence 43, Appl	220	45	61.6	28	3	US-09-303-323-82	Sequence 82, Appl
148	45	61.6	27	3	US-09-303-323-44	Sequence 44, Appl	221	45	61.6	28	3	US-09-303-323-83	Sequence 83, Appl
149	45	61.6	27	3	US-09-303-323-47	Sequence 47, Appl	222	45	61.6	28	3	US-09-303-323-84	Sequence 84, Appl
150	45	61.6	27	3	US-09-303-323-48	Sequence 48, Appl	223	45	61.6	28	3	US-09-303-323-85	Sequence 85, Appl
151	45	61.6	27	3	US-09-303-323-49	Sequence 49, Appl	224	45	61.6	28	3	US-09-303-323-86	Sequence 86, Appl
152	45	61.6	27	3	US-09-303-323-50	Sequence 50, Appl	225	45	61.6	28	3	US-09-303-323-87	Sequence 87, Appl
153	45	61.6	27	3	US-09-303-323-51	Sequence 51, Appl	226	45	61.6	28	3	US-09-303-323-88	Sequence 88, Appl
154	45	61.6	27	3	US-09-303-323-55	Sequence 55, Appl	227	45	61.6	28	3	US-09-303-323-89	Sequence 89, Appl
155	45	61.6	27	4	US-09-770-014-36	Sequence 36, Appl	228	45	61.6	28	3	US-09-770-014-37	Sequence 37, Appl
156	45	61.6	27	4	US-09-770-014-41	Sequence 41, Appl	229	45	61.6	28	3	US-09-770-014-38	Sequence 38, Appl
157	45	61.6	27	4	US-09-770-014-42	Sequence 42, Appl	230	45	61.6	28	3	US-09-770-014-39	Sequence 39, Appl
158	45	61.6	27	4	US-09-770-014-43	Sequence 43, Appl	231	45	61.6	28	3	US-09-770-014-40	Sequence 40, Appl
159	45	61.6	27	4	US-09-770-014-44	Sequence 44, Appl	232	45	61.6	28	3	US-09-770-014-41	Sequence 41, Appl
160	45	61.6	27	4	US-09-770-014-47	Sequence 47, Appl	233	45	61.6	28	3	US-09-770-014-42	Sequence 42, Appl
161	45	61.6	27	4	US-09-770-014-48	Sequence 48, Appl	234	45	61.6	28	3	US-09-770-014-43	Sequence 43, Appl
162	45	61.6	27	4	US-09-770-014-49	Sequence 49, Appl	235	45	61.6	28	3	US-09-770-014-44	Sequence 44, Appl
163	45	61.6	27	4	US-09-770-014-50	Sequence 50, Appl	236	45	61.6	28	3	US-09-770-014-45	Sequence 45, Appl
164	45	61.6	27	4	US-09-770-014-51	Sequence 51, Appl	237	45	61.6	28	3	US-09-770-014-46	Sequence 46, Appl
165	45	61.6	27	4	US-09-770-014-55	Sequence 55, Appl	238	45	61.6	28	3	US-09-770-014-47	Sequence 47, Appl
166	45	61.6	28	1	US-08-446-692-10	Sequence 10, Appl	239	45	61.6	28	3	US-09-770-014-48	Sequence 48, Appl
167	45	61.6	28	1	US-08-446-692-38	Sequence 38, Appl	240	45	61.6	28	3	US-09-770-014-49	Sequence 49, Appl
168	45	61.6	28	2	US-08-488-351A-10	Sequence 10, Appl	241	45	61.6	28	3	US-09-770-014-50	Sequence 50, Appl
169	45	61.6	28	2	US-08-488-351A-38	Sequence 38, Appl	242	45	61.6	28	3	US-09-770-014-51	Sequence 51, Appl
170	45	61.6	28	3	US-09-100-414B-37	Sequence 37, Appl	243	45	61.6	28	3	US-09-100-414B-38	Sequence 38, Appl
171	45	61.6	28	3	US-09-100-414B-38	Sequence 38, Appl	244	45	61.6	28	3	US-09-100-414B-39	Sequence 39, Appl
172	45	61.6	28	3	US-09-100-414B-39	Sequence 39, Appl	245	45	61.6	28	3	US-09-100-414B-40	Sequence 40, Appl
173	45	61.6	28	3	US-09-100-414B-40	Sequence 40, Appl	246	45	61.6	28	3	US-09-100-414B-41	Sequence 41, Appl

247	45	61.6	31	4	US-09-770-014-106	Sequence 106, Appl	320	45	61.6	51	2	US-08-488-351A-26	Sequence 26, Appl
248	45	61.6	32	1	US-08-446-692-14	Sequence 14, Appl	321	45	61.6	52	3	US-08-458-814-6	Sequence 6, Appl
249	45	61.6	32	1	US-08-446-692-21	Sequence 21, Appl	322	45	61.6	54	3	US-08-446-692-34	Sequence 34, Appl
250	45	61.6	32	1	US-08-446-692-31	Sequence 31, Appl	323	45	61.6	54	2	US-08-488-351A-34	Sequence 34, Appl
251	45	61.6	32	1	US-08-488-351A-14	Sequence 14, Appl	324	45	61.6	55	3	US-08-458-814-7	Sequence 7, Appl
252	45	61.6	32	2	US-08-488-351A-21	Sequence 21, Appl	325	45	61.6	84	3	US-07-690-983D-47	Sequence 47, Appl
253	45	61.6	32	2	US-08-488-351A-31	Sequence 31, Appl	326	45	61.6	441	4	US-09-171-461-26	Sequence 26, Appl
254	45	61.6	33	1	US-08-446-692-27	Sequence 27, Appl	327	43	58.9	10	4	US-09-089-522A-11	Sequence 11, Appl
255	45	61.6	33	1	US-08-488-351A-16	Sequence 16, Appl	328	43	58.9	10	4	US-09-297-989-11	Sequence 11, Appl
256	45	61.6	34	1	US-08-446-692-16	Sequence 16, Appl	329	43	58.9	92	1	US-08-341-219-21	Sequence 21, Appl
257	45	61.6	34	2	US-08-488-351A-27	Sequence 27, Appl	330	43	58.9	92	1	US-08-912-314A-21	Sequence 21, Appl
258	45	61.6	34	3	US-09-100-414B-82	Sequence 82, Appl	331	43	58.9	92	3	US-09-089-522A-8	Sequence 8, Appl
259	45	61.6	34	3	US-09-303-323-82	Sequence 82, Appl	332	42	57.5	9	4	US-09-297-989-8	Sequence 8, Appl
260	45	61.6	34	4	US-08-770-014-82	Sequence 82, Appl	333	42	57.5	10	1	US-08-453-588-2	Sequence 2, Appl
261	45	61.6	35	1	US-08-446-692-25	Sequence 25, Appl	334	42	57.5	10	1	US-08-453-588-4	Sequence 4, Appl
262	45	61.6	35	2	US-08-488-351A-25	Sequence 25, Appl	335	42	57.5	10	1	US-08-453-588-6	Sequence 6, Appl
263	45	61.6	35	3	US-09-100-414B-80	Sequence 80, Appl	336	42	57.5	10	1	US-08-453-588-8	Sequence 8, Appl
264	45	61.6	35	3	US-09-100-414B-81	Sequence 81, Appl	337	42	57.5	10	1	US-08-453-588-10	Sequence 10, Appl
265	45	61.6	35	3	US-09-303-323-80	Sequence 80, Appl	338	42	57.5	10	1	US-08-453-588-12	Sequence 12, Appl
266	45	61.6	35	3	US-09-303-323-81	Sequence 81, Appl	339	42	57.5	10	1	US-08-453-588-14	Sequence 14, Appl
267	45	61.6	35	4	US-09-770-014-81	Sequence 81, Appl	340	42	57.5	10	1	US-08-453-588-16	Sequence 16, Appl
268	45	61.6	35	4	US-08-770-014-81	Sequence 81, Appl	341	42	57.5	10	1	US-08-453-588-19	Sequence 19, Appl
269	45	61.6	37	1	US-08-446-692-15	Sequence 15, Appl	342	42	57.5	10	1	US-08-387-156-2	Sequence 2, Appl
270	45	61.6	37	1	US-08-446-692-24	Sequence 24, Appl	343	42	57.5	10	1	US-08-694-865-2	Sequence 2, Appl
271	45	61.6	37	2	US-08-488-351A-15	Sequence 15, Appl	344	42	57.5	10	2	US-08-878-748-2	Sequence 2, Appl
272	45	61.6	37	2	US-08-488-351A-24	Sequence 24, Appl	345	42	57.5	10	2	US-08-521-079-2	Sequence 2, Appl
273	45	61.6	38	1	US-08-446-692-11	Sequence 11, Appl	346	42	57.5	10	3	US-08-521-079-4	Sequence 4, Appl
274	45	61.6	38	2	US-08-488-351A-11	Sequence 11, Appl	347	42	57.5	10	3	US-08-521-079-6	Sequence 6, Appl
275	45	61.6	42	1	US-08-446-692-20	Sequence 20, Appl	348	42	57.5	10	3	US-08-521-079-8	Sequence 8, Appl
276	45	61.6	42	2	US-08-488-351A-20	Sequence 20, Appl	349	42	57.5	10	3	US-08-521-079-10	Sequence 10, Appl
277	45	61.6	44	1	US-07-690-983D-45	Sequence 45, Appl	350	42	57.5	10	3	US-08-521-079-12	Sequence 12, Appl
278	45	61.6	45	1	US-08-446-692-32	Sequence 32, Appl	351	42	57.5	10	3	US-08-521-079-14	Sequence 14, Appl
279	45	61.6	45	1	US-08-446-692-33	Sequence 33, Appl	352	42	57.5	10	3	US-08-521-079-16	Sequence 16, Appl
280	45	61.6	45	2	US-08-488-351A-32	Sequence 32, Appl	353	42	57.5	10	3	US-08-521-079-19	Sequence 19, Appl
281	45	61.6	45	2	US-09-100-414B-33	Sequence 33, Appl	354	42	57.5	10	3	US-09-124-491-2	Sequence 2, Appl
282	45	61.6	45	3	US-08-488-351A-33	Sequence 33, Appl	355	42	57.5	10	3	US-09-082-279B-1143	Sequence 1143, Ap
283	45	61.6	45	3	US-09-100-414B-45	Sequence 45, Appl	356	42	57.5	10	3	US-09-082-279B-1309	Sequence 1309, Ap
284	45	61.6	45	3	US-09-100-414B-46	Sequence 46, Appl	357	42	57.5	10	3	US-09-082-279B-1344	Sequence 1344, Ap
285	45	61.6	45	3	US-09-303-323-45	Sequence 45, Appl	358	42	57.5	10	4	US-09-026-276-32	Sequence 32, Appl
286	45	61.6	45	3	US-09-303-323-46	Sequence 46, Appl	359	42	57.5	10	4	US-09-315-304B-1143	Sequence 1143, Ap
287	45	61.6	45	3	US-09-303-323-52	Sequence 52, Appl	360	42	57.5	10	4	US-09-315-304B-1309	Sequence 1309, Ap
288	45	61.6	45	4	US-09-770-014-45	Sequence 45, Appl	361	42	57.5	10	4	US-09-315-304B-1344	Sequence 1344, Ap
289	45	61.6	45	4	US-09-770-014-52	Sequence 46, Appl	362	42	57.5	10	4	US-09-389-912-2	Sequence 2, Appl
290	45	61.6	45	4	US-09-770-014-52	Sequence 52, Appl	363	42	57.5	10	4	US-09-834-784-1143	Sequence 1143, Ap
291	45	61.6	46	1	US-08-446-692-40	Sequence 40, Appl	364	42	57.5	10	4	US-09-834-784-1309	Sequence 1309, Ap
292	45	61.6	46	2	US-08-488-351A-40	Sequence 40, Appl	365	42	57.5	10	4	US-09-834-784-1344	Sequence 1344, Ap
293	45	61.6	46	3	US-09-100-414B-75	Sequence 75, Appl	366	42	57.5	10	4	US-09-515-965A-1143	Sequence 1143, Ap
294	45	61.6	46	3	US-09-303-323-75	Sequence 75, Appl	367	42	57.5	10	4	US-09-515-965A-1309	Sequence 1309, Ap
295	45	61.6	46	4	US-09-770-014-75	Sequence 75, Appl	368	42	57.5	10	4	US-09-515-965A-1344	Sequence 1344, Ap
296	45	61.6	47	1	US-08-446-692-35	Sequence 35, Appl	369	42	57.5	10	4	US-09-381-879-9	Sequence 9, Appl
297	45	61.6	47	2	US-08-488-351A-35	Sequence 35, Appl	370	42	57.5	10	4	US-09-350-641C-1143	Sequence 1143, Ap
298	45	61.6	47	3	US-09-100-414B-30	Sequence 30, Appl	371	42	57.5	10	4	US-09-350-641C-1309	Sequence 1309, Ap
299	45	61.6	47	3	US-09-100-414B-60	Sequence 60, Appl	372	42	57.5	10	4	US-09-350-641C-1344	Sequence 1344, Ap
300	45	61.6	47	3	US-09-303-323-60	Sequence 60, Appl	373	42	57.5	10	4	US-09-964-201A-32	Sequence 32, Appl
301	45	61.6	47	3	US-09-303-323-60	Sequence 60, Appl	374	42	57.5	10	4	US-09-486-143B-9	Sequence 9, Appl
302	45	61.6	47	4	US-09-770-014-60	Sequence 60, Appl	375	42	57.5	12	1	US-08-453-588-24	Sequence 24, Appl
303	45	61.6	47	4	US-09-770-014-63	Sequence 63, Appl	376	42	57.5	12	3	US-08-521-079-24	Sequence 24, Appl
304	45	61.6	48	1	US-08-446-692-37	Sequence 37, Appl	377	42	57.5	13	1	US-08-341-219-4	Sequence 4, Appl
305	45	61.6	48	2	US-08-446-692-41	Sequence 41, Appl	378	42	57.5	13	3	US-08-912-314A-4	Sequence 4, Appl
306	45	61.6	48	2	US-08-488-351A-37	Sequence 37, Appl	379	42	57.5	14	1	US-08-453-588-23	Sequence 23, Appl
307	45	61.6	48	2	US-08-488-351A-41	Sequence 41, Appl	380	42	57.5	14	1	US-08-521-079-23	Sequence 23, Appl
308	45	61.6	49	1	US-08-446-692-36	Sequence 36, Appl	381	42	57.5	15	1	US-08-453-588-25	Sequence 25, Appl
309	45	61.6	49	2	US-08-488-351A-36	Sequence 36, Appl	382	42	57.5	15	3	US-08-521-079-25	Sequence 25, Appl
310	45	61.6	49	3	US-09-100-414B-57	Sequence 57, Appl	383	42	57.5	16	1	US-08-453-588-26	Sequence 26, Appl
311	45	61.6	49	3	US-09-100-414B-58	Sequence 58, Appl	384	42	57.5	16	3	US-08-521-079-26	Sequence 26, Appl
312	45	61.6	49	3	US-09-100-414B-62	Sequence 62, Appl	385	42	57.5	18	3	US-09-082-279B-1146	Sequence 1146, Ap
313	45	61.6	49	3	US-09-303-323-57	Sequence 57, Appl	386	42	57.5	18	3	US-09-082-279B-1147	Sequence 1147, Ap
314	45	61.6	49	3	US-09-303-323-58	Sequence 58, Appl	387	42	57.5	18	3	US-09-082-279B-1148	Sequence 1148, Ap
315	45	61.6	49	3	US-09-303-323-62	Sequence 62, Appl	388	42	57.5	18	3	US-09-082-279B-1172	Sequence 1172, Ap
316	45	61.6	49	4	US-09-770-014-57	Sequence 57, Appl	389	42	57.5	18	3	US-09-082-279B-1173	Sequence 1173, Ap
317	45	61.6	49	4	US-09-770-014-58	Sequence 58, Appl	390	42	57.5	18	4	US-09-315-304B-1145	Sequence 1145, Ap
318	45	61.6	49	4	US-09-770-014-58	Sequence 58, Appl	391	42	57.5	18	4	US-09-315-304B-1147	Sequence 1147, Ap
319	45	61.6	51	1	US-08-446-692-26	Sequence 26, Appl	392	42	57.5	18	4	US-09-315-304B-1148	Sequence 1148, Ap

393 42 57.5 18 4 US-09-315-304B-1172 Sequence 1172, Ap 466 41 56.2 9 4 US-09-089-522A-30 Sequence 30, Appli
394 42 57.5 18 4 US-09-315-304B-1173 Sequence 1173, Ap 467 41 56.2 9 4 US-09-297-989-6 Sequence 6, Appli
395 42 57.5 18 4 US-09-334-784-1146 Sequence 1146, Ap 468 41 56.2 9 4 US-09-297-989-10 Sequence 10, Appli
396 42 57.5 18 4 US-09-334-784-1147 Sequence 1147, Ap 469 41 56.2 9 4 US-09-297-989-14 Sequence 14, Appli
397 42 57.5 18 4 US-09-334-784-1148 Sequence 1148, Ap 470 41 56.2 9 4 US-09-297-989-16 Sequence 16, Appli
398 42 57.5 18 4 US-09-334-784-1149 Sequence 1149, Ap 471 41 56.2 9 4 US-09-297-989-18 Sequence 18, Appli
399 42 57.5 18 4 US-09-334-784-1150 Sequence 1150, Ap 472 41 56.2 9 4 US-09-297-989-22 Sequence 22, Appli
400 42 57.5 18 4 US-09-315-304B-1173 Sequence 1173, Ap 473 41 56.2 9 4 US-09-297-989-24 Sequence 24, Appli
401 42 57.5 18 4 US-09-315-304B-1174 Sequence 1174, Ap 474 41 56.2 9 4 US-09-297-989-26 Sequence 26, Appli
402 42 57.5 18 4 US-09-315-304B-1175 Sequence 1175, Ap 475 41 56.2 9 4 US-09-297-989-28 Sequence 28, Appli
403 42 57.5 18 4 US-09-315-304B-1176 Sequence 1176, Ap 476 41 56.2 9 4 US-09-297-989-30 Sequence 30, Appli
404 42 57.5 18 4 US-09-315-304B-1177 Sequence 1177, Ap 477 41 56.2 9 4 US-09-297-989-32 Sequence 32, Appli
405 42 57.5 18 4 US-09-315-304B-1178 Sequence 1178, Ap 478 41 56.2 9 4 US-09-297-989-34 Sequence 34, Appli
406 42 57.5 18 4 US-09-315-304B-1179 Sequence 1179, Ap 479 41 56.2 9 4 US-09-297-989-36 Sequence 36, Appli
407 42 57.5 18 4 US-09-315-304B-1180 Sequence 1180, Ap 480 41 56.2 9 4 US-09-297-989-38 Sequence 38, Appli
408 42 57.5 18 4 US-09-315-304B-1181 Sequence 1181, Ap 481 41 56.2 9 4 US-09-297-989-40 Sequence 40, Appli
409 42 57.5 18 4 US-09-315-304B-1182 Sequence 1182, Ap 482 41 56.2 9 4 US-09-297-989-42 Sequence 42, Appli
410 42 57.5 18 4 US-09-315-304B-1183 Sequence 1183, Ap 483 41 56.2 9 4 US-09-297-989-44 Sequence 44, Appli
411 42 57.5 18 4 US-09-315-304B-1184 Sequence 1184, Ap 484 41 56.2 9 4 US-09-297-989-46 Sequence 46, Appli
412 42 57.5 18 4 US-09-315-304B-1185 Sequence 1185, Ap 485 41 56.2 9 4 US-09-297-989-48 Sequence 48, Appli
413 42 57.5 18 4 US-09-315-304B-1186 Sequence 1186, Ap 486 41 56.2 9 4 US-09-297-989-50 Sequence 50, Appli
414 42 57.5 18 4 US-09-315-304B-1187 Sequence 1187, Ap 487 41 56.2 9 4 US-09-297-989-52 Sequence 52, Appli
415 42 57.5 18 4 US-09-315-304B-1188 Sequence 1188, Ap 488 41 56.2 9 4 US-09-297-989-54 Sequence 54, Appli
416 42 57.5 18 4 US-09-315-304B-1189 Sequence 1189, Ap 489 41 56.2 9 4 US-09-297-989-56 Sequence 56, Appli
417 42 57.5 18 4 US-09-315-304B-1190 Sequence 1190, Ap 490 41 56.2 9 4 US-09-297-989-58 Sequence 58, Appli
418 42 57.5 18 4 US-09-315-304B-1191 Sequence 1191, Ap 491 41 56.2 9 4 US-09-297-989-60 Sequence 60, Appli
419 42 57.5 18 4 US-09-315-304B-1192 Sequence 1192, Ap 492 41 56.2 9 4 US-09-297-989-62 Sequence 62, Appli
420 42 57.5 18 4 US-09-315-304B-1193 Sequence 1193, Ap 493 41 56.2 9 4 US-09-297-989-64 Sequence 64, Appli
421 42 57.5 18 4 US-09-315-304B-1194 Sequence 1194, Ap 494 41 56.2 9 4 US-09-297-989-66 Sequence 66, Appli
422 42 57.5 18 4 US-09-315-304B-1195 Sequence 1195, Ap 495 41 56.2 9 4 US-09-297-989-68 Sequence 68, Appli
423 42 57.5 18 4 US-09-315-304B-1196 Sequence 1196, Ap 496 41 56.2 9 4 US-09-297-989-70 Sequence 70, Appli
424 42 57.5 18 4 US-09-315-304B-1197 Sequence 1197, Ap 497 41 56.2 9 4 US-09-297-989-72 Sequence 72, Appli
425 42 57.5 18 4 US-09-315-304B-1198 Sequence 1198, Ap 498 41 56.2 9 4 US-09-297-989-74 Sequence 74, Appli
426 42 57.5 18 4 US-09-315-304B-1199 Sequence 1199, Ap 499 41 56.2 9 4 US-09-297-989-76 Sequence 76, Appli
427 42 57.5 18 4 US-09-315-304B-1200 Sequence 1200, Ap 500 41 56.2 9 4 US-09-297-989-78 Sequence 78, Appli
428 42 57.5 18 4 US-09-315-304B-1201 Sequence 1201, Ap 501 41 56.2 9 4 US-09-297-989-80 Sequence 80, Appli
429 42 57.5 18 4 US-09-315-304B-1202 Sequence 1202, Ap 502 41 56.2 9 4 US-09-297-989-82 Sequence 82, Appli
430 42 57.5 18 4 US-09-315-304B-1203 Sequence 1203, Ap 503 41 56.2 9 4 US-09-297-989-84 Sequence 84, Appli
431 42 57.5 18 4 US-09-315-304B-1204 Sequence 1204, Ap 504 41 56.2 9 4 US-09-297-989-86 Sequence 86, Appli
432 42 57.5 18 4 US-09-315-304B-1205 Sequence 1205, Ap 505 41 56.2 9 4 US-09-297-989-88 Sequence 88, Appli
433 42 57.5 18 4 US-09-315-304B-1206 Sequence 1206, Ap 506 41 56.2 9 4 US-09-297-989-90 Sequence 90, Appli
434 42 57.5 18 4 US-09-315-304B-1207 Sequence 1207, Ap 507 41 56.2 9 4 US-09-297-989-92 Sequence 92, Appli
435 42 57.5 18 4 US-09-315-304B-1208 Sequence 1208, Ap 508 41 56.2 9 4 US-09-297-989-94 Sequence 94, Appli
436 42 57.5 18 4 US-09-315-304B-1209 Sequence 1209, Ap 509 41 56.2 9 4 US-09-297-989-96 Sequence 96, Appli
437 42 57.5 18 4 US-09-315-304B-1210 Sequence 1210, Ap 510 41 56.2 9 4 US-09-297-989-98 Sequence 98, Appli
438 42 57.5 18 4 US-09-315-304B-1211 Sequence 1211, Ap 511 41 56.2 9 4 US-09-297-989-100 Sequence 100, Appli
439 42 57.5 18 4 US-09-315-304B-1212 Sequence 1212, Ap 512 41 56.2 9 4 US-09-297-989-102 Sequence 102, Appli
440 42 57.5 18 4 US-09-315-304B-1213 Sequence 1213, Ap 513 41 56.2 9 4 US-09-297-989-104 Sequence 104, Appli
441 42 57.5 18 4 US-09-315-304B-1214 Sequence 1214, Ap 514 41 56.2 9 4 US-09-297-989-106 Sequence 106, Appli
442 42 57.5 18 4 US-09-315-304B-1215 Sequence 1215, Ap 515 41 56.2 9 4 US-09-297-989-108 Sequence 108, Appli
443 42 57.5 18 4 US-09-315-304B-1216 Sequence 1216, Ap 516 41 56.2 9 4 US-09-297-989-110 Sequence 110, Appli
444 42 57.5 18 4 US-09-315-304B-1217 Sequence 1217, Ap 517 41 56.2 9 4 US-09-297-989-112 Sequence 112, Appli
445 42 57.5 18 4 US-09-315-304B-1218 Sequence 1218, Ap 518 41 56.2 9 4 US-09-297-989-114 Sequence 114, Appli
446 42 57.5 18 4 US-09-315-304B-1219 Sequence 1219, Ap 519 41 56.2 9 4 US-09-297-989-116 Sequence 116, Appli
447 42 57.5 18 4 US-09-315-304B-1220 Sequence 1220, Ap 520 41 56.2 9 4 US-09-297-989-118 Sequence 118, Appli
448 42 57.5 18 4 US-09-315-304B-1221 Sequence 1221, Ap 521 41 56.2 9 4 US-09-297-989-120 Sequence 120, Appli
449 42 57.5 18 4 US-09-315-304B-1222 Sequence 1222, Ap 522 41 56.2 9 4 US-09-297-989-122 Sequence 122, Appli
450 42 57.5 18 4 US-09-315-304B-1223 Sequence 1223, Ap 523 41 56.2 9 4 US-09-297-989-124 Sequence 124, Appli
451 42 57.5 18 4 US-09-315-304B-1224 Sequence 1224, Ap 524 41 56.2 9 4 US-09-297-989-126 Sequence 126, Appli
452 42 57.5 18 4 US-09-315-304B-1225 Sequence 1225, Ap 525 41 56.2 9 4 US-09-297-989-128 Sequence 128, Appli
453 42 57.5 18 4 US-09-315-304B-1226 Sequence 1226, Ap 526 41 56.2 9 4 US-09-297-989-130 Sequence 130, Appli
454 42 57.5 18 4 US-09-315-304B-1227 Sequence 1227, Ap 527 41 56.2 9 4 US-09-297-989-132 Sequence 132, Appli
455 42 57.5 18 4 US-09-315-304B-1228 Sequence 1228, Ap 528 41 56.2 9 4 US-09-297-989-134 Sequence 134, Appli
456 42 57.5 18 4 US-09-315-304B-1229 Sequence 1229, Ap 529 41 56.2 9 4 US-09-297-989-136 Sequence 136, Appli
457 42 57.5 18 4 US-09-315-304B-1230 Sequence 1230, Ap 530 41 56.2 9 4 US-09-297-989-138 Sequence 138, Appli
458 42 57.5 18 4 US-09-315-304B-1231 Sequence 1231, Ap 531 41 56.2 9 4 US-09-297-989-140 Sequence 140, Appli
459 42 57.5 18 4 US-09-315-304B-1232 Sequence 1232, Ap 532 41 56.2 9 4 US-09-297-989-142 Sequence 142, Appli
460 42 57.5 18 4 US-09-315-304B-1233 Sequence 1233, Ap 533 41 56.2 9 4 US-09-297-989-144 Sequence 144, Appli
461 42 57.5 18 4 US-09-315-304B-1234 Sequence 1234, Ap 534 41 56.2 9 4 US-09-297-989-146 Sequence 146, Appli
462 42 57.5 18 4 US-09-315-304B-1235 Sequence 1235, Ap 535 41 56.2 9 4 US-09-297-989-148 Sequence 148, Appli
463 42 57.5 18 4 US-09-315-304B-1236 Sequence 1236, Ap 536 41 56.2 9 4 US-09-297-989-150 Sequence 150, Appli
464 42 57.5 18 4 US-09-315-304B-1237 Sequence 1237, Ap 537 41 56.2 9 4 US-09-297-989-152 Sequence 152, Appli
465 42 57.5 18 4 US-09-315-304B-1238 Sequence 1238, Ap 538 41 56.2 9 4 US-09-297-989-154 Sequence 154, Appli

ALIGNMENTS

RESULT 1

US-08-341-219-16
; Sequence 16, Application US/08341219
; Patent No. 5643877
; GENERAL INFORMATION:
; APPLICANT: Zohar, Y.
; APPLICANT: Rivier, J.
; APPLICANT: Powell, J.
; APPLICANT: Sherwood, N.
; APPLICANT: Gothilf, Y.
; TITLE OF INVENTION: Compounds and Methods For Controlling
; TITLE OF INVENTION: Reproduction in Fish
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSER: Pennie & Edmonds
; CITY: New York
; STATE: N.Y.
; COUNTRY: USA
; ZIP: 10036-2711
; COMPUTER READABLE FORM:
; MEDIUM TYPE: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA: US/08/341,219
; APPLICATION NUMBER: 05-DEC-1994
; FILING DATE: 05-DEC-1994
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Coruzzi, Laura A.
; REGISTRATION NUMBER: 30742
; REFERENCE/DOCKET NUMBER: 8399-003-999

TELECOMMUNICATION INFORMATION:
TELEPHONE: (212) 790-9090
TELEFAX: (212) 869-8864/9741
INFORMATION FOR SEQ ID NO: 16:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS: not relevant
MOLECULE TYPE: peptide
HYPOTHETICAL: NO
ANTI-SENSE: NO
FEATURE:
NAME/KEY: Modified-site
LOCATION: 1
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Glu1
OTHER INFORMATION: /note= "pyroglutamic acid"
FEATURE:
NAME/KEY: Modified-site
LOCATION: 10
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Gly10
OTHER INFORMATION: /note= "amidated"
US-08-341-219-16
Query Match 100.0%; Score 73; DB 1; Length 10;
Best Local Similarity 100.0%; Pred. No. 6.1e-05;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 EHWSHGWYPG 10
Db 1 EHWSHGWYPG 10

RESULT 2
US-08-912-314A-16
Sequence 16, Application US/08912314A
Patent No. 6210927
GENERAL INFORMATION:
APPLICANT: Zohar, Y.
APPLICANT: Rivier, J.
APPLICANT: Powell, J.
APPLICANT: Sherwood, N.
APPLICANT: Gothliff, Y.
TITLE OF INVENTION: Compounds and Methods For Controlling
TITLE OF INVENTION: Reproduction in Fish
NUMBER OF SEQUENCES: 26
CORRESPONDENCE ADDRESS:
ADDRESSEE: Pennie & Edmonds
STREET: 1155 Avenue of the Americas
CITY: New York
STATE: N.Y.
COUNTRY: USA
ZIP: 10036-2711
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/912,314A
FILING DATE: 30-JUN-1997
CLASSIFICATION: 514
PRIOR APPLICATION DATA:
PRIOR APPLICATION NUMBER: 08/341,219
FILING DATE: 05-DEC-1994
ATTORNEY/AGENT INFORMATION:
NAME: Coruzzi, Laura A.
REGISTRATION NUMBER: 30742
REFERENCE/DOCKET NUMBER: 8399-003-999
TELECOMMUNICATION INFORMATION:
TELEPHONE: (212) 790-9090

TELEFAX: (212) 869-8864/9741
INFORMATION FOR SEQ ID NO: 16:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS: not relevant
MOLECULE TYPE: peptide
HYPOTHETICAL: NO
ANTI-SENSE: NO
FEATURE:
NAME/KEY: Modified-site
LOCATION: 1
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Glu1
OTHER INFORMATION: /note= "pyroglutamic acid"
FEATURE:
NAME/KEY: Modified-site
LOCATION: 10
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Gly10
OTHER INFORMATION: /note= "amidated"
US-08-912-314A-16
Query Match 100.0%; Score 73; DB 3; Length 10;
Best Local Similarity 100.0%; Pred. No. 6.1e-05;
Matches 10; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 EHWSHGWYPG 10
Db 1 EHWSHGWYPG 10
RESULT 3
US-08-341-219-22
Sequence 22, Application US/08341219
Patent No. 5643877
GENERAL INFORMATION:
APPLICANT: Zohar, Y.
APPLICANT: Rivier, J.
APPLICANT: Powell, J.
APPLICANT: Sherwood, N.
APPLICANT: Gothliff, Y.
TITLE OF INVENTION: Compounds and Methods For Controlling
TITLE OF INVENTION: Reproduction in Fish
NUMBER OF SEQUENCES: 26
CORRESPONDENCE ADDRESS:
ADDRESSEE: Pennie & Edmonds
STREET: 1155 Avenue of the Americas
CITY: New York
STATE: N.Y.
COUNTRY: USA
ZIP: 10036-2711
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/341,219
FILING DATE: 05-DEC-1994
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Coruzzi, Laura A.
REGISTRATION NUMBER: 30742
REFERENCE/DOCKET NUMBER: 8399-003-999
TELECOMMUNICATION INFORMATION:
TELEPHONE: (212) 790-9090
TELEFAX: (212) 869-8864/9741
INFORMATION FOR SEQ ID NO: 22:
SEQUENCE CHARACTERISTICS:
LENGTH: 85 amino acids
TYPE: amino acid

STRANDEDNESS: not relevant

TOPOLOGY: unknown

MOLECULE TYPE: peptide

HYPOTHETICAL: NO

ANTI-SENSE: NO

US-08-341-219-22

Query Match 95.9%; Score 70; DB 1; Length 85;

Best Local Similarity 90.0%; Pred. No. 0.0014; 0; Indels

Matches 9; Conservative 1; Mismatches 0; Gaps 0;

Qy 1 EHWSHGWYPG 10

Db 24 QHWSHGWYPG 33

RESULT 4

US-08-912-314A-22

Sequence 22, Application US/08912314A

Patent No. 6210927

GENERAL INFORMATION:

APPLICANT: Zohar, Y.

APPLICANT: Rivier, J.

APPLICANT: Powell, J.

APPLICANT: Sherwood, N.

APPLICANT: Gothliff, Y.

TITLE OF INVENTION: Compounds and Methods For Controlling

REPRODUCTION IN FISH

NUMBER OF SEQUENCES: 26

CORRESPONDENCE ADDRESS:

ADDRESSEE: Pennie & Edmonds

STREET: 1155 Avenue of the Americas

CITY: New York

STATE: N.Y.

COUNTRY: USA

ZIP: 10036-2711

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: Patent In Release #1.0, Version #1.30

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/912.314A

FILING DATE: 30-JUN-1997

CLASSIFICATION: 514

PRIOR APPLICATION DATA:

APPLICATION NUMBER: 08/341,219

FILING DATE: 05-DEC-1994

ATTORNEY/AGENT INFORMATION:

NAME: Coruzzi, Laura A.

REGISTRATION NUMBER: 30742

REFERENCE/DOCKET NUMBER: 8399-003-999

TELECOMMUNICATION INFORMATION:

TELEPHONE: (212) 790-9090

TELEFAX: (212) 869-8864/9741

INFORMATION FOR SEQ ID NO: 22:

SEQUENCE CHARACTERISTICS:

LENGTH: 85 amino acids

TYPE: amino acid

STRANDEDNESS: not relevant

TOPOLOGY: unknown

MOLECULE TYPE: peptide

HYPOTHETICAL: NO

ANTI-SENSE: NO

US-08-912-314A-22

Query Match

Best Local Similarity 95.9%; Score 70; DB 3; Length 85;

Best Local Similarity 90.0%; Pred. No. 0.0014;

Matches 9; Conservative 1; Mismatches 0; Indels

Qy 1 EHWSHGWYPG 10

Db 24 QHWSHGWYPG 33

RESULT 5

US-08-341-219-9

Sequence 9, Application US/08341219

Patent No. 5643877

GENERAL INFORMATION:

APPLICANT: Zohar, Y.

APPLICANT: Rivier, J.

APPLICANT: Powell, J.

APPLICANT: Sherwood, N.

APPLICANT: Gothliff, Y.

TITLE OF INVENTION: Compounds and Methods For Controlling

REPRODUCTION IN FISH

NUMBER OF SEQUENCES: 26

CORRESPONDENCE ADDRESS:

ADDRESSEE: Pennie & Edmonds

STREET: 1155 Avenue of the Americas

CITY: New York

STATE: N.Y.

COUNTRY: USA

ZIP: 10036-2711

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: Patent In Release #1.0, Version #1.30

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/341,219

FILING DATE: 05-DEC-1994

CLASSIFICATION: 514

ATTORNEY/AGENT INFORMATION:

NAME: Coruzzi, Laura A.

REGISTRATION NUMBER: 30742

REFERENCE/DOCKET NUMBER: 8399-003-999

TELECOMMUNICATION INFORMATION:

TELEPHONE: (212) 790-9090

TELEFAX: (212) 869-8864/9741

INFORMATION FOR SEQ ID NO: 9:

SEQUENCE CHARACTERISTICS:

LENGTH: 9 amino acids

TYPE: amino acid

STRANDEDNESS: single

TOPOLOGY: unknown

MOLECULE TYPE: peptide

US-08-341-219-9

Query Match

Best Local Similarity 93.2%; Score 68; DB 1; Length 9;

Best Local Similarity 100.0%; Pred. No. 3e+05;

Matches 9; Conservative 0; Mismatches 0; Indels

Qy 2 HWSHGWYPG 10

Db 1 HWSHGWYPG 9

RESULT 6

US-08-912-314A-9

Sequence 9, Application US/08912314A

Patent No. 6210927

GENERAL INFORMATION:

APPLICANT: Zohar, Y.

APPLICANT: Rivier, J.

APPLICANT: Powell, J.

APPLICANT: Sherwood, N.

APPLICANT: Gothliff, Y.

TITLE OF INVENTION: Compounds and Methods For Controlling

REPRODUCTION IN FISH

NUMBER OF SEQUENCES: 26

CORRESPONDENCE ADDRESS:

ADDRESSEE: Pennie & Edmonds

STREET: 1155 Avenue of the Americas

CITY: New York

STATE: N.Y.
COUNTRY: USA
ZIP: 10036-2711
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/912,314A
FILING DATE: 30-JUN-1997
CLASSIFICATION: 514
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/341,219
FILING DATE: 05-DEC-1994
ATTORNEY/AGENT INFORMATION:
NAME: Coruzzi, Laura A.
REGISTRATION NUMBER: 30742
REFERENCE/DOCKET NUMBER: 8399-003-999
TELECOMMUNICATION INFORMATION:
TELEPHONE: (212) 790-9090
TELEFAX: (212) 869-8864/9741
INFORMATION FOR SEQ ID NO: 9:
SEQUENCE CHARACTERISTICS:
LENGTH: 9 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: unknown
MOLECULE TYPE: peptide
US-08-912-314A-9

Query Match 93.2%; Score 68; DB 3; Length 9;
Best Local Similarity 100.0%; Pred. No. 3e+05;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 HWSHGWPY 10
DB 1 HWSHGWPY 9

RESULT 7
US-09-381-879-18
Sequence 18, Application US/09381879
Patent No. 6635740
GENERAL INFORMATION:
APPLICANT: La. State Univ. & Mech. Coll., Board of Supervisors
Enright, Frederick M.
Jaynes, Jesse M.
Hansel, William
Koonce, Kenneth L.
McCann, Samuel M.
Yu, Wen H.
Meirose, Patricia A.
Foil, Lane D.
Elzer, Philip H.
TITLE OF INVENTION: Ligand/Lytic Peptide Compositions and Methods of Use
NUMBER OF SEQUENCES: 18
CORRESPONDENCE ADDRESSES:
ADDRESSEE: John H. Runnels
STREET: P. O. Box 2471
CITY: Baton Rouge
STATE: LA
COUNTRY: USA
ZIP: 70821-2471
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/381,879
FILING DATE: 25-Aug-1999

CLASSIFICATION: <Unknown>
ATTORNEY/AGENT INFORMATION:
NAME: Runnels, John H.
REGISTRATION NUMBER: 33,451
REFERENCE/DOCKET NUMBER: 96A3.2-US
TELECOMMUNICATION INFORMATION:
TELEPHONE: (225) 387-3221
TELEFAX: (225) 346-8049
INFORMATION FOR SEQ ID NO: 18:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
FEATURE:
NAME/KEY: Peptide
LOCATION: 1..10
OTHER INFORMATION: /note= "Xaa in position 1 denotes pyro-glutamic acid. This sequence is chicken II GnRH."
SEQUENCE DESCRIPTION: SEQ ID NO: 18:
US-09-381-879-18

Query Match 93.2%; Score 68; DB 4; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00032;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 HWSHGWPY 10
DB 2 HWSHGWPY 10

RESULT 8
US-09-419-161-2
Sequence 2, Application US/09419161
Patent No. 6323179
GENERAL INFORMATION:
APPLICANT: Siler-Khodr, Theresa M.
TITLE OF INVENTION: No. 6323179-Mammalian GnRH Analogs and Uses Thereof in Regulation
FILE REFERENCE: P7345.2
CURRENT APPLICATION NUMBER: US/09/419,161
CURRENT FILING DATE: 1999-10-15
NUMBER OF SEQ ID NOS: 4
SEQ ID NO 2
LENGTH: 10
TYPE: Ppt
ORGANISM: Chicken II GnRH
FEATURE:
NAME/KEY: mat_peptide
LOCATION: Within brain mRNA 121-150, within brain gene 2174-2203.
OTHER INFORMATION: MOD_RES substitution of Gly residue at 10 by -aza-Gly-NH2.
OTHER INFORMATION: Xaa represents D-Arg.MOD_RES Glu at position 1 is
OTHER INFORMATION: pyroglutamic acid.
US-09-419-161-2

Query Match 90.4%; Score 66; DB 4; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.00063;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 EWSHGWPY 10
DB 1 EWSHGWPY 10

RESULT 9
US-09-941-094C-2
Sequence 2, Application US/09941094C
Patent No. 6635739
GENERAL INFORMATION:
APPLICANT: Siler-Khodr, Theresa M.
TITLE OF INVENTION: No. 6635739-Mammalian GnRH Analogs and Uses Thereof in Regulation
Pregnancy

FILE REFERENCE: P7345.2(CIP)
CURRENT APPLICATION NUMBER: US/09/941, 094C
CURRENT FILING DATE: 1999-10-15
PRIOR APPLICATION NUMBER: US 09/419, 161
PRIOR FILING DATE: 1999-10-15
NUMBER OF SEQ ID NOS: 4
SEQ ID NO 2
LENGTH: 10
TYPE: Ppt
ORGANISM: Gallus gallus
FEATURE:
NAME/KEY: mat_peptide
LOCATION: Within brain mRNA 121-150, within brain gene 2174-2203.
OTHER INFORMATION: MOD_RES substitution of Gly residue at 10 by aza-Gly-NH2, ethylam
OTHER INFORMATION: other Gly amide. Xaa represents D-Arg. MOD_RES Glu at position
OTHER INFORMATION: pyroglutamic acid.
US-09-941-094C-2

Query Match 90.4%; Score 66; DB 4; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.00063;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWPY 10
DB 1 EHWSHGWPY 10

RESULT 10
US-08-341-219-15
Sequence 15, Application US/08341219
Patent No. 5643877
GENERAL INFORMATION:
APPLICANT: Zohar, Y.
APPLICANT: Rivier, J.
APPLICANT: Powell, J.
APPLICANT: Sherwood, N.
APPLICANT: Gothelf, Y.
TITLE OF INVENTION: Compounds and Methods For Controlling
TITLE OF INVENTION: Reproduction in Fish
NUMBER OF SEQUENCES: 26
CORRESPONDENCE ADDRESS:
ADDRESSEE: Pennie & Edmonds
STREET: 1155 Avenue of the Americas
CITY: New York
STATE: N.Y.
COUNTRY: USA
ZIP: 10036-2711
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/341,219
FILING DATE: 05-DEC-1994
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Coruzzi, Laura A.
REGISTRATION NUMBER: 30742
REFERENCE/DOCKET NUMBER: 8399-003-999
TELECOMMUNICATION INFORMATION:
TELEPHONE: (212) 790-9090
TELEFAX: (212) 869-8864/9741
INFORMATION FOR SEQ ID NO: 15:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS: not relevant
TOPOLOGY: unknown
MOLECULE TYPE: peptide
HYPOTHETICAL: NO
ANTI-SENSE: NO
FEATURE:

NAME/KEY: Modified-site
LOCATION: 1
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Glu1
OTHER INFORMATION: /note= "pyroglutamic acid"
FEATURE:
NAME/KEY: Modified-site
LOCATION: 10
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Gly10
OTHER INFORMATION: /note= "amidated"
US-08-341-219-15
Query Match 89.0%; Score 65; DB 1; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.00089;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
QY 1 EHWSHGWPY 10
DB 1 EHWSHGWPY 10
RESULT 11
US-08-912-314A-15
Sequence 15, Application US/08912314A
Patent No. 6210327
GENERAL INFORMATION:
APPLICANT: Zohar, Y.
APPLICANT: Rivier, J.
APPLICANT: Powell, J.
APPLICANT: Sherwood, N.
APPLICANT: Gothelf, Y.
TITLE OF INVENTION: Compounds and Methods For Controlling
TITLE OF INVENTION: Reproduction in Fish
NUMBER OF SEQUENCES: 26
CORRESPONDENCE ADDRESS:
ADDRESSEE: Pennie & Edmonds
STREET: 1155 Avenue of the Americas
CITY: New York
STATE: N.Y.
COUNTRY: USA
ZIP: 10036-2711
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/912,314A
FILING DATE: 30-JUN-1997
CLASSIFICATION: 514
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/341,219
FILING DATE: 05-DEC-1994
ATTORNEY/AGENT INFORMATION:
NAME: Coruzzi, Laura A.
REGISTRATION NUMBER: 30742
REFERENCE/DOCKET NUMBER: 8399-003-999
TELECOMMUNICATION INFORMATION:
TELEPHONE: (212) 790-9090
TELEFAX: (212) 869-8864/9741
INFORMATION FOR SEQ ID NO: 15:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS: not relevant
TOPOLOGY: unknown
MOLECULE TYPE: peptide
HYPOTHETICAL: NO
ANTI-SENSE: NO
FEATURE:
NAME/KEY: Modified-site
LOCATION: 1

```
/ OTHER INFORMATION: /product= "OTHER"
/ OTHER INFORMATION: /label= Glu1
/ OTHER INFORMATION: /note= "pyroglutamic acid"
FEATURE:
/ NAME/KEY: Modified-site
/ LOCATION: 10
/ OTHER INFORMATION: /product= "OTHER"
/ OTHER INFORMATION: /label= Gly10
/ OTHER INFORMATION: /note= "amidated"
US-08-912-314A-15

Query Match      89.0%; Score 65; DB 3; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.00089;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYFG 10
Db 1 EHWSHGWLPG 10

RESULT 12
US-07-690-983D-4
; Sequence 4, Application US/07690983D
; Patent No. 5403586
; GENERAL INFORMATION:
; APPLICANT: RUSSELL-JONES, Gregory J.
; APPLICANT: STEWART, Andrew G.
; TITLE OF INVENTION: FUSION PROTEINS
; NUMBER OF SEQUENCES: 47
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Foley & Lardner
; STREET: 3000 K Street, N.W.
; CITY: Washington, D.C.
; COUNTRY: USA
; ZIP: 20007-5109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/690,983D
; FILING DATE: 25-JUN-1991
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/AU90/00373
; FILING DATE: 24-AUG-1990
; ATTORNEY/AGENT INFORMATION:
; NAME: BENT, Stephen A.
; REGISTRATION NUMBER: 29,768
; REFERENCE/DOCKET NUMBER: 16786/148 CHAC
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202)672-5300
; TELEFAX: (202)672-5399
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: 1
; OTHER INFORMATION: /note= "Represents pyroglutamic acid"
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: 10
; OTHER INFORMATION: /note= "Represents glycylamide"
US-07-690-983D-4

Query Match      84.9%; Score 62; DB 1; Length 10;
```

```
Best Local Similarity 100.0%; Pred. No. 0.0024;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 HWSHGWWYP 9
Db 2 HWSHGWWYP 9

RESULT 13
US-09-089-522A-5
; Sequence 5, Application US/09089522A
; Patent No. 6300471
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25;
; SOFTWARE: WordPerfect 5.1; No. 6300471epad Version 4.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/089,522A
; FILING DATE: 1998-06-03
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P.1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu; Xaa
; OTHER INFORMATION: at 10 is Gly-NH2"
US-09-089-522A-5

Query Match      84.9%; Score 62; DB 4; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0024;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 HWSHGWWYP 9
Db 2 HWSHGWWYP 9

RESULT 14
US-09-297-989-5
; Sequence 5, Application US/09297989
; Patent No. 6407205
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
```

CITY: Baton Rouge
STATE: LA
COUNTRY: USA
ZIP: 70821-2471
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25;
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/297,989
FILING DATE:
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Runnels, John H.
REGISTRATION NUMBER: 33451
REFERENCE/DOCKET NUMBER: 9703P-US
TELECOMMUNICATION INFORMATION:
TELEPHONE: (225) 387-3221
TELEFAX: (225) 346-8049
INFORMATION FOR SEQ ID NO: 5:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
FEATURE:
OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu; Xaa
OTHER INFORMATION: at 10 is Gly-NH2"
US-09-297-989-5

Query Match 84.9%; Score 62; DB 4; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0024; Indels 0; Gaps 0;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 HWSHGWP 9
Db 2 HWSHGWP 9

RESULT 15
US-08-341-219-14
Sequence 14, Application US/08341219
Patent No. 5643877
GENERAL INFORMATION:
APPLICANT: Zohar, Y.
APPLICANT: Rivier, J.
APPLICANT: Powell, J.
APPLICANT: Sherwood, N.
APPLICANT: Gothliff, Y.
TITLE OF INVENTION: Compounds and Methods For Controlling
Reproduction in Fish
NUMBER OF SEQUENCES: 26
CORRESPONDENCE ADDRESS:
ADDRESSEE: Pennie & Edmonds
STREET: 1155 Avenue of the Americas
CITY: New York
STATE: N.Y.
COUNTRY: USA
ZIP: 10036-2711
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/341,219
FILING DATE: 05-DEC-1994
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Coruzzi, Laura A.
REGISTRATION NUMBER: 30742

REFERENCE/DOCKET NUMBER: 8399-003-999
TELECOMMUNICATION INFORMATION:
TELEPHONE: (212) 790-9090
TELEFAX: (212) 869-8864/9741
INFORMATION FOR SEQ ID NO: 14:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS: not relevant
TOPOLOGY: unknown
MOLECULE TYPE: peptide
HYPOTHETICAL: NO
ANTI-SENSE: NO
FEATURE:
NAME/KEY: Modified-site
LOCATION: 1
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Glu1
OTHER INFORMATION: /note= "pyroglutamic acid"
FEATURE:
NAME/KEY: Modified-site
LOCATION: 10
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Gly10
OTHER INFORMATION: /note= "amidated"
US-08-341-219-14
Query Match 80.8%; Score 59; DB 1; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.0066; Indels 0; Gaps 0;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 1 EHWSHGWYP 10
Db 1 EHWSYGWLPG 10

RESULT 16
US-08-912-314A-14
Sequence 14, Application US/08912314A
Patent No. 6210927
GENERAL INFORMATION:
APPLICANT: Zohar, Y.
APPLICANT: Rivier, J.
APPLICANT: Powell, J.
APPLICANT: Sherwood, N.
APPLICANT: Gothliff, Y.
TITLE OF INVENTION: Compounds and Methods For Controlling
Reproduction in Fish
NUMBER OF SEQUENCES: 26
CORRESPONDENCE ADDRESS:
ADDRESSEE: Pennie & Edmonds
STREET: 1155 Avenue of the Americas
CITY: New York
STATE: N.Y.
COUNTRY: USA
ZIP: 10036-2711
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/912,314A
FILING DATE: 30-JUN-1997
CLASSIFICATION: 514
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/341,219
FILING DATE: 05-DEC-1994
ATTORNEY/AGENT INFORMATION:
NAME: Coruzzi, Laura A.
REGISTRATION NUMBER: 30742
REFERENCE/DOCKET NUMBER: 8399-003-999
TELECOMMUNICATION INFORMATION:

TELEPHONE: (212) 790-9090
TELEFAX: (212) 869-8864/9741
INFORMATION FOR SEQ ID NO: 14:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS: not relevant
TOPOLOGY: unknown
MOLECULE TYPE: peptide
HYPOTHETICAL: NO
ANTI-SENSE: NO
FEATURE:
NAME/KEY: Modified-site
LOCATION: 1
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Glu1
OTHER INFORMATION: /note= "pyroglutamic acid"
FEATURE:
NAME/KEY: Modified-site
LOCATION: 10
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Gly10
OTHER INFORMATION: /note= "amidated"
US-08-912-314A-14
Query Match 80.8%; Score 59; DB 3; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.0066;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
QY 1 EHWSHGWYPG 10
DB 1 EHWSYGWLPG 10
RESULT 17
US-08-341-219-17
Sequence 17, Application US/08341219
Patent No. 5643877
GENERAL INFORMATION:
APPLICANT: Zohar, Y.
APPLICANT: Rivier, J.
APPLICANT: Powell, J.
APPLICANT: Sherwood, N.
APPLICANT: Gothliff, Y.
TITLE OF INVENTION: Compounds and Methods For Controlling
TITLE OF INVENTION: Reproduction in Fish
NUMBER OF SEQUENCES: 26
CORRESPONDENCE ADDRESS:
ADDRESSEE: Pennie & Edmonds
STREET: 1155 Avenue of the Americas
CITY: New York
STATE: N.Y.
COUNTRY: USA
ZIP: 10036-2711
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/341,219
FILING DATE: 05-DEC-1994
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Coruzzi, Laura A.
REGISTRATION NUMBER: 30742
REFERENCE/DOCKET NUMBER: 8399-003-999
TELECOMMUNICATION INFORMATION:
TELEPHONE: (212) 790-9090
TELEFAX: (212) 869-8864/9741
INFORMATION FOR SEQ ID NO: 17:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids

TYPE: amino acid
STRANDEDNESS: not relevant
TOPOLOGY: unknown
MOLECULE TYPE: peptide
HYPOTHETICAL: NO
ANTI-SENSE: NO
FEATURE:
NAME/KEY: Modified-site
LOCATION: 1
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Glu1
OTHER INFORMATION: /note= "pyroglutamic acid"
FEATURE:
NAME/KEY: Modified-site
LOCATION: 10
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Gly10
OTHER INFORMATION: /note= "amidated"
US-08-341-219-17
Query Match 78.1%; Score 57; DB 1; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.013;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
QY 1 EHWSHGWYPG 10
DB 1 EHWSHDWKPG 10
RESULT 18
US-08-912-314A-17
Sequence 17, Application US/08912314A
Patent No. 6210927
GENERAL INFORMATION:
APPLICANT: Zohar, Y.
APPLICANT: Rivier, J.
APPLICANT: Powell, J.
APPLICANT: Sherwood, N.
APPLICANT: Gothliff, Y.
TITLE OF INVENTION: Compounds and Methods For Controlling
TITLE OF INVENTION: Reproduction in Fish
NUMBER OF SEQUENCES: 26
CORRESPONDENCE ADDRESS:
ADDRESSEE: Pennie & Edmonds
STREET: 1155 Avenue of the Americas
CITY: New York
STATE: N.Y.
COUNTRY: USA
ZIP: 10036-2711
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/912,314A
FILING DATE: 30-JUN-1997
CLASSIFICATION: 514
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/341,219
FILING DATE: 05-DEC-1994
ATTORNEY/AGENT INFORMATION:
NAME: Coruzzi, Laura A.
REGISTRATION NUMBER: 30742
REFERENCE/DOCKET NUMBER: 8399-003-999
TELECOMMUNICATION INFORMATION:
TELEPHONE: (212) 790-9090
TELEFAX: (212) 869-8864/9741
INFORMATION FOR SEQ ID NO: 17:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS: not relevant

TOPOLOGY: unknown
MOLECULE TYPE: peptide
HYPOTHETICAL: NO
ANTI-SENSE: NO
FEATURE:
NAME/KEY: Modified-site
LOCATION: 1
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Glu1
OTHER INFORMATION: /note= "pyroglutamic acid"
FEATURE:
NAME/KEY: Modified-site
LOCATION: 10
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Gly10
OTHER INFORMATION: /note= "amidated"
US-08-912-314A-17

Query Match 78.1%; Score 57; DB 3; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.013;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
Db 1 EHWSDWKPG 10

RESULT 19
US-08-341-219-24
; Sequence 24, Application US/08341219
; Patent No. 5643877
; GENERAL INFORMATION:
; APPLICANT: Zohar, Y.
; APPLICANT: Rivier, J.
; APPLICANT: Powell, J.
; APPLICANT: Sherwood, N.
; APPLICANT: Gothilf, Y.
; TITLE OF INVENTION: Compounds and Methods For Controlling
; TITLE OF INVENTION: Reproduction in Fish
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: N.Y.
; COUNTRY: USA
; ZIP: 10036-2711
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/341,219
; FILING DATE: 05-DEC-1994
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Coruzzi, Laura A.
; REGISTRATION NUMBER: 30742
; REFERENCE/DOCKET NUMBER: 8399-003-999
; TELEPHONE: (212) 790-9090
; TELEFAX: (212) 869-8864/9741
; INFORMATION FOR SEQ ID NO: 24:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 90 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: unknown
; MOLECULE TYPE: peptide
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
US-08-341-219-24

Query Match 76.7%; Score 56; DB 1; Length 90;
Best Local Similarity 70.0%; Pred. No. 0.17;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
Db 24 QHWSYGLWPG 33

RESULT 20
US-08-912-314A-24
; Sequence 24, Application US/08912314A
; Patent No. 6210927
; GENERAL INFORMATION:
; APPLICANT: Zohar, Y.
; APPLICANT: Rivier, J.
; APPLICANT: Powell, J.
; APPLICANT: Sherwood, N.
; APPLICANT: Gothilf, Y.
; TITLE OF INVENTION: Compounds and Methods For Controlling
; TITLE OF INVENTION: Reproduction in Fish
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: N.Y.
; COUNTRY: USA
; ZIP: 10036-2711
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/912,314A
; FILING DATE: 30-JUN-1997
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/341,219
; FILING DATE: 05-DEC-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: Coruzzi, Laura A.
; REGISTRATION NUMBER: 30742
; REFERENCE/DOCKET NUMBER: 8399-003-999
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212) 790-9090
; TELEFAX: (212) 869-8864/9741
; INFORMATION FOR SEQ ID NO: 24:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 90 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: unknown
; MOLECULE TYPE: peptide
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
US-08-912-314A-24

Query Match 76.7%; Score 56; DB 3; Length 90;
Best Local Similarity 70.0%; Pred. No. 0.17;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
Db 24 QHWSYGLWPG 33

RESULT 21
US-08-242-678D-8
; Sequence 8, Application US/08242678D
; Patent No. 5760000

GENERAL INFORMATION:
APPLICANT: HABIBI, Hamid R.
TITLE OF INVENTION: INHIBITION OF LIVER CANCER BY THE USE OF
TITLE OF INVENTION: GNRH AND GNRH ANALOGS
NUMBER OF SEQUENCES: 12
CORRESPONDENCE ADDRESS:
ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
STREET: P.O. Box 1404
CITY: Alexandria
STATE: Virginia
COUNTRY: United States
ZIP: 22313-1404
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent in Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/242,678D
FILING DATE: 13-MAY-1994
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Dadio, Susan M.
REGISTRATION NUMBER: 40,373
REFERENCE/DOCKET NUMBER: 028722-103
TELECOMMUNICATION INFORMATION:
TELEPHONE: (703) 836-6620
TELEFAX: (703) 836-2021
INFORMATION FOR SEQ ID NO: 8:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
FEATURE:
NAME/KEY: Modified-site
LOCATION: 1
OTHER INFORMATION: /label= AAL
OTHER INFORMATION: /note= "AAL is PYROGLUTAMIC ACID"
US-08-242-678D-8

Query Match 74.0%; Score 54; DB 1; Length 10;
Best Local Similarity 77.8%; Pred. No. 0.035;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 HWSHGWPFG 10
DB 2 HWSYXWLFPG 10

RESULT 22
US-09-419-161-4
Sequence 4, Application US/09419161
Patent No. 6323179
GENERAL INFORMATION:
APPLICANT: Siler-Khodr, Theresa M.
TITLE OF INVENTION: No. 6323179-Mammalian Gnrh Analogs and Uses Thereof in Regulation
TITLE OF INVENTION: Fertility and Pregnancy
FILE REFERENCE: P7345.2
CURRENT APPLICATION NUMBER: US/09/419,161
CURRENT FILING DATE: 1999-10-15
NUMBER OF SEQ ID NOS: 4
SEQ ID NO 4
LENGTH: 10
TYPE: Ppt
ORGANISM: Salmon Gnrh
FEATURE:
NAME/KEY: mat_peptide
LOCATION: unknown
OTHER INFORMATION: MOD RES substitution of Gly residue at 10 with -aza-Gly-NH2.
OTHER INFORMATION: Xaa represents D-Arg. MOD_RES Glu at position 1 is
OTHER INFORMATION: pyroglutamic acid.

US-09-419-161-4
Query Match 71.2%; Score 52; DB 4; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.069;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;
QY 1 EWSHGWPFG 10
DB 1 EWSYXWLFPG 10
RESULT 23
US-09-941-094C-4
Sequence 4, Application US/09941094C
Patent No. 6635739
GENERAL INFORMATION:
APPLICANT: Siler-Khodr, Theresa M.
TITLE OF INVENTION: No. 6635739-Mammalian Gnrh Analogs and Uses Thereof in Regulation
TITLE OF INVENTION: Pregnancy
FILE REFERENCE: P7345.2(CIP)
CURRENT APPLICATION NUMBER: US/09/941,094C
CURRENT FILING DATE: 1999-10-15
PRIOR APPLICATION NUMBER: US 09/419, 161
PRIOR FILING DATE: 1999-10-15
NUMBER OF SEQ ID NOS: 4
SEQ ID NO 4
LENGTH: 10
TYPE: Ppt
ORGANISM: Salmo salar
FEATURE:
NAME/KEY: mat_peptide
LOCATION: unknown
OTHER INFORMATION: MOD RES substitution of Gly residue at 10 with aza-Gly-NH2, ethyl.
OTHER INFORMATION: other Gly amide. Xaa represents D-Arg.
OTHER INFORMATION: MOD_RES Glu at position 1 is pyroglutamic acid.
US-09-941-094C-4

Query Match 71.2%; Score 52; DB 4; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.069;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 EWSHGWPFG 10
DB 1 EWSYXWLFPG 10

RESULT 24
US-09-381-879-16
Sequence 16, Application US/09381879
Patent No. 6635740
GENERAL INFORMATION:
APPLICANT: La. State Univ. & Mech. Coll., Board of Supervisors
Enright, Frederick M.
Jaynes, Jesse M.
Hansel, William
Koonce, Kenneth L.
McCann, Samuel M.
Yu, Wen H.
Melrose, Patricia A.
Foil, Lane D.
Elzer, Philip H.
TITLE OF INVENTION: Ligand/Lytic Peptide Compositions and
METHODS OF USE
NUMBER OF SEQUENCES: 18
CORRESPONDENCE ADDRESS:
ADDRESSEE: John H. Runnels
STREET: P. O. Box 2471
CITY: Baton Rouge
STATE: LA
COUNTRY: USA
ZIP: 70821-2471
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent in Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/381,879
FILING DATE: 25-Aug-1999
CLASSIFICATION: <UNKNOWN>
ATTORNEY/AGENT INFORMATION:
NAME: Runnels, John H.
REGISTRATION NUMBER: 33,451
REFERENCE/DOCKET NUMBER: 96A3.2-US
TELECOMMUNICATION INFORMATION:
TELEPHONE: (225) 387-3221
TELEFAX: (225) 346-8049
INFORMATION FOR SEQ ID NO: 16:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
FEATURE:
NAME/KEY: Peptide
LOCATION: 1..10
OTHER INFORMATION: /note= "Xaa in position 1 denotes
pyro-glutamic acid. This sequence is 1-LHRH-III."
SEQUENCE DESCRIPTION: SEQ ID NO: 16:
US-09-381-879-16

Query Match 71.2%; Score 52; DB 4; Length 10;
Best Local Similarity 77.8%; Pred. NO. 0.069; 2; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWPVG 10
|||||
DB 2 HWSHDWKP 10

RESULT 25
US-09-381-879-15
Sequence 15, Application US/09381879
Patent No. 6635740
GENERAL INFORMATION:
APPLICANT: La. State Univ. & Mech. Coll., Board of Supervisors
Enright, Frederick M.
Jaynes, Jesse M.
Hansel, William
Koonce, Kenneth L.
McCann, Samuel M.
Yu, Wen H.
Melrose, Patricia A.
Foil, Jane D.
Elzer, Philip H.
TITLE OF INVENTION: Ligand/Lytic Peptide Compositions and
Methods of Use
NUMBER OF SEQUENCES: 18
CORRESPONDENCE ADDRESS:
ADDRESSEE: John H. Runnels
STREET: P. O. Box 2471
CITY: Baton Rouge
STATE: LA
COUNTRY: USA
ZIP: 70821-2471
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent in Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/381,879
FILING DATE: 25-Aug-1999
CLASSIFICATION: <UNKNOWN>
ATTORNEY/AGENT INFORMATION:
NAME: Runnels, John H.

REGISTRATION NUMBER: 33,451
REFERENCE/DOCKET NUMBER: 96A3.2-US
TELECOMMUNICATION INFORMATION:
TELEPHONE: (225) 387-3221
TELEFAX: (225) 346-8049
INFORMATION FOR SEQ ID NO: 15:
SEQUENCE CHARACTERISTICS:
LENGTH: 33 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
FEATURE:
NAME/KEY: Peptide
LOCATION: 1..33
OTHER INFORMATION: /note= "Xaa in position 1 denotes
pyro-glutamic acid. This sequence is an
1-LHRH-III/hecate fusion peptide."
SEQUENCE DESCRIPTION: SEQ ID NO: 15:
US-09-381-879-15

Query Match 71.2%; Score 52; DB 4; Length 33;
Best Local Similarity 77.8%; Pred. NO. 0.23; 2; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWPVG 10
|||||
DB 2 HWSHDWKP 10

RESULT 26
US-08-341-219-13
Sequence 13, Application US/08341219
Patent No. 5643877
GENERAL INFORMATION:
APPLICANT: Zohar, Y.
APPLICANT: Rivier, J.
APPLICANT: Powell, J.
APPLICANT: Sherwood, N.
APPLICANT: Gothelf, Y.
TITLE OF INVENTION: Compounds and Methods For Controlling
Reproduction in Fish
NUMBER OF SEQUENCES: 26
CORRESPONDENCE ADDRESS:
ADDRESSEE: Pennie & Edmonds
STREET: 1155 Avenue of the Americas
CITY: New York
STATE: N.Y.
COUNTRY: USA
ZIP: 10036-2711
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent in Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/341,219
FILING DATE: 05-DEC-1994
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Coruzzi, Laura A.
REGISTRATION NUMBER: 30742
REFERENCE/DOCKET NUMBER: 8399-003-999
TELECOMMUNICATION INFORMATION:
TELEPHONE: (212) 790-9090
TELEFAX: (212) 869-8864/9741
INFORMATION FOR SEQ ID NO: 13:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS: not relevant
TOPOLOGY: unknown
MOLECULE TYPE: peptide
HYPOTHETICAL: NO

ANTI-SENSE: NO
FEATURE:
NAME/KEY: Modified-site
LOCATION: 1
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Glu1
OTHER INFORMATION: /note= "pyroglutamic acid"
FEATURE:
NAME/KEY: Modified-site
LOCATION: 10
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Gly10
OTHER INFORMATION: /note= "amidated"
US-08-341-219-13
Query Match 69.9%; Score 51; DB 1; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.097;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
Qy 1 EHWSHGWYPG 10
Db 1 EHWSHGLNPG 10
RESULT 27
US-08-912-314A-13
Sequence 13, Application US/08912314A
Patent No. 6210927
GENERAL INFORMATION:
APPLICANT: Zohar, Y.
APPLICANT: Rivier, J.
APPLICANT: Powell, J.
APPLICANT: Sherwood, N.
APPLICANT: Gothliff, Y.
TITLE OF INVENTION: Compounds and Methods For Controlling
TITLE OF INVENTION: Reproduction in Fish
NUMBER OF SEQUENCES: 26
CORRESPONDENCE ADDRESS:
ADDRESSEE: Pennie & Edmonds
STREET: 1155 Avenue of the Americas
CITY: New York
STATE: N.Y.
COUNTRY: USA
ZIP: 10036-2711
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/912,314A
FILING DATE: 30-JUN-1997
CLASSIFICATION: 514
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/341,219
FILING DATE: 05-DEC-1994
ATTORNEY/AGENT INFORMATION:
NAME: Coruzzi, Laura A.
REGISTRATION NUMBER: 30742
REFERENCE/DOCKET NUMBER: 8399-003-999
TELECOMMUNICATION INFORMATION:
TELEPHONE: (212) 790-9090
TELEFAX: (212) 869-8864/9741
INFORMATION FOR SEQ ID NO: 13:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS: not relevant
TOPOLOGY: unknown
MOLECULE TYPE: peptide
HYPOTHETICAL: NO
ANTI-SENSE: NO
FEATURE:

NAME/KEY: Modified-site
LOCATION: 1
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Glu1
OTHER INFORMATION: /note= "pyroglutamic acid"
FEATURE:
NAME/KEY: Modified-site
LOCATION: 10
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Gly10
OTHER INFORMATION: /note= "amidated"
US-08-912-314A-13
Query Match 69.9%; Score 51; DB 3; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.097;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
Qy 1 EHWSHGWYPG 10
Db 1 EHWSHGLNPG 10
RESULT 28
US-07-690-983D-5
Sequence 5, Application US/07690983D
Patent No. 5403586
GENERAL INFORMATION:
APPLICANT: RUSSELL-JONES, Gregory J.
APPLICANT: STEWART, Andrew G.
APPLICANT: TSONIS, Con G.
TITLE OF INVENTION: FUSION PROTEINS
NUMBER OF SEQUENCES: 47
CORRESPONDENCE ADDRESS:
ADDRESSEE: Foley & Lardner
STREET: 3000 K Street, N.W.
CITY: Washington, D.C.
COUNTRY: USA
ZIP: 20007-5109
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/07/690,983D
FILING DATE: 25-JUN-1991
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/AU90/00373
FILING DATE: 24-AUG-1990
ATTORNEY/AGENT INFORMATION:
NAME: BENT, Stephen A.
REGISTRATION NUMBER: 29,768
REFERENCE/DOCKET NUMBER: 16786/148 CHAC
TELECOMMUNICATION INFORMATION:
TELEPHONE: (202)672-5300
TELEFAX: (202)672-5399
INFORMATION FOR SEQ ID NO: 5:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
FEATURE:
NAME/KEY: Modified-site
LOCATION: 1
OTHER INFORMATION: /note= "Represents pyroglutamic
OTHER INFORMATION: acid"
FEATURE:
NAME/KEY: Modified-site
LOCATION: 10
OTHER INFORMATION: /note= "Represents glycineamide"
US-07-690-983D-5

Query Match 55.8%; Score 48; DB 1; Length 10;
Best Local Similarity 75.0%; Pred. No. 0.26;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 2 HWSHGWP 9
Db 2 HWSYGWLP 9

RESULT 29

US-09-089-522A-4
; Sequence 4, Application US/09089522A
; Patent No. 6300471
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25;
; SOFTWARE: WordPerfect 5.1; No. 6300471spad Version 4.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/089,522A
; FILING DATE: 1998-06-03
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P.1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu; Xaa
US-09-089-522A-4

Query Match 65.8%; Score 48; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. No. 0.26;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 2 HWSHGWP 9
Db 2 HWSYGWLP 9

RESULT 30

US-09-297-989-4
; Sequence 4, Application US/09297989
; Patent No. 6407205
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:

ADDRESSEE: John H. Runnels
STREET: P. O. Box 2471
CITY: Baton Rouge
STATE: LA
COUNTRY: USA
ZIP: 70821-2471
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25;
SOFTWARE: WordPerfect 5.1; No. 6407205spad Version 4.0
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/297,989
FILING DATE:
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Runnels, John H.
REGISTRATION NUMBER: 33451
REFERENCE/DOCKET NUMBER: 9703P-US
TELECOMMUNICATION INFORMATION:
TELEPHONE: (225) 387-3221
TELEFAX: (225) 346-8049
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
FEATURE:
OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu; Xaa
US-09-297-989-4

Query Match 65.8%; Score 48; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. No. 0.26;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Qy 2 HWSHGWP 9
Db 2 HWSYGWLP 9

RESULT 31

US-08-341-219-23
; Sequence 23, Application US/08341219
; Patent No. 5643877
; GENERAL INFORMATION:
; APPLICANT: Zohar, Y.
; APPLICANT: Rivier, J.
; APPLICANT: Powell, J.
; APPLICANT: Sherwood, N.
; APPLICANT: Gothelf, Y.
; TITLE OF INVENTION: Compounds and Methods For Controlling
; TITLE OF INVENTION: Reproduction in Fish
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: N.Y.
; COUNTRY: USA
; ZIP: 10036-2711
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/341,219
FILING DATE: 05-DEC-1994
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:

```
; NAME: Coruzzi,, Laura A.
; REGISTRATION NUMBER: 30742
; REFERENCE/DOCKET NUMBER: 8399-003-999
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212) 790-9090
; TELEFAX: (212) 869-8864/9741
; INFORMATION FOR SEQ ID NO: 23:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 80 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: unknown
; MOLECULE TYPE: peptide
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; US-08-341-219-23

Query Match 65.8%; Score 48; DB 1; Length 80;
Best Local Similarity 70.0%; Pred. No. 2.2;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 EHWSHGWYFG 10
Db 22 QHWSHGLNFG 31

RESULT 32
US-08-912-314A-23
; Sequence 23, Application US/08912314A
; Patent No. 6210927
; GENERAL INFORMATION:
; APPLICANT: Zohar, Y.
; APPLICANT: Rivier, J.
; APPLICANT: Powell, J.
; APPLICANT: Sherwood, N.
; APPLICANT: Gethelf, Y.
; TITLE OF INVENTION: Compounds and Methods For Controlling
; TITLE OF INVENTION: Reproduction in Fish
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: N.Y.
; COUNTRY: USA
; ZIP: 10036-2711
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: IBM PC compatible
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/912,314A
; FILING DATE: 30-JUN-1997
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/341,219
; FILING DATE: 05-DEC-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: Coruzzi,, Laura A.
; REGISTRATION NUMBER: 30742
; REFERENCE/DOCKET NUMBER: 8399-003-999
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212) 790-9090
; TELEFAX: (212) 869-8864/9741
; INFORMATION FOR SEQ ID NO: 23:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 80 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: unknown
; MOLECULE TYPE: peptide
; HYPOTHETICAL: NO
```

```
; ANTI-SENSE: NO
; US-08-912-314A-23

Query Match 65.8%; Score 48; DB 3; Length 80;
Best Local Similarity 70.0%; Pred. No. 2.2;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 EHWSHGWYFG 10
Db 22 QHWSHGLNFG 31

RESULT 33
US-09-089-522A-7
; Sequence 7, Application US/09089522A
; Patent No. 6300471
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25;
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/089,522A
; FILING DATE: 1998-06-03
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P.1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 7:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu; Xaa
; at 10 is Gly-NH2"
; US-09-089-522A-7

Query Match 64.4%; Score 47; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. No. 0.37;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWYP 9
Db 2 HWSHAWKP 9

RESULT 34
US-09-297-989-7
; Sequence 7, Application US/09297989
; Patent No. 6407205
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
```

```

; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25;
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/297,989
; FILING DATE:
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 7:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu; Xaa
; OTHER INFORMATION: at 10 is Gly-NH2"
; US-09-297-989-7

Query Match 64.4%; Score 47; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. No. 0.37;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWP 9
Db 2 HWSHAKP 9

RESULT 35
US-08-341-219-12
; Sequence 12, Application US/08341219
; Patent No. 5643877
; GENERAL INFORMATION:
; APPLICANT: Zohar, Y.
; APPLICANT: Rivier, J.
; APPLICANT: Powell, J.
; APPLICANT: Sherwood, N.
; APPLICANT: Gothelf, Y.
; TITLE OF INVENTION: Compounds and Methods For Controlling
; REPRODUCTION IN FISH
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Fennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: N.Y.
; COUNTRY: USA
; ZIP: 10036-2711
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/341,219
; FILING DATE: 05-DEC-1994
```

```

; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Coruzzi, Laura A.
; REGISTRATION NUMBER: 30742
; REFERENCE/DOCKET NUMBER: 8399-003-999
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212) 790-9090
; TELEFAX: (212) 869-8864/9741
; INFORMATION FOR SEQ ID NO: 12:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: unknown
; MOLECULE TYPE: peptide
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: 1
; OTHER INFORMATION: /product= "OTHER"
; OTHER INFORMATION: /label= Glu1
; OTHER INFORMATION: /note= "-pyroglutamic acid"
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: 10
; OTHER INFORMATION: /product= "OTHER"
; OTHER INFORMATION: /label= Gly10
; OTHER INFORMATION: /note= "amidated"
; US-08-341-219-12

Query Match 63.0%; Score 46; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.52;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 EHWSHGWP 10
Db 1 EHWSGLQPG 10

RESULT 36
US-08-242-678D-9
; Sequence 9, Application US/08242678D
; Patent No. 5760000
; GENERAL INFORMATION:
; APPLICANT: HABIBI, Hamid R.
; TITLE OF INVENTION: INHIBITION OF LIVER CANCER BY THE USE OF
; GNRH AND GNRH ANALOGS
; NUMBER OF SEQUENCES: 12
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BURNS, DOANE, SWECKER & MATHIS
; STREET: P.O. Box 1404
; CITY: Alexandria
; STATE: Virginia
; COUNTRY: United States
; ZIP: 22313-1404
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/242,678D
; FILING DATE: 13-MAY-1994
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Dadlo, Susan M.
; REGISTRATION NUMBER: 40,373
; REFERENCE/DOCKET NUMBER: 028722-103
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (703) 836-6620
; TELEFAX: (703) 836-2021
; INFORMATION FOR SEQ ID NO: 9:
```

```
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: 1
; OTHER INFORMATION: /label= AA1
; OTHER INFORMATION: /note= "AA1 is PYROGLUTAMIC ACID"
US-08-242-678D-9

Query Match      63.0%; Score 46; DB 1; Length 10;
Best Local Similarity 77.8%; Pred. No. 0.52;
Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy      2 HWSHGWPY 10
Db      2 HWSHGLNPG 10

RESULT 37
US-08-912-314A-12
; Sequence 12, Application US/08912314A
; Patent No. 6210927
; GENERAL INFORMATION:
; APPLICANT: Zohar, Y.
; APPLICANT: Rivier, J.
; APPLICANT: Powell, J.
; APPLICANT: Sherwood, N.
; APPLICANT: Gothelf, Y.
; TITLE OF INVENTION: Compounds and Methods For Controlling
; TITLE OF INVENTION: Reproduction in Fish
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: N.Y.
; COUNTRY: USA
; ZIP: 10036-2711
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/912,314A
; FILING DATE: 30-JUN-1997
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/341,219
; FILING DATE: 05-DEC-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: Coruzzi, Laura A.
; REGISTRATION NUMBER: 30742
; REFERENCE/DOCKET NUMBER: 8399-003-999
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212) 790-9090
; TELEFAX: (212) 869-8864/9741
; INFORMATION FOR SEQ ID NO: 12:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: unknown
; MOLECULE TYPE: peptide
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: 1
```

```
; OTHER INFORMATION: /product= "OTHER"
; OTHER INFORMATION: /label= Glu1
; OTHER INFORMATION: /note= "pyroglutamic acid"
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: 10
; OTHER INFORMATION: /product= "OTHER"
; OTHER INFORMATION: /label= Gly10
; OTHER INFORMATION: /note= "amidated"
US-08-912-314A-12

Query Match      63.0%; Score 46; DB 3; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.52;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Qy      1 EHWSHGWPY 10
Db      1 EHWSYGLQPG 10

RESULT 38
US-09-089-522A-1
; Sequence 1, Application US/09089522A
; Patent No. 6300471
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Rannels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25;
; SOFTWARE: WordPerfect 5.1; No. 6300471epad Version 4.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/089,522A
; FILING DATE: 1998-06-03
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Rannels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P.1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu; Xaa
; OTHER INFORMATION: at 10 is Gly-NH2"
US-09-089-522A-1

Query Match      63.0%; Score 46; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. No. 0.52;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy      2 HWSHGWPY 9
Db      2 HWSHDWKP 9
```



```
RESULT 39
US-09-089-522A-9
; Sequence 9, Application US/09089522A
; Patent No. 6300471
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESSES:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25;
; US-09-089-522A-9
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/089,522A
; FILING DATE: 1998-06-03
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P.1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
; Xaa at 6 is (D-Ala); Xaa at 10 is Gly-NH2"
US-09-089-522A-9
Query Match 63.0%; Score 46; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. No. 0.52;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 2 HWSHGWP 9
Db 2 HWSHXKP 9

RESULT 40
US-09-089-522A-13
; Sequence 13, Application US/09089522A
; Patent No. 6300471
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESSES:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25;
; US-09-089-522A-13
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/089,522A
; FILING DATE: 1998-06-03
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P.1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
; Xaa at 6 is (D-Ala); Xaa at 10 is Gly-NH2"
US-09-089-522A-9
Query Match 63.0%; Score 46; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. No. 0.52;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 2 HWSHGWP 9
Db 2 HWSHXKP 9
```

```
US-09-089-522A-15
; Sequence 15, Application US/09089522A
; Patent No. 6300471
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25;
; US-09-089-522A-15
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/089,522A
; FILING DATE: 1998-06-03
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P.1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 15:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
; Xaa at 6 is (D-Leu); Xaa at 10 is Gly-NH2"
US-09-089-522A-13
Query Match 63.0%; Score 46; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. No. 0.52;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 2 HWSHGWP 9
Db 2 HWSHXKP 9

RESULT 41
US-09-089-522A-15
; Sequence 15, Application US/09089522A
; Patent No. 6300471
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25;
; US-09-089-522A-15
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/089,522A
; FILING DATE: 1998-06-03
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P.1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 15:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
```

;
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
; OTHER INFORMATION: Xaa at 6 is (SerBut); Xaa at 10 is Gly-NH2"
US-09-089-522A-15

Query Match 63.0%; Score 46; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. No. 0.52;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWP 9
DB 2 HWSHXWKP 9

RESULT 42

US-09-089-522A-17

; Sequence 17, Application US/09089522A
; Patent No. 6300471

; GENERAL INFORMATION:

; APPLICANT: McCann, Samuel M.

; APPLICANT: Yu, Wen H.

; TITLE OF INVENTION: FSH-Releasing Peptides

; NUMBER OF SEQUENCES: 41

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: John H. Rannels

; STREET: P. O. Box 2471

; CITY: Baton Rouge

; STATE: LA

; COUNTRY: USA

; ZIP: 70821-2471

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25;

; SOFTWARE: WordPerfect 5.1; No. 6300471lepad Version 4.0

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/09/089,522A

; FILING DATE: 1998-06-03

; CLASSIFICATION: 514

; ATTORNEY/AGENT INFORMATION:

; NAME: Rannels, John H.

; REGISTRATION NUMBER: 33451

; REFERENCE/DOCKET NUMBER: 9703P.1

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (225) 387-3221

; TELEFAX: (225) 346-8049

; INFORMATION FOR SEQ ID NO: 17:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 10 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; MOLECULE TYPE: peptide

; FEATURE:

; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;

; OTHER INFORMATION: Xaa at 6 is (D-SerBut); Xaa at 10 is Gly-NH2"

US-09-089-522A-17

Query Match 63.0%; Score 46; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. No. 0.52;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWP 9
DB 2 HWSHXWKP 9

RESULT 43

US-09-089-522A-21

; Sequence 21, Application US/09089522A

; Patent No. 6300471

; GENERAL INFORMATION:

; APPLICANT: McCann, Samuel M.

; APPLICANT: Yu, Wen H.

; TITLE OF INVENTION: FSH-Releasing Peptides

; NUMBER OF SEQUENCES: 41

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: John H. Rannels

; STREET: P. O. Box 2471

; CITY: Baton Rouge

; STATE: LA

; COUNTRY: USA

; ZIP: 70821-2471

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25;

; SOFTWARE: WordPerfect 5.1; No. 6300471lepad Version 4.0

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/09/089,522A

; FILING DATE: 1998-06-03

; CLASSIFICATION: 514

; ATTORNEY/AGENT INFORMATION:

; NAME: Rannels, John H.

; REGISTRATION NUMBER: 33451

; REFERENCE/DOCKET NUMBER: 9703P.1

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (225) 387-3221

; TELEFAX: (225) 346-8049

; INFORMATION FOR SEQ ID NO: 21:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 10 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; MOLECULE TYPE: peptide

; FEATURE:

; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;

; OTHER INFORMATION: Xaa at 6 is (D-Trp); Xaa at 10 is Gly-NH2"

US-09-089-522A-21

Query Match 63.0%; Score 46; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. No. 0.52;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWP 9
DB 2 HWSHXWKP 9

RESULT 44

US-09-089-522A-23

; Sequence 23, Application US/09089522A

; Patent No. 6300471

; GENERAL INFORMATION:

; APPLICANT: McCann, Samuel M.

; APPLICANT: Yu, Wen H.

; TITLE OF INVENTION: FSH-Releasing Peptides

; NUMBER OF SEQUENCES: 41

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: John H. Rannels

; STREET: P. O. Box 2471

; CITY: Baton Rouge

; STATE: LA

; COUNTRY: USA

; ZIP: 70821-2471

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25;

; SOFTWARE: WordPerfect 5.1; No. 6300471lepad Version 4.0

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/09/089,522A

; FILING DATE: 1998-06-03

; CLASSIFICATION: 514

; ATTORNEY/AGENT INFORMATION:

```

; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P.1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 23:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
; OTHER INFORMATION: Xaa at 6 is (His-Bzl); Xaa at 10 is Gly-NH2"
US-09-089-522A-23

Query Match 63.0%; Score 46; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. NO. 0.52;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWP 9
Db 2 HWSHXWKP 9

RESULT 45
US-09-089-522A-25
; Sequence 25, Application US/09089522A
; Patent No. 6300471
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25;
; SOFTWARE: WordPerfect 5.1; No. 6300471epad Version 4.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/089,522A
; FILING DATE: 1998-06-03
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P.1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 25:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
; OTHER INFORMATION: Xaa at 6 is (D-His-Bzl); Xaa at 10 is Gly-NH2"
US-09-089-522A-25

Query Match 63.0%; Score 46; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. NO. 0.52;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWP 9
Db 2 HWSHXWKP 9

RESULT 46
US-09-089-522A-27
; Sequence 27, Application US/09089522A
; Patent No. 6300471
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25;
; SOFTWARE: WordPerfect 5.1; No. 6300471epad Version 4.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/089,522A
; FILING DATE: 1998-06-03
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P.1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 27:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
; OTHER INFORMATION: Xaa at 6 is Nal(2); Xaa at 10 is Gly-NH2"
US-09-089-522A-27

Query Match 63.0%; Score 46; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. NO. 0.52;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWP 9
Db 2 HWSHXWKP 9

RESULT 47
US-09-089-522A-29
; Sequence 29, Application US/09089522A
; Patent No. 6300471
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25;
; SOFTWARE: WordPerfect 5.1; No. 6300471epad Version 4.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/089,522A
; FILING DATE: 1998-06-03
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P.1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 29:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
; OTHER INFORMATION: Xaa at 6 is (D-His-Bzl); Xaa at 10 is Gly-NH2"
US-09-089-522A-29

Query Match 63.0%; Score 46; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. NO. 0.52;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
```

; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent in Release #1.0, Version #1.25;
; CURRENT APPLICATION DATA:
; FILING DATE: 1998-06-03
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P.1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 29:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
; OTHER INFORMATION: Xaa at 6 is (D-Nal(2)); Xaa at 10 is Gly-NH2"
US-09-089-522A-29

Query Match 63.0%; Score 46; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. No. 0.52;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWP 9
DB 2 HWSHXWP 9

RESULT 48
US-09-089-522A-31
; Sequence 31, Application US/09089522A
; Patent No. 6300471
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent in Release #1.0, Version #1.25;
; CURRENT APPLICATION DATA:
; FILING DATE: 1998-06-03
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P.1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 31:

; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
; OTHER INFORMATION: Xaa at 6 is Nal(2); Xaa at 10 is (aza-Gly)"
US-09-089-522A-31

Query Match 63.0%; Score 46; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. No. 0.52;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWP 9
DB 2 HWSHXWP 9

RESULT 49
US-09-089-522A-32
; Sequence 32, Application US/09089522A
; Patent No. 6300471
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent in Release #1.0, Version #1.25;
; CURRENT APPLICATION DATA:
; FILING DATE: 1998-06-03
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P.1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 32:

; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
; OTHER INFORMATION: Xaa at 6 is (D-Nal(2)); Xaa at 10 is (aza-Gly)"
US-09-089-522A-32

Query Match 63.0%; Score 46; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. No. 0.52;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWP 9
DB 2 HWSHXWP 9

RESULT 50
US-09-089-522A-32
; Sequence 32, Application US/09089522A
; Patent No. 6300471
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent in Release #1.0, Version #1.25;
; CURRENT APPLICATION DATA:
; FILING DATE: 1998-06-03
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P.1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 32:

; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
; OTHER INFORMATION: Xaa at 6 is (D-Nal(2)); Xaa at 10 is (aza-Gly)"
US-09-089-522A-32

Query Match 63.0%; Score 46; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. No. 0.52;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWP 9
DB 2 HWSHXWP 9

US-09-297-989-1
; Sequence 1, Application US/09297989
; Patent No. 6407205
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25;
; SOFTWARE: WordPerfect 5.1; No. 6407205epad Version 4.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/297,989
; FILING DATE:
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu; Xaa
; OTHER INFORMATION: at 10 is Gly-NH2"
US-09-297-989-1

Query Match 63.0%; Score 46; DB 4; Length 10;
Best Local Similarity 75.0%; Pred. No. 0.52;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 2 HWSHGWP 9
| | | | |
Db 2 HWSHWKP 9

Search completed: March 2, 2004, 19:28:54
Job time : 17 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 2, 2004, 19:25:48 ; Search time 27 Seconds
(without alignments)
78.205 Million cell updates/sec

Title: US-09-857-115-6

Perfect score: 73

Sequence: 1 BWSHGHWPG 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 809742 seqs, 21153259 residues

Total number of hits satisfying chosen parameters: 809742

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 500 summaries

Database : Published Applications AA:*
1: /cgn2_6/ptodata/2/pubpaa/US07_PUBCOMB.pep.*
2: /cgn2_6/ptodata/2/pubpaa/PCT_NEW_PUB.pep.*
3: /cgn2_6/ptodata/2/pubpaa/US06_NEW_PUB.pep.*
4: /cgn2_6/ptodata/2/pubpaa/US06_PUBCOMB.pep.*
5: /cgn2_6/ptodata/2/pubpaa/US07_NEW_PUB.pep.*
6: /cgn2_6/ptodata/2/pubpaa/PCTUS_PUBCOMB.pep.*
7: /cgn2_6/ptodata/2/pubpaa/US08_NEW_PUB.pep.*
8: /cgn2_6/ptodata/2/pubpaa/US08_PUBCOMB.pep.*
9: /cgn2_6/ptodata/2/pubpaa/US09A_PUBCOMB.pep.*
10: /cgn2_6/ptodata/2/pubpaa/US09B_PUBCOMB.pep.*
11: /cgn2_6/ptodata/2/pubpaa/US09C_PUBCOMB.pep.*
12: /cgn2_6/ptodata/2/pubpaa/US10A_PUBCOMB.pep.*
13: /cgn2_6/ptodata/2/pubpaa/US10B_PUBCOMB.pep.*
14: /cgn2_6/ptodata/2/pubpaa/US10C_PUBCOMB.pep.*
15: /cgn2_6/ptodata/2/pubpaa/US10D_PUBCOMB.pep.*
16: /cgn2_6/ptodata/2/pubpaa/US10E_NEW_PUB.pep.*
17: /cgn2_6/ptodata/2/pubpaa/US60_NEW_PUB.pep.*
18: /cgn2_6/ptodata/2/pubpaa/US60_PUBCOMB.pep.*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	70	95.9	10	15 US-10-360-101-2	Sequence 2, Appli
2	70	95.9	10	15 US-10-360-101-303	Sequence 303, App
3	70	95.9	10	15 US-10-360-101-304	Sequence 304, App
4	68	93.2	10	15 US-10-617-561-18	Sequence 18, Appl
5	66	90.4	10	9 US-09-941-094A-2	Sequence 2, Appli
6	63	86.3	10	15 US-10-360-101-144	Sequence 144, App
7	62	84.9	10	13 US-10-109-331-5	Sequence 5, Appli
8	62	84.9	10	15 US-10-170-096A-32	Sequence 32, Appl
9	61	83.6	10	15 US-10-360-101-153	Sequence 153, App
10	61	83.6	10	15 US-10-360-101-308	Sequence 308, App
11	60	82.2	10	15 US-10-360-101-114	Sequence 114, App
12	60	82.2	10	15 US-10-360-101-154	Sequence 154, App
13	57	78.1	10	15 US-10-360-101-307	Sequence 307, App
14	57	78.1	10	15 US-10-360-101-309	Sequence 309, App
15	56	76.7	10	15 US-10-360-101-146	Sequence 146, App

55	75.3	10	15	US-10-360-101-159	Sequence 159, App
54	74.0	10	15	US-10-170-096A-33	Sequence 33, Appl
54	74.0	10	15	US-10-360-101-145	Sequence 145, App
54	74.0	19	15	US-10-170-096A-6	Sequence 6, Appli
54	74.0	93	15	US-10-170-096A-8	Sequence 8, Appli
54	74.0	94	15	US-10-170-096A-2	Sequence 2, Appli
53	72.6	10	15	US-10-360-101-305	Sequence 305, App
53	72.6	10	15	US-10-360-101-306	Sequence 306, App
52	71.2	10	9	US-09-941-094A-4	Sequence 4, Appli
52	71.2	10	15	US-10-360-101-157	Sequence 157, App
52	71.2	10	15	US-10-617-561-16	Sequence 16, Appl
52	71.2	33	15	US-10-617-561-15	Sequence 15, Appl
51	69.9	10	15	US-10-360-101-158	Sequence 158, App
51	69.9	92	15	US-10-170-096A-4	Sequence 4, Appli
49	67.1	10	15	US-10-360-101-148	Sequence 148, App
49	67.1	10	15	US-10-360-101-155	Sequence 155, App
48	65.8	10	13	US-10-109-331-4	Sequence 4, Appli
48	65.8	10	15	US-10-170-096A-28	Sequence 28, Appl
47	64.4	10	15	US-10-360-101-156	Sequence 156, App
47	64.4	10	15	US-10-109-331-7	Sequence 7, Appli
46	63.0	10	15	US-10-360-101-160	Sequence 160, App
46	63.0	10	13	US-10-109-331-1	Sequence 1, Appli
46	63.0	10	13	US-10-109-331-9	Sequence 9, Appli
46	63.0	10	13	US-10-109-331-13	Sequence 13, Appl
46	63.0	10	13	US-10-109-331-15	Sequence 15, Appl
46	63.0	10	13	US-10-109-331-17	Sequence 17, Appl
46	63.0	10	13	US-10-109-331-21	Sequence 21, Appl
46	63.0	10	13	US-10-109-331-23	Sequence 23, Appl
46	63.0	10	13	US-10-109-331-25	Sequence 25, Appl
46	63.0	10	13	US-10-109-331-27	Sequence 27, Appl
46	63.0	10	13	US-10-109-331-29	Sequence 29, Appl
46	63.0	10	13	US-10-109-331-31	Sequence 31, Appl
46	63.0	10	13	US-10-109-331-32	Sequence 32, Appl
50	63.0	10	15	US-10-170-096A-35	Sequence 35, Appl
45	61.6	10	10	US-09-964-201A-28	Sequence 28, Appl
45	61.6	10	13	US-10-109-331-19	Sequence 19, Appl
45	61.6	10	13	US-10-184-126-1	Sequence 1, Appli
45	61.6	10	14	US-10-115-553-1	Sequence 1, Appli
45	61.6	10	14	US-10-122-483-1	Sequence 1, Appli
45	61.6	10	14	US-10-117-364-1	Sequence 1, Appli
45	61.6	10	14	US-10-311-688-4	Sequence 149, App
45	61.6	10	15	US-10-360-101-149	Sequence 1, Appli
45	61.6	10	15	US-10-353-160A-1	Sequence 1, Appli
45	61.6	10	16	US-10-298-378-1	Sequence 1, Appli
45	61.6	10	16	US-10-298-851-1	Sequence 3, Appli
62	61.6	17	10	US-09-305-924-3	Sequence 29, Appl
63	61.6	20	10	US-09-964-201A-29	Sequence 30, Appl
45	61.6	20	10	US-09-964-201A-30	Sequence 31, Appl
45	61.6	20	10	US-09-964-201A-31	Sequence 7, Appli
45	61.6	27	15	US-10-355-161A-7	Sequence 7, Appli
45	61.6	45	14	US-10-076-674-8	Sequence 8, Appli
45	61.6	45	15	US-10-355-161A-8	Sequence 8, Appli
45	61.6	45	15	US-10-355-161A-9	Sequence 9, Appli
45	61.6	44	9	US-09-970-711-26	Sequence 26, Appl
44	60.3	10	15	US-10-360-101-150	Sequence 150, App
44	60.3	10	15	US-10-360-101-152	Sequence 152, App
44	60.3	518	10	US-09-769-734-56	Sequence 56, Appl
43	58.9	10	13	US-10-109-331-11	Sequence 11, Appl
43	58.9	44	9	US-09-864-761-42097	Sequence 42097, A
43	58.9	853	15	US-10-369-493-18854	Sequence 18854, A
43	58.9	869	15	US-10-369-493-2862	Sequence 2862, Ap
43	58.9	875	15	US-10-369-493-20117	Sequence 20117, A
42	57.5	9	13	US-10-109-331-8	Sequence 8, Appli
42	57.5	10	9	US-09-019-010-2	Sequence 2, Appli
42	57.5	10	10	US-09-964-201A-32	Sequence 32, Appl
42	57.5	10	10	US-09-305-924-9	Sequence 9, Appli
42	57.5	10	14	US-10-351-641-1143	Sequence 1143, Ap
42	57.5	10	14	US-10-351-641-1309	Sequence 1309, Ap
42	57.5	10	14	US-10-351-641-1344	Sequence 1344, Ap
42	57.5	10	15	US-10-360-101-1	Sequence 1, Appli

89 10 15 US-10-360-101-126 Sequence 126, App 162
90 10 15 US-10-360-101-136 Sequence 136, App 163
91 10 15 US-10-360-101-299 Sequence 299, App 164
92 10 15 US-10-617-561-9 Sequence 9, Appli 165
93 11 13 US-10-044-034-17 Sequence 17, Appli 166
94 18 14 US-10-351-641-1146 Sequence 1146, Ap 167
95 18 14 US-10-351-641-1147 Sequence 1147, Ap 168
96 18 14 US-10-351-641-1148 Sequence 1148, Ap 169
97 18 14 US-10-351-641-1172 Sequence 1172, Ap 170
98 18 14 US-10-351-641-1173 Sequence 1173, Ap 171
99 20 10 US-09-964-201A-26 Sequence 26, Appli 172
100 22 14 US-10-351-641-1145 Sequence 1145, Ap 173
101 26 14 US-10-351-641-1144 Sequence 1144, Ap 174
102 42 57.5 US-10-617-561-3 Sequence 3, Appli 175
103 33 15 US-10-617-561-4 Sequence 4, Appli 176
104 33 15 US-09-964-201A-35 Sequence 35, Appli 177
105 40 10 US-09-964-201A-34 Sequence 34, Appli 178
106 42 57.5 41 US-09-019-010-4 Sequence 4, Appli 179
107 42 57.5 49 US-09-305-924-11 Sequence 9, Appli 180
108 42 57.5 157 US-09-934-249-9 Sequence 33, Appli 181
109 42 57.5 158 14 US-10-037-340-33 Sequence 17, Appli 182
110 42 57.5 171 9 US-09-843-846-17 Sequence 50, Appli 183
111 42 57.5 171 10 US-09-978-418-50 Sequence 86, Appli 184
112 42 57.5 171 14 US-10-137-666A-86 Sequence 137, App 185
113 42 57.5 171 14 US-10-247-671-138 Sequence 138, App 186
114 42 57.5 221 9 US-09-925-299-967 Sequence 967, App 187
115 42 57.5 221 10 US-09-925-299-967 Sequence 967, App 188
116 42 57.5 383 15 US-10-369-492-21171 Sequence 21171, A 189
117 42 57.5 695 10 US-09-305-924-13 Sequence 13, Appli 190
118 41 56.2 9 13 US-10-109-331-6 Sequence 6, Appli 191
119 41 56.2 9 13 US-10-109-331-10 Sequence 10, Appli 192
120 41 56.2 9 13 US-10-109-331-14 Sequence 14, Appli 193
121 41 56.2 9 13 US-10-109-331-16 Sequence 16, Appli 194
122 41 56.2 9 13 US-10-109-331-18 Sequence 18, Appli 195
123 41 56.2 9 13 US-10-109-331-22 Sequence 22, Appli 196
124 41 56.2 9 13 US-10-109-331-24 Sequence 24, Appli 197
125 41 56.2 9 13 US-10-109-331-26 Sequence 26, Appli 198
126 41 56.2 9 13 US-10-109-331-28 Sequence 28, Appli 199
127 41 56.2 9 13 US-10-109-331-30 Sequence 30, Appli 200
128 41 56.2 10 15 US-10-617-561-17 Sequence 17, Appli 201
129 41 56.2 474 9 US-09-738-626-6662 Sequence 6662, Ap 202
130 41 56.2 19608 15 US-10-084-846A-8 Sequence 8, Appli 203
131 40 54.8 9 13 US-10-109-331-20 Sequence 20, Appli 204
132 40 54.8 10 10 US-09-810-601-1 Sequence 1, Appli 205
133 40 54.8 10 10 US-09-305-924-1 Sequence 30, Appli 206
134 40 54.8 10 15 US-10-170-096A-30 Sequence 31, Appli 207
135 40 54.8 10 15 US-10-360-101-151 Sequence 151, App 208
136 40 54.8 10 15 US-10-617-561-1 Sequence 1, Appli 209
137 40 54.8 16 10 US-09-305-924-5 Sequence 5, Appli 210
138 40 54.8 17 10 US-09-305-924-4 Sequence 4, Appli 211
139 40 54.8 31 9 US-09-848-834A-15 Sequence 15, Appli 212
140 40 54.8 34 9 US-09-848-834A-13 Sequence 13, Appli 213
141 40 54.8 36 9 US-09-864-761-39995 Sequence 39995, A 214
142 40 54.8 36 9 US-09-848-834A-16 Sequence 16, Appli 215
143 40 54.8 37 9 US-09-848-834A-14 Sequence 14, Appli 216
144 40 54.8 46 9 US-09-848-834A-17 Sequence 17, Appli 217
145 40 54.8 47 9 US-09-848-834A-19 Sequence 19, Appli 218
146 40 54.8 50 9 US-09-848-834A-18 Sequence 18, Appli 219
147 40 54.8 51 9 US-09-848-834A-20 Sequence 20, Appli 220
148 40 54.8 165 14 US-09-097-111-319 Sequence 319, App 221
149 40 54.8 255 14 US-10-162-639-4 Sequence 4, Appli 222
150 40 54.8 307 14 US-10-162-639-4 Sequence 36802, A 223
151 40 54.8 321 15 US-09-864-761-36802 Sequence 2559, Ap 224
152 40 54.8 417 15 US-10-264-049-2559 Sequence 4997, Ap 225
153 40 54.8 417 15 US-10-369-493-4997 Sequence 302, App 226
154 39 53.4 10 15 US-10-360-101-302 Sequence 4, Appli 227
155 39 53.4 10 16 US-10-298-378-4 Sequence 4, Appli 228
156 39 53.4 16 9 US-09-916-940-89 Sequence 89, Appli 229
157 39 53.4 16 14 US-10-096-550-89 Sequence 89, Appli 230
158 39 53.4 59 9 US-09-764-877-1251 Sequence 1251, Ap 231
159 39 53.4 59 15 US-10-242-515-1251 Sequence 1251, Ap 232
160 39 53.4 69 10 US-09-809-391-617 Sequence 617, App 233
161 39 53.4 69 10 US-09-809-391-617 Sequence 617, App 234

39 53.4 69 10 US-09-882-171-617 Sequence 617, App 235
39 53.4 162 15 US-10-284-237-2532 Sequence 2532, Ap 236
39 53.4 163 15 US-10-131-487A-188 Sequence 188, App 237
39 53.4 380 14 US-10-017-161-2010 Sequence 2010, Ap 238
39 53.4 380 15 US-10-292-798-1656 Sequence 1656, Ap 239
39 53.4 468 14 US-10-032-585-7824 Sequence 7824, Ap 240
39 53.4 601 9 US-09-815-242-5070 Sequence 5070, Ap 241
38.5 52.7 286 10 US-09-910-600-14 Sequence 14, Appli 242
38.5 52.7 463 10 US-09-910-600-13 Sequence 13, Appli 243
38.5 52.7 463 10 US-09-946-374-160 Sequence 160, App 244
38.5 52.7 463 13 US-10-006-867-86 Sequence 86, Appli 245
38.5 52.7 463 13 US-10-052-586-286 Sequence 286, App 246
38.5 52.7 463 13 US-10-063-547-86 Sequence 86, Appli 247
38.5 52.7 463 14 US-10-174-590-286 Sequence 286, App 248
38.5 52.7 463 14 US-10-174-590-286 Sequence 286, App 249
38.5 52.7 463 14 US-10-175-737-286 Sequence 286, App 250
38.5 52.7 463 14 US-10-063-616-86 Sequence 86, Appli 251
38.5 52.7 463 14 US-10-173-706-286 Sequence 286, App 252
38.5 52.7 463 14 US-10-173-706-286 Sequence 286, App 253
38.5 52.7 463 14 US-10-175-752-286 Sequence 286, App 254
38.5 52.7 463 14 US-10-176-482-286 Sequence 286, App 255
38.5 52.7 463 14 US-10-176-757-286 Sequence 286, App 256
38.5 52.7 463 14 US-10-176-757-286 Sequence 286, App 257
38.5 52.7 463 14 US-10-176-913-286 Sequence 286, App 258
38.5 52.7 463 14 US-10-180-552-286 Sequence 286, App 259
38.5 52.7 463 14 US-10-180-552-286 Sequence 286, App 260
38.5 52.7 463 14 US-10-180-552-286 Sequence 286, App 261
38.5 52.7 463 14 US-10-063-502-86 Sequence 86, Appli 262
38.5 52.7 463 14 US-10-173-700-286 Sequence 286, App 263
38.5 52.7 463 14 US-10-174-579-286 Sequence 286, App 264
38.5 52.7 463 14 US-10-174-582-286 Sequence 286, App 265
38.5 52.7 463 14 US-10-174-588-286 Sequence 286, App 266
38.5 52.7 463 14 US-10-175-739-286 Sequence 286, App 267
38.5 52.7 463 14 US-10-175-740-286 Sequence 286, App 268
38.5 52.7 463 14 US-10-175-743-286 Sequence 286, App 269
38.5 52.7 463 14 US-10-176-488-286 Sequence 286, App 270
38.5 52.7 463 14 US-10-176-492-286 Sequence 286, App 271
38.5 52.7 463 14 US-10-176-750-286 Sequence 286, App 272
38.5 52.7 463 14 US-10-176-985-286 Sequence 286, App 273
38.5 52.7 463 14 US-10-176-987-286 Sequence 286, App 274
38.5 52.7 463 14 US-10-176-993-286 Sequence 286, App 275
38.5 52.7 463 14 US-10-176-993-286 Sequence 286, App 276
38.5 52.7 463 14 US-10-184-658-286 Sequence 286, App 277
38.5 52.7 463 14 US-10-173-695-286 Sequence 286, App 278
38.5 52.7 463 14 US-10-173-697-286 Sequence 286, App 279
38.5 52.7 463 14 US-10-173-705-286 Sequence 286, App 280
38.5 52.7 463 14 US-10-174-576-286 Sequence 286, App 281
38.5 52.7 463 14 US-10-174-585-286 Sequence 286, App 282
38.5 52.7 463 14 US-10-174-586-286 Sequence 286, App 283
38.5 52.7 463 14 US-10-175-747-286 Sequence 286, App 284
38.5 52.7 463 14 US-10-176-481-286 Sequence 286, App 285
38.5 52.7 463 14 US-10-176-485-286 Sequence 286, App 286
38.5 52.7 463 14 US-10-176-487-286 Sequence 286, App 287
38.5 52.7 463 14 US-10-176-493-286 Sequence 286, App 288
38.5 52.7 463 14 US-10-176-756-286 Sequence 286, App 289
38.5 52.7 463 14 US-10-176-911-286 Sequence 286, App 290
38.5 52.7 463 14 US-10-176-919-286 Sequence 286, App 291
38.5 52.7 463 14 US-10-176-925-286 Sequence 286, App 292
38.5 52.7 463 14 US-10-176-978-286 Sequence 286, App 293
38.5 52.7 463 14 US-10-179-510-286 Sequence 286, App 294
38.5 52.7 463 14 US-10-180-543-286 Sequence 286, App 295
38.5 52.7 463 14 US-10-180-544-286 Sequence 286, App 296
38.5 52.7 463 14 US-10-180-546-286 Sequence 286, App 297
38.5 52.7 463 14 US-10-180-547-286 Sequence 286, App 298
38.5 52.7 463 14 US-10-180-549-286 Sequence 286, App 299
38.5 52.7 463 14 US-10-180-553-286 Sequence 286, App 300
38.5 52.7 463 14 US-10-181-000-286 Sequence 286, App 301
38.5 52.7 463 14 US-10-183-010-286 Sequence 286, App 302
38.5 52.7 463 14 US-10-183-012-286 Sequence 286, App 303
38.5 52.7 463 14 US-10-184-614-286 Sequence 286, App 304
38.5 52.7 463 14 US-10-184-623-286 Sequence 286, App 305

381	38.5	52.7	463	14	US-10-202-476-286	Sequence 286, App	Sequence 286, App
382	38.5	52.7	463	14	US-10-202-934-286	Sequence 286, App	Sequence 286, App
383	38.5	52.7	463	14	US-10-202-935-286	Sequence 286, App	Sequence 286, App
384	38.5	52.7	463	14	US-10-202-936-286	Sequence 286, App	Sequence 286, App
385	38.5	52.7	463	14	US-10-202-939-286	Sequence 286, App	Sequence 286, App
386	38.5	52.7	463	14	US-10-202-939-286	Sequence 286, App	Sequence 286, App
387	38.5	52.7	463	14	US-10-205-504-286	Sequence 286, App	Sequence 286, App
388	38.5	52.7	463	14	US-10-205-505-286	Sequence 286, App	Sequence 286, App
389	38.5	52.7	463	14	US-10-205-895-286	Sequence 286, App	Sequence 286, App
390	38.5	52.7	463	14	US-10-205-899-286	Sequence 286, App	Sequence 286, App
391	38.5	52.7	463	14	US-10-203-900-286	Sequence 286, App	Sequence 286, App
392	38.5	52.7	463	14	US-10-203-909-286	Sequence 286, App	Sequence 286, App
393	38.5	52.7	463	14	US-10-195-890-286	Sequence 286, App	Sequence 286, App
394	38.5	52.7	463	14	US-10-063-598-86	Sequence 86, App1	Sequence 86, App
395	38.5	52.7	463	14	US-10-227-693-86	Sequence 86, App1	Sequence 86, App
396	38.5	52.7	463	14	US-10-006-818A-160	Sequence 160, App	Sequence 160, App
397	38.5	52.7	463	14	US-10-183-002-286	Sequence 286, App	Sequence 286, App
398	38.5	52.7	463	14	US-10-184-621-286	Sequence 286, App	Sequence 286, App
399	38.5	52.7	463	14	US-10-184-638-286	Sequence 286, App	Sequence 286, App
400	38.5	52.7	463	14	US-10-187-752-286	Sequence 286, App	Sequence 286, App
401	38.5	52.7	463	14	US-10-187-887-286	Sequence 286, App	Sequence 286, App
402	38.5	52.7	463	14	US-10-194-461-286	Sequence 286, App	Sequence 286, App
403	38.5	52.7	463	14	US-10-195-892-286	Sequence 286, App	Sequence 286, App
404	38.5	52.7	463	14	US-10-196-751-286	Sequence 286, App	Sequence 286, App
405	38.5	52.7	463	14	US-10-197-694-286	Sequence 286, App	Sequence 286, App
406	38.5	52.7	463	14	US-10-197-697-286	Sequence 286, App	Sequence 286, App
407	38.5	52.7	463	14	US-10-197-707-286	Sequence 286, App	Sequence 286, App
408	38.5	52.7	463	14	US-10-199-303-286	Sequence 286, App	Sequence 286, App
409	38.5	52.7	463	14	US-10-199-318-286	Sequence 286, App	Sequence 286, App
410	38.5	52.7	463	14	US-10-199-458-286	Sequence 286, App	Sequence 286, App
411	38.5	52.7	463	14	US-10-199-463-286	Sequence 286, App	Sequence 286, App
412	38.5	52.7	463	14	US-10-201-324-286	Sequence 286, App	Sequence 286, App
413	38.5	52.7	463	14	US-10-201-328-286	Sequence 286, App	Sequence 286, App
414	38.5	52.7	463	14	US-10-201-528-286	Sequence 286, App	Sequence 286, App
415	38.5	52.7	463	14	US-10-201-529-286	Sequence 286, App	Sequence 286, App
416	38.5	52.7	463	14	US-10-201-530-286	Sequence 286, App	Sequence 286, App
417	38.5	52.7	463	14	US-10-202-408-286	Sequence 286, App	Sequence 286, App
418	38.5	52.7	463	14	US-10-202-409-286	Sequence 286, App	Sequence 286, App
419	38.5	52.7	463	14	US-10-202-411-286	Sequence 286, App	Sequence 286, App
420	38.5	52.7	463	14	US-10-202-472-286	Sequence 286, App	Sequence 286, App
421	38.5	52.7	463	14	US-10-205-502-286	Sequence 286, App	Sequence 286, App
422	38.5	52.7	463	14	US-10-205-507-286	Sequence 286, App	Sequence 286, App
423	38.5	52.7	463	14	US-10-205-511-286	Sequence 286, App	Sequence 286, App
424	38.5	52.7	463	14	US-10-205-902-286	Sequence 286, App	Sequence 286, App
425	38.5	52.7	463	14	US-10-205-907-286	Sequence 286, App	Sequence 286, App
426	38.5	52.7	463	14	US-10-194-458-286	Sequence 286, App	Sequence 286, App
427	38.5	52.7	463	14	US-10-196-758-286	Sequence 286, App	Sequence 286, App
428	38.5	52.7	463	14	US-10-198-770-286	Sequence 286, App	Sequence 286, App
429	38.5	52.7	463	14	US-10-199-308-286	Sequence 286, App	Sequence 286, App
430	38.5	52.7	463	14	US-10-200-617-286	Sequence 286, App	Sequence 286, App
431	38.5	52.7	463	14	US-10-205-891-286	Sequence 286, App	Sequence 286, App
432	38.5	52.7	463	14	US-10-205-897-286	Sequence 286, App	Sequence 286, App
433	38.5	52.7	463	14	US-10-196-754-286	Sequence 286, App	Sequence 286, App
434	38.5	52.7	463	14	US-10-174-571-286	Sequence 286, App	Sequence 286, App
435	38.5	52.7	463	14	US-10-176-923-286	Sequence 286, App	Sequence 286, App
436	38.5	52.7	463	14	US-10-188-748-286	Sequence 286, App	Sequence 286, App
437	38.5	52.7	463	14	US-10-188-766-286	Sequence 286, App	Sequence 286, App
438	38.5	52.7	463	14	US-10-188-771-286	Sequence 286, App	Sequence 286, App
439	38.5	52.7	463	14	US-10-192-006-286	Sequence 286, App	Sequence 286, App
440	38.5	52.7	463	14	US-10-192-008-286	Sequence 286, App	Sequence 286, App
441	38.5	52.7	463	14	US-10-192-009-286	Sequence 286, App	Sequence 286, App
442	38.5	52.7	463	14	US-10-192-012-286	Sequence 286, App	Sequence 286, App
443	38.5	52.7	463	14	US-10-192-014-286	Sequence 286, App	Sequence 286, App
444	38.5	52.7	463	14	US-10-192-016-286	Sequence 286, App	Sequence 286, App
445	38.5	52.7	463	14	US-10-194-362-286	Sequence 286, App	Sequence 286, App
446	38.5	52.7	463	14	US-10-194-364-286	Sequence 286, App	Sequence 286, App
447	38.5	52.7	463	14	US-10-194-395-286	Sequence 286, App	Sequence 286, App
448	38.5	52.7	463	14	US-10-194-424-286	Sequence 286, App	Sequence 286, App
449	38.5	52.7	463	14			
450	38.5	52.7	463	14			
451	38.5	52.7	463	14			
452	38.5	52.7	463	14			
453	38.5	52.7	463	14			

ALIGNMENTS

RESULT 1

US-10-360-101-2
; Sequence 2, Application US/10360101
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.
; APPLICANT: Leenhouts, Cornelis J.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5673
; CURRENT APPLICATION NUMBER: US/10/360.101
; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 2
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: LHRH2 sequence

US-10-360-101-2

Query Match 95.9%; Score 70; DB 15; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0039;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
:|||||
Db 1 QHWSHGWPY 10

RESULT 2

US-10-360-101-303
; Sequence 303, Application US/10360101
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.
; APPLICANT: Leenhouts, Cornelis J.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5673
; CURRENT APPLICATION NUMBER: US/10/360,101
; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 303
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; OTHER INFORMATION: LHRH1 analogue
; FEATURE:
; NAME/KEY: SITE
; LOCATION: (4)..(6)
; OTHER INFORMATION: No. US20040009550A1e = "A" on pos. 4 and 6 are linked by "S"
US-10-360-101-303

Query Match 95.9%; Score 70; DB 15; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0039;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
:|||||
Db 1 QHWSHGWPY 10

RESULT 3

US-10-360-101-304
; Sequence 304, Application US/10360101
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.
; APPLICANT: Leenhouts, Cornelis J.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5673
; CURRENT APPLICATION NUMBER: US/10/360,101
; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 304
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: LHRH2 analogue
US-10-360-101-304

Query Match 95.9%; Score 70; DB 15; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.0039;
Matches 9; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
:|||||
Db 1 QHWSHGWPY 10

RESULT 4

US-10-617-561-18
; Sequence 18, Application US/10617561
; Publication No. US20040018967A1
; GENERAL INFORMATION:
; APPLICANT: La. State Univ. & Mech. Coll., Board of Supervisors
; Enright, Frederick M.
; Jaynes, Jesse M.
; Hansel, William
; Koonce, Kenneth L.
; McCann, Samuel M.
; Yu, Wen H.
; Melrose, Patricia A.
; Foil, Lane D.
; Elzer, Philip H.
; TITLE OF INVENTION: Ligand/Lytic Peptide Compositions and Methods of Use
; NUMBER OF SEQUENCES: 18
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/10/617,561
; FILING DATE: 11-Jul-2003
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/09/381,879
; FILING DATE: 25-Aug-1999
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33,451
; REFERENCE/DOCKET NUMBER: 96A3.2-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 18:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; NAME/KEY: Peptide
; LOCATION: 1..10
; OTHER INFORMATION: /note= "Xaa in position 1 denotes
; pyro-glutamic acid. This sequence is chicken II
; GnRH."
; SEQUENCE DESCRIPTION: SEQ ID NO: 18:
US-10-617-561-18

Query Match 93.2%; Score 68; DB 15; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0071;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 HWSHGWPY 10
:|||||
Db 2 HWSHGWPY 10

RESULT 5

US-09-941-094A-2
; Sequence 2, Application US/09941094A
; Patent No. US20020065226A1
; GENERAL INFORMATION:
; APPLICANT: Siler-Khodr, Theresa M.
; TITLE OF INVENTION: No. US20020065226A1-Mammalian GnRH Analogs and Uses Thereof in Re
; FILE REFERENCE: P7345.2(CIP)
; CURRENT APPLICATION NUMBER: US/09/941.094A
; CURRENT FILING DATE: 2001-08-28
; PRIOR APPLICATION NUMBER: US 09/419,161
; PRIOR FILING DATE: 1999-10-15
; NUMBER OF SEQ ID NOS: 4
; SEQ ID NO 2
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Gallus gallus
; FEATURE:
; NAME/KEY: mat peptide
; LOCATION: Within brain mRNA 121-150, within brain gene 2174-2203.
; OTHER INFORMATION: MOD_RES substitution of Gly residue at 10 by aza-Gly-NH2. Xaa re
; OTHER INFORMATION: D_Avg. MOD_RES Glu at position 1 is pyroglutamic acid.
US-09-941-094A-2

Query Match 90.4%; Score 66; DB 9; Length 10;
Best Local Similarity 90.0%; Pred. No. 0.013;
Matches 9; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYFG 10
|||||
DB 1 EHWSHXWYFG 10

RESULT 6

US-10-360-101-144
; Sequence 144, Application US/10360101
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.
; APPLICANT: Leenhouts, Cornelis J.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5673
; CURRENT APPLICATION NUMBER: US/10/360,101
; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 144
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: (S1,C4)-sequence of LHRH2
US-10-360-101-144

Query Match 86.3%; Score 63; DB 15; Length 10;
Best Local Similarity 88.9%; Pred. No. 0.033;
Matches 8; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 2 HWSHGWYFG 10
|||||
DB 2 HWSHGWYFG 10

RESULT 7

US-10-109-331-5
; Sequence 5, Application US/10109331
; Publication No. US20020165159A1
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.

Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WordPerfect 5.1; No. US20020165159A1eapad Version 4.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/10/109,331
; FILING DATE: 28-Mar-2002
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/09/297,989
; FILING DATE: <Unknown>
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu; Xaa
; at 10 is Gly-NH2"
; SEQUENCE DESCRIPTION: SEQ ID NO: 5:
US-10-109-331-5

Query Match 84.9%; Score 62; DB 13; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.044;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 HWSHGWYP 9
|||||
DB 2 HWSHGWYP 9

RESULT 8

US-10-170-096A-32
; Sequence 32, Application US/10170096A
; Publication No. US20030236184A1
; GENERAL INFORMATION:
; APPLICANT: University Of New Hampshire
; APPLICANT: Sower, Stacia A
; APPLICANT: Silver, Matt
; TITLE OF INVENTION: No. US20030236184A1el Polynucleotides Encoding Lamprey GnRH-III
; FILE REFERENCE: 9815/59339
; CURRENT APPLICATION NUMBER: US/10/170,096A
; CURRENT FILING DATE: 2002-08-08
; NUMBER OF SEQ ID NOS: 37
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 32
; LENGTH: 10
; TYPE: PRT
; ORGANISM: chicken
; FEATURE:
; NAME/KEY: MISC FEATURE
; LOCATION: (1)-(1)
; OTHER INFORMATION: X at position 1 = pGlu

FEATURE:
NAME/KEY: MISC_FEATURE
LOCATION: (10)..(10)
OTHER INFORMATION: X at position 10 = Gly-NH2
US-10-170-096A-32

Query Match 84.9%; Score 62; DB 15; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.044; 0; Indels 0; Gaps 0;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 HWSHGWP 9
Db 2 HWSHGWP 9

RESULT 9
US-10-360-101-153
; Sequence 153, Application US/10360101
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.
; APPLICANT: Leenhouts, Cornelis J.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5673
; CURRENT APPLICATION NUMBER: US/10/360,101
; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 153
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: (Q1,C8)-sequence of LHRH2
US-10-360-101-153

Query Match 83.6%; Score 61; DB 15; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.06;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWP 10
Db 1 QHWSHGWP 10

RESULT 10
US-10-360-101-308
; Sequence 308, Application US/10360101
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.
; APPLICANT: Leenhouts, Cornelis J.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5673
; CURRENT APPLICATION NUMBER: US/10/360,101
; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 308
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: LHRH2 analogue
; FEATURE:
; NAME/KEY: SITE
; LOCATION: (4)..(6)
; OTHER INFORMATION: No. US20040009550A1e = "A" on pos. 4 and 6 are linked by "S"
US-10-360-101-308

Query Match 83.6%; Score 61; DB 15; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.06;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWP 10
Db 1 QHWAHWP 10

RESULT 11
US-10-360-101-114
; Sequence 114, Application US/10360101
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.
; APPLICANT: Leenhouts, Cornelis J.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5673
; CURRENT APPLICATION NUMBER: US/10/360,101
; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 114
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: (C9)-sequence of gonadoliberin II
US-10-360-101-114

Query Match 82.2%; Score 60; DB 15; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.082;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWP 10
Db 1 QHWSHGWP 10

RESULT 12
US-10-360-101-154
; Sequence 154, Application US/10360101
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.
; APPLICANT: Leenhouts, Cornelis J.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5673
; CURRENT APPLICATION NUMBER: US/10/360,101
; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 154
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: (Q1,C9)-sequence of LHRH2
US-10-360-101-154

Query Match 82.2%; Score 60; DB 15; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.082;
Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWP 10
Db 1 QHWSHGWP 10

RESULT 13
 US-10-360-101-307
 ; Sequence 307, Application US/10360101
 ; Publication No. US20040009550A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Moll, Gert N.
 ; APPLICANT: Leenhouts, Cornelis J.
 ; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
 ; FILE REFERENCE: 2183-5673
 ; CURRENT APPLICATION NUMBER: US/10/360,101
 ; CURRENT FILING DATE: 2003-02-07
 ; PRIOR APPLICATION NUMBER: EP 02077060.8
 ; PRIOR FILING DATE: 2002-05-24
 ; NUMBER OF SEQ ID NOS: 309
 ; SOFTWARE: PatentIn version 3.1
 ; SEQ ID NO 307
 ; LENGTH: 10
 ; TYPE: PRT
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: LHRH2 analogue
 ; NAME/KEY: SITE
 ; LOCATION: (2)..(4)
 ; OTHER INFORMATION: No. US20040009550A1e = "A" on pos. 2 and 4 are linked by "S"
 US-10-360-101-307

Query Match 78.1%; Score 57; DB 15; Length 10;
 Best Local Similarity 87.5%; Pred. No. 0.2;
 Matches 7; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

QY 3 WSHGWYPG 10
 Db 3 WAHWYPG 10

RESULT 14
 US-10-360-101-309
 ; Sequence 309, Application US/10360101
 ; Publication No. US20040009550A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Moll, Gert N.
 ; APPLICANT: Leenhouts, Cornelis J.
 ; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
 ; FILE REFERENCE: 2183-5673
 ; CURRENT APPLICATION NUMBER: US/10/360,101
 ; CURRENT FILING DATE: 2003-02-07
 ; PRIOR APPLICATION NUMBER: EP 02077060.8
 ; PRIOR FILING DATE: 2002-05-24
 ; NUMBER OF SEQ ID NOS: 309
 ; SOFTWARE: PatentIn version 3.1
 ; SEQ ID NO 309
 ; LENGTH: 10
 ; TYPE: PRT
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: (Q1,C7)-Sequence of LHRH2
 US-10-360-101-309

Query Match 78.1%; Score 57; DB 15; Length 10;
 Best Local Similarity 80.0%; Pred. No. 0.2;
 Matches 8; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
 Db 1 QHWSHGCPFG 10

RESULT 15
 US-10-360-101-146
 ; Sequence 146, Application US/10360101
 ; Publication No. US20040009550A1

; GENERAL INFORMATION:
 ; APPLICANT: Moll, Gert N.
 ; APPLICANT: Leenhouts, Cornelis J.
 ; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
 ; FILE REFERENCE: 2183-5673
 ; CURRENT APPLICATION NUMBER: US/10/360,101
 ; CURRENT FILING DATE: 2003-02-07
 ; PRIOR APPLICATION NUMBER: EP 02077060.8
 ; PRIOR FILING DATE: 2002-05-24
 ; NUMBER OF SEQ ID NOS: 309
 ; SOFTWARE: PatentIn version 3.1
 ; SEQ ID NO 146
 ; LENGTH: 10
 ; TYPE: PRT
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: (S1,A4,C6)-sequence of LHRH2
 US-10-360-101-146

Query Match 76.7%; Score 56; DB 15; Length 10;
 Best Local Similarity 77.8%; Pred. No. 0.28;
 Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 HWSHGWPFG 10
 Db 2 HWAHCWPFG 10

RESULT 16
 US-10-360-101-159
 ; Sequence 159, Application US/10360101
 ; Publication No. US20040009550A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Moll, Gert N.
 ; APPLICANT: Leenhouts, Cornelis J.
 ; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
 ; FILE REFERENCE: 2183-5673
 ; CURRENT APPLICATION NUMBER: US/10/360,101
 ; CURRENT FILING DATE: 2003-02-07
 ; PRIOR APPLICATION NUMBER: EP 02077060.8
 ; PRIOR FILING DATE: 2002-05-24
 ; NUMBER OF SEQ ID NOS: 309
 ; SOFTWARE: PatentIn version 3.1
 ; SEQ ID NO 159
 ; LENGTH: 10
 ; TYPE: PRT
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: (Q1,A4,S6,C10)-sequence of LHRH2
 US-10-360-101-159

Query Match 75.3%; Score 55; DB 15; Length 10;
 Best Local Similarity 66.7%; Pred. No. 0.37;
 Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYP 9
 Db 1 QHWAHSWYP 9

RESULT 17
 US-10-170-096A-33
 ; Sequence 33, Application US/10170096A
 ; Publication No. US20030236184A1
 ; GENERAL INFORMATION:
 ; APPLICANT: University Of New Hampshire
 ; APPLICANT: Sower, Stacia A
 ; APPLICANT: Silver, Matt
 ; TITLE OF INVENTION: No. US20030236184A1el Polynucleotides Encoding Lamprey GnRH-III
 ; FILE REFERENCE: 9815/59339
 ; CURRENT APPLICATION NUMBER: US/10/170,096A
 ; CURRENT FILING DATE: 2002-08-08
 ; NUMBER OF SEQ ID NOS: 37

```
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 33
; LENGTH: 10
; TYPE: PRT
; ORGANISM: dogfish
; FEATURE:
; NAME/KEY: MISC FEATURE
; LOCATION: (1)..(1)
; OTHER INFORMATION: X at position 1 = pGlu
; FEATURE:
; NAME/KEY: MISC FEATURE
; LOCATION: (10)..(10)
; OTHER INFORMATION: X at position 10 = Gly-NH2
US-10-170-096A-33

Query Match      74.0%; Score 54; DB 15; Length 10;
Best Local Similarity 87.5%; Pred. No. 0.51;
Matches 7; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY      2 HWSHGWP 9
DB      2 HWSGWL 9

RESULT 18
US-10-360-101-145
; Sequence 145, Application US/10360101
; Publication No. US2004000950A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5673
; CURRENT APPLICATION NUMBER: US/10/360,101
; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 145
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: (S1,A4,C5)-sequence of LHRH2
US-10-360-101-145

Query Match      74.0%; Score 54; DB 15; Length 10;
Best Local Similarity 77.8%; Pred. No. 0.51;
Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY      2 HWSHGWP 10
DB      2 HWACGWPG 10

RESULT 19
US-10-170-096A-6
; Sequence 6, Application US/10170096A
; Publication No. US20030236184A1
; GENERAL INFORMATION:
; APPLICANT: University Of New Hampshire
; APPLICANT: Sower, Stacia A
; TITLE OF INVENTION: No. US20030236184A1 Polynucleotides Encoding Lamprey GnRH-III
; FILE REFERENCE: 9815/59339
; CURRENT APPLICATION NUMBER: US/10/170,096A
; CURRENT FILING DATE: 2002-08-08
; NUMBER OF SEQ ID NOS: 37
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 6
; LENGTH: 92
; TYPE: PRT

; ORGANISM: 1. tridentatus
US-10-170-096A-6

Query Match      74.0%; Score 54; DB 15; Length 92;
Best Local Similarity 70.0%; Pred. No. 3.1;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY      1 EHWSHGWPG 10
DB      25 QWSHDWKPG 34

RESULT 20
US-10-170-096A-8
; Sequence 8, Application US/10170096A
; Publication No. US20030236184A1
; GENERAL INFORMATION:
; APPLICANT: University Of New Hampshire
; APPLICANT: Sower, Stacia A
; TITLE OF INVENTION: No. US20030236184A1 Polynucleotides Encoding Lamprey GnRH-III
; FILE REFERENCE: 9815/59339
; CURRENT APPLICATION NUMBER: US/10/170,096A
; CURRENT FILING DATE: 2002-08-08
; NUMBER OF SEQ ID NOS: 37
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 8
; LENGTH: 93
; TYPE: PRT
; ORGANISM: P. marinus
US-10-170-096A-8

Query Match      74.0%; Score 54; DB 15; Length 93;
Best Local Similarity 70.0%; Pred. No. 3.2;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY      1 EHWSHGWPG 10
DB      25 QWSHDWKPG 34

RESULT 21
US-10-170-096A-2
; Sequence 2, Application US/10170096A
; Publication No. US20030236184A1
; GENERAL INFORMATION:
; APPLICANT: University Of New Hampshire
; APPLICANT: Sower, Stacia A
; TITLE OF INVENTION: No. US20030236184A1 Polynucleotides Encoding Lamprey GnRH-III
; FILE REFERENCE: 9815/59339
; CURRENT APPLICATION NUMBER: US/10/170,096A
; CURRENT FILING DATE: 2002-08-08
; NUMBER OF SEQ ID NOS: 37
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 2
; LENGTH: 94
; TYPE: PRT
; ORGANISM: G. australis
US-10-170-096A-2

Query Match      74.0%; Score 54; DB 15; Length 94;
Best Local Similarity 70.0%; Pred. No. 3.2;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY      1 EHWSHGWPG 10
DB      26 QWSHDWKPG 35

RESULT 22
US-10-360-101-305
; Sequence 305, Application US/10360101
```

```
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Siler-Khodr, Theresa M.
; TITLE OF INVENTION: No. US20020065226A1-Mammalian GnRH Analogs and Uses Thereof in R:
; APPLICANT: Moll, Gert N.
; TITLE OF INVENTION: Pregnancy
; FILE REFERENCE: P7345.2(CIP)
; CURRENT APPLICATION NUMBER: US/09/941,094A
; PRIOR FILING DATE: 2001-08-28
; PRIOR APPLICATION NUMBER: US 09/419,161
; PRIOR FILING DATE: 1999-10-15
; NUMBER OF SEQ ID NOS: 4
; SEQ ID NO 4
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Salmo salar
; NAME/KEY: mat_peptide
; FEATURE:
; LOCATION: unknown
; OTHER INFORMATION: MOD RES substitution of Gly residue at 10 with aza-Gly-NH2. Xaa
; OTHER INFORMATION: D-Arg. MOD_RES Glu at position 1 is Pyroglutamic acid.
US-09-941-094A-4

Query Match 71.2%; Score 52; DB 9; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.93;
Matches 7; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
Db 1 EHWYXWLP 10

RESULT 25
US-10-360-101-157
; Sequence 157, Application US/10360101
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5673
; CURRENT APPLICATION NUMBER: US/10/360,101
; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 157
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: (Q1,A4,S5,C10)-sequence of LHRH2
US-10-360-101-157

Query Match 71.2%; Score 52; DB 15; Length 10;
Best Local Similarity 66.7%; Pred. No. 0.93;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYP 9
Db 1 QHWASGWYP 9

RESULT 26
US-10-617-561-16
; Sequence 16, Application US/10617561
; Publication No. US20040018967A1
; GENERAL INFORMATION:
; APPLICANT: La. State Univ. & Mech. Coll., Board of Supervisors
; Enright, Frederick M.
; Jaynes, Jesse M.
; Hanse, William
; Koonce, Kenneth L.
; McCann, Samuel M.

; Publication No. US20040009550A1 = "A" on pos. 6 and 9 are linked by "S"
US-10-360-101-306

Query Match 72.6%; Score 53; DB 15; Length 10;
Best Local Similarity 60.0%; Pred. No. 0.69;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
Db 1 QHWAHAWYAG 10

RESULT 23
US-10-360-101-306
; Sequence 306, Application US/10360101
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5673
; CURRENT APPLICATION NUMBER: US/10/360,101
; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 306
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: LHRH2 analogue
; NAME/KEY: SITE
; LOCATION: (4)...(7)
; OTHER INFORMATION: No. US20040009550A1 = "A" on pos. 4 and 7 are linked by "S"
US-10-360-101-306

Query Match 72.6%; Score 53; DB 15; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.69;
Matches 7; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
Db 1 QHWAHAWYAG 10

RESULT 24
US-09-941-094A-4
; Sequence 4, Application US/09941094A
; Patent No. US20020065226A1
```

Yu, Wen H.
 Melrose, Patricia A.
 Foil, Lane D.
 Elzer, Philip H.
 TITLE OF INVENTION: Ligand/Lytic Peptide Compositions and Methods of Use
 NUMBER OF SEQUENCES: 18
 CORRESPONDENCE ADDRESS:
 ADDRESSEE: John H. Rannels
 STREET: P. O. Box 2471
 CITY: Baton Rouge
 STATE: LA
 COUNTRY: USA
 ZIP: 70821-2471
 COMPUTER READABLE FORM:
 MEDIUM TYPE: Floppy disk
 COMPUTER: IBM PC compatible
 OPERATING SYSTEM: PC-DOS/MS-DOS
 SOFTWARE: Patent in Release #1.0, Version #1.25
 CURRENT APPLICATION NUMBER: US/10/617,561
 FILING DATE: 11-Jul-2003
 CLASSIFICATION: <Unknown>
 PRIOR APPLICATION DATA:
 APPLICATION NUMBER: US/09/381,879
 FILING DATE: 25-Aug-1999
 ATTORNEY/AGENT INFORMATION:
 NAME: Rannels, John H.
 REGISTRATION NUMBER: 33,451
 REFERENCE/DOCKET NUMBER: 96A3.2-US
 TELECOMMUNICATION INFORMATION:
 TELEPHONE: (225) 387-3221
 TELEFAX: (225) 346-8049
 INFORMATION FOR SEQ ID NO: 16:
 SEQUENCE CHARACTERISTICS:
 LENGTH: 10 amino acids
 TYPE: amino acid
 TOPOLOGY: linear
 MOLECULE TYPE: peptide
 FEATURE:
 NAME/KEY: Peptide
 LOCATION: 1..10
 OTHER INFORMATION: /note= "Xaa in position 1 denotes pyro-glutamic acid. This sequence is 1-LHRH-III."
 SEQUENCE DESCRIPTION: SEQ ID NO: 16:
 US-10-617-561-16
 Query Match 71.2%; Score 52; DB 15; Length 10;
 Best Local Similarity 77.8%; Pred. No. 0.93;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
 QY 2 HWSHGWPYG 10
 Db 2 HWSHDWKP 10
 RESULT 27
 US-10-617-561-15
 Sequence 15, Application US/10617561
 Publication No. US20040018967A1
 GENERAL INFORMATION:
 APPLICANT: La. State Univ. & Mech. Coll., Board of Supervisors
 Enright, Frederick M.
 Jaynes, Jesse M.
 Hansel, William
 Koonce, Kenneth L.
 McCann, Samuel M.
 Yu, Wen H.
 Melrose, Patricia A.
 Foil, Lane D.
 Elzer, Philip H.
 TITLE OF INVENTION: Ligand/Lytic Peptide Compositions and Methods of Use

NUMBER OF SEQUENCES: 18
 CORRESPONDENCE ADDRESS:
 ADDRESSEE: John H. Rannels
 STREET: P. O. Box 2471
 CITY: Baton Rouge
 STATE: LA
 COUNTRY: USA
 ZIP: 70821-2471
 COMPUTER READABLE FORM:
 MEDIUM TYPE: Floppy disk
 COMPUTER: IBM PC compatible
 OPERATING SYSTEM: PC-DOS/MS-DOS
 SOFTWARE: Patent in Release #1.0, Version #1.25
 CURRENT APPLICATION NUMBER: US/10/617,561
 FILING DATE: 11-Jul-2003
 CLASSIFICATION: <Unknown>
 PRIOR APPLICATION DATA:
 APPLICATION NUMBER: US/09/381,879
 FILING DATE: 25-Aug-1999
 ATTORNEY/AGENT INFORMATION:
 NAME: Rannels, John H.
 REGISTRATION NUMBER: 33,451
 REFERENCE/DOCKET NUMBER: 96A3.2-US
 TELECOMMUNICATION INFORMATION:
 TELEPHONE: (225) 387-3221
 TELEFAX: (225) 346-8049
 INFORMATION FOR SEQ ID NO: 15:
 SEQUENCE CHARACTERISTICS:
 LENGTH: 33 amino acids
 TYPE: amino acid
 TOPOLOGY: linear
 MOLECULE TYPE: peptide
 FEATURE:
 NAME/KEY: Peptide
 LOCATION: 1..33
 OTHER INFORMATION: /note= "Xaa in position 1 denotes pyro-glutamic acid. This sequence is an 1-LHRH-III/hecate fusion peptide."
 SEQUENCE DESCRIPTION: SEQ ID NO: 15:
 US-10-617-561-15
 Query Match 71.2%; Score 52; DB 15; Length 33;
 Best Local Similarity 77.8%; Pred. No. 2.5;
 Matches 7; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
 QY 2 HWSHGWPYG 10
 Db 2 HWSHDWKP 10
 RESULT 28
 US-10-360-101-158
 Sequence 158, Application US/10360101
 Publication No. US20040009550A1
 GENERAL INFORMATION:
 APPLICANT: Moll, Gert N.
 APPLICANT: Leenhouts, Cornelis J.
 TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
 FILE REFERENCE: 2183-5673
 CURRENT APPLICATION NUMBER: US/10/360,101
 CURRENT FILING DATE: 2003-02-07
 PRIOR APPLICATION NUMBER: EP 02077060.8
 PRIOR FILING DATE: 2002-05-24
 NUMBER OF SEQ ID NOS: 309
 SOFTWARE: Patent in version 3.1
 SEQ ID NO 158
 LENGTH: 10
 TYPE: PRT
 ORGANISM: Artificial Sequence
 FEATURE:
 OTHER INFORMATION: (Q1,A4,S6,C9)-sequence of LHRH2
 US-10-360-101-158


```

; Sequence 155, Application US/10360101
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.
; APPLICANT: Leenhouts, Cornelis J.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5673
; CURRENT APPLICATION NUMBER: US/10/360,101
; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 155
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: (Q1,A4,S5,C8)-sequence of LRRH2
US-10-360-101-155

Query Match      67.1%; Score 49; DB 15; Length 10;
Best Local Similarity 60.0%; Pred. No. 2.3;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY      1 EHWSHGWYGP 10
       :||: ||||
Db      1 QHWASGWCPG 10

RESULT 32
US-10-109-331-4
; Sequence 4, Application US/10109331
; Publication No. US20020165159A1
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25;
; WordPerfect 5.1; No. US20020165159A1eapad Version 4.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/10/109,331
; FILING DATE: 28-Mar-2002
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/09/297,989
; FILING DATE: <Unknown>
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:

```

```

Query Match      69.9%; Score 51; DB 15; Length 10;
Best Local Similarity 60.0%; Pred. No. 1.3;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY      1 EHWSHGWYGP 10
       :||: ||||
Db      1 QHWAHSWYCG 10

RESULT 29
US-10-170-096A-4
; Sequence 4, Application US/10170096A
; Publication No. US20030236184A1
; GENERAL INFORMATION:
; APPLICANT: University Of New Hampshire
; APPLICANT: Sower, Stacia A
; APPLICANT: Silver, Matt
; TITLE OF INVENTION: No. US20030236184A1e1 Polynucleotides Encoding Lamprey GnRH-III
; FILE REFERENCE: 9815/59339
; CURRENT APPLICATION NUMBER: US/10/170,096A
; CURRENT FILING DATE: 2002-08-08
; NUMBER OF SEQ ID NOS: 37
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 4
; LENGTH: 92
; TYPE: PRT
; ORGANISM: m. mordax
US-10-170-096A-4

Query Match      69.9%; Score 51; DB 15; Length 92;
Best Local Similarity 60.0%; Pred. No. 7.8;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY      1 EHWSHGWYGP 10
       :||: ||||
Db      25 QHWHDWKPG 34

RESULT 30
US-10-360-101-148
; Sequence 148, Application US/10360101
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.
; APPLICANT: Leenhouts, Cornelis J.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5673
; CURRENT APPLICATION NUMBER: US/10/360,101
; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 148
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: (Q1,S2,A4,C6)-sequence of LRRH2
US-10-360-101-148

Query Match      67.1%; Score 49; DB 15; Length 10;
Best Local Similarity 60.0%; Pred. No. 2.3;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY      1 EHWSHGWYGP 10
       :||: ||||
Db      1 QSWAHCWYGP 10

RESULT 31
US-10-360-101-155

```

OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu; Xaa at 10 is Gly-NH2"
SEQUENCE DESCRIPTION: SEQ ID NO: 4:
US-10-109-331-4

Query Match 65.8%; Score 48; DB 13; Length 10;
Best Local Similarity 75.0%; Pred. No. 3.2;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 HWSHGWP 9
Db 2 HWSGWL 9

RESULT 33
US-10-170-096A-28
; Sequence 28, Application US/10170096A
; Publication No. US20030236184A1
; GENERAL INFORMATION:
; APPLICANT: University Of New Hampshire
; APPLICANT: Sower, Stacia A
; APPLICANT: Silver, Matt
; TITLE OF INVENTION: NO. US20030236184A1el Polynucleotides Encoding Lamprey GnRH-III
; FILE REFERENCE: 9845/59339
; CURRENT APPLICATION NUMBER: US/10/170,096A
; CURRENT FILING DATE: 2002-08-08
; NUMBER OF SEQ ID NOS: 37
; SOFTWARE: Patent in version 3.1
; SEQ ID NO 28
; LENGTH: 10
; TYPE: PRT
; ORGANISM: salmon
; FEATURE:
; NAME/KEY: MISC FEATURE
; LOCATION: (1)..(1)
; OTHER INFORMATION: X at position 1 = pGlu
; FEATURE:
; NAME/KEY: MISC FEATURE
; LOCATION: (10)..(10)
; OTHER INFORMATION: X at position 10 = Gly-NH2
US-10-170-096A-28

Query Match 65.8%; Score 48; DB 15; Length 10;
Best Local Similarity 75.0%; Pred. No. 3.2;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

QY 2 HWSHGWP 9
Db 2 HWSGWL 9

RESULT 34
US-10-360-101-156
; Sequence 156, Application US/10360101
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.
; APPLICANT: Leenhouts, Cornelis J.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5673
; CURRENT APPLICATION NUMBER: US/10/360,101
; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: Patent in version 3.1
; SEQ ID NO 156
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: (Q1,A4,S5,C9)-sequence of LHRH2
US-10-360-101-156

Query Match 65.8%; Score 48; DB 15; Length 10;
Best Local Similarity 60.0%; Pred. No. 3.2;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 EHWSHGWPG 10
Db 1 QHWASGWYCG 10

RESULT 35
US-10-109-331-7
; Sequence 7, Application US/10109331
; Publication No. US20020165159A1
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Xu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent in Release #1.0, Version #1.25;
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/10/109,331
; FILING DATE: 28-Mar-2002
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/09/297,989
; FILING DATE: <Unknown>
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P-US
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 7:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu; Xaa at 10 is Gly-NH2"
; SEQUENCE DESCRIPTION: SEQ ID NO: 7:
US-10-109-331-7

Query Match 64.4%; Score 47; DB 13; Length 10;
Best Local Similarity 75.0%; Pred. No. 4.3;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWP 9
Db 2 HWSHAWKP 9

RESULT 36
US-10-360-101-147
; Sequence 147, Application US/10360101
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.

```
; APPLICANT: Leenhouts, Cornelis J.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5673
; CURRENT APPLICATION NUMBER: US/10/360,101
; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 147
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: (Q1,S2,A4,C5)-sequence of LHRH2
US-10-360-101-147

Query Match 64.4%; Score 47; DB 15; Length 10;
Best Local Similarity 60.0%; Pred. No. 4.3;
Matches 6; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 10
Db 1 QSWACGWYPG 10

RESULT 37
US-10-360-101-160
; Sequence 160, Application US/10360101
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.
; APPLICANT: Leenhouts, Cornelis J.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5673
; CURRENT APPLICATION NUMBER: US/10/360,101
; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 160
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: (Q1,A4,S7,C10)-sequence of LHRH2
US-10-360-101-160

Query Match 64.4%; Score 47; DB 15; Length 10;
Best Local Similarity 66.7%; Pred. No. 4.3;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

QY 1 EHWSHGWYPG 9
Db 1 QHWAGSYG 9

RESULT 38
US-10-109-331-1
; Sequence 1, Application US/10109331
; Publication No. US20020165159A1
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
```

```
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25;
; WordPerfect 5.1; No. US20020165159A1epad Version 4.0
; CURRENT APPLICATION DATA: US/10/109,331
; FILING DATE: 28-Mar-2002
; CLASSIFICATION: <Unknown>
; APPLICATION NUMBER: US/09/297,989
; FILING DATE: <Unknown>
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu; Xaa
; at 10 is Gly-NH2"
; SEQUENCE DESCRIPTION: SEQ ID NO: 1:
US-10-109-331-1

Query Match 63.0%; Score 46; DB 13; Length 10;
Best Local Similarity 75.0%; Pred. No. 5.8;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWP 9
Db 2 HWSHDWKP 9

RESULT 39
US-10-109-331-9
; Sequence 9, Application US/10109331
; Publication No. US20020165159A1
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; APPLICANT: Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25;
; WordPerfect 5.1; No. US20020165159A1epad Version 4.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/10/109,331
; FILING DATE: 28-Mar-2002
; CLASSIFICATION: <Unknown>
; APPLICATION NUMBER: US/09/297,989
; FILING DATE: <Unknown>
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
```

```
/
/
/ REGISTRATION NUMBER: 33451
/ REFERENCE/DOCKET NUMBER: 9703P-US
/ TELECOMMUNICATION INFORMATION:
/ TELEPHONE: (225) 387-3221
/ TELEFAX: (225) 346-8049
/ INFORMATION FOR SEQ ID NO: 9:
/ SEQUENCE CHARACTERISTICS:
/ LENGTH: 10 amino acids
/ TYPE: amino acid
/ TOPOLOGY: linear
/ MOLECULE TYPE: peptide
/ FEATURE:
/ OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
/ Xaa at 6 is (D-Ala); Xaa at 10 is Gly-NH2"
/ SEQUENCE DESCRIPTION: SEQ ID NO: 9:
US-10-109-331-9

Query Match 63.0%; Score 46; DB 13; Length 10;
Best Local Similarity 75.0%; Pred. No. 5.8;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWP 9
Db 2 HWSHXKP 9

RESULT 41
US-10-109-331-15
/ Sequence 15, Application US/10109331
/ Publication No. US20020165159A1
/ GENERAL INFORMATION:
/ APPLICANT: McCann, Samuel M.
/ Yu, Wen H.
/ TITLE OF INVENTION: FSH-Releasing Peptides
/ NUMBER OF SEQUENCES: 41
/ CORRESPONDENCE ADDRESS:
/ ADDRESSEE: John H. Rannels
/ STREET: P. O. Box 2471
/ CITY: Baton Rouge
/ STATE: LA
/ COUNTRY: USA
/ ZIP: 70821-2471
/ COMPUTER READABLE FORM:
/ MEDIUM TYPE: Floppy disk
/ COMPUTER: IBM PC compatible
/ OPERATING SYSTEM: PC-DOS/MS-DOS
/ SOFTWARE: PatentIn Release #1.0, Version #1.25;
/ WordPerfect 5.1; No. US20020165159A1epad Version 4.0
/ CURRENT APPLICATION DATA:
/ APPLICATION NUMBER: US/10/109,331
/ FILING DATE: 28-Mar-2002
/ CLASSIFICATION: <Unknown>
/ PRIOR APPLICATION DATA:
/ APPLICATION NUMBER: US/09/297,989
/ FILING DATE: <Unknown>
/ ATTORNEY/AGENT INFORMATION:
/ NAME: Rannels, John H.
/ REGISTRATION NUMBER: 33451
/ REFERENCE/DOCKET NUMBER: 9703P-US
/ TELECOMMUNICATION INFORMATION:
/ TELEPHONE: (225) 387-3221
/ TELEFAX: (225) 346-8049
/ INFORMATION FOR SEQ ID NO: 15:
/ SEQUENCE CHARACTERISTICS:
/ LENGTH: 10 amino acids
/ TYPE: amino acid
/ TOPOLOGY: linear
/ MOLECULE TYPE: peptide
/ FEATURE:
/ OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
/ Xaa at 6 is (SerBut); Xaa at 10 is Gly-NH2"
/ SEQUENCE DESCRIPTION: SEQ ID NO: 15:
US-10-109-331-15

Query Match 63.0%; Score 46; DB 13; Length 10;
Best Local Similarity 75.0%; Pred. No. 5.8;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 2 HWSHGWP 9
Db 2 HWSHXKP 9

RESULT 42
US-10-109-331-17
/ Sequence 17, Application US/10109331
/ Publication No. US20020165159A1
/ GENERAL INFORMATION:
/ APPLICANT: McCann, Samuel M.
/
```


LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
FEATURE:
OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
Xaa at 6 is (His-Bzl); Xaa at 10 is Gly-NH2"
SEQUENCE DESCRIPTION: SEQ ID NO: 23;
US-109-331-23

Query Match 63.0%; Score 46; DB 13; Length 10;
Best Local Similarity 75.0%; Pred. No. 5.8;
Matches 5; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 2 HWSHGWP 9
Db 2 HWSHWKP 9

RESULT 45

US-109-331-25
Sequence 25, Application US/10109331
Publication No. US20020165159A1
GENERAL INFORMATION:
APPLICANT: McCann, Samuel M.
Yu, Wen H.

TITLE OF INVENTION: FSH-Releasing Peptides

NUMBER OF SEQUENCES: 41

CORRESPONDENCE ADDRESS:

ADDRESSEE: John H. Runnels

STREET: P. O. Box 2471

CITY: Baton Rouge

STATE: LA

COUNTRY: USA

ZIP: 70821-2471

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: Patentin Release #1.0, Version #1.25;
WordPerfect 5.1; No. US20020165159A1eapad Version 4.0

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/10/109,331

FILING DATE: 28-Mar-2002

CLASSIFICATION: <Unknown>

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US/09/297,989

FILING DATE: <Unknown>

ATTORNEY/AGENT INFORMATION:

NAME: Runnels, John H.

REGISTRATION NUMBER: 33451

REFERENCE/DOCKET NUMBER: 9703P-US

TELECOMMUNICATION INFORMATION:

TELEPHONE: (225) 387-3221

TELEFAX: (225) 346-8049

INFORMATION FOR SEQ ID NO: 25:

SEQUENCE CHARACTERISTICS:

LENGTH: 10 amino acids

TYPE: amino acid

TOPOLOGY: linear

MOLECULE TYPE: peptide

FEATURE:

OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
Xaa at 6 is (D-His-Bzl); Xaa at 10 is Gly-NH2"

SEQUENCE DESCRIPTION: SEQ ID NO: 25;
US-109-331-25

Query Match 63.0%; Score 46; DB 13; Length 10;
Best Local Similarity 75.0%; Pred. No. 5.8;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 2 HWSHGWP 9
Db 2 HWSHWKP 9

Db 2 HWSHWKP 9

RESULT 46

US-109-331-27

Sequence 27, Application US/10109331

Publication No. US20020165159A1

GENERAL INFORMATION:

APPLICANT: McCann, Samuel M.

Yu, Wen H.

TITLE OF INVENTION: FSH-Releasing Peptides

NUMBER OF SEQUENCES: 41

CORRESPONDENCE ADDRESS:

ADDRESSEE: John H. Runnels

STREET: P. O. Box 2471

CITY: Baton Rouge

STATE: LA

COUNTRY: USA

ZIP: 70821-2471

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk

COMPUTER: IBM PC compatible

OPERATING SYSTEM: PC-DOS/MS-DOS

SOFTWARE: Patentin Release #1.0, Version #1.25;
WordPerfect 5.1; No. US20020165159A1eapad Version 4.0

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/10/109,331

FILING DATE: 28-Mar-2002

CLASSIFICATION: <Unknown>

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US/09/297,989

FILING DATE: <Unknown>

ATTORNEY/AGENT INFORMATION:

NAME: Runnels, John H.

REGISTRATION NUMBER: 33451

REFERENCE/DOCKET NUMBER: 9703P-US

TELECOMMUNICATION INFORMATION:

TELEPHONE: (225) 387-3221

TELEFAX: (225) 346-8049

INFORMATION FOR SEQ ID NO: 27:

SEQUENCE CHARACTERISTICS:

LENGTH: 10 amino acids

TYPE: amino acid

TOPOLOGY: linear

MOLECULE TYPE: peptide

FEATURE:

OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
Xaa at 6 is Nal(2); Xaa at 10 is Gly-NH2"

SEQUENCE DESCRIPTION: SEQ ID NO: 27;
US-109-331-27

Query Match 63.0%; Score 46; DB 13; Length 10;

Best Local Similarity 75.0%; Pred. No. 5.8;

Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

Qy 2 HWSHGWP 9

Db 2 HWSHWKP 9

RESULT 47

US-109-331-29

Sequence 29, Application US/10109331

Publication No. US20020165159A1

GENERAL INFORMATION:

APPLICANT: McCann, Samuel M.

Yu, Wen H.

TITLE OF INVENTION: FSH-Releasing Peptides

NUMBER OF SEQUENCES: 41

CORRESPONDENCE ADDRESS:

ADDRESSEE: John H. Runnels

STREET: P. O. Box 2471

CITY: Baton Rouge

```

;
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: IBM PC compatible
; SOFTWARE: PatentIn Release #1.0, Version #1.25;
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/10/109,331
; FILING DATE: 28-Mar-2002
; CLASSIFICATION: <unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/09/297,989
; FILING DATE: <unknown>
; ATTORNEY/AGENT INFORMATION:
; NAME: Rannels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 29:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
; Xaa at 6 is (D-Nal(2)); Xaa at 10 is Gly-NH2"
; SEQUENCE DESCRIPTION: SEQ ID NO: 29:
US-10-109-331-29
Query Match 63.0%; Score 45; DB 13; Length 10;
Best Local Similarity 75.0%; Pred.No. 5.8;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
QY 2 HWSHGWP 9
| | | | |
Db 2 HWSHWKP 9
;
; RESULT 48
; US-10-109-331-31
; Sequence 31, Application US/10109331
; Publication No. US20020165159A1
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Rannels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25;
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/10/109,331
; FILING DATE: 28-Mar-2002
; CLASSIFICATION: <unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/09/297,989
; FILING DATE: <unknown>
; ATTORNEY/AGENT INFORMATION:
; NAME: Rannels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 32:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
; Xaa at 6 is (D-Nal(2)); Xaa at 10 is (aza-Gly)"
; SEQUENCE DESCRIPTION: SEQ ID NO: 31:
US-10-109-331-31
Query Match 63.0%; Score 46; DB 13; Length 10;
Best Local Similarity 75.0%; Pred.No. 5.8;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;
QY 2 HWSHGWP 9
| | | | |
Db 2 HWSHWKP 9
;
; RESULT 49
; US-10-109-331-32
; Sequence 32, Application US/10109331
; Publication No. US20020165159A1
; GENERAL INFORMATION:
; APPLICANT: McCann, Samuel M.
; Yu, Wen H.
; TITLE OF INVENTION: FSH-Releasing Peptides
; NUMBER OF SEQUENCES: 41
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Rannels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25;
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/10/109,331
; FILING DATE: 28-Mar-2002
; CLASSIFICATION: <unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/09/297,989
; FILING DATE: <unknown>
; ATTORNEY/AGENT INFORMATION:
; NAME: Rannels, John H.
; REGISTRATION NUMBER: 33451
; REFERENCE/DOCKET NUMBER: 9703P-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 32:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; OTHER INFORMATION: /note= "Xaa at 1 is pyro-Glu;
; Xaa at 6 is (D-Nal(2)); Xaa at 10 is (aza-Gly)"
; SEQUENCE DESCRIPTION: SEQ ID NO: 31:
US-10-109-331-31

```

```
; SEQUENCE DESCRIPTION: SEQ ID NO: 32:
US-10-109-331-32
Query Match      63.0%; Score 46; DB 13; Length 10;
Best Local Similarity 75.0%; Pred. No. 5.8;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY      2 HWSHGWYP 9
      |||||
Db      2 HWSHWKP 9

RESULT 50
US-10-170-096A-35
; Sequence 35, Application US/10170096A
; Publication No. US20030236184A1
; GENERAL INFORMATION:
; APPLICANT: University Of New Hampshire
; APPLICANT: Sower, Stacia A
; APPLICANT: Silver, Matt
; FILE REFERENCE: 9815/59339
; TITLE OF INVENTION: NO. US20030236184A1 Polynucleotides Encoding Lamprey GnRH-III
; CURRENT APPLICATION NUMBER: US/10/170,096A
; CURRENT FILING DATE: 2002-08-08
; NUMBER OF SEQ ID NOS: 37
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 35
; LENGTH: 10
; TYPE: PRT
; ORGANISM: lamprey
; FEATURE:
; NAME/KEY: MISC FEATURE
; LOCATION: (1)..(1)
; OTHER INFORMATION: X at position 1 = pGlu
; FEATURE:
; NAME/KEY: MISC FEATURE
; LOCATION: (10)..(10)
; OTHER INFORMATION: X at position 10 = Gly-NH2
US-10-170-096A-35

Query Match      63.0%; Score 46; DB 15; Length 10;
Best Local Similarity 75.0%; Pred. No. 5.8;
Matches 6; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY      2 HWSHGWYP 9
      |||||
Db      2 HWSHDWKP 9

Search completed: March 2, 2004, 19:30:04
Job time : 31 secs
```


GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 2, 2004, 18:44:23 ; Search time 50.5 Seconds
(without alignments)
55.950 Million cell updates/sec

Title: US-09-857-115-7
Perfect score: 50
Sequence: 1 EHWXGXPG 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 1586107 seqs, 282547505 residues

Total number of hits satisfying chosen parameters: 1586107

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 500 summaries

Database : A_Geneseq_29Jan04: *
1: Geneseq1980s: *
2: Geneseq1990s: *
3: Geneseq2000s: *
4: Geneseq2001s: *
5: Geneseq2002s: *
6: Geneseq2003as: *
7: Geneseq2003bs: *
8: Geneseq2004s: *

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	45	90.0	10	2 AAR97757	Aar97757 Seabream
2	45	90.0	10	6 ADA88936	Ada88936 Sea bream
3	45	90.0	10	6 ADA88937	Ada88937 Herring g
4	45	90.0	10	6 AAC31037	Aac31037 Pejerrey
5	45	90.0	10	6 AAC31038	Aac31038 Herring g
6	45	90.0	10	6 AAC31036	Aac31036 Sea bream
7	45	90.0	21	5 ABB76120	Abb76120 L7A-GnRH-
8	45	90.0	21	5 ABB76118	Abb76118 Y5A-GnRH-
9	45	90.0	21	5 ABB76121	Abb76121 R8A-GnRH-
10	44	88.0	10	1 AAP10416	Aap10416 Luteinisi
11	44	88.0	10	1 AAP10411	Aap10411 Luteinisi
12	44	88.0	10	1 AAP50512	Aap50512 Sequence
13	44	88.0	10	1 AAP50513	Aap50513 Sequence
14	44	88.0	10	1 AAP50222	Aap50222 Gonadotro
15	44	88.0	10	1 AAP60127	Aap60127 Gonadolib
16	44	88.0	10	1 AAP61403	Aap61403 Gonadotro
17	44	88.0	10	1 AAP60576	Aap60576 Novel dec
18	44	88.0	10	1 AAP70922	Aap70922 Luteinisi
19	44	88.0	10	1 AAP81580	Aap81580 LHRH anal
20	44	88.0	10	1 AAP81578	Aap81578 LHRH anal
21	44	88.0	10	1 AAP81575	Aap81575 LHRH anal
22	44	88.0	10	1 AAP81577	Aap81577 LHRH anal
23	44	88.0	10	1 AAP81579	Aap81579 LHRH anal
24	44	88.0	10	1 AAP90630	Aap90630 Sequence
25	44	88.0	10	2 AAR15713	Aar15713 Peptide #

26	44	88.0	10	2 AAR26819	Aar26819 LH releas
27	44	88.0	10	2 AAR62689	Aar62689 LHRH pept
28	44	88.0	10	2 AAR91197	Aar91197 LHRH pept
29	44	88.0	10	2 AAR75152	Aar75152 Gonadotro
30	44	88.0	10	2 AAR75153	Aar75153 Chicken (
31	44	88.0	10	2 AAR75155	Aar75155 Catfish G
32	44	88.0	10	2 AAR68445	Aar68445 Gonadotro
33	44	88.0	10	2 ADC79469	Adc79469 Naturally
34	44	88.0	10	2 AAR77431	Aar77431 Catfish g
35	44	88.0	10	2 AAW65201	Aaw65201 Luteinisi
36	44	88.0	10	2 AAW65203	Aaw65203 Luteinisi
37	44	88.0	10	2 AAW45642	Aaw45642 Luteinisi
38	44	88.0	10	2 AAW16294	Aaw16294 8-Lys(COC
39	44	88.0	10	2 AAW16293	Aaw16293 8-Met(S+M
40	44	88.0	10	2 AAW04612	Aaw04612 Lutenizin
41	44	88.0	10	2 AAW76373	Aaw76373 Rat GnRH
42	44	88.0	10	2 AAW76389	Aaw76389 Chicken I
43	44	88.0	10	2 AAW96765	Aaw96765 Luteinisi
44	44	88.0	10	2 AAW47842	Aaw47842 pGlu-His-
45	44	88.0	10	2 AAY03856	Aay03856 Amino aci
46	44	88.0	10	2 AAY31176	Aay31176 Ubiquitin
47	44	88.0	10	2 AAY50229	Aay50229 Neutrophil
48	44	88.0	10	2 AAW94890	Aaw94890 LHRH pept
49	44	88.0	10	2 AAB03590	Aab03590 Luteinisi
50	44	88.0	10	2 AAY31067	Aay31067 Non-cross
51	44	88.0	10	2 AAW83360	Aaw83360 Luteinisi
52	44	88.0	10	2 AAW84278	Aaw84278 Hormone d
53	44	88.0	10	2 AAW84294	Aaw84294 Mammalian
54	44	88.0	10	3 AAY82376	Aay82376 Mammalian
55	44	88.0	10	3 AAY68566	Aay68566 Luteinisi
56	44	88.0	10	3 AAB10930	Aab10930 Gonadorel
57	44	88.0	10	3 AAY88385	Aay88385 GnRH-II a
58	44	88.0	10	3 AAY55061	Aay55061 Luteinisi
59	44	88.0	10	3 AAY91197	Aay91197 LHRH targ
60	44	88.0	10	3 AAB06261	Aab06261 Gonadotro
61	44	88.0	10	3 AAB06263	Aab06263 GnRH-II t
62	44	88.0	10	3 AAY58136	Aay58136 Native ma
63	44	88.0	10	3 AAY79054	Aay79054 Luteinisi
64	44	88.0	10	3 AAY88576	Aay88576 Gonadotro
65	44	88.0	10	3 AAB15362	Aab15362 Human LHR
66	44	88.0	10	3 AAB08103	Aab08103 Amino aci
67	44	88.0	10	3 AAB20863	Aab20863 Gonadotro
68	44	88.0	10	3 AAB20777	Aab20777 Luteinisi
69	44	88.0	10	3 AAY96084	Aay96084 Gonadotro
70	44	88.0	10	4 AAB71947	Aab71947 GnRH mono
71	44	88.0	10	4 AAB30966	Aab30966 Luteinisi
72	44	88.0	10	4 AAB30963	Aab30963 Luteinisi
73	44	88.0	10	4 AAB73047	Aab73047 Mammalian
74	44	88.0	10	4 AAB87020	Aab87020 Gonadorel
75	44	88.0	10	4 AAB49151	Aab49151 Gonadotro
76	44	88.0	10	4 AAB68693	Aab68693 Luteinisi
77	44	88.0	10	4 AAB74991	Aab74991 Gonadotro
78	44	88.0	10	5 ABB06174	Abb06174 Gonadotro
79	44	88.0	10	5 ABB06173	Abb06173 Gonadotro
80	44	88.0	10	5 AAB76103	Aab76103 Gonadotro
81	44	88.0	10	5 AAO16967	Aao16967 Human Gon
82	44	88.0	10	5 AAG66082	Aag66082 Gonadotro
83	44	88.0	10	5 AAG66087	Aag66087 Gonadotro
84	44	88.0	10	5 AAG66080	Aag66080 Gonadotro
85	44	88.0	10	5 AAG80729	Aag80729 Mammalian
86	44	88.0	10	5 AAE15663	Aae15663 Mammalian
87	44	88.0	10	5 AAG31058	Aag31058 Gonadotro
88	44	88.0	10	5 AAO17139	Aao17139 L-gonadot
89	44	88.0	10	6 ABR40003	Abr40003 Human Gon
90	44	88.0	10	6 AAE29838	Aae29838 Gonadotro
91	44	88.0	10	6 AAE29839	Aae29839 Gonadotro
92	44	88.0	10	6 ABP55039	Abp55039 Gonadotro
93	44	88.0	10	6 ABG73255	Abg73255 Luteinisi
94	44	88.0	10	6 ABP57100	Abp57100 Gonadotro
95	44	88.0	10	6 ADA88927	Ada88927 Chicken I
96	44	88.0	10	6 ADA88925	Ada88925 Mammalian
97	44	88.0	10	6 ADA88939	Ada88939 Murrel go
98	44	88.0	10	6 ADA88934	Ada88934 Catfish 9

99	44	88.0	10	6	AAO31039	Aao31039 Catfish g	172	44	88.0	30	2	AA62711	LHRH-cont
100	44	88.0	10	6	AAO31056	Aao31056 Russian s	173	44	88.0	30	3	AA65858	Peptide i
101	44	88.0	10	6	AAO31040	Aao31040 Chicken s	174	44	88.0	30	3	AA65859	Peptide i
102	44	88.0	10	6	AAO31034	Aao31034 Mus muscu	175	44	88.0	30	3	AA65860	Peptide i
103	44	88.0	10	6	ABU08860	Abu08860 Human gon	176	44	88.0	30	3	AA65861	Peptide i
104	44	88.0	10	7	ADD24644	Add24644 Mammalian	177	44	88.0	30	3	AA65862	Modified
105	44	88.0	10	7	AD686800	Ad686800 GnRH repe	178	44	88.0	30	3	AA65863	Modified
106	44	88.0	12	1	AA680002	Aa680002 Luteinisi	179	44	88.0	30	3	AA65864	Modified
107	44	88.0	13	1	AA680005	Aa680005 Luteinisi	180	44	88.0	30	3	AA65865	Modified
108	44	88.0	16	2	AA678284	Aa678284 GnRH immu	181	44	88.0	30	3	AA65866	Modified
109	44	88.0	16	2	AA678285	Aa678285 GnRH immu	182	44	88.0	30	3	AA65867	Modified
110	44	88.0	16	2	AA658141	Aa658141 Gonadotro	183	44	88.0	30	3	AA65868	Modified
111	44	88.0	16	5	AA658086	Aa658086 Amino aci	184	44	88.0	31	2	AA65869	Modified
112	44	88.0	16	5	AA658081	Aa658081 Gonadotro	185	44	88.0	31	2	AA65870	Modified
113	44	88.0	17	2	AA678283	Aa678283 GnRH immu	186	44	88.0	31	3	AA65871	Modified
114	44	88.0	17	2	AA678282	Aa678282 GnRH immu	187	44	88.0	31	3	AA65872	Modified
115	44	88.0	17	3	AA658139	Aa658139 Gonadotro	188	44	88.0	31	3	AA65873	Modified
116	44	88.0	17	3	AA658140	Aa658140 Gonadotro	189	44	88.0	31	3	AA65874	Modified
117	44	88.0	17	4	AA699520	Aa699520 Immunomim	190	44	88.0	31	3	AA65875	Modified
118	44	88.0	17	4	AA699519	Aa699519 Immunomim	191	44	88.0	31	3	AA65876	Modified
119	44	88.0	17	5	AA656084	Aa656084 Amino aci	192	44	88.0	31	3	AA65877	Modified
120	44	88.0	17	5	AA656085	Aa656085 GnRH immu	193	44	88.0	31	3	AA65878	Modified
121	44	88.0	20	2	AA674338	Aa674338 Antigenic	194	44	88.0	31	3	AA65879	Modified
122	44	88.0	20	2	AA673177	Aa673177 Ubiquitin	195	44	88.0	31	3	AA65880	Modified
123	44	88.0	20	2	AA673179	Aa673179 Ubiquitin	196	44	88.0	31	3	AA65881	Modified
124	44	88.0	20	2	AA673178	Aa673178 Ubiquitin	197	44	88.0	31	3	AA65882	Modified
125	44	88.0	20	4	AA671949	Aa671949 GnRH mixe	198	44	88.0	31	3	AA65883	Modified
126	44	88.0	20	4	AA671948	Aa671948 GnRH dime	199	44	88.0	31	3	AA65884	Modified
127	44	88.0	20	4	AA671950	Aa671950 GnRH mixe	200	44	88.0	31	3	AA65885	Modified
128	44	88.0	21	2	AA670732	Aa670732 Luteinisi	201	44	88.0	32	2	AA65886	Modified
129	44	88.0	21	5	AA676113	Aa676113 GnRH-tand	202	44	88.0	32	2	AA65887	Modified
130	44	88.0	23	2	AA620864	Aa620864 GnRH tand	203	44	88.0	32	2	AA65888	Modified
131	44	88.0	23	2	AA627000	Aa627000 LHRH-cont	204	44	88.0	32	2	AA65889	Modified
132	44	88.0	25	2	AA627005	Aa627005 LHRH-cont	205	44	88.0	32	2	AA65890	Modified
133	44	88.0	25	2	AA627017	Aa627017 LHRH-cont	206	44	88.0	32	2	AA65891	Modified
134	44	88.0	27	2	AA627017	Aa627017 LHRH-cont	207	44	88.0	32	2	AA65892	Modified
135	44	88.0	27	2	AA627017	Aa627017 LHRH-cont	208	44	88.0	32	2	AA65893	Modified
136	44	88.0	27	2	AA627017	Aa627017 LHRH-cont	209	44	88.0	32	2	AA65894	Modified
137	44	88.0	27	3	AA658574	Aa658574 Peptide i	210	44	88.0	32	2	AA65895	Modified
138	44	88.0	27	3	AA658576	Aa658576 Peptide i	211	44	88.0	32	2	AA65896	Modified
139	44	88.0	27	3	AA658577	Aa658577 Peptide i	212	44	88.0	32	2	AA65897	Modified
140	44	88.0	27	3	AA658572	Aa658572 Peptide i	213	44	88.0	32	2	AA65898	Modified
141	44	88.0	27	3	AA658575	Aa658575 Peptide i	214	44	88.0	32	2	AA65899	Modified
142	44	88.0	27	3	AA658570	Aa658570 Peptide i	215	44	88.0	32	2	AA65900	Modified
143	44	88.0	27	3	AA658569	Aa658569 Peptide i	216	44	88.0	32	2	AA65901	Modified
144	44	88.0	27	3	AA658609	Aa658609 Peptide i	217	44	88.0	32	2	AA65902	Modified
145	44	88.0	27	3	AA658609	Aa658609 Peptide i	218	44	88.0	32	2	AA65903	Modified
146	44	88.0	27	3	AA658609	Aa658609 Peptide i	219	44	88.0	32	2	AA65904	Modified
147	44	88.0	27	3	AA658609	Aa658609 Peptide i	220	44	88.0	32	2	AA65905	Modified
148	44	88.0	27	3	AA658609	Aa658609 Peptide i	221	44	88.0	32	2	AA65906	Modified
149	44	88.0	27	3	AA658609	Aa658609 Peptide i	222	44	88.0	32	2	AA65907	Modified
150	44	88.0	27	3	AA658609	Aa658609 Peptide i	223	44	88.0	32	2	AA65908	Modified
151	44	88.0	27	3	AA658609	Aa658609 Peptide i	224	44	88.0	32	2	AA65909	Modified
152	44	88.0	27	3	AA658609	Aa658609 Peptide i	225	44	88.0	32	2	AA65910	Modified
153	44	88.0	27	3	AA658609	Aa658609 Peptide i	226	44	88.0	32	2	AA65911	Modified
154	44	88.0	27	3	AA658609	Aa658609 Peptide i	227	44	88.0	32	2	AA65912	Modified
155	44	88.0	27	3	AA658609	Aa658609 Peptide i	228	44	88.0	32	2	AA65913	Modified
156	44	88.0	27	3	AA658609	Aa658609 Peptide i	229	44	88.0	32	2	AA65914	Modified
157	44	88.0	27	3	AA658609	Aa658609 Peptide i	230	44	88.0	32	2	AA65915	Modified
158	44	88.0	27	3	AA658609	Aa658609 Peptide i	231	44	88.0	32	2	AA65916	Modified
159	44	88.0	27	3	AA658609	Aa658609 Peptide i	232	44	88.0	32	2	AA65917	Modified
160	44	88.0	27	3	AA658609	Aa658609 Peptide i	233	44	88.0	32	2	AA65918	Modified
161	44	88.0	27	3	AA658609	Aa658609 Peptide i	234	44	88.0	32	2	AA65919	Modified
162	44	88.0	27	3	AA658609	Aa658609 Peptide i	235	44	88.0	32	2	AA65920	Modified
163	44	88.0	27	3	AA658609	Aa658609 Peptide i	236	44	88.0	32	2	AA65921	Modified
164	44	88.0	27	3	AA658609	Aa658609 Peptide i	237	44	88.0	32	2	AA65922	Modified
165	44	88.0	27	3	AA658609	Aa658609 Peptide i	238	44	88.0	32	2	AA65923	Modified
166	44	88.0	27	3	AA658609	Aa658609 Peptide i	239	44	88.0	32	2	AA65924	Modified
167	44	88.0	27	3	AA658609	Aa658609 Peptide i	240	44	88.0	32	2	AA65925	Modified
168	44	88.0	27	3	AA658609	Aa658609 Peptide i	241	44	88.0	32	2	AA65926	Modified
169	44	88.0	27	3	AA658609	Aa658609 Peptide i	242	44	88.0	32	2	AA65927	Modified
170	44	88.0	27	3	AA658609	Aa658609 Peptide i	243	44	88.0	32	2	AA65928	Modified
171	44	88.0	27	3	AA658609	Aa658609 Peptide i	244	44	88.0	32	2	AA65929	Modified

245	44	88.0	54	2	AAR62722	Aar62722 LHRH-cont	318	41	82.0	10	4	AAB71951	Aab71951 GnRH pept
246	44	88.0	253	2	AAR11181	Aar11181 Plasmid p	319	41	82.0	10	4	AAB78483	Aab78483 Core poly
247	44	88.0	253	2	AAR11176	Aar11176 Plasmid p	320	41	82.0	10	4	AAB78159	Aab78159 Core poly
248	44	88.0	253	2	AAR11180	Aar11180 Plasmid p	321	41	82.0	10	4	ABB02616	Abb02616 Viral cor
249	44	88.0	253	2	AAR11182	Aar11182 Plasmid p	322	41	82.0	10	4	ABB02782	Abb02782 Viral cor
250	44	88.0	253	2	AAR11184	Aar11184 Plasmid p	323	41	82.0	10	4	ABB01166	Abb01166 Viral Dp1
251	44	88.0	256	2	AAR11177	Aar11177 Plasmid p	324	41	82.0	10	4	ABB02817	Abb02817 Viral cor
252	44	88.0	257	2	AAR11178	Aar11178 Plasmid p	325	41	82.0	10	4	AAU13712	Aau13712 DP178-lik
253	44	88.0	257	2	AAR11179	Aar11179 Plasmid p	326	41	82.0	10	5	ADE02636	Ade02636 Hybrid po
254	44	88.0	257	2	AAR11183	Aar11183 Plasmid p	327	41	82.0	10	5	ADE02802	Ade02802 Hybrid po
255	44	88.0	263	2	AAR11185	Aar11185 Plasmid p	328	41	82.0	10	6	ABP73140	Abp73140 Native lu
256	44	88.0	263	2	AAR11186	Aar11186 Plasmid p	329	41	82.0	11	2	AAW69276	Aaw69276 Leutelinis
257	44	88.0	263	2	AAR11187	Aar11187 Plasmid p	330	41	82.0	12	2	AAW44954	Aaw44954 E. coli f
258	44	88.0	398	3	AAI96090	Aai96090 BHV-1 tru	331	41	82.0	12	2	AAW21364	Aaw21364 Gonadolib
259	44	88.0	399	3	AAI96093	Aai96093 BHV-1 tru	332	41	82.0	14	2	AAW41364	Aaw41364 E. coli f
260	44	88.0	411	3	AAI96089	Aai96089 GnRH tetr	333	41	82.0	14	6	ABP96303	Abp96303 Gonadotro
261	44	88.0	442	3	AAI96091	Aai96091 GnRH tetr	334	41	82.0	15	2	AAW44955	Aaw44955 E. coli f
262	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	335	41	82.0	16	2	AAW44956	Aaw44956 E. coli f
263	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	336	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
264	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	337	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
265	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	338	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
266	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	339	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
267	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	340	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
268	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	341	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
269	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	342	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
270	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	343	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
271	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	344	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
272	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	345	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
273	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	346	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
274	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	347	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
275	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	348	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
276	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	349	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
277	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	350	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
278	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	351	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
279	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	352	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
280	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	353	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
281	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	354	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
282	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	355	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
283	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	356	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
284	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	357	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
285	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	358	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
286	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	359	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
287	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	360	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
288	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	361	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
289	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	362	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
290	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	363	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
291	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	364	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
292	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	365	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
293	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	366	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
294	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	367	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
295	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	368	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
296	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	369	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
297	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	370	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
298	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	371	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
299	43	86.0	10	1	AAI96091	Aai96091 GnRH tetr	372	41	82.0	18	3	AAI96091	Aai96091 GnRH tetr
300	42	84.0	10	6	AAO31048	Aao31048 Pacific h	373	41	82.0	22	5	ADE02638	Ade02638 Hybrid po
301	42	84.0	10	6	AAO31048	Aao31048 Pacific h	374	41	82.0	22	5	ADE02638	Ade02638 Hybrid po
302	42	84.0	13	2	AAI97759	Aai97759 Seabream	375	41	82.0	26	3	AAI97759	Aai97759 Seabream
303	42	84.0	95	2	AAI97759	Aai97759 Seabream	376	41	82.0	26	3	AAI97759	Aai97759 Seabream
304	42	84.0	98	2	AAI97759	Aai97759 Seabream	377	41	82.0	26	3	AAI97759	Aai97759 Seabream
305	41	82.0	10	2	AAI97759	Aai97759 Seabream	378	41	82.0	26	3	AAI97759	Aai97759 Seabream
306	41	82.0	10	2	AAI97759	Aai97759 Seabream	379	41	82.0	26	3	AAI97759	Aai97759 Seabream
307	41	82.0	10	2	AAI97759	Aai97759 Seabream	380	41	82.0	26	3	AAI97759	Aai97759 Seabream
308	41	82.0	10	2	AAI97759	Aai97759 Seabream	381	41	82.0	26	3	AAI97759	Aai97759 Seabream
309	41	82.0	10	2	AAI97759	Aai97759 Seabream	382	41	82.0	26	3	AAI97759	Aai97759 Seabream
310	41	82.0	10	2	AAI97759	Aai97759 Seabream	383	41	82.0	26	3	AAI97759	Aai97759 Seabream
311	41	82.0	10	2	AAI97759	Aai97759 Seabream	384	41	82.0	26	3	AAI97759	Aai97759 Seabream
312	41	82.0	10	2	AAI97759	Aai97759 Seabream	385	41	82.0	26	3	AAI97759	Aai97759 Seabream
313	41	82.0	10	2	AAI97759	Aai97759 Seabream	386	41	82.0	26	3	AAI97759	Aai97759 Seabream
314	41	82.0	10	2	AAI97759	Aai97759 Seabream	387	41	82.0	26	3	AAI97759	Aai97759 Seabream
315	41	82.0	10	2	AAI97759	Aai97759 Seabream	388	41	82.0	26	3	AAI97759	Aai97759 Seabream
316	41	82.0	10	2	AAI97759	Aai97759 Seabream	389	41	82.0	26	3	AAI97759	Aai97759 Seabream
317	41	82.0	10	2	AAI97759	Aai97759 Seabream	390	41	82.0	26	3	AAI97759	Aai97759 Seabream

391	41	82.0	49	2	AAW61542	Peptide h	464	38	76.0	10	1	AAW71229	Luteinisi
392	41	82.0	49	3	AAW58363	Four-copy	465	38	76.0	10	2	AAW15715	Peptide #
393	41	82.0	49	3	AAW58135	GnRH anal	466	38	76.0	10	2	AAW15714	Peptide #
394	41	82.0	69	1	AAW61428	GAP fusio	467	38	76.0	10	2	AAW11847	Example o
395	41	82.0	92	1	AAW61427	Human pre	468	38	76.0	10	2	AAW10699	LHR anal
396	41	82.0	92	1	AAW09182	Human PRO	469	38	76.0	10	2	AAW29703	Goserelin
397	41	82.0	92	7	AAW09182	Rat Prote	470	38	76.0	10	2	AAW47844	pGlu-His-
398	41	82.0	92	7	AAW47087	Human Pro	471	38	76.0	10	4	AAW90965	Luteinisi
399	41	82.0	544	2	AAW03943	LKT-GnRH	472	38	76.0	10	4	AAW74437	Gonadotro
400	41	82.0	544	2	AAW79570	LKT-GnRH	473	38	76.0	10	4	AAW60071	LHR agon
401	41	82.0	695	3	AAW79573	LKT-GnRH	474	38	76.0	10	6	AAW29841	Gonadotro
402	41	82.0	695	3	AAW58361	Leukotoxi	475	38	76.0	10	6	AAW88926	Guinea pi
403	41	82.0	695	3	AAW58133	Gonadotro	476	38	76.0	10	6	AAW31035	Guinea pi
404	41	82.0	936	2	AAW34547	GnRH-leuk	477	38	76.0	12	5	AAW06171	Gonadotro
405	41	82.0	977	2	AAW03942	LKT-GnRH	478	38	76.0	21	5	AAW76123	G10A-GnRH
406	41	82.0	977	2	AAW79569	LKT-GnRH	479	38	76.0	21	5	AAW76119	G6A-GnRH
407	40	80.0	9	2	AAW79760	Seabream	480	38	76.0	49	4	AAW06639	Human foe
408	40	80.0	10	6	AAW88924	Gonadotro	481	37	74.0	9	1	AAW50511	Sequence
409	40	80.0	10	6	AAW31051	Spiny dog	482	37	74.0	10	1	AAW10412	Luteinisi
410	40	80.0	10	6	AAW31055	Spiny dog	483	37	74.0	10	1	AAW10302	Lactam br
411	40	80.0	10	6	AAW31059	Pacific h	484	37	74.0	10	1	AAW20404	LH-RH ana
412	40	80.0	10	6	AAW31050	Spiny dog	485	37	74.0	10	1	AAW30247	Sequence
413	40	80.0	10	6	AAW31058	Pacific h	486	37	74.0	10	1	AAW30390	Gonadotro
414	40	80.0	85	2	AAW75149	H. burton	487	37	74.0	10	1	AAW40629	Gonadolib
415	40	80.0	89	2	AAW75150	Treeshrew	488	37	74.0	10	1	AAW40624	Gonadolib
416	40	80.0	120	5	AAW15401	Human gon	489	37	74.0	10	1	AAW50838	Sequence
417	40	80.0	120	5	AAW35115	Human gon	490	37	74.0	10	1	AAW50567	Sequence
418	39	78.0	9	2	AAW94891	LHRH pept	491	37	74.0	10	1	AAW50566	Sequence
419	39	78.0	9	3	AAW15363	Human LHR	492	37	74.0	10	1	AAW61487	Luliberin
420	39	78.0	9	3	AAW08104	Amino aci	493	37	74.0	10	1	AAW61705	Therapuet
421	39	78.0	9	4	AAW90983	Luteinisi	494	37	74.0	10	1	AAW71477	Luteinisi
422	39	78.0	9	4	AAW90979	Luteinisi	495	37	74.0	10	1	AAW70923	Luteinisi
423	39	78.0	9	4	AAW59836	GnRH pept	496	37	74.0	10	2	AAW14672	Generic p
424	39	78.0	10	1	AAW10097	Sequence	497	37	74.0	10	2	AAW14141	LHRH anal
425	39	78.0	10	1	AAW83017	Example o	498	37	74.0	10	2	AAW20141	GnRH deca
426	39	78.0	10	4	AAW97400	Luteinisi	499	37	74.0	10	2	AAW29984	LHRH pept
427	39	78.0	10	5	AAW76982	Luteinisi	500	37	74.0	10	2	AAW91196	LHRH pept
428	39	78.0	10	5	AAW85981	Modified							
429	39	78.0	10	5	AAW23273	Gonadotro							
430	39	78.0	10	5	AAW11412	Gonadotro							
431	39	78.0	20	2	AAW90673	Luteinisi							
432	39	78.0	20	2	AAW90674	Luteinisi							
433	39	78.0	21	5	AAW90672	Luteinisi							
434	39	78.0	28	5	AAW11422	peIA-GnRH							
435	39	78.0	31	5	AAW11422	Synthetic							
436	39	78.0	31	5	AAW11420	Synthetic							
437	39	78.0	31	5	AAW11426	Synthetic							
438	39	78.0	33	5	AAW11423	Synthetic							
439	39	78.0	34	5	AAW11421	Synthetic							
440	39	78.0	34	5	AAW11424	Synthetic							
441	39	78.0	36	5	AAW11427	Synthetic							
442	39	78.0	37	5	AAW11425	Synthetic							
443	39	78.0	46	5	AAW11430	Synthetic							
444	39	78.0	47	5	AAW11428	Synthetic							
445	39	78.0	50	5	AAW11429	Synthetic							
446	39	78.0	51	5	AAW11431	Synthetic							
447	39	78.0	277	4	AAW50423	Propionib							
448	39	78.0	277	6	AAW46942	Propionib							
449	39	78.0	414	6	AAW65766	Propionib							
450	38	76.0	9	1	AAW10414	Luteinisi							
451	38	76.0	9	1	AAW50568	Sequence							
452	38	76.0	9	2	AAW86848	Gonadotro							
453	38	76.0	9	2	AAW97761	Seabream							
454	38	76.0	9	2	AAW47843	pGlu-His-							
455	38	76.0	9	4	AAW90985	Luteinisi							
456	38	76.0	9	4	AAW90972	Luteinisi							
457	38	76.0	9	6	AAW29840	Gonadotro							
458	38	76.0	10	1	AAW20403	LH-RH ana							
459	38	76.0	10	1	AAW20277	Modified							
460	38	76.0	10	1	AAW40404	Sequence							
461	38	76.0	10	1	AAW71316	Sequence							
462	38	76.0	10	1	AAW71363	Sequence							
463	38	76.0	10	1	AAW71226	Luteinisi							

ALIGNMENTS

RESULT 1

AAW97757
 ID AAR97757 standard; peptide; 10 AA.
 XX
 AC AAR97757;
 XX
 DT 27-AUG-1996 (first entry)
 XX
 DE Seabream gonadotropin releasing hormone.
 XX
 KW Gonadotropin releasing hormone; GnRH; sbGnRH; gonadoliberin; spawning;
 XX ovulation; fish farming; transgenic fish; seabream.
 OS Sparus aurata.
 XX
 XX Key Location/Qualifiers
 FH Modified-site 1
 FT /label= OTHER
 FT /note= "pyroglutamic acid"
 FT Modified-site 10
 FT /note= "C-terminal amide"
 FT
 XX WO96176:9-Al.
 PN
 XX
 XX 13-JUN-1996.
 PD
 XX
 XX 04-DEC-1995; 95WO-US015886.
 XX
 XX 05-DEC-1994; 94US-00341219.
 PR
 XX (UYMA-) UNIV MARYLAND BIOTECHNOLOGY INST.
 PA

PA (UYVI-) UNIV VICTORIA INNOVATION & DEV CORP.
 XX Zohar Y, Sherwood NM, Rivier JEF, Powell J, Gothilf Y;
 XX WPI; 1996-286922/29.
 XX Novel seabream gonadotropin-releasing hormone and its analogues - useful
 PT for controlling gonadal development and spawning in fish.
 XX Claim 13; Page 51; 63pp; English.
 XX Seabream gonadotropin-releasing hormone (AAR97757), sbGnRH, influences
 CC the release of gonadotropins by the pituitary gland in fish. The sbGnRH
 CC precursor is obtd. by expression of a cDNA clone (AAR30666) isolated from
 CC seabream brain. sbGnRH or its analogues (see also AAR97750) may be
 CC administered to fish (e.g. by injection, implantation, dissolving in
 CC water or orally in feed) to induce gonadal development, or to induce and
 CC synchronise ovulation, spawning, sperm prodn. and spermiation
 XX Sequence 10 AA;
 SQ

Query Match 90.0%; Score 45; DB 2; Length 10;
 Best Local Similarity 70.0%; Pred. NO. 0.1;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXPG 10
 DB 1 EHWXGXPG 10

RESULT 2
 ADA88936
 ID ADA88936 standard; peptide; 10 AA.
 XX ADA88936;
 XX 20-NOV-2003 (first entry)
 DT Sea bream gonadotropin releasing hormone.
 DE gonadotropin releasing hormone; GnRH; muGnRH I; muGnRH II; Indian Murrel;
 KW fish; fish breeding; gonadotropin.
 XX Pagrus pagrus.
 XX Key Location/Qualifiers
 FT Modified-site 1 /note= "pyroglutamic acid"
 FT Modified-site 10 /note= "amidated"
 FT WO2003064460-A2.
 XX 07-AUG-2003.
 XX 10-JAN-2003; 2003WO-IN000015.
 XX 30-JAN-2002; 2002US-0353041P.
 XX (COUL) COUNCIL SCI & IND RES.
 XX Chatterjee A, Ray P, Dasgupta S, Bhattacharaya S, Pasha S;
 XX WPI; 2003-663464/62.
 XX New gonadotropin releasing hormones muGnRH I and muGnRH II useful for
 XX induced breeding in fishes.
 XX Disclosure; Fig 1; 23pp; English.
 XX The present invention describes gonadotropin releasing hormones (GnRH)
 CC muGnRH I (ADA88923) and muGnRH II (ADA88924), isolated from Indian Murrel
 CC fish. They can be used for inducing breeding in fishes both in
 CC New gonadotropin releasing hormones muGnRH I and muGnRH II useful for
 CC induced breeding in fishes.
 XX Disclosure; Fig 1; 23pp; English.
 XX The present invention describes gonadotropin releasing hormones (GnRH)
 CC muGnRH I (ADA88923) and muGnRH II (ADA88924), isolated from Indian Murrel
 CC fish. They can be used for inducing breeding in fishes both in

CC combination and alone by activating production of gonadotropin. The GnRH
 CC peptide muGnRH I and muGnRH II have the amino acid sequences Gln-His-Trp-
 CC Ser-Ala-Trp-Arg-Leu-Pro-Gly (I) and Gln-His-Trp-Ser-Trp-Gly-Ile-Leu-Pro-
 CC Gly (II), respectively. Also described: (1) isolating and sequencing
 CC muGnRH I and muGnRH II; and (2) inducing breeding in fishes using GnRH
 CC comprising exposing fishes to GnRH to help release gonadotropin, and
 CC inducing breeding in fishes using the gonadotropin. The present sequence
 CC represents a GnRH amino acid sequence given in the exemplification of the
 CC present invention.
 XX Sequence 10 AA;
 SQ

Query Match 90.0%; Score 45; DB 6; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.1;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXPG 10
 DB 1 EHWXGXPG 10

RESULT 3
 ADA88937
 ID ADA88937 standard; peptide; 10 AA.
 XX ADA88937;
 XX 20-NOV-2003 (first entry)
 DT Herring gonadotropin releasing hormone.
 DE gonadotropin releasing hormone; GnRH; muGnRH I; muGnRH II; Indian Murrel;
 KW fish; fish breeding; gonadotropin.
 XX Clupea sp.
 XX Key Location/Qualifiers
 FT Modified-site 1 /note= "pyroglutamic acid"
 FT Modified-site 10 /note= "amidated"
 FT WO2003064460-A2.
 XX 07-AUG-2003.
 XX 10-JAN-2003; 2003WO-IN000015.
 XX 30-JAN-2002; 2002US-0353041P.
 XX (COUL) COUNCIL SCI & IND RES.
 XX Chatterjee A, Ray P, Dasgupta S, Bhattacharaya S, Pasha S;
 XX WPI; 2003-663464/62.
 XX New gonadotropin releasing hormones muGnRH I and muGnRH II useful for
 XX induced breeding in fishes.
 XX Disclosure; Fig 1; 23pp; English.
 XX The present invention describes gonadotropin releasing hormones (GnRH)
 CC muGnRH I (ADA88923) and muGnRH II (ADA88924), isolated from Indian Murrel
 CC fish. They can be used for inducing breeding in fishes both in
 CC combination and alone by activating production of gonadotropin. The GnRH
 CC peptide muGnRH I and muGnRH II have the amino acid sequences Gln-His-Trp-
 CC Ser-Ala-Trp-Arg-Leu-Pro-Gly (I) and Gln-His-Trp-Ser-Trp-Gly-Ile-Leu-Pro-
 CC Gly (II), respectively. Also described: (1) isolating and sequencing
 CC muGnRH I and muGnRH II; and (2) inducing breeding in fishes using GnRH
 CC comprising exposing fishes to GnRH to help release gonadotropin, and
 CC inducing breeding in fishes using the gonadotropin. The present sequence
 CC represents a GnRH amino acid sequence given in the exemplification of the
 CC present invention.

XX SQ Sequence 10 AA;

Query Match 90.0%; Score 45; DB 6; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.1;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHSXGXKPG 10
 |||||
 DB 1 EHSXGKSPG 10
 |||||

RESULT 4
 AAO31037
 ID AAO31037 standard; peptide; 10 AA.
 XX AC AAO31037;
 XX DT 06-OCT-2003 (first entry)
 XX DE Pejerrey gonadotropin releasing hormone (pGnRH) peptide.
 XX KW Gonadotropin releasing hormone; GnRH-I; GnRH-II; T-cell related disease;
 KW congenital immune deficiency; acquired immune deficiency; hyperreactive;
 KW psychopathology; neoplastic disease; autoimmune disease; neuroprotective;
 KW pathophysiological disease; neurological disease; allograft rejection;
 KW graft-versus-host disease; allograft rejection; immunosuppressive;
 KW cytostatic; anti-HIV; allergic; gene therapy; pejerrey.
 XX OS Menidia menidia.

XX FH Key Location/Qualifiers
 FT Modified-site 1 /note= "Pyroglutamic acid"
 FT Modified-site 10 /note= "C-terminal amide"
 FT
 XX WO2003051272-A2.
 XX PD 26-JUN-2003.
 XX PF 17-DEC-2002; 2002WO-IL001014.
 XX PR 17-DEC-2001; 2001IL-00147138.
 XX PA (YEDA) YEDA RES & DEV CO LTD.
 XX PI Levite M, Koch Y;
 XX DR WPI; 2003-523498/49.
 XX PT Regulating activity of a T-cell population by providing a molecule that
 is capable of modifying an activity or expression level of GnRH-I or GnRH
 -II receptor to regulate GnRH-I or a GnRH-II mediated activity of the T-
 cell population.
 XX PS Disclosure; Page 41; 177pp; English.
 XX CC The invention relates to a method for regulating activity of a T-cell
 population. The method comprising providing to the T-cell population a
 molecule that is selected to be capable of modifying an activity or
 expression level of a gonadotropin releasing hormone (GnRH)-I or a GnRH-
 II receptor to regulate GnRH-I or a GnRH-II mediated activity of a T-cell
 population. The method is useful for treating or preventing a T-cell
 related disease or condition characterised by abnormal T-cell activity,
 e.g. congenital immune deficiencies, acquired immune deficiencies,
 infection, psychopathology or neoplastic disease, autoimmune, allergic,
 hyperreactive, pathophysiological and neurological diseases and
 conditions, graft-versus-host disease, or allograft rejections. The
 invention is useful in gene therapy. The present sequence is pejerrey
 gonadotropin releasing hormone (pGnRH) peptide
 XX SQ Sequence 10 AA;

XX SQ Query Match 90.0%; Score 45; DB 6; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.1;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHSXGXKPG 10
 |||||
 DB 1 EHSXGKSPG 10
 |||||

RESULT 5
 AAO31038
 ID AAO31038 standard; peptide; 10 AA.
 XX AC AAO31038;
 XX DT 23-OCT-2003 (revised)
 XX DT 06-OCT-2003 (first entry)
 XX DE Herring gonadotropin releasing hormone (hrGnRH) peptide.
 XX KW Gonadotropin releasing hormone; GnRH-I; GnRH-II; T-cell related disease;
 KW congenital immune deficiency; acquired immune deficiency; hyperreactive;
 KW psychopathology; neoplastic disease; autoimmune disease; neuroprotective;
 KW pathophysiological disease; neurological disease; allograft rejection;
 KW graft-versus-host disease; allograft rejection; immunosuppressive;
 KW cytostatic; anti-HIV; allergic; gene therapy; herring.
 XX OS Clupea pallasii.

XX FH Key Location/Qualifiers
 FT Modified-site 1 /note= "Pyroglutamic acid"
 FT Modified-site 10 /note= "C-terminal amide"
 FT
 XX WO2003051272-A2.
 XX PD 26-JUN-2003.
 XX PF 17-DEC-2002; 2002WO-IL001014.
 XX PR 17-DEC-2001; 2001IL-00147138.
 XX PA (YEDA) YEDA RES & DEV CO LTD.
 XX PI Levite M, Koch Y;
 XX DR WPI; 2003-523498/49.
 XX PT Regulating activity of a T-cell population by providing a molecule that
 is capable of modifying an activity or expression level of GnRH-I or GnRH
 -II receptor to regulate GnRH-I or a GnRH-II mediated activity of the T-
 cell population.
 XX PS Disclosure; Page 41; 177pp; English.
 XX CC The invention relates to a method for regulating activity of a T-cell
 population. The method comprising providing to the T-cell population a
 molecule that is selected to be capable of modifying an activity or
 expression level of a gonadotropin releasing hormone (GnRH)-I or a GnRH-
 II receptor to regulate GnRH-I or a GnRH-II mediated activity of a T-cell
 population. The method is useful for treating or preventing a T-cell
 related disease or condition characterised by abnormal T-cell activity,
 e.g. congenital immune deficiencies, acquired immune deficiencies,
 infection, psychopathology or neoplastic disease, autoimmune, allergic,
 hyperreactive, pathophysiological and neurological diseases and
 conditions, graft-versus-host disease, or allograft rejections. The
 invention is useful in gene therapy. The present sequence is herring
 gonadotropin releasing hormone (hrGnRH) peptide. (Updated on 23-OCT-2003
 to standardise OS field)
 XX SQ Sequence 10 AA;

Query Match 90.0%; Score 45; DB 6; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.1;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

OY 1 EHWSXGXPG 10
 |||||
 DB 1 EHWSHGLSPG 10

RESULT 6
 AAO31036
 ID AAO31036 standard; peptide; 10 AA.
 AC AAO31036;
 DT 06-OCT-2003 (first entry)
 DE Sea bream gonadotropin releasing hormone (sbGnRH) peptide.
 XX Gonadotropin releasing hormone; GnRH-I; GnRH-II; T-cell related disease;
 KW congenital immune deficiency; acquired immune deficiency; hyperreactive;
 KW psychopathology; neoplastic disease; autoimmune disease; neuroprotective;
 KW pathophysiological disease; neurological disease; allograft rejection;
 KW graft-versus-host disease; allograft rejection; immunosuppressive;
 KW cytostatic; anti-HIV; allergic; gene therapy; sea bream.
 XX Sparus aurata.
 OS
 XX
 FH Key Location/Qualifiers
 FT Modified-site 1 /note= "Pyroglutamic acid"
 FT FT
 FT Modified-site 10 /note= "C-terminal amide"
 FT FT
 FT
 XX WO2003051272-A2.
 XX
 XX 26-JUN-2003.
 XX
 XX 17-DEC-2002; 2002WO-IL001014.
 XX
 XX 17-DEC-2001; 2001IL-00147138.
 PR (YEDA) YEDA RES & DEV CO LTD.
 PA
 XX Levite M, Koch Y;
 PI
 XX WPI; 2003-523498/49.
 DR
 XX Regulating activity of a T-cell population by providing a molecule that
 PT is capable of modifying an activity or expression level of GnRH-I or GnRH
 PT -II receptor to regulate GnRH-I or a GnRH-II mediated activity of the T-
 PT cell population.
 XX
 XX Disclosure; Page 41; 177pp; English.

The invention relates to a method for regulating activity of a T-cell
 CC population. The method comprising providing to the T-cell population a
 CC molecule that is selected to be capable of modifying an activity or
 CC expression level of a gonadotropin releasing hormone (GnRH)-I or a GnRH-
 CC II receptor to regulate GnRH-I or a GnRH-II mediated activity of a T-cell
 CC population. The method is useful for treating or preventing a T-cell
 CC related disease or condition characterised by abnormal T-cell activity,
 CC e.g. congenital immune deficiencies, acquired immune deficiencies,
 CC infection, psychopathology or neoplastic disease, autoimmune, allergic,
 CC hyperreactive, pathophysiological and neurological diseases and
 CC conditions, graft-versus-host disease, or allograft rejections. The
 CC invention is useful in gene therapy. The present sequence is sea bream
 CC gonadotropin releasing hormone (sbGnRH) peptide
 XX
 SQ Sequence 10 AA;

Query Match 90.0%; Score 45; DB 6; Length 10;

Best Local Similarity 70.0%; Pred. No. 0.1;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

OY 1 EHWSXGXPG 10
 |||||
 DB 1 EHWSHGLSPG 10

RESULT 7
 ABB76120
 ID ABB76120 standard; peptide; 21 AA.
 XX
 AC ABB76120;
 XX
 DT 15-JUL-2002 (first entry)
 XX
 DE L7A-GnRH-tandem peptide.
 XX
 KW Gonadotropin releasing hormone; GnRH; vaccine; prostate cancer;
 KW immunocastration; cytostatic; anabolic.
 XX Mammalia.
 OS Synthetic.
 XX
 FH Key Location/Qualifiers
 FT Misc-difference 7 /note= "wild-type Leu substituted by Ala"
 FT FT
 FT Misc-difference 17 /note= "wild-type Leu substituted by Ala"
 FT FT
 FT Misc-difference 21 /note= "C-terminal amide"
 FT FT
 XX WO200222659-A2.
 XX
 XX 21-MAR-2002.
 XX
 XX 11-SEP-2001; 2001WO-NL000666.
 XX
 XX 12-SEP-2000; 2000US-00659983.
 PR (IDLE-) ID-LELYSTAD INST DIERHOUDERIJ EN DIERGEZ.
 XX
 XX Meloen RH, Oonk HB, Turkstra JA;
 PI
 XX WPI; 2002-393944/42.
 DR
 XX
 XX Peptide for treating prostate cancer and immunocastration, comprises
 PT modified gonadotropin releasing hormone decapeptide sequence which
 PT allows for immunogenic response that allows for discrimination between
 PT different types of GnRH.
 XX
 XX Disclosure; Page 33; 43pp; English.

The present sequence is that of an alanine-replacement peptide of a
 CC mammalian gonadotropin releasing hormone I (GnRH-I) tandem repeat peptide
 CC derivatives of it (see ABB76114-23), were dimersed and conjugated to
 CC ovalbumin. The peptides were tested for efficacy for immunocastration of
 CC pigs. High efficacy was found for S4A and G10A GnRH-tandem peptides, with
 CC moderate efficacy for the present L7A peptide. Preferred modified, GnRH-I
 CC tandem peptides (see ABB76100-02) are used in vaccines to reduce testis
 CC growth and to reduce testosterone to non-detectable levels. A single dose
 CC of a claimed vaccine is effective for the immunocastration of pigs.
 CC vaccines comprising the modified GnRH-I-tandem peptides can also be used
 CC to alter the reproduction or behaviour of a mammal, e.g. to sterilise
 CC domestic animals, to treat aggressiveness in males, to prevent or treat
 CC restlessness in male animals being fattened for slaughter, and to improve
 CC meat quality in pigs. The peptide gives an immunogenic response that
 CC allows for effective discrimination between GnRH-I and GnRH-II. In
 CC humans, immunisation against GnRH, preferably selective against either
 CC GnRH-I or GnRH-II, could be used in the treatment of prostate cancer
 CC (claimed), breast cancer and some forms of pituitary carcinoma
 XX

SQ Sequence 21 AA;
 Query Match 90.0%; Score 45; DB 5; Length 21;
 Best Local Similarity 70.0%; Pred. No. 0.21;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
 |||||
 DB 1 EHWXGARGP 10

RESULT 8
 ABB76118
 ID ABB76118 standard; peptide; 21 AA.
 XX
 AC ABB76118;
 DT 15-JUL-2002 (first entry)
 XX
 DE Y5A-GnRH-tandem peptide.
 XX
 KW Gonadotropin releasing hormone; GnRH; vaccine; prostate cancer;
 KW immunocastration; cytostatic; anabolic.
 XX
 OS Mammalia.
 OS Synthetic.
 XX
 FH Key Location/Qualifiers
 FT Misc-difference 5 /note= "wild-type Tyr substituted by Ala"
 FT Misc-difference 15 /note= "wild-type Tyr substituted by Ala"
 FT Misc-difference 21 /note= "C-terminal amide"
 FT
 XX WO200222659-A2.
 XX
 XX 21-MAR-2002.
 XX
 PF 11-SEP-2001; 2001WO-NL000666.
 PR 12-SEP-2000; 2000US-00659983.
 XX
 XX (IDLE-) ID-LELYSTAD INST DIERHOUDERIJ EN DIERGEZ.
 XX
 XX Meloen RH, Oonk HB, Turkstra JA;
 XX WPI; 2002-393944/42.
 XX
 PT Peptide for treating prostate cancer and immunocastration, comprises
 PT modified gonadotrophin releasing hormone decapeptide sequence which
 PT allows for immunogenic response that allows for discrimination between
 PT different types of GnRH.
 XX
 XX Disclosure; Page 33; 43pp; English.
 XX
 XX The present sequence is that of an alanine-replacement peptide of a
 XX mammalian gonadotropin releasing hormone I (GnRH-I) tandem repeat peptide
 XX (see ABB76113). The GnRH-I-tandem repeat, and alanine-replacement
 XX derivatives of it (see ABB76114-23), were dimerised and conjugated to
 XX ovalbumin. The peptides were tested for efficacy for immunocastration of
 XX pigs. High efficacy was found for S4A and G10A GnRH-tandem peptides, with
 XX moderate efficacy for the present Y5A peptide. Preferred modified, GnRH-I
 XX -tandem peptides (see ABB76100-02) are used in vaccines to reduce testis
 XX growth and to reduce testosterone to non-detectable levels. A single dose
 XX of a claimed vaccine is effective for the immunocastration of pigs.
 XX Vaccines comprising the modified GnRH-I-tandem peptides can also be used
 XX to alter the reproduction or behaviour of a mammal, e.g. to sterilise
 XX domestic animals, to treat aggressiveness in males, e.g. to prevent or treat
 XX restlessness in male animals being fattened for slaughter, and to improve
 XX meat quality in pigs. The peptide gives an immunogenic response that
 XX allows for effective discrimination between GnRH-I and GnRH-II. In
 XX humans, immunisation against GnRH, preferably selective against either

CC GnRH-I or GnRH-II, could be used in the treatment of prostate cancer
 CC (claimed), breast cancer and some forms of pituitary carcinoma
 XX
 SQ Sequence 21 AA;
 Query Match 90.0%; Score 45; DB 5; Length 21;
 Best Local Similarity 70.0%; Pred. No. 0.21;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
 |||||
 DB 1 EHWXGARGP 10

RESULT 9
 ABB76121
 ID ABB76121 standard; peptide; 21 AA.
 XX
 AC ABB76121;
 DT 15-JUL-2002 (first entry)
 XX
 DE R8A-GnRH-tandem peptide.
 XX
 KW Gonadotropin releasing hormone; GnRH; vaccine; prostate cancer;
 KW immunocastration; cytostatic; anabolic.
 XX
 OS Mammalia.
 OS Synthetic.
 XX
 FH Key Location/Qualifiers
 FT Misc-difference 8 /note= "wild-type Arg substituted by Ala"
 FT Misc-difference 18 /note= "wild-type Arg substituted by Ala"
 FT Misc-difference 21 /note= "C-terminal amide"
 FT
 XX WO200222659-A2.
 XX
 XX 21-MAR-2002.
 XX
 PF 11-SEP-2001; 2001WO-NL000666.
 PR 12-SEP-2000; 2000US-00659983.
 XX
 XX (IDLE-) ID-LELYSTAD INST DIERHOUDERIJ EN DIERGEZ.
 XX
 XX Meloen RH, Oonk HB, Turkstra JA;
 XX WPI; 2002-393944/42.
 XX
 PT Peptide for treating prostate cancer and immunocastration, comprises
 PT modified gonadotrophin releasing hormone decapeptide sequence which
 PT allows for immunogenic response that allows for discrimination between
 PT different types of GnRH.
 XX
 XX Disclosure; Page 33; 43pp; English.
 XX
 XX The present sequence is that of an alanine-replacement peptide of a
 XX mammalian gonadotropin releasing hormone I (GnRH-I) tandem repeat peptide
 XX derivatives of it (see ABB76114-23), were dimerised and conjugated to
 XX ovalbumin. The peptides were tested for efficacy for immunocastration of
 XX pigs. High efficacy was found for S4A and G10A GnRH-tandem peptides, with
 XX lower efficacy for the present R8A peptide. Preferred modified, GnRH-I
 XX -tandem peptides (see ABB76100-02) are used in vaccines to reduce testis
 XX growth and to reduce testosterone to non-detectable levels. A single dose
 XX of a claimed vaccine is effective for the immunocastration of pigs.
 XX Vaccines comprising the modified GnRH-I-tandem peptides can also be used
 XX to alter the reproduction or behaviour of a mammal, e.g. to sterilise
 XX domestic animals, to treat aggressiveness in males, e.g. to prevent or treat
 XX restlessness in male animals being fattened for slaughter, and to improve
 XX meat quality in pigs. The peptide gives an immunogenic response that
 XX allows for effective discrimination between GnRH-I and GnRH-II. In
 XX humans, immunisation against GnRH, preferably selective against either

CC meat quality in pigs. The peptide gives an immunogenic response that
 CC allows for effective discrimination between GnRH-I and GnRH-II. In
 CC humans, immunisation against GnRH, preferably selective against either
 CC GnRH-I or GnRH-II, could be used in the treatment of prostate cancer
 CC (claimed), breast cancer and some forms of pituitary carcinoma
 XX
 SQ Sequence 21 AA;
 Query Match 90.0%; Score 45; DB 5; Length 21;
 Best Local Similarity 70.0%; Pred. No. 0.21;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXKPG 10
 |||||
 Db 1 EHWXGLAPG 10
 |||||
 RESULT 10
 AAP10416
 ID AAP10416 standard; peptide; 10 AA.
 XX
 AC AAP10416;
 XX
 DT 25-MAR-2003 (revised)
 DT 10-MAR-2003 (revised)
 DT 01-JUL-2002 (revised)
 DT 17-DEC-1992 (first entry)
 XX
 DE Luteinising Hormone Releasing Hormone analogue #5.
 XX
 KW LHRH; Follicle Stimulating Factor; FSH; acne; hirsutism; dysmenorrhea;
 XX precocious puberty; endometriosis; prostate cancer;
 KW benign prostate hypertrophy; mammary tumour.
 XX
 OS Mammalia.
 OS Synthetic.
 XX
 PH Key Location/Qualifiers
 FT Modified-site 1
 FT /label= OTHER
 FT /note= "pyroglutamic acid"
 FT Modified-site 7
 FT /label= OTHER
 FT /note= "N-alpha-methyl-Leu"
 FT Modified-site 10
 FT /note= "amidated or absent, in which case Pro(9) is Pro-
 FT NH-C2H5"
 XX
 PN BE885308-A.
 XX
 PD 19-MAR-1981.
 XX
 PF 21-SEP-1979; 79FR-00023545.
 XX
 PR 21-SEP-1979; 79FR-00023545.
 XX
 PA (ROUS) ROUSSEL-UCLAF.
 XX
 PI Labrie F, Raynaud J;
 XX
 DR WPI; 1981-23409D/14.
 XX
 PT LH-RH, liberating factor for LH and FSH, and its agonists compsn. - used
 PT to treat prostate adenocarcinoma, benign hypertrophy of the prostate,
 PT hirsutism, acne, etc.
 XX
 PS Claim 1(f); Page 16; 27pp; French.
 XX
 CC A composition is claimed containing LHRH or its analogues. The
 CC composition is used to treat prostate adenocarcinoma, benign hypertrophy
 CC of the prostate, endometriosis, dysmenorrhea, hirsutism, hormone-
 CC dependent mammary tumours, for treatment or prevention of precocious
 CC puberty, delaying the onset of puberty and for treating acne. The
 CC compositions may also contain antiandrogens. See also AAP10412-P10418.
 CC (Updated on 01-JUL-2002 to add missing PI field.) (Updated on 10-MAR-2003
 CC to add missing OS field.) (Updated on 25-MAR-2003 to correct PA field.)
 XX
 SQ Sequence 10 AA;
 Query Match 88.0%; Score 44; DB 1; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXKPG 10
 |||||
 Db 1 EHWXGLAPG 10
 |||||
 RESULT 11
 AAP10411
 ID AAP10411 standard; peptide; 10 AA.
 XX
 AC AAP10411;
 XX
 DT 25-MAR-2003 (revised)
 DT 10-MAR-2003 (revised)
 DT 01-JUL-2002 (revised)
 DT 17-DEC-1992 (first entry)
 XX
 DE Luteinising Hormone Releasing Hormone.
 XX
 KW LHRH; Follicle Stimulating Factor; FSH; acne; hirsutism; dysmenorrhea;
 XX precocious puberty; endometriosis; prostate cancer;
 KW benign prostate hypertrophy; mammary tumour.
 XX
 OS Mammalia.
 XX
 PH Key Location/Qualifiers
 FT Modified-site 1
 FT /label= OTHER
 FT /note= "pyroglutamic acid"
 FT Modified-site 10
 FT /note= "amidated"
 XX
 PN BE885308-A.
 XX
 PD 19-MAR-1981.
 XX
 PF 21-SEP-1979; 79FR-00023545.
 XX
 PR 21-SEP-1979; 79FR-00023545.
 XX
 PA (ROUS) ROUSSEL-UCLAF.
 XX
 PI Labrie F, Raynaud J;
 XX
 DR WPI; 1981-23409D/14.
 XX
 PT LH-RH, liberating factor for LH and FSH, and its agonists compsn. - used
 PT to treat prostate adenocarcinoma, benign hypertrophy of the prostate,
 PT hirsutism, acne, etc.
 XX
 PS Claim 1(a); Page 15; 27pp; French.
 XX
 CC A composition is claimed containing LHRH or its analogues. The
 CC composition is used to treat prostate adenocarcinoma, benign hypertrophy
 CC of the prostate, endometriosis, dysmenorrhea, hirsutism, hormone-
 CC dependent mammary tumours, for treatment or prevention of precocious
 CC puberty, delaying the onset of puberty and for treating acne. The
 CC compositions may also contain antiandrogens. See also AAP10412-P10418.
 CC (Updated on 01-JUL-2002 to add missing PI field.) (Updated on 10-MAR-2003
 CC to add missing OS field.) (Updated on 25-MAR-2003 to correct PA field.)
 XX
 SQ Sequence 10 AA;
 Query Match 88.0%; Score 44; DB 1; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXKPG 10
 |||||
 Db 1 EHWXGLAPG 10
 |||||

CC compositions may also contain antiandrogens. See AAP10411-P10418.
 CC (Updated on 01-JUL-2002 to add missing PI field.) (Updated on 10-MAR-2003
 CC to add missing OS field.) (Updated on 25-MAR-2003 to correct PA field.)
 XX
 SQ Sequence 10 AA;
 Query Match 88.0%; Score 44; DB 1; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXKPG 10
 |||||
 Db 1 EHWXGLAPG 10
 |||||
 RESULT 11
 AAP10411
 ID AAP10411 standard; peptide; 10 AA.
 XX
 AC AAP10411;
 XX
 DT 25-MAR-2003 (revised)
 DT 10-MAR-2003 (revised)
 DT 01-JUL-2002 (revised)
 DT 17-DEC-1992 (first entry)
 XX
 DE Luteinising Hormone Releasing Hormone.
 XX
 KW LHRH; Follicle Stimulating Factor; FSH; acne; hirsutism; dysmenorrhea;
 XX precocious puberty; endometriosis; prostate cancer;
 KW benign prostate hypertrophy; mammary tumour.
 XX
 OS Mammalia.
 XX
 PH Key Location/Qualifiers
 FT Modified-site 1
 FT /label= OTHER
 FT /note= "pyroglutamic acid"
 FT Modified-site 10
 FT /note= "amidated"
 XX
 PN BE885308-A.
 XX
 PD 19-MAR-1981.
 XX
 PF 21-SEP-1979; 79FR-00023545.
 XX
 PR 21-SEP-1979; 79FR-00023545.
 XX
 PA (ROUS) ROUSSEL-UCLAF.
 XX
 PI Labrie F, Raynaud J;
 XX
 DR WPI; 1981-23409D/14.
 XX
 PT LH-RH, liberating factor for LH and FSH, and its agonists compsn. - used
 PT to treat prostate adenocarcinoma, benign hypertrophy of the prostate,
 PT hirsutism, acne, etc.
 XX
 PS Claim 1(a); Page 15; 27pp; French.
 XX
 CC A composition is claimed containing LHRH or its analogues. The
 CC composition is used to treat prostate adenocarcinoma, benign hypertrophy
 CC of the prostate, endometriosis, dysmenorrhea, hirsutism, hormone-
 CC dependent mammary tumours, for treatment or prevention of precocious
 CC puberty, delaying the onset of puberty and for treating acne. The
 CC compositions may also contain antiandrogens. See also AAP10412-P10418.
 CC (Updated on 01-JUL-2002 to add missing PI field.) (Updated on 10-MAR-2003
 CC to add missing OS field.) (Updated on 25-MAR-2003 to correct PA field.)
 XX
 SQ Sequence 10 AA;
 Query Match 88.0%; Score 44; DB 1; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXKPG 10
 |||||
 Db 1 EHWXGLAPG 10
 |||||

Best Local Similarity 70.0%; Pred. No. 0.15;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXPG 10
Db 1 EHWYGLRPG 10

RESULT 12
AAP50512
ID AAP50512 standard; protein; 10 AA.
AC AAP50512;
XX 25-MAR-2003 (revised)
DT 10-MAR-2003 (revised)
DT 01-NOV-1991 (first entry)
XX Sequence of gonadoliberin analogue.
DE Sequence of gonadoliberin analogue.
XX Hormone, reproduction; fertility; contraception; ovulation.
KW Hormone, reproduction; fertility; contraception; ovulation.
XX Vertebrata.
OS Synthetic.
XX Key Location/Qualifiers
FT Misc-difference 1 /label= pyroGlu
FT Modified-site 10 /label= Gly-NH2
FT BE901307-A.
PN 19-JUN-1985.
XX 19-DEC-1984; 84BE-00901307.
XX 23-DEC-1983; 83HU-00004458.
XX (VALT-) KOBZPONTI VALTO ES HITELBANK RT.
PA (INNO-) INNOVACIOS ALAP.
PA (KERT-) KERTZBUTE.
XX WPI; 1985-159468/27.
XX New gonadoliberin analogues - useful for ovulation control in fish birds
PT and mammals.
XX Claim 2; Page 25; 29pp; French.
CC The analogues of the invention are useful for controlling ovulation in
CC fish, birds and mammals. They have higher activity than their natural
CC counterparts. (Updated on 10-MAR-2003 to add missing OS field.) (Updated
CC on 25-MAR-2003 to correct PA field.)
XX Sequence 10 AA;

Query Match 88.0%; Score 44; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.15;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXPG 10
Db 1 EHWYGLRPG 10

RESULT 13
AAP50513
ID AAP50513 standard; protein; 10 AA.
AC AAP50513;
XX 25-MAR-2003 (revised)
DT 10-MAR-2003 (revised)
DT 01-NOV-1991 (first entry)
XX Sequence of gonadoliberin analogue.
DE Sequence of gonadoliberin analogue.
XX Hormone, reproduction; fertility; contraception; ovulation.
KW Hormone, reproduction; fertility; contraception; ovulation.
XX Vertebrata.
OS Synthetic.
XX Key Location/Qualifiers
FT Misc-difference 1 /label= pyroGlu
FT Modified-site 10 /label= Gly-NH2
FT BE901307-A.
PN 19-JUN-1985.
XX 19-DEC-1984; 84BE-00901307.
XX 23-DEC-1983; 83HU-00004458.
XX (VALT-) KOBZPONTI VALTO ES HITELBANK RT.
PA (INNO-) INNOVACIOS ALAP.
PA (KERT-) KERTZBUTE.
XX WPI; 1985-159468/27.
XX New gonadoliberin analogues - useful for ovulation control in fish birds
PT and mammals.
XX Claim 2; Page 25; 29pp; French.
CC The analogues of the invention are useful for controlling ovulation in
CC fish, birds and mammals. They have higher activity than their natural
CC counterparts. (Updated on 10-MAR-2003 to add missing OS field.) (Updated
CC on 25-MAR-2003 to correct PA field.)
XX Sequence 10 AA;

Query Match 88.0%; Score 44; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.15;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXPG 10
Db 1 EHWYGLRPG 10

RESULT 14
AAP50222
ID AAP50222 standard; protein; 10 AA.
AC AAP50222;
XX 25-MAR-2003 (revised)
DT 20-JAN-1992 (first entry)
XX Gonadotrophin release stimulating hormone.
DE Gonadotrophin release stimulating hormone.
XX GnRH; LH-RH; LRF; gonadotrophins; steroids; contraceptive.
OS Synthetic.
XX EP143573-A.
PN 05-JUN-1985.
XX 05-NOV-1984; 84EP-00307625.

DT 10-MAR-2003 (revised)
DT 01-NOV-1991 (first entry)
XX Sequence of gonadoliberin analogue.
DE Sequence of gonadoliberin analogue.
XX Hormone, reproduction; fertility; contraception; ovulation.
KW Hormone, reproduction; fertility; contraception; ovulation.
XX Vertebrata.
OS Synthetic.
XX Key Location/Qualifiers
FT Protein 1..9
FT Misc-difference 1 /label= pyroGlu
FT Modified-site 10 /label= Gly-NH2
FT BE901307-A.
PN 19-JUN-1985.
XX 19-DEC-1984; 84BE-00901307.
XX 23-DEC-1983; 83HU-00004458.
XX (VALT-) KOBZPONTI VALTO ES HITELBANK RT.
PA (INNO-) INNOVACIOS ALAP.
PA (KERT-) KERTZBUTE.
XX WPI; 1985-159468/27.
XX New gonadoliberin analogues - useful for ovulation control in fish birds
PT and mammals.
XX Claim 2; Page 25; 29pp; French.
CC The analogues of the invention are useful for controlling ovulation in
CC fish, birds and mammals. They have higher activity than their natural
CC counterparts. (Updated on 10-MAR-2003 to add missing OS field.) (Updated
CC on 25-MAR-2003 to correct PA field.)
XX Sequence 10 AA;

Query Match 88.0%; Score 44; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.15;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXPG 10
Db 1 EHWYGLRPG 10

RESULT 14
AAP50222
ID AAP50222 standard; protein; 10 AA.
AC AAP50222;
XX 25-MAR-2003 (revised)
DT 20-JAN-1992 (first entry)
XX Gonadotrophin release stimulating hormone.
DE Gonadotrophin release stimulating hormone.
XX GnRH; LH-RH; LRF; gonadotrophins; steroids; contraceptive.
OS Synthetic.
XX EP143573-A.
PN 05-JUN-1985.
XX 05-NOV-1984; 84EP-00307625.

```

XX 29-NOV-1983; 83US-00556148.
PR 30-AUG-1985; 85US-00771517.
XX
XX (SALK ) SALK INST BIOLOGICAL STUDIES.
XX
XX Roeske RW, Rivier JE, Vale WW;
XX
XX WPI; 1985-136434/23.
XX
XX New GnRH antagonist peptide(s) - useful as inhibitors of gonadotropin(s)
PT and/or steroid(s) for contraceptive use.
XX
XX Disclosure; Page 1; 20pp; English.
XX
XX The claimed peptide antagonists inhibit the release of gonadotrophins
CC and/or steroids. They are antagonistic to GnRH, inhibit ovulation, and
CC may cause resorption of a fertilised egg if administered shortly after
CC abortion. The peptides also have utility in male contraception, and in
CC treatment of precocious puberty, hormone dependent neoplasia,
CC dysmenorrhoea and endometriosis. (Updated on 25-MAR-2003 to correct PA
CC field.)
XX
XX Sequence 10 AA;
XX
XX Query Match 88.0%; Score 44; DB 1; Length 10;
XX Best Local Similarity 70.0%; Pred. No. 0.15;
XX Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
XX
XX QY 1 EHWXGXKXPG 10
XX |||||
XX Db 1 EHWXGGLRPG 10
XX
XX RESULT 15
XX AAP60127
XX ID AAP60127 standard; peptide; 10 AA.
XX
XX AC AAP60127;
XX
XX DT 25-MAR-2003 (revised)
XX DT 31-OCT-2002 (revised)
XX DT 12-JUN-1991 (first entry)
XX
XX DE Gonadoliberin antagonist.
XX
XX KW Gonadoliberin antagonist; contraceptive; antitumor.
XX
XX OS Unidentified.
XX
XX PN EP201260-A.
XX
XX PD 12-NOV-1986.
XX
XX PF 28-APR-1986; 86EP-00303210.
XX
XX PR 09-MAY-1985; 85US-00732531.
XX
XX PA (SALK ) SALK INST BIOLOGICAL STUDIES.
XX
XX PI Rivier JEF, Varga JI, Hagler AT, Struthers RS, Perrin MH;
XX PI Rivier CL, Vale WW;
XX
XX WPI; 1986-299774/45.
XX
XX New peptide gonadotropin releasing hormone antagonists - useful esp. as
PT contraceptives, for treating early puberty, hormone-dependent neoplasms
PT etc.
XX
XX Disclosure; Page 1; 33pp; English.
XX
XX The decapeptide encodes a gonadoliberin antagonist, which may be used as
CC a male contraceptive and as an antitumor (against steroid- dependent

```

```

CC tumours). (Updated on 31-OCT-2002 to add missing OS field.) (Updated on
CC 25-MAR-2003 to correct PA field.)
XX
XX Sequence 10 AA;
XX
XX Query Match 88.0%; Score 44; DB 1; Length 10;
XX Best Local Similarity 70.0%; Pred. No. 0.15;
XX Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
XX
XX QY 1 EHWXGXKXPG 10
XX |||||
XX Db 1 EHWXGGLRPG 10
XX
XX RESULT 16
XX AAP61403
XX ID AAP61403 standard; protein; 10 AA.
XX
XX AC AAP61403;
XX
XX DT 25-MAR-2003 (revised)
XX DT 09-JAN-2003 (revised)
XX DT 04-AUG-1991 (first entry)
XX
XX DE Gonadotropin releasing hormone.
XX
XX KW Gonadotropin releasing hormone; analogue; peptide synthesis; ovulation;
XX veterinary medicine; fertility.
XX
XX OS Unidentified.
XX
XX PN DD232500-A.
XX
XX PD 29-JAN-1986.
XX
XX PF 08-MAY-1984; 84DD-00262804.
XX
XX PR 08-MAY-1984; 84DD-00262804.
XX
XX PA (DEAK ) AKAD WISSENSCHAFTEN DDR.
XX
XX PI Kaufmann KD, Dolling R, Handel L;
XX
XX WPI; 1986-137868/22.
XX
XX Prepn. of gonadotropin liberating hormone and analogues - by multistage
PT rapid peptide synthesis in soln. without isolating intermediates.
XX
XX Disclosure; Page 7; 8pp; German.
XX
XX The gonadotropin releasing hormone and its analogues are prepd. by a new
CC multistage rapid peptide synthesis method in soln., where the
CC intermediates are not isolated. The process is rapid and gives very pure
CC peptide quickly and using little equipment. The peptide can be used in
CC veterinary medicine to synchronise ovulation in large animal herds, and
CC in human medicine in the treatment of fertility disorders. (Updated on 09
CC -JAN-2003 to add missing OS field.) (Updated on 25-MAR-2003 to correct PA
CC field.)
XX
XX Sequence 10 AA;
XX
XX Query Match 88.0%; Score 44; DB 1; Length 10;
XX Best Local Similarity 70.0%; Pred. No. 0.15;
XX Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
XX
XX QY 1 EHWXGXKXPG 10
XX |||||
XX Db 1 EHWXGGLRPG 10
XX
XX RESULT 17
XX AAP60576
XX ID AAP60576 standard; protein; 10 AA.

```

XX AAP60576;
AC 25-MAR-2003 (revised)
DT 27-OCT-1991 (first entry)
XX
DE Novel decapeptide with LHRH inhibition activity.
XX
KW Luteinising hormone releasing hormone activity.
XX
OS Synthetic.
XX
PN JP61210098-A.
XX
PD 18-SEP-1986.
XX
PF 23-AUG-1985; 85JP-00185616.
XX
PR 23-AUG-1984; 84US-00643643.
XX
PA (TULA) ADMIN TULANE EDUCAT.
XX (TULA) TULANE EDUCATIONAL FUND.
XX
DR WPI; 1986-321434/49.
XX
XX Deca:peptide - inhibits LH-RH hormone release activity.
XX
PS Disclosure; Page 990; 5pp; Japanese.
XX
XX Peptide inhibits the release of luteinising hormone releasing hormone. See
CC also AAP60575. (Updated on 25-MAR-2003 to correct PA field.)
XX
SQ Sequence 10 AA;
Query Match 88.0%; Score 44; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.15;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWXGXKXPG 10
|||||
DB 1 EHWXGGLRPG 10
|||||
RESULT 18
AAP70922
ID AAP70922 standard; peptide; 10 AA.
XX
XX AAP70922;
AC
XX
XX 01-MAY-1991 (first entry)
DT
XX
XX Luteinising hormone releasing hormone agonist.
DE
XX LHRH; contraception; precocious puberty; endometriosis; breast tumours;
KW prostate tumours; ectopic tumours; menopause.
XX
XX Synthetic.
OS
XX
XX Key Location/Qualifiers
FH Modified-site 1..1
FT /label= other
FT /note= "other= pyroglutamic acid"
FT Modified-site 10..10
FT /label= other
FT /note= "other= ketomethylene(Gly), dihydroketo-
FT methylene(Gly)"
XX
XX US4705778-A.
PN
XX 10-NOV-1987.
PD
XX 22-OCT-1985; 85US-00790031.
PF
XX

PR 22-OCT-1985; 85US-00790031.
XX (STRI) SRI INT.
PA
XX Almquist RG, Olsen CM;
PI
XX WPI; 1987-334627/47.
DR
XX Orally active luteinising hormone-releasing hormone peptide analogues -
PT have keto:methylene or hydroxy:ethylene in place of amide between
FT proline(9) and glycine(10).
XX
XX Disclosure; Page 4; 17pp; English.
PS
XX This luteinising hormone releasing hormone (LHRH) agonist has either a
CC ketomethylene or dihydroketomethylene gp. replacing the amide linkage
CC between residues 9 and 10 in LHRH. This results in an increase in oral
CC activity. It is useful for eg male and female contraception, treatment of
CC precocious puberty and endo- metriosiis and treatment of breast- and
CC prostate tumours. See also AAP70923-27
XX
SQ Sequence 10 AA;
Query Match 88.0%; Score 44; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.15;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWXGXKXPG 10
|||||
DB 1 EHWXGGLRPG 10
|||||
RESULT 19
AAP81580
ID AAP81580 standard; protein; 10 AA.
XX
XX AAP81580;
AC
XX
XX 25-MAR-2003 (revised)
DT 10-OCT-1990 (first entry)
DT
XX
XX LHRH analogue no. 8.
DE
XX Luteinising hormone releasing factor; follicle stimulating hormone;
KW fertility; precocious puberty; mammary carcinoma; prostatic carcinoma.
XX
XX Synthetic.
OS
XX US4721775-A.
XX
XX 26-JAN-1988.
PD
XX 26-AUG-1985; 85US-00771546.
PF
XX 26-AUG-1985; 85US-00771546.
PR
XX (TEXA) UNIV TEXAS SYSTEM.
PA
XX Folkers K, Bowers CY, Tang PFL, Kubota M;
PI
XX WPI; 1988-049675/07.
DR
XX Deca:peptide luteinising hormone releasing hormone analogues - contain
PT natural amino acids and have high activities for releasing luteinising
PT hormone and FSH.
PT
XX Claim 8; Page 10; 10pp; English.
PS
XX The peptide was synthesized with D-amino acids. It will be useful for
CC hypogonadotropic hypogonadal men, male infertility; precocious puberty;
CC and mammary and prostatic carcinomas. It will also be useful for
CC development of assay for veterinary medicine. See also AAP81573-82.
CC (Updated on 25-MAR-2003 to correct PA field.) (Updated on 25-MAR-2003 to

CC correct PI field.)
 XX Sequence 10 AA;
 SQ

Query Match 88.0%; Score 44; DB 1; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
 |||||
 Db 1 EHWSHGLQPG 10

RESULT 20
 AAP81578
 ID AAP81578 standard; protein; 10 AA.
 XX
 AC AAP81578;
 XX
 DT 25-MAR-2003 (revised)
 DT 10-OCT-1990 (first entry)
 XX
 DE LHRH analogue no. 6.
 XX
 KW Luteinising hormone releasing factor; follicle stimulating hormone;
 KW fertility; precocious puberty; mammary carcinoma; prostatic carcinoma.
 XX
 OS Synthetic.
 XX
 PN US4721775-A.
 XX
 PD 26-JAN-1988.
 XX
 PF 26-AUG-1985; 85US-00771546.
 XX
 PR 26-AUG-1985; 85US-00771546.
 XX
 PA (TEXA) UNIV TEXAS SYSTEM.
 XX
 PI Folkers K, Bowers CY, Tang PFL, Kubota M;
 XX
 PS WPI; 1988-049675/07.
 XX
 CC The peptide was synthesized with D-amino acids. It will be useful for
 CC hypogonadotropic hypogonadal men, male infertility; precocious puberty;
 CC and mammary and prostatic carcinomas. It will also be useful for
 CC development of assay for veterinary medicine. See also AAP81573-82.
 CC (Updated on 25-MAR-2003 to correct PA field.) (Updated on 25-MAR-2003 to
 CC correct PI field.)
 XX
 SQ Sequence 10 AA;

Query Match 88.0%; Score 44; DB 1; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
 |||||
 Db 1 EHWSHGLRPG 10

RESULT 22
 AAP81577
 ID AAP81577 standard; protein; 10 AA.
 XX
 AC AAP81577;
 XX
 DT 25-MAR-2003 (revised)
 DT 10-OCT-1990 (first entry)
 XX
 DE LHRH analogue no. 5.
 XX
 KW Luteinising hormone releasing factor; follicle stimulating hormone;
 KW fertility; precocious puberty; mammary carcinoma; prostatic carcinoma.
 XX
 OS Synthetic.
 XX
 PN US4721775-A.
 XX
 PD 26-JAN-1988.
 XX
 PF 26-AUG-1985; 85US-00771546.
 XX
 PR 26-AUG-1985; 85US-00771546.
 XX
 PA (TEXA) UNIV TEXAS SYSTEM.

Query Match 88.0%; Score 44; DB 1; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
 |||||
 Db 1 EHWSHGLRPG 10

RESULT 21
 AAP81575
 ID AAP81575 standard; protein; 10 AA.
 XX
 AC AAP81575;
 XX

XX Folkers K, Bowers CY, Tang PFL, Kubota M;
 XX WPI; 1988-049675/07.
 XX Deca:peptide luteinising hormone releasing hormone analogues - contain
 XX natural amino acids and have high activities for releasing luteinising
 XX hormone and FSH.
 XX Claim 5; Page 10; 10pp; English.
 XX The peptide was synthesized with D-amino acids. It will be useful for
 XX hypogonadotropic hypogonadal men, male infertility; precocious puberty;
 XX and mammary and prostatic carcinomas. It will also be useful for
 XX development of assay for veterinary medicine. See also AAP81573-82.
 XX (Updated on 25-MAR-2003 to correct PA field.) (Updated on 25-MAR-2003 to
 XX correct PI field.)
 XX Sequence 10 AA;
 SQ

Query Match 88.0%; Score 44; DB 1; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWSXGXPG 10
 |||||
 DB 1 EHWSYGLYPG 10

RESULT 23
 AAP81579
 ID AAP81579 standard; protein; 10 AA.
 XX
 AC AAP81579;
 XX
 DT 25-MAR-2003 (revised)
 DT 10-OCT-1990 (first entry)
 XX
 XX LHRH analogue no. 7.
 XX Luteinising hormone releasing factor; follicle stimulating hormone;
 KW fertility; precocious puberty; mammary carcinoma; prostatic carcinoma.
 KW
 XX Synthetic.
 XX
 XX US4721775-A.
 XX
 XX 26-JAN-1988.
 XX
 XX 26-AUG-1985; 85US-00771546.
 XX
 XX 26-AUG-1985; 85US-00771546.
 XX
 XX (TEXA) UNIV TEXAS SYSTEM.
 XX
 XX Folkers K, Bowers CY, Tang PFL, Kubota M;
 XX WPI; 1988-049675/07.
 XX Deca:peptide luteinising hormone releasing hormone analogues - contain
 XX natural amino acids and have high activities for releasing luteinising
 XX hormone and FSH.
 XX Claim 7; Page 10; 10pp; English.
 XX The peptide was synthesized with D-amino acids. It will be useful for
 XX hypogonadotropic hypogonadal men, male infertility; precocious puberty;
 XX and mammary and prostatic carcinomas. It will also be useful for
 XX development of assay for veterinary medicine. See also AAP81573-82.
 XX (Updated on 25-MAR-2003 to correct PA field.) (Updated on 25-MAR-2003 to
 XX correct PI field.)
 XX Sequence 10 AA;
 SQ

Query Match 88.0%; Score 44; DB 1; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWSXGXPG 10
 |||||
 DB 1 EHWSYGLYPG 10

RESULT 24
 AAP90630
 ID AAP90630 standard; protein; 10 AA.
 XX
 AC AAP90630;
 XX
 DT 03-OCT-2002 (revised)
 DT 14-JUN-1989 (first entry)
 XX
 XX Sequence of luteinizing hormone releasing hormone (LHRH).
 XX Luteinizing hormone releasing hormone (LHRH); LHRH antagonist;
 KW 19-nor-progestational agent; female gynaecological disorders.
 KW
 XX Synthetic.
 OS
 XX
 XX EP301850-A.
 XX
 XX 01-FEB-1989.
 PD
 XX
 XX 28-JUL-1988; 88EP-00306947.
 PP
 XX
 XX 31-JUL-1987; 87US-00080518.
 PR
 XX
 XX (SYNT) SYNTEX (USA).
 PA
 XX
 XX Vickery BH;
 PI
 XX
 XX WPI; 1989-033720/05.
 DR
 XX
 XX Compens. comprising LHRH-antagonist and 19-nor-progestational agent - for
 PT treating female gynaecological disorders based on gonads steroid prodn.
 PT
 XX Disclosure; Page 2; 31pp; English.
 PS
 XX
 XX Analogues (I) of the sequence pref. have amino acid (AA) substitutions at
 CC posns. 2 (his is replaced by a D-AA) and 6 (gly is replaced by a D-AA). A
 CC therapeutically effective amt. of such an antagonist is contained in a
 CC pharmaceutical compsn. alongside a menopaual-symtom-alleviating amt. of
 CC a 19-nor progestational agent (II) (pref. both in single formulation).
 CC The compsn. is pref. administered nasally in dosages of 0.01-1 mg/kg/day
 CC for (I) and 0.02-0.07 mg/kg/day for (II). May be used for inhibition of
 CC ovulation, and treatment of eg endometriosis, breast cancer, polycystic
 CC ovarian disease, or precocious puberty in female mammals. (Updated on 03-
 CC OCT-2002 to add missing OS field.)
 XX
 XX Sequence 10 AA;
 SQ

Query Match 88.0%; Score 44; DB 1; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWSXGXPG 10
 |||||
 DB 1 EHWSYGLRPG 10

RESULT 25
 AAR15713
 ID AAR15713 standard; protein; 10 AA.
 XX
 XX AAR15713;
 AC
 XX

DT 25-MAR-2003 (revised)
 DT 24-JAN-1992 (first entry)
 XX
 DE Peptide #1 with homology to LHRH.
 XX
 KW luliberin.
 XX
 OS Synthetic.
 XX
 FH Key Location/Qualifiers
 FT Modified-site 1 /label= OTHER
 FT /note= "PyroGlu"
 FT Modified-site 9
 FT /label= Hyp
 FT Modified-site 10
 FT /label= OTHER
 FT /note= "amidated"
 XX
 PN W09116343-A.
 XX
 PD 31-OCT-1991.
 XX
 XX 23-APR-1990; 90FR-000051147.
 PF
 XX 23-APR-1990; 90FR-000051147.
 PR
 XX (INRM) INSERM INST NAT SANTE & RECH MED.
 PA
 XX Gautron J, Pattou E, Kordon C, Bauer K;
 PI WPI; 1991-339753/46.
 DR
 XX New peptide homologous with luteinising hormone-releasing hormone - used
 XX to treat gynaecological conditions, cancer of gonads and sec. sexual
 PT organs, psychiatric conditions and in assays.
 PT
 XX Claim 3; Page 50; 83pp; French.
 PS
 XX The C-terminal residue (Gly-CO-NH2) can be replaced by ethylamide. This
 CC peptide and fragments of it (i.e. amino acids 4-10, 5-10, 6-10 and 7-10)
 CC are agonists and antagonists of LHRH. They are useful for treating e.g.
 CC precocious or delayed puberty, psychiatric disorders esp. those of the
 CC libido or sexual aggression, etc. In addition they are useful for
 CC functional exploration of the hypothalamus-hypophyseal axis and for
 CC radioimmunological or biological assay (of LH, FSH and steroid levels) in
 CC biological fluids and biopsy samples. (Updated on 25-MAR-2003 to correct
 CC PA field.)
 XX
 SQ Sequence 10 AA;
 Query Match 88.0%; Score 44; DB 2; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWSGXGXP 10
 DB 1 EHWSYGLRPG 10
 RESULT 26
 AAR26819
 ID AAR26819 standard; peptide; 10 AA.
 XX
 AC AAR26819;
 XX
 XX 25-MAR-2003 (revised)
 DT 10-FEB-1993 (first entry)
 DT
 XX LH releasing hormone antagonists.
 DE
 XX Luteinising hormone; LHRH; hypothalamic; antiovulatory; tumours;
 KW antineoplastic; precocious puberty; ovulation; contraceptive.

XX Synthetic.
 OS
 FH Key Location/Qualifiers
 FT Misc-difference 1 /label= pGlu
 FT Modified-site 10 /note= "amidated"
 FT
 XX W09213883-A1.
 PN
 XX 20-AUG-1992.
 PD
 XX 29-JAN-1992; 92WO-US000776.
 PF
 XX 30-JAN-1991; 91US-00647786.
 PR
 XX (TULA) TULANE EDUCATIONAL FUND.
 FA
 XX Janaky T, Juhasz A, Schally AV;
 PI WPI; 1992-295984/36.
 DR
 XX New decapeptide luteinising hormone-releasing hormone antagonists - for
 FT treating precocious puberty, hormone dependent tumours, endometritis,
 FT cystic diseases; also as contraceptive.
 FT
 XX Disclosure; Page 1; 43pp; English.
 PS
 XX The decapeptides is an antagonistic analogue of hypothalamic LHRH which
 CC possesses high antiovulatory and antineoplastic activity, is free of
 CC anaphylactoid side effects and is believed to be free of endometogenic
 CC effects. The peptide may be used to treat precocious puberty, hormone
 CC dependent amenorrhea, e.g. malignant and benign prostate tumours, e.g.
 CC secondary amnorrhea, endometriosis and ovarian and mammary cystic
 CC diseases. The peptide is also useful for regulating ovulation e.g. as
 CC precoital or postcoital contraceptives, for synchronising oestrus in
 CC livestock and for improving the "rhythm" method. It is also useful for
 CC regulating the human menopausal gonadotropin, follicle stimulating and LH
 CC levels during premenopausal and postmenopausal periods. As it suppresses
 CC the spermatogenesis and testosterone levels in males, it may be of
 CC potential use for male contraception. See also AAR26818, AAR29046-7.
 CC (Updated on 25-MAR-2003 to correct PN field.)
 XX
 SQ Sequence 10 AA;
 Query Match 88.0%; Score 44; DB 2; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWSGXGXP 10
 DB 1 EHWSYGLRPG 10
 RESULT 27
 AAR62689
 ID AAR62689 standard; peptide; 10 AA.
 XX
 AC AAR62689;
 XX
 XX 25-MAR-2003 (revised)
 DT 10-SEP-1995 (first entry)
 DT
 XX LHRH hapten for attachment to universal immune stimulator.
 DE
 XX Helper T cell epitope; universal immune stimulator; invasin; hapten;
 KW vaccine; LHRH; luteinising hormone releasing hormone; prostate;
 KW androgen-dependent carcinoma; antitumour; infertility.
 XX
 OS Homo sapiens.
 XX
 PN W09425060-A1.

XX PD 10-NOV-1994.
 XX XX 28-APR-1994; 94WO-US004832.
 XX PF 27-APR-1993; 93US-00057166.
 XX PR 14-APR-1994; 94US-00229275.
 XX XX (LADD/) LADD A E.
 PA (WANG/) WANG C Y.
 PA (ZAMB/) ZAMB T.
 XX Ladd AE, Wang CY, Zamb T;
 PI WPI; 1994-357910/44.
 XX DR Immunogenic luteinising hormone releasing hormone peptide(s) - that
 XX PT suppress LHRH activity in males and females.
 XX PS Claim 6; Page 104; 213pp; English.
 XX CC Synthetic immunogenic peptides are provided in which a universal immune
 CC stimulator is linked to a peptide or protein haptan containing B cell
 CC and/or cytotoxic T lymphocyte epitopes, giving a product which causes
 CC potent immune responses to the coupled peptide or protein. The stimulator
 CC consists of (A) a promiscuous helper T cell epitope (Th) which elicits an
 CC immune response to the coupled peptide in members of a heterogeneous
 CC population expressing diverse HLA phenotypes, and (B) an adjuvant peptide
 CC sequence from the invasive protein of *Yersinia*. Spacer amino acid
 CC sequences (e.g. Gly-Gly) can be provided between the invasive and Th
 CC domains and between the immune stimulator and haptan components. When the
 CC haptan is LHRH, then optionally the invasive domain can be omitted from
 CC the immune stimulator component. The present sequence represents an LHRH
 CC haptan which can be attached to the stimulator to provide a potent
 CC vaccine for treating e.g. prostatic hyperplasia, androgen-dependent
 CC carcinoma, prostatic carcinoma, testicular carcinoma, endometriosis,
 CC benign uterine tumours, recurrent functional ovarian cysts, (severe)
 CC premenstrual syndrome or oestrogen-dependent breast cancer, or for
 CC induction of infertility. (Updated on 25-MAR-2003 to correct PN field.)
 XX CC
 XX SQ Sequence 10 AA;
 Query Match 88.0%; Score 44; DB 2; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXGXXPG 10
 Db 1 EHWXGGLRPG 10
 RESULT 28
 AAR91197
 ID AAR91197 standard; peptide; 10 AA.
 XX AC AAR91197;
 XX DT 06-SEP-1996 (first entry)
 XX DE LHRH peptide.
 XX KW luteinising hormone releasing hormone; follicle stimulating; FSH;
 KW gonadorelin.
 XX OS Synthetic.
 XX FH Key Location/Qualifiers
 FT Modified-site 1
 FT /note= "pyroglutamic acid"
 FT Modified-site 10
 FT /note= "Gly-NH2"
 XX CA1335403-C.

XX PD 25-APR-1995.
 XX XX 06-MAY-1988; 88CA-00566195.
 XX PF 06-MAY-1988; 88CA-00566195.
 XX PR (BOEH) BIO-MEGA/BOEHRINGER INGELHEIM RES INC.
 XX PA Gauthier JA;
 PI WPI; 1995-179280/24.
 XX DR
 XX PT Prepn. of luteinising hormone and follicle stimulating hormone releasing
 PT peptide(s) - by cleaving a protected nona-peptide resin by photolysis to
 PT remove the support, coupling with glycineamide and deprotecting.
 XX PS Claim 1; Page ?; 18pp; English.
 XX CC A new method is provided for preparing a decapeptide of formula pGlu-His-
 CC Trp-Ser-Tyr-Xaa-Leu-Arg-Pro-Gly-NH₂, in which a protected nonapeptide
 CC corresponding to the N-terminal of the peptide is first prepared on a
 CC benzhydrylamine resin, the Pro residue being attached to the resin via a
 CC photosensitive linker. The nonapeptide is cleaved from the resin by
 CC photolysis, the C-terminal is activated, and the product is coupled with
 CC glycineamide to add the Gly-NH₂. The decapeptide is then deprotected. In
 CC the decapeptide, Xaa is Gly (giving gonadorelin; the present sequence), D
 CC -2-Nal or D-Trip
 XX SQ Sequence 10 AA;
 Query Match 88.0%; Score 44; DB 2; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXGXXPG 10
 Db 1 EHWXGGLRPG 10
 RESULT 29
 AAR75152
 ID AAR75152 standard; peptide; 10 AA.
 XX AC AAR75152;
 XX DT 19-DEC-1995 (first entry)
 XX DE Gonadotropin releasing hormone.
 XX KW Gonadotropin releasing hormone; GnRH; gonadoliberin; reproduction;
 KW transgenic animal; transgenic fish; transgenic fowl.
 XX OS Mammalia.
 XX PN WO9512309-A1.
 XX PD 11-MAY-1995.
 XX PF 04-NOV-1994; 94WO-US012763.
 XX PR 05-NOV-1993; 93US-00147771.
 XX PA (STRD) UNIV LELAND STANFORD JUNIOR.
 PA (UYOR-) UNIV OREGON STATE.
 XX PI Fernald RD, Adelman JP;
 XX WPI; 1995-185526/24.
 XX PT New gonadotropin releasing hormone preprohormone DNA - used to develop
 PT prods. for regulation of reproductive function and diagnosis of
 PT reproductive capacity and disease.


```

XX Disclosure; Fig 1a; 85pp; English.
XX
XX 8 Different forms of GnRH (given in AAR75152-59) have previously been
CC isolated from vertebrate species. A precursor for an additional form of
CC GnRH, (Ser8)-GnRH (AAR75151), has now been obtd
XX
XX Sequence 10 AA;
SQ
    Query Match      88.0%; Score 44; DB 2; Length 10;
    Best Local Similarity 70.0%; Pred. No. 0.15;
    Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWXGXGXP 10
    |||||
DB 1 EHWXGLRPG 10

RESULT 30
AAR75153
ID AAR75153 standard; peptide; 10 AA.
XX
XX AAR75153;
AC
XX 19-DEC-1995 (first entry)
DT
XX Chicken (I) GnRH(8Gln).
DE
XX Gonadotropin releasing hormone; GnRH; gonadoliberin; reproduction;
KW transgenic animal; transgenic fish; transgenic fowl.
KW
XX Gallus sp.
OS
XX WO9512309-A1.
PN
XX 11-MAY-1995.
PD
XX 04-NOV-1994; 94WO-US012763.
PF
XX 05-NOV-1993; 93US-00147771.
PR
XX (STRD ) UNIV LELAND STANFORD JUNIOR.
PA (UTOR-) UNIV OREGON STATE.
XX
XX Fernald RD, Adelman JP;
PI
XX WPI; 1995-185526/24.
DR
XX
XX New gonadotropin releasing hormone preprohormone DNA - used to develop
PT prods. for regulation of reproductive function and diagnosis of
PT reproductive capacity and disease.
XX
XX Disclosure; Fig 1a; 85pp; English.
XX
XX 8 Different forms of GnRH (given in AAR75152-59) have previously been
CC isolated from vertebrate species. A precursor for an additional form of
CC GnRH, (Ser8)-GnRH (AAR75151), has now been obtd
XX to correct OS field.
XX
XX Sequence 10 AA;
    Query Match      88.0%; Score 44; DB 2; Length 10;
    Best Local Similarity 70.0%; Pred. No. 0.15;
    Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWXGXGXP 10
    |||||
DB 1 EHWXGLRPG 10

RESULT 32
AAR86845
ID AAR86845 standard; peptide; 10 AA.
XX
XX AAR86845;
AC
XX 25-MAR-2003 (revised)
DT
XX 22-MAR-1996 (first entry)
DT
XX Gonadotropin releasing hormone.
DE
XX Gonadotropin releasing hormone; GnRH; motility disorder;
KW functional bowel disease; leuprolide acetate; luteinising hormone;
KW progesterone; relaxin; autonomic nervous system; drug delivery; therapy;
KW irritable bowel syndrome; diabetes; scleroderma; Parkinson's disease.
XX
XX Synthetic.
OS
XX Key
XX Modified-site 1
XX Location/Qualifiers
FT /label= OTHER
FT /note= "pyroglutamic acid"
FT Cleavage-site 6..7
FT Modified-site 10

```

```

AC AAR75155;
XX
XX 27-AUG-2003 (revised)
DT
XX 19-DEC-1995 (first entry)
DT
XX Catfish GnRH (5His, 8Asn).
DE
XX Gonadotropin releasing hormone; GnRH; gonadoliberin; reproduction;
KW transgenic animal; transgenic fish; transgenic fowl.
KW
XX Siluriformes.
OS
XX WO9512309-A1.
PN
XX 11-MAY-1995.
PD
XX 04-NOV-1994; 94WO-US012763.
PF
XX 05-NOV-1993; 93US-00147771.
PR
XX (STRD ) UNIV LELAND STANFORD JUNIOR.
PA (UTOR-) UNIV OREGON STATE.
XX
XX Fernald RD, Adelman JP;
PI
XX WPI; 1995-185526/24.
DR
XX
XX New gonadotropin releasing hormone preprohormone DNA - used to develop
PT prods. for regulation of reproductive function and diagnosis of
PT reproductive capacity and disease.
XX
XX Disclosure; Fig 1a; 85pp; English.
XX
XX 8 Different forms of GnRH (given in AAR75152-59) have previously been
CC isolated from vertebrate species. A precursor for an additional form of
CC GnRH, (Ser8)-GnRH (AAR75151), has now been obtd. (Updated on 27-AUG-2003
CC to correct OS field.)
XX
XX Sequence 10 AA;
    Query Match      88.0%; Score 44; DB 2; Length 10;
    Best Local Similarity 70.0%; Pred. No. 0.15;
    Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWXGXGXP 10
    |||||
DB 1 EHWXGLRPG 10

RESULT 32
AAR86845
ID AAR86845 standard; peptide; 10 AA.
XX
XX AAR86845;
AC
XX 25-MAR-2003 (revised)
DT
XX 22-MAR-1996 (first entry)
DT
XX Gonadotropin releasing hormone.
DE
XX Gonadotropin releasing hormone; GnRH; motility disorder;
KW functional bowel disease; leuprolide acetate; luteinising hormone;
KW progesterone; relaxin; autonomic nervous system; drug delivery; therapy;
KW irritable bowel syndrome; diabetes; scleroderma; Parkinson's disease.
XX
XX Synthetic.
OS
XX Key
XX Modified-site 1
XX Location/Qualifiers
FT /label= OTHER
FT /note= "pyroglutamic acid"
FT Cleavage-site 6..7
FT Modified-site 10

```

FT XX US5434136-A. /note= "amidated"

PN XX 18-JUL-1995.

PD XX 19-OCT-1992; 92US-00965675.

PP XX 14-DEC-1990; 90US-00626402.

PR XX 14-AUG-1991; 91US-00744977.

XX XX (MATH//) MATHIAS J R.

PA Mathias JR;

XX WPI; 1995-263259/34.

DR XX

XX Treating motility disorders associated with systemic lupus erythematosus

PT - by admin. of gonadotropin releasing hormone analogue, to control

PT nausea, vomiting, abdominal pain etc.

XX Disclosure; Col 3; 14pp; English.

PS

XX This sequence represents naturally occurring gonadotropin releasing hormone (GnRH). Analogues of GnRH are represented by AAR8646-56.

CC Motility disorders, including functional bowel disease, can be treated by

CC the administration of one of the GnRH analogues shown here (e.g.

CC leuprolide acetate). This is due to the GnRH analogue inhibiting

CC production of reproductive hormones such as luteinising hormone,

CC progesterone and relaxin. Motility disorders are caused from

CC abnormalities of the autonomic nervous system. Due to this, the GnRH

CC analogues may also exert effects on the autonomic nervous system. The

CC GnRH analogues are administered by injection (which may be intravenous,

CC subcutaneous or intramuscular), or by a drug delivery system. The drug

CC delivery system can comprise a drug implant with timed release, a nasal

CC spray or an injection of a long-lasting depo form. This method is used to

CC alleviate symptoms such as nausea, vomiting, abdominal pain and altered

CC bowel habits. The sequences can be used to treat motility disorders in a

CC wide variety of other diseases including irritable bowel syndrome,

CC diabetes, scleroderma and Parkinson's disease. (Updated on 25-MAR-2003 to

CC correct PF field.)

XX Sequence 10 AA;

SQ

Query Match 88.0%; Score 44; DB 2; Length 10;

Best Local Similarity 70.0%; Pred. No. 0.15;

Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSXGXPG 10

Db 1 EHWSYGLRPG 10

RESULT 33

ADC79469

ID ADC79469 standard; peptide; 10 AA.

XX ADC79469;

XX 01-JAN-2004 (first entry)

XX Naturally occurring gonadotropin releasing hormone (GnRH).

XX Cytotoxic receptor ligand scaffold; CRLS; pituitary; gonadotropin;

XX tumour development; breast cancer; prostatic cancer; steroid hormone;

XX endometriosis; endocytosis; cell destruction; sterilisation;

XX anabolic effect; testosterone; gonadotropin releasing hormone; GnRH.

XX Unidentified.

OS

XX Key Location/Qualifiers

FT Modified-site 1 /note= "Pyroglutamic acid"

FT

FT Modified-site 10 /note= "amidated"

FT

FT Modified-site 10 /note= "C-terminal amide"

XX GB2282812-A.

XX 19-APR-1995.

XX 07-OCT-1994; 94GB-00020249.

XX 15-OCT-1993; 93US-00138516.

XX (MERI) MERCK & CO INC.

XX Lombardo VK, Tolman RL;

XX WPI; 1995-141218/19.

XX New cytotoxin-receptor ligand conjugate based on poly.lysine scaffold -

PT used to kill selected pituitary cells for chemical sterilisation, also

PT for treating cancers and endometriosis.

XX Disclosure; Page 17; 50pp; English.

PS

XX The present invention relates to cytotoxic receptor ligand scaffolds

CC (CRLS) of the general formula (Lys)n(Unh)m(Sol)m-(X)n-2, where Unh=

CC sterically unhindered group; Sol= hydrophilic solubilising group; n= 3-10

CC ; m= 0-5; X= receptor ligand; and Z= cytotoxin. The CRLS are used to

CC sterilise animals, they destroy cells in the pituitary that secrete

CC gonadotrophins. The CRLS can also be used to halt the development of

CC tumours (e.g. breast and prostatic cancers) stimulated by steroid

CC hormones or to treat endometriosis. These scaffolds induce efficient

CC endocytosis and cell destruction. The binding affinity of the conjugated

CC targeting agent, X, is almost the same as that of free ligand, and the

CC scaffolds provide a permanent sterilisation (in both sexes) without

CC severe side effects. Sterilisation is achieved without losing the

CC anabolic effects of testosterone. The present sequence represents

CC naturally occurring gonadotropin releasing hormone (GnRH).

XX Sequence 10 AA;

SQ

Query Match 88.0%; Score 44; DB 2; Length 10;

Best Local Similarity 70.0%; Pred. No. 0.15;

Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSXGXPG 10

Db 1 EHWSYGLRPG 10

RESULT 34

AAR77431

ID AAR77431 standard; peptide; 10 AA.

XX AAR77431;

XX 24-JUN-1996 (first entry)

XX Catfish gonadotropin releasing hormone, cfGnRH.

XX Gonadotropin releasing hormone; GnRH; analogue; liver cancer;

XX hepatocarcinoma; proliferation inhibitor; neoplasia.

XX Ictalurus punctatus.

OS

XX Key Location/Qualifiers

FT Modified-site 1 /label= OTHER

FT /note= "pyro-Glu"

FT Modified-site 10 /label= OTHER

FT /note= "amidated"

FT

FT WO9531475-A1.

```
XX PD 23-NOV-1995.
XX PF 05-MAY-1995; 95WO-IB000323.
XX PR 13-MAY-1994; 94US-00242678.
XX PA (UYTE-) UNIV TECHNOLOGIES INT INC.
XX PI Habibi HR;
XX DR WPI; 1996-010876/01.
XX PT Treating mammalian liver cancer - by administering an inhibitory amt. of
XX PT a GnRH-related cpd.
XX PS Example 1; Page 24; 53pp; English.
XX CC AAR77431 is catfish gonadotropin releasing hormone (cfGnRH). It is used
XX CC in a binding assay as a human GnRH-related peptide. GnRH related peptides
XX CC of the invention are capable of inhibiting the proliferation of liver
XX CC cancer cells. The effect of GnRH-related peptides is not caused by
XX CC cytotoxic activity, since upon treatment with the peptides, hepatoma-
XX CC derived cell lines HepG2 and HuH-7 did not lose cellular viability
XX CC (>90%). The peptides appear to cause hepatoma cells to move into a
XX CC continuous cytostatic state. The peptides can be used to suppress or
XX CC inhibit the growth of liver cancer cells. Since liver cancer cells have
XX CC receptors with high binding affinity for GnRH and its analogues the
XX CC peptides can also be useful in the diagnosis of liver cancer
XX SQ Sequence 10 AA;

Query Match 88.0%; Score 44; DB 2; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.15;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXGXP 10
DB 1 EHWXGGLNPG 10

RESULT 35
AAW65201
ID AAW65201 standard; peptide; 10 AA.
AC AAW65201;
XX 02-OCT-1998 (first entry)
XX Luteinising hormone-releasing hormone (LH-RH).
XX Bradykinin; N-benzylglycine; agonist; receptor study; antagonist;
XX achiral; analgesic; luteinising hormone-releasing hormone; LHRH;
XX gonadoliberin.
XX Synthetic.
XX Key Location/Qualifiers
XX Modified-site 1 /note= "Pyroglutamic acid"
XX Misc-difference 6 /note= "N-benzylglycine, N-cyclohexylglycine or the ring
XX substituted derivatives of these two amino acids"
XX Modified-site 10 /note= "C-terminal amide"
XX US5527882-A.
XX 18-JUN-1996.
XX 07-NOV-1994; 94US-00335202.
XX 07-JUL-1989; 89US-00376839.
XX 16-SEP-1992; 92US-00945664.
XX (REGC ) UNIV CALIFORNIA.
XX Young JD, Mitchell AR;
XX WPI; 1996-299898/30.
XX New bradykinin analogues contg. N-benzyl-glycine - useful as bradykinin
XX agonists or antagonists, useful e.g. as analgesics.
XX Disclosure; Col 11-12; 15pp; English.
XX The invention relates to the obtaining of a potent agonist or antagonist
XX peptide by the replacement of selected amino acids with synthetic achiral
XX amino acids. The present sequence represents a luteinising hormone-
XX releasing hormone (LHRH)
XX Sequence 10 AA;

Query Match 88.0%; Score 44; DB 2; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.15;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXGXP 10
DB 1 EHWXGGLNPG 10

RESULT 36
AAW65203
ID AAW65203 standard; peptide; 10 AA.
XX AAW65203;
XX 02-OCT-1998 (first entry)
XX Luteinising hormone-releasing hormone (LH-RH) analogue.
XX Bradykinin; N-benzylglycine; agonist; receptor study; antagonist;
XX achiral; analgesic; luteinising hormone-releasing hormone; LHRH;
XX gonadoliberin.
XX Synthetic.
XX Key Location/Qualifiers
XX Modified-site 1 /note= "Pyroglutamic acid"
XX Misc-difference 6 /note= "N-benzylglycine, N-cyclohexylglycine or the ring
XX substituted derivatives of these two amino acids"
XX Modified-site 10 /note= "C-terminal amide"
XX US5527882-A.
XX 18-JUN-1996.
XX 07-NOV-1994; 94US-00335202.
XX 07-JUL-1989; 89US-00376839.
XX 16-SEP-1992; 92US-00945664.
XX (REGC ) UNIV CALIFORNIA.
XX Young JD, Mitchell AR;
XX WPI; 1996-299898/30.
XX New bradykinin analogues contg. N-benzyl-glycine - useful as bradykinin
XX agonists or antagonists, useful e.g. as analgesics.
XX Disclosure; Col 11-12; 15pp; English.
XX The invention relates to the obtaining of a potent agonist or antagonist
XX peptide by the replacement of selected amino acids with synthetic achiral
```

CC amino acids. The present sequence represents a luteinising hormone-releasing hormone (LHRH) analogue, containing an N-benzylglycine, N-cyclohexylmethylglycine or a ring substituted derivative of one of these two amino acids

XX SQ Sequence 10 AA; Query Match 88.0%; Score 44; DB 2; Length 10; Best Local Similarity 70.0%; Pred. No. 0.15; Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHSXGXKPG 10
| | | | |
Db 1 EHSYGLRPG 10

RESULT 37
AAW45642
ID AAW45642 standard; peptide; 10 AA.
XX AC AAW45642;
XX DT 05-JUN-1998 (first entry)
XX DE Luteinising hormone releasing hormone analogue #1.
XX KW Luteinising hormone releasing hormone; LHRH receptor; tumour; radiometal chelating peptide; diagnosis; therapy; analogue.
XX OS Synthetic.
XX PH Key Location/Qualifiers
FT Modified-site 1 /note= "Pyroglutamic acid"
FT Modified-site 10 /note= "C-terminal amide"
XX PN WO9640756-A1.
XX PD 19-DEC-1996.
XX PF 07-JUN-1996; 96WO-US008695.
XX PR 07-JUN-1995; 95US-00474555.
XX PA (IMMU-) IMMUNOMEDICS INC.
XX PI McBride WJ, Karacay H, Griffiths GJ;
XX DR WPI; 1997-077263/07.
XX PT New luteinising hormone releasing hormone analogues - having an amino acid residue deriv. for chelating a radio:metal for use in diagnosis and therapy.
XX PS Example 8; Page 30; 59pp; English.
XX CC This sequence represents a luteinising hormone releasing hormone analogue. The invention relates to peptides having the following amino acid sequence: X1-X2-X3-S-X4-X5-X6-X7-P-X8-NH2, in which X1 = pyroglutamic acid or D-acetylphenylalanine; X2 = histidine or D-4-chlorophenylalanine; X3 = D- or L-tryptophan or tyrosine; X4 = tyrosine, leucine or arginine; X5 = an amino acid derivative capable of chelating a radiometal; X6 = leucine or tryptophan; X7 = arginine or lysine; and X8 = NH2 = glycine amine or D-alanine amide. The peptides are luteinising hormone releasing hormone (LHRH) analogues that can bind radiolabelled while retaining the ability to specifically bind to the LHRH receptor. They can be used for preparing radiolabelled peptides that specifically bind to cells or tissues that express LHRH receptors. The radiolabelled peptides can be used to image or treat tumours, infectious lesions, myocardial infarction, clots, atherosclerotic plaques or normal organs or tissues. The radiometal chelating peptides are stable in blood and other body fluids and tissues

XX SQ Sequence 10 AA; Query Match 88.0%; Score 44; DB 2; Length 10; Best Local Similarity 70.0%; Pred. No. 0.15; Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHSXGXKPG 10
| | | | |
Db 1 EHSYGLRPG 10

RESULT 38
AAW16294
ID AAW16294 standard; peptide; 10 AA.
XX AC AAW16294;
XX DT 07-OCT-1997 (first entry)
XX DE 8-Lys (COCH2Br)-LHRH.
XX KW LHRH; antagonist; histamine release; water solubility; luteinising hormone releasing hormone.
XX OS Synthetic.
XX PH Key Location/Qualifiers
FT Modified-site 1 /note= "PyroGlu"
FT Modified-site 8 /note= "Lys (COCH2Br)"
FT Modified-site 10 /note= "Gly-NH2"
XX PN WO9640757-A2.
XX PD 19-DEC-1996.
XX PF 07-JUN-1996; 96WO-US009852.
XX PR 07-JUN-1995; 95US-00480494.
XX PA (INDV) UNIV INDIANA FOUND.
XX PI Roeske RW;
XX DR WPI; 1997-077264/07.
XX PT New LHRH antagonist peptide(s) modified at amino acid position 6 - useful for treatment of, e.g. prostate cancer, breast cancer, endometriosis or premenstrual syndrome.
XX PS Claim 31; Page 46; 53pp; English.
XX CC Novel LHRH antagonist peptides are disclosed in which the residue of the amino acid corresponding to position 6 of natural mammalian LHRH contains a hydrophilic N-acyl moiety, a dipolar moiety, a sulphonium moiety, a receptor-modifying moiety or a small polar moiety. The peptides may have reduced histamine-releasing activity and improved water solubility. They are useful for treatment of precocious puberty, prostate cancer, ovarian cancer, benign prostatic hypertrophy, endometriosis, uterine fibroids, breast cancer, premenstrual syndrome, polycystic ovary syndrome and diseases which result from excesses of gonadal hormones in humans or animals. They may also be used for behaviour modification (including chemical castration), for treatment of immunosuppressed patients, or for inhibition of ovulation. The present sequence represents an additionally claimed new peptide which instead has a modification at position 8

XX SQ Sequence 10 AA; Query Match 88.0%; Score 44; DB 2; Length 10; Best Local Similarity 70.0%; Pred. No. 0.15;

```

Query Match      88.0%; Score 44; DB 2; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.15;
Matches 7; Conservative 0; Mismatches 0; Gaps 0;
Qy      1 EHWXGXGXXPG 10
      |||||
Db      1 EHWXGGLMPG 10

```

KW lamprey-luteinising hormone-releasing hormone; gonadotropes; inhibitor;
 KW tumour; ligand; fusion protein; reproductive capacity; insect; treatment;
 KW growth rate; pest control; L-hecate; cancer; adenoma; lymphocyte;
 KW autoimmune disease.
 XX Rattus sp.
 OS
 XX
 XX
 FH Key Location/Qualifiers
 FT Modified-site 1 /note= "pyroglutamic acid"
 FT
 XX WO9842365-A1.
 XX
 XX 01-OCT-1998.
 XX
 XX 27-MAR-1998; 98WO-US006114.
 XX
 XX 27-MAR-1997; 97US-0041009P.
 PR 04-JUN-1997; 97US-00869153.
 PR 03-SEP-1997; 97US-0057456P.
 XX
 XX (LOU) UNIV LOUISIANA STATE & AGRIC & MECH COLL.
 XX
 XX Enright FM, Jaynes JM, Hansel W, Koonce KL, Mccann SM, Yu WH;
 PI Melrose PA, Foil LD, Elzer PH;
 XX
 XX WPI; 1998-531711/45.
 XX
 XX New fusion of hormone and lytic peptide for selective cell killing -
 PT particularly for controlling fertility in animals, insect pests, fish
 PT etc., also for treatment of hormone-dependent cancer, viral infections
 PT and auto-immune diseases.
 XX
 XX Example 1-6; Page 37; 59pp; English.
 PS
 XX This sequence represents the rat gonadotrophin-releasing hormone (GnRH),
 CC which is used in a method for producing long-term contraception or
 CC sterility by administering GnRH, beta luteinising hormone (LH) or lamprey
 CC -luteinising hormone-releasing hormone (1-LHRH-III) or temporarily
 CC restoring fertility in a mammal in which the pituitary gonadotropes have
 CC been selectively destroyed by administration of GnRH or 1-LHRH-III. This
 CC sequence also has applications in methods for killing, or inhibiting
 CC growth of hormone- or ligand-dependent tumours by administering the
 CC relevant hormone or ligand plus a lytic peptide, for killing a cell the
 CC activity of which is dependent on binding of a cell-surface receptor to a
 CC ligand by administering the ligand and lytic peptide, inhibiting
 CC reproductive capacity of an insect by administration of a lytic peptide.
 CC Fusion proteins combining such proteins and lytic peptides can be fused
 CC and may also include a carrier domain, specifically vitamin B12, that
 CC facilitates intestinal uptake after oral administration. These methods
 CC have applications for increasing the growth rate of mammals, for pest
 CC control e.g. plants containing an exogenous gene encoding L-hecate. A
 CC endometrial or testicular cancers, prolactinoma, growth hormone-,
 CC thyrotropin- or gonadotropin-dependent adenomas, or any pituitary
 CC adenoma. In addition the proteins can be used to kill lymphocytes
 CC involved in a wide range of autoimmune diseases or to destroy virus-
 CC infected cells
 XX
 XX Sequence 10 AA;
 SQ
 Query Match 88.0%; Score 44; DB 2; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXYPG 10
 |||||
 DB 1 EHWXGLRPG 10
 RESULT 42
 ID AAW76389
 ID AAW76389 standard; peptide; 10 AA.

XX AAW76389;
 AC
 XX 17-OCT-2003 (revised)
 DT 04-DEC-1998 (first entry)
 DT
 XX
 DE Chicken I GnRH peptide.
 XX
 XX GnRH; lytic peptide; rat; gonadotrophin-releasing hormone; contraception;
 KW sterility; luteinising hormone; LH; 1-LHRH-III; fertility; pituitary;
 KW lamprey-luteinising hormone-releasing hormone; gonadotropes; inhibitor;
 KW tumour; ligand; fusion protein; reproductive capacity; insect; treatment;
 KW growth rate; pest control; L-hecate; cancer; adenoma; lymphocyte;
 KW autoimmune disease; chicken.
 XX
 XX Gallus gallus.
 OS
 XX
 XX Key Location/Qualifiers
 FT Modified-site 1 /note= "pyroglutamic acid"
 FT
 XX WO9842365-A1.
 XX
 XX 01-OCT-1998.
 XX
 XX 27-MAR-1998; 98WO-US006114.
 XX
 XX 27-MAR-1997; 97US-0041009P.
 PR 04-JUN-1997; 97US-00869153.
 PR 03-SEP-1997; 97US-0057456P.
 XX
 XX (LOU) UNIV LOUISIANA STATE & AGRIC & MECH COLL.
 XX
 XX Enright FM, Jaynes JM, Hansel W, Koonce KL, Mccann SM, Yu WH;
 PI Melrose PA, Foil LD, Elzer PH;
 XX
 XX WPI; 1998-531711/45.
 XX
 XX New fusion of hormone and lytic peptide for selective cell killing -
 PT particularly for controlling fertility in animals, insect pests, fish
 PT etc., also for treatment of hormone-dependent cancer, viral infections
 PT and auto-immune diseases.
 XX
 XX Example 9-14; Page 42; 59pp; English.
 PS
 XX This sequence represents a chicken gonadotrophin-releasing hormone
 CC (GnRH), which is used in a method for producing long-term contraception
 CC or sterility by administering GnRH, beta luteinising hormone (LH) or
 CC lamprey-luteinising hormone-releasing hormone (1-LHRH-III) or temporarily
 CC restoring fertility in a mammal in which the pituitary gonadotropes have
 CC been selectively destroyed by administration of GnRH or 1-LHRH-III. This
 CC sequence also has applications in methods for killing, or inhibiting
 CC growth of hormone- or ligand-dependent tumours by administering the
 CC relevant hormone or ligand plus a lytic peptide, for killing a cell the
 CC activity of which is dependent on binding of a cell-surface receptor to a
 CC ligand by administering the ligand and lytic peptide, inhibiting
 CC reproductive capacity of an insect by administration of a lytic peptide.
 CC Fusion proteins combining such proteins and lytic peptides can be fused
 CC and may also include a carrier domain, specifically vitamin B12, that
 CC facilitates intestinal uptake after oral administration. These methods
 CC have applications for increasing the growth rate of mammals, for pest
 CC control e.g. plants containing an exogenous gene encoding L-hecate. A
 CC further application is in the treatment of ovarian, breast, prostate,
 CC endometrial or testicular cancers, prolactinoma, growth hormone-,
 CC thyrotropin- or gonadotropin-dependent adenomas, or any pituitary
 CC adenoma. In addition the proteins can be used to kill lymphocytes
 CC involved in a wide range of autoimmune diseases or to destroy virus-
 CC infected cells. (Updated on 17-OCT-2003 to standardise OS field)
 XX
 XX Sequence 10 AA;
 SQ
 Query Match 88.0%; Score 44; DB 2; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.15;

Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHSXGXKPG 10
|||||

Db 1 EHSYGLQPG 10

RESULT 43
AAW96765
ID AAW96765 standard; peptide; 10 AA.

XX
AC AAW96765;
XX
DT 19-APR-1999 (first entry)
XX
DE Luteinising hormone releasing hormone (m-LHRH-).
XX
DE Lamprey III luteinising hormone releasing hormone; 1-LHRH-III;
KW mammalian FSH-releasing factor; serum FSH level; LH; luteinising hormone;
KW agonist; follicle-stimulating hormone; FSH; vertebrate; fertility;
KW antagonist; spermatogenesis inhibition; follicular development;
XX
OS Synthetic.
OS Mammalia.

XX
FH Key Location/Qualifiers
FT Modified-site 1 /note= "pyroglutamic acid"
FT Modified-site 10 /note= "C-terminal amide attached to this residue"
FT
XX WO9855136-A1.
XX
PD 10-DEC-1998.
XX
PF 03-JUN-1998; 98WO-US011512.
XX
PR 04-JUN-1997; 97US-00869153.
XX
PA (LOU) UNIV LOUISIANA STATE & AGRIC & MECH COLL.
XX
PI Mccann SM, Yu WH;
XX
DR WPI; 1999-070238/06.
XX
PT Selectively altering levels of follicle stimulating hormone in
PT vertebrates - using lamprey luteinising hormone releasing-hormone and its
PT derivatives, for increasing or reducing fertility.
XX
PS Disclosure; Page 5; 40pp; English.

XX
CC The present sequence represents a mammalian luteinising hormone releasing
CC hormone (mLHRH). A LHRH isolated from Lamprey III (1-LHRH-III) is
CC identical with, or very similar to, the mammalian follicle-stimulating
CC hormone (FSH)-releasing factor, i.e. present sequence. 1-LHRH-III causes
CC a selective change in serum FSH levels but not a proportional change in
CC serum levels of LH (luteinising hormone). The peptide and its agonists
CC (see AAW96769-95) can be used to increase the level of FSH in
CC vertebrates, and so are used to increase fertility, in males or females,
CC particularly in humans but also in other mammals and fish. Antagonists of
CC the peptide (see AAW96795-104) can be used to decrease the release of
CC FSH, and so are used to decrease fertility by inhibiting spermatogenesis
CC and follicular/ovarian development
XX
SQ Sequence 10 AA;

Query Match 88.0%; Score 44; DB 2; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.15; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHSXGXKPG 10
|||||

Db 1 EHSYGLRPG 10

RESULT 44
AAW47842
ID AAW47842 standard; peptide; 10 AA.

XX
AC AAW47842;
XX
DT 16-MAR-1999 (first entry)
XX
DE pGlu-His-Trp-Ser-Tyr-Gly-Npg-Arg-Pro-Gly-NH2, an LHRH analogue.
XX
KW LHRH; luteinising hormone releasing hormone; neopentylglycine; Npg;
KW reproductive endocrinology; sex hormone-dependent tumour; contraception;
KW infertility; prostate cancer; autoimmune disease.
XX
OS Synthetic.
XX
FH Key Location/Qualifiers
FT Modified-site 1 /note= "pyro-Glu"
FT Modified-site 7 /note= "neopentylglycine, Npg"
FT Modified-site 10 /note= "Gly-NH2"
FT
XX EP882736-A1.
XX
FN 09-DEC-1998.
XX
PD 02-JUN-1997; 97EP-00401212.
XX
PF 02-JUN-1997; 97EP-00401212.
XX
PR 02-JUN-1997; 97EP-00401212.
XX
PA (SOTH) THERAMEX LAB SA.
XX
PI Delansorne R, Paris J;
XX
DR WPI; 1999-011613/02.
XX
XX New LH-RH peptide analogues - are useful, e.g., in contraception, in
FT treatment of infertility or in treatment of prostate cancer or auto-
FT immune diseases.
XX
PS Example 1; Page 12; 25pp; English.

XX
CC The patent discloses new luteinising hormone-releasing hormone (LH-RH)
CC peptide analogues in which neopentylglycine (Npg) is substituted for Leu
CC at position 7. A generic formula is given. The present sequence is a
CC specific example of the new analogues. Replacement of Leu(7) in LH-RH by
CC Npg increases the activity of LH-RH itself, and makes it possible to
CC obtain analogues with a high affinity for the LH-RH receptor. The
CC analogues are non-toxic at therapeutically effective doses. They may be
CC used in reproductive endocrinology and in treatment of sex hormone-
CC dependent benign or malignant tumours. E.g. they may be used for
CC contraception or for the treatment of infertility and prostate cancer.
CC They may also be used for treatment of autoimmune diseases
XX
SQ Sequence 10 AA;

Query Match 88.0%; Score 44; DB 2; Length 10;
Best Local Similarity 80.0%; Pred. No. 0.15; Indels 0; Gaps 0;
Matches 8; Conservative 0; Mismatches 2; Indels 0; Gaps 0;

QY 1 EHSXGXKPG 10
|||||

Db 1 EHSYGLRPG 10

RESULT 45
AAW03856
ID AAW03856 standard; peptide; 10 AA.

XX AC AAY03856;
 XX DT 16-JUN-1999 (first entry)
 XX DE Amino acid sequence of GnRH peptide.
 XX KW Contraception; sterility; amphipathic; lytic peptide; hormone domain;
 XX KW gonadotropin-releasing hormone; GnRH; analogue; gonadotropin; dog; cat;
 XX OS Synthetic.
 XX FH Key Location/Qualifiers
 XX FT Modified-site 1 /note= "pyroglutamic acid"
 XX PN WO9911282-A1.
 XX PD 11-MAR-1999.
 XX PF 01-SEP-1998; 98WO-US018117.
 XX PR 03-SEP-1997; 97US-0057456P.
 XX FA (LOCU) UNIV LOUISIANA STATE & AGRIC & MECH COLL.
 XX PI Enright F, Jaynes JM, Hansel W, Elzer PH, Melrose PA;
 XX DR WPI; 1999-204980/17.
 XX PT Production of long-term contraception or sterility in, e.g. cats - by
 XX PT administering a compound comprising fusion peptide of gonadotropin-
 XX PT releasing hormone and lytic peptide domains.
 XX PS Example 1-6; Page 22; 34pp; English.
 XX CC The invention relates to method for producing long-term contraception or
 XX CC sterility in a mammal that comprises administering an amphipathic lytic
 XX CC peptide compound. The compounds comprise: (a) a hormone domain selected
 XX CC from gonadotropin-releasing hormone (GnRH) and GnRH analogues, and (b) a
 XX CC lytic peptide domain. The compounds are relatively small and are not
 XX CC antigenic. Lysis of gonadotropes has been observed to be very rapid. The
 XX CC components- the ligand and the lytic peptide-may optionally be
 XX CC administered as a fusion peptide. The methods can be applied to dogs,
 XX CC cats, cows, bulls, pigs, horses, sheep or humans, including sexually
 XX CC immature individuals
 XX SQ Sequence 10 AA;
 XX Query Match 88.0%; Score 44; DB 2; Length 10;
 XX Best Local Similarity 70.0%; Pred. No. 0.15;
 XX Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 XX QY 1 EHWXGXKXPG 10
 XX Db 1 EHWXGLRPG 10
 XX RESULT 46
 XX AAY31176
 XX ID AAY31176 standard; peptide; 10 AA.
 XX AC AAY31176;
 XX DT 28-OCT-1999 (first entry)
 XX DE Ubiquitin fusion protein GnRH monomer.
 XX KW Ubiquitin; immunocastration; fusion protein; heat shock protein; epitope;
 XX KW immune response stimulation; vaccine; T cell; viral; infection; cancer;
 XX KW bacterial; parasitic; treatment; gastrointestinal disease; HIV infection;
 XX KW pulmonary infection; respiratory infection; scaffold; anti-self; pig;

KW steridogenesis; gamete maturation; prostate; breast; castration; TNF;
 KW tumour necrosis factor; septic shock; arthritis; Crohn's disease;
 KW inflammatory bowel disease; ulcerative colitis; chorionic gonadotropin;
 KW fertility; sperm protein; growth rate; antibody; detection; GnRH.
 XX OS Synthetic.
 XX PN WO9942472-A1.
 XX PD 26-AUG-1999.
 XX PF 26-JAN-1999; 99WO-US001588.
 XX PR 19-FEB-1998; 98US-00026276.
 XX PA (IGEN-) IGEN INT INC.
 XX PI Kenten JH, Tramontano A, Pilon AL, Lohnas GL, Roberts SF;
 XX DR WPI; 1999-518582/43.
 XX PT Epitope-containing fusion proteins used to generate a highly specific
 XX PT immune responses.
 XX PS Example 3; Page 41; 67pp; English.
 XX CC This invention describes a novel fusion protein, comprising a heat shock
 XX CC protein (e.g. ubiquitin), fused to an epitope(s) in a defined manner
 XX CC which is useful for the stimulation of a highly specific immune response
 XX CC when administered to an animal. The protein of the invention may be post-
 XX CC translationally modified (e.g. by the addition of fatty acids to enhance
 XX CC immunogenicity). The fusion proteins of the invention can be used as
 XX CC vaccines to induce an immune response. When a T cell epitope is attached,
 XX CC they can be used for control of viral infections, bacterial infections,
 XX CC parasitic infection and cancer. The fusion proteins can be used in
 XX CC pharmaceutical compositions for the treatment of gastrointestinal
 XX CC diseases, pulmonary infections, respiratory infections, and HIV
 XX CC infections. The use of ubiquitin as a scaffold is also useful for the
 XX CC presentation and stimulation of anti-self immune responses, e.g.
 XX CC generation of anti-gonadotropin releasing hormone antibodies which result
 XX CC in the suppression of luteinizing hormone and follicle stimulating
 XX CC hormone. This indirectly suppresses steroidogenesis and gamete maturation
 XX CC in males and females. This type of anti-self response in humans is useful
 XX CC in the treatment of prostate cancer and breast cancer. In livestock, the
 XX CC ability to stimulate an anti-self response provides a simple alternative
 XX CC to physical castration. Immunocastration of pigs is a better alternative
 XX CC to physical castration, as it does not result in any of the detrimental
 XX CC side effects associated with physical castration. Other examples of
 XX CC diseases and conditions treated with self proteins fused with ubiquitin
 XX CC are TNF and its epitopes to modulate septic shock, arthritis,
 XX CC inflammatory bowel disease, Crohn's disease, and ulcerative colitis; Ig
 XX CC epsilon heavy chain for the control of allergic reactions; chorionic
 XX CC gonadotropin for fertility control; and sperm proteins for fertility
 XX CC control. A further use of the fusion proteins is as part of a vaccine to
 XX CC enhance growth rate and thereby the final weight of the livestock prior
 XX CC to shipment to market. In addition, the fusion proteins of the invention
 XX CC can be used to detect and identify antibodies from experimental samples.
 XX CC This sequence represents a GnRH monomer used in the construction of a
 XX CC ubiquitin fusion protein described in the method of the invention
 XX SQ Sequence 10 AA;
 XX Query Match 88.0%; Score 44; DB 2; Length 10;
 XX Best Local Similarity 70.0%; Pred. No. 0.15;
 XX Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 XX QY 1 EHWXGXKXPG 10
 XX Db 1 EHWXGLRPG 10
 XX RESULT 47
 XX AAY50229

ID AAY50229 standard; peptide; 10 AA.
 XX AC AAY50229;
 XX DT 12-JAN-2000 (first entry)
 XX DE Neutrophil-activating pancreatic derived peptide 29.
 XX KW Cell activation; pancreas; treatment; cardiovascular disease; trauma;
 KW inflammatory disease; autoimmune diseases; arthritis; diabetes; stroke;
 KW organ rejection; ischemia; Alzheimer's disease; myocardial infarction;
 KW hemorrhagic shock; diabetic retinopathy; venous insufficiency; angina;
 KW trauma; protease inhibitor; hypertension; sepsis.
 XX OS Mus sp.
 XX PN WO9946367-A2.
 XX XX 16-SEP-1999.
 XX PF 11-MAR-1999; 99WO-US005247.
 XX XX 11-MAR-1998; 98US-00038894.
 XX (CELL-) CELL ACTIVATION INC.
 XX PA (REGC) UNIV CALIFORNIA.
 XX PA (SCRI) SCRIPPS RES INST.
 XX FI Stoughton RB, Schmid-Schonbein GW, Hugli TE, Kistler E;
 XX WPI; 1999-580234/49.
 XX DR Use of cell activating compositions in developing products for diagnosis
 XX PT and treatment of e.g. cardiovascular, inflammatory, autoimmune or
 XX PT Alzheimer's disease, trauma, arthritis, organ rejection, diabetes, stroke
 XX PT or ischemia.
 XX PS Example 9; Page 182; 184pp; English.
 XX CC This invention describes a novel method for the use and preparation of
 CC cell activating compositions which involves preparing a cell activating
 CC composition comprising (a) homogenizing pancreatic tissue in buffer at
 CC about neutral or higher pH to produce a homogenate; (b) removing
 CC particulates from the homogenate; (c) optionally incubating the resulting
 CC homogenate, with particulates removed, with a protease; and (d)
 CC fractionating the homogenate and selecting fractions that exhibit cell
 CC activation activity. The methods can be used for improving treatment
 CC outcome or reducing risk of treatment of e.g. cardiovascular disease,
 CC inflammatory diseases, trauma, autoimmune diseases, arthritis, organ
 CC rejection, diabetes and diabetic complications, stroke, ischemia,
 CC Alzheimer's disease, myocardial infarction, hemorrhagic shock, diabetic
 CC retinopathy, diabetes, venous insufficiency, unstable angina or trauma.
 CC They can be used in the veterinary treatment of a non-human subject.
 CC Protease inhibitors can be used to lower cell activation resulting from
 CC these diseases and deficiencies. The detection of an elevated level of
 CC hydrogen peroxide can be used to detect an inflammatory condition. An
 CC elevated level of hydrogen peroxide in plasma or whole blood and in the
 CC presence of superoxide dismutase (SOD) indicates leukocyte up regulation,
 CC e.g. indicative of the onset of an acute cardiovascular disorder, such
 CC as disease onset or ischemic complications. An elevated level of hydrogen
 CC peroxide in plasma or whole blood and a low level in the presence of SOD
 CC is indicative of a chronic or immune compromised condition e.g.
 CC hypertension or sepsis. AAY50201-Y50334 represent peptides used in the
 CC method of the invention
 XX SQ Sequence 10 AA;
 Query Match 88.0%; Score 44; DB 2; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXKXP 10
 |||||
 DB 1 EHWXGXKXP 10
 |||||

Db 1 EHWXGXKXP 10
 RESULT 48
 AAW94890
 ID AAW94890 standard; peptide; 10 AA.
 XX AC AAW94890;
 XX DT 11-MAY-1999 (first entry)
 XX DE LHRH peptide fragment.
 XX KW LHRH; immune response; luteinising hormone releasing hormone; DT;
 KW diphtheria toxoid; castrating; estrus cycling; aggression; breast;
 KW sexual activity; organoleptic; livestock; cell growth; malignant;
 KW prostate; ovarian; oncofetal; hyperplastic; pregnancy; endometriosis;
 KW inflammatory response.
 XX OS Homo sapiens.
 XX PN WO9902180-A1.
 XX PD 21-JAN-1999.
 XX PF 09-JUL-1998; 98WO-AU000532.
 XX PR 09-JUL-1997; 97AU-00007768.
 XX PA (CSLC-) CSL LTD.
 XX PI Mcnamara MK;
 XX DR WPI; 1999-120511/10.
 XX PT New immunogenic leutenising hormone releasing hormone compositions -
 XX PT comprise LHRH conjugated to diphtheria toxoid and adsorbed to an ionic
 XX PT polysaccharide, used to inhibit reproductive function in animals.
 XX PS Example; Page 30; 41pp; English.
 XX CC The invention relates immunogenic composition for eliciting an immune
 CC response to luteinising hormone releasing hormone (LHRH). The composition
 CC comprises a LHRH-diphtheria toxoid (DT) conjugate adsorbed to an ionic
 CC polysaccharide. The LHRH-DT compositions can be used for eliciting an
 CC immune response to LHRH, for castrating an animal, for regulating oestrus
 CC cycling in a female animal or for inhibiting characteristics induced by
 CC the sexual maturation of an animal, e.g. aggression or sexual activity.
 CC They can also be used for achieving production gains in livestock, e.g.
 CC reduction or elimination of unwanted organoleptic characteristics from
 CC the meat of livestock. They can also be used for inhibiting the growth of
 CC cells which are regulated directly or indirectly by LHRH, e.g. malignant
 CC breast cells, malignant prostate cells, malignant ovarian cells,
 CC malignant oncofetal cells or hyperplastic cells. They can also be used
 CC for down-regulating the libido of an animal. They can also be used for
 CC inhibiting pregnancy, prostate enlargement, endometriosis or inflammatory
 CC responses. The LHRH compositions induce a more effective immune response
 CC against LHRH than the LHRH-carrier-adjutant compositions. The effective
 CC immune response against LHRH results in prevention of the release of the
 CC hormones LH and FSH from the anterior pituitary. Sequences AAW94890-93
 XX are peptide derivatives of LHRH
 XX SQ Sequence 10 AA;
 Query Match 88.0%; Score 44; DB 2; Length 10;
 Best Local Similarity 70.0%; Pred. No. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXKXP 10
 |||||
 DB 1 EHWXGXKXP 10
 |||||

RESULT 49

AAB03590
 ID AAB03590 standard; peptide; 10 AA.
 XX AC AAB03590;
 XX DT 18-OCT-2000 (first entry)
 XX DE Luteinising hormone releasing hormone peptide sequence.
 XX KW Luteinising hormone releasing hormone; LHRH; human; porcine;
 KW hypothalamus; tetrahydroisoquinoline; LHRH antagonist; endocrine;
 KW cytostatic; depilatory; gastrointestinal; gynaecological; analgesic;
 KW sex hormone related condition; precocious puberty; breast cancer;
 KW benign prostatic hyperplasia; ovarian tumour; prostate tumour;
 KW cryptorchidism; hirsutism; gastric motility disorder; dysmenorrhoea;
 KW endometriosis.
 XX OS Homo sapiens.
 OS Sus scrofa.
 XX XX
 XX FH Key Location/Qualifiers
 FT Modified-site 1
 FT Modified-site 10 /note= "pyroglutamic acid"
 FT Modified-site 10 /label= amidated
 XX XX
 XX PN WO200029380-A1.
 XX PD 25-MAY-2000.
 XX PF 09-NOV-1999; 99WO-US026584.
 XX PR 13-NOV-1998; 98US-00191511.
 XX PA (ABBO) ABBOTT LAB.
 XX PI Havi F. Dwight WJ, Crawford BW, Swenson RE, Bruncko M;
 PI Kaminski MA, Frey LM, Demattei J, Greer J;
 XX DR WPI; 1999-633361/54.
 XX XX
 XX PT New heterocyclic derivatives are luteinizing hormone releasing hormone
 PT antagonists, useful for the treatment of e.g. prostate cancer,
 PT endometriosis, precocious puberty, female hirsutism, gastric motility
 PT disorders and dysmenorrhoea.
 XX PS Disclosure; Page 1; 128pp; English.
 XX XX
 XX CC The present invention describes tetrahydroisoquinoline derivatives (I).
 CC (I) have endocrine, cytostatic, depilatory, gastrointestinal, analgesic
 CC and gynaecological activities, and they act as luteinising hormone
 CC releasing hormone (LHRH) antagonists. (I) are useful for the treatment of
 CC sex hormone related conditions including precocious puberty, benign
 CC prostatic hyperplasia, breast and ovarian tumours, prostate tumours,
 CC cryptorchidism, hirsutism in women, gastric motility disorders,
 CC dysmenorrhoea and endometriosis. The present sequence represents an LHRH
 CC peptide purified from porcine and human hypothalamus tissue, which is
 CC used in the exemplification of the present invention
 XX SQ Sequence 10 AA;
 Query Match 88.0%; Score 44; DB 2; Length 10;
 Best Local Similarity 70.0%; Pred. NO. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXPG 10
 DB 1 EHWXGLRPG 10

RESULT 50

AAY31067
 ID AAY31067 standard; peptide; 10 AA.
 XX AC AAY31067;
 XX DT 21-OCT-1999 (first entry)
 XX DE Non-crosslinked protein particle peptide 116.
 XX KW Non-crosslinked protein particle; diagnostic; therapy; monodisperse;
 KW albumin; haemoglobin; nanometer; micrometer; clearance.
 XX OS Synthetic.
 XX FH Key Location/Qualifiers
 FT Modified-site 1
 FT Modified-site 10 /note= "pyroglutamic acid"
 FT Modified-site 10 /note= "C-terminal amide"
 XX XX
 XX PN US5945033-A.
 XX PD 31-AUG-1999.
 XX PF 12-NOV-1996; 96US-00747137.
 XX PR 15-JAN-1991; 91US-00641720.
 PR 13-OCT-1992; 92US-0095560.
 PR 01-JUN-1993; 93US-00069831.
 PR 14-MAR-1994; 94US-00212546.
 XX PA (HEMO-) HEMOSPHERE INC.
 XX PI Yen RCK;
 XX DR WPI; 1999-508153/42.
 XX PT Non-crosslinked protein particles for therapeutic and diagnostic use.
 XX PS Example 22; Col 99-100; 65pp; English.
 XX CC This invention describes a novel aqueous suspension of monodisperse
 CC particles on non-crosslinked, non-denatured albumin (50-5000 nm) which is
 CC stable against dissolving upon dilution with an alcohol-free aqueous
 CC medium. The method involves (a) forming an aqueous solution containing
 CC albumin and hemoglobin and (b) treating the aqueous solution with an
 CC alcohol to cause the solution to become turbid. The particles are useful
 CC as agents for in vivo administration, either of their own administration
 CC or as a vehicle for other therapeutic or diagnostic agents. The method
 CC permits the formation of albumin and hemoglobin particles in the
 CC nanometer and micrometer size range, in a form closer to their natural
 CC form than the forms of the prior art. The particles therefore constitute
 CC a more closely controlled agent for in vivo administration, with greater
 CC ease of clearance from the body after their period of usefulness.
 CC AAY30352-Y31135 represent peptides used in the method of the invention
 XX SQ Sequence 10 AA;
 Query Match 88.0%; Score 44; DB 2; Length 10;
 Best Local Similarity 70.0%; Pred. NO. 0.15;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXPG 10
 DB 1 EHWXGLRPG 10

Search completed: March 2, 2004, 19:25:43
 Job time : 54.5 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 2, 2004, 19:19:28 ; Search time 13.5 Seconds

(without alignments)

71.253 Million cell updates/sec

Title: US-09-857-115-7

Perfect score: 50

Sequence: 1 EHWXGXFG 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 283366 seqs, 96191526 residues

Total number of hits satisfying chosen parameters: 283366

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 500 summaries

Database :

PIR 78:**

1: PIR1:**

2: PIR2:**

3: PIR3:**

4: PIR4:**

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	42	84.0	91	JC7393	medaka-type gonado
2	42	84.0	98	I50739	gonadotropin-relea
3	41	82.0	10	RHPG	gonadoliberin - pi
4	41	82.0	10	RHSG	gonadoliberin - sh
5	41	82.0	10	RHAQ1	gonadoliberin I -
6	41	82.0	67	I78541	gonadoliberin prec
7	41	82.0	80	RHID1S	gonadoliberin I pr
8	41	82.0	89	I51423	gonadoliberin prec
9	41	82.0	90	RHMG	gonadoliberin prec
10	41	82.0	92	RHHUG	gonadoliberin prec
11	41	82.0	92	I50644	gonadoliberin I pr
12	41	82.0	92	I50644	gonadoliberin II -
13	40	80.0	10	RHAQ2	gonadoliberin - sp
14	40	80.0	10	A61126	gonadoliberin I -
15	40	80.0	10	B46030	gonadoliberin II -
16	40	80.0	10	A46030	gonadoliberin I -
17	40	80.0	10	A21114	gonadoliberin - ch
18	40	80.0	74	I51092	gonadotropin relea
19	40	80.0	80	JC7394	chicken-II-type go
20	40	80.0	82	I51180	gonadotropin-relea
21	40	80.0	82	I51355	gonadotropin relea
22	40	80.0	82	I51365	gonadotropin-relea
23	40	80.0	82	I51331	gonadotropin relea
24	40	80.0	85	A53453	gonadoliberin II p
25	40	80.0	86	RH192S	gonadoliberin II p
26	40	80.0	90	JC7395	salmon-type gonado
27	40	80.0	90	A23735	gonadoliberin prec
28	40	80.0	90	I51095	gonadoliberin prec
29	40	80.0	1000	C82630	serine proteinase

30	37	74.0	350	2	G84715	hypothetical prote
31	36	72.0	10	2	A49187	gonadotropin-relea
32	36	72.0	263	1	S32507	proteasome endopep
33	36	72.0	828	2	T08556	hypothetical prote
34	36	72.0	1034	2	A95262	probable formate d
35	35	70.0	80	2	S39779	aldehyde reductase
36	35	70.0	137	1	S25968	succinate dehydrog
37	35	70.0	315	1	A35452	aldehyde reductase
38	35	70.0	316	1	A39763	aldehyde reductase
39	35	70.0	316	1	A60603	aldehyde reductase
40	35	70.0	316	2	A59021	aldehyde reductase
41	35	70.0	316	2	I49484	aldehyde reductase
42	35	70.0	532	2	T32849	hypothetical prote
43	35	70.0	626	2	A42094	regulator protein
44	35	70.0	1072	2	A84112	alkaline amylopull
45	34	68.0	300	2	S41171	transrepressor pro
46	34	68.0	316	2	A53440	aldose reductase h
47	34	68.0	436	2	JT0386	acid phosphatase (
48	34	68.0	495	2	T21643	hypothetical prote
49	34	68.0	497	2	H83886	hypothetical prote
50	34	68.0	763	2	B66454	hypothetical prote
51	34	68.0	870	2	B71698	hypothetical prote
52	34	68.0	905	2	F82734	hypothetical prote
53	34	68.0	910	2	H82826	serine proteinase
54	33	66.0	75	2	A13191	serine proteinase
55	33	66.0	117	2	AH2059	hypothetical prote
56	33	66.0	284	2	A70976	hypothetical prote
57	33	66.0	291	2	C71362	hypothetical prote
58	33	66.0	448	2	C96542	hypothetical prote
59	33	66.0	508	1	PLWL	L1 protein - human
60	33	66.0	510	1	S15620	L1 protein - human
61	33	66.0	510	1	S15627	L1 protein - human
62	33	66.0	594	2	S36502	L1 protein (altern
63	33	66.0	640	2	R99582	protein K07E3.4b [
64	33	66.0	851	2	D86254	hypothetical prote
65	33	66.0	4976	2	T4185	peptide synthetase
66	32	64.0	134	2	H70689	hypothetical prote
67	32	64.0	162	2	E86387	18.7K hypothetical
68	32	64.0	166	2	B72607	hypothetical prote
69	32	64.0	201	2	A10928	probable phage tai
70	32	64.0	201	2	A11035	probable phage tai
71	32	64.0	228	2	T35418	probable transcript
72	32	64.0	230	2	T3527	hypothetical prote
73	32	64.0	270	2	F88035	protein M01D1.7 [1
74	32	64.0	288	2	H83454	hypothetical prote
75	32	64.0	350	2	B82281	hypothetical prote
76	32	64.0	417	2	T33827	hypothetical prote
77	32	64.0	434	1	W2ECIC	isocitrate lyase (
78	32	64.0	434	2	E31245	isocitrate lyase [
79	32	64.0	439	2	C86093	isocitrate lyase [
80	32	64.0	492	2	G70899	probable monooxyge
81	32	64.0	496	2	T48812	hypothetical prote
82	32	64.0	634	2	T32324	hypothetical prote
83	32	64.0	640	2	S62747	homeotic protein A
84	32	64.0	739	2	B86434	protein F1788.27 [
85	32	64.0	756	2	T00367	hypothetical prote
86	32	64.0	2339	2	S41121	acetyl-CoA carboxy
87	31.5	63.0	1309	2	T00078	probable RNA-direc
88	31	62.0	157	2	AC1713	hypothetical prote
89	31	62.0	157	2	AE1342	hypothetical prote
90	31	62.0	178	2	C45831	MHC class I histoc
91	31	62.0	187	2	B6723	acetyl transferase
92	31	62.0	210	2	B89958	hypothetical prote
93	31	62.0	228	2	A31403	membrane protein B
94	31	62.0	229	2	A46527	B-cell-specific me
95	31	62.0	235	2	A22962	carbonate dehydrat
96	31	62.0	242	2	B83738	hypothetical prote
97	31	62.0	246	2	A69428	glycerol uptake fa
98	31	62.0	277	2	T27275	hypothetical prote
99	31	62.0	296	2	B75555	probable lipase/es
100	31	62.0	298	2	UC7586	kidney inhibitor o
101	31	62.0	307	2	E95934	probable enzyme, C
102	31	62.0	343	2	T26784	hypothetical prote

103	31	62.0	374	2	AC0983	hypothetical prote	176	30	60.0	1016	1	S40838	formate dehydrogen
104	31	62.0	443	2	H82957	probable glutamine	177	30	60.0	1016	2	D91231	formate dehydrogen
105	31	62.0	453	2	T38707	probable initiator	178	30	60.0	1016	2	AB0946	formate dehydrogen
106	31	62.0	476	2	T35759	probable transmembr	179	30	60.0	1036	2	H96553	unknown protein 2
107	31	62.0	501	2	T32848	hypothetical prote	180	30	60.0	1040	2	A93356	transient axonal g
108	31	62.0	525	2	E87076	probable secreted	181	30	60.0	1068	2	T42382	guanylate cyclase
109	31	62.0	528	2	S36520	Li protein - human	182	30	60.0	1057	2	A90769	probable host spec
110	31	62.0	557	2	C84146	ABC transporter re	183	30	60.0	1136	2	T49316	profilaggrin relat
111	31	62.0	601	2	D83583	probable acyl-CoA	184	30	60.0	1557	2	T02859	probable serine/th
112	31	62.0	816	2	T17257	hypothetical prote	185	30	60.0	1679	2	T15968	hypothetical prote
113	31	62.0	1023	2	T30287	IgG Fc binding prote	186	30	60.0	2756	2	T30183	hypothetical prote
114	31	62.0	1048	2	A70552	hypothetical prote	187	30	60.0	4307	2	T20721	hypothetical prote
115	31	62.0	1444	2	T18856	angiogenesis inhib	188	29.5	59.0	464	2	T48339	hypothetical prote
116	31	62.0	1464	2	T07050	hypothetical prote	189	29	58.0	29	2	S10061	Ig heavy chain (cl
117	31	62.0	1682	1	C70598	probable mbtE prot	190	29	58.0	100	2	C72597	hypothetical prote
118	30.5	61.0	1185	2	T46428	hypothetical prote	191	29	58.0	122	2	A33989	Ig heavy chain V-1
119	30	60.0	95	2	H83378	hypothetical prote	192	29	58.0	122	2	T16624	hypothetical prote
120	30	60.0	129	2	A72606	hypothetical prote	193	29	58.0	127	2	T34880	hypothetical prote
121	30	60.0	130	2	AH0808	conserved hypothet	194	29	58.0	130	2	T29498	hypothetical prote
122	30	60.0	140	2	A80738	conserved hypothet	195	29	58.0	136	2	A31933	Ig heavy chain pre
123	30	60.0	161	2	D84472	hypothetical prote	196	29	58.0	137	2	AD2373	hypothetical prote
124	30	60.0	164	2	T32627	hypothetical prote	197	29	58.0	141	2	D75155	acetyl transferase
125	30	60.0	196	2	E83153	conserved hypothet	198	29	58.0	156	2	C84027	molybdopterin conv
126	30	60.0	213	2	E72128	O-sialoglycoprotei	199	29	58.0	165	2	A47148	reg I, regenerati
127	30	60.0	213	2	H86494	ribosomal protein	200	29	58.0	165	2	A28351	pancreatic stone p
128	30	60.0	218	2	S10613	ribosomal protein	201	29	58.0	165	2	AH2010	molybdopterin conv
129	30	60.0	218	2	AB1403	ribosomal protein	202	29	58.0	166	1	RGHU1A	regenerating islet
130	30	60.0	218	2	AB1778	ribosomal protein	203	29	58.0	166	1	RGHU1B	regenerating islet
131	30	60.0	219	2	T44389	ribosomal protein	204	29	58.0	166	2	A45751	pancreatic stone p
132	30	60.0	223	2	AH0890	disulfide isomeras	205	29	58.0	173	2	B47148	reg II, regenerati
133	30	60.0	226	2	T27843	hypothetical prote	206	29	58.0	176	2	B72698	hypothetical prote
134	30	60.0	228	2	C36794	hypothetical prote	207	29	58.0	188	2	D75499	probable acetylura
135	30	60.0	241	2	G97602	hypothetical prote	208	29	58.0	201	2	AD1191	conserved hypothet
136	30	60.0	256	2	A83176	Zn-dependent hydro	209	29	58.0	201	2	AD1549	conserved hypothet
137	30	60.0	259	2	T25956	hypothetical prote	210	29	58.0	203	1	YNECH1	phosphoribosyl-AMP
138	30	60.0	288	2	D83121	hypothetical prote	211	29	58.0	204	2	T36466	mutr domain-connat
139	30	60.0	291	2	F70745	hypothetical prote	212	29	58.0	219	2	S74483	hypothetical prote
140	30	60.0	294	2	S32947	hupK protein - Rho	213	29	58.0	226	2	T34808	hypothetical prote
141	30	60.0	306	2	G83152	hypothetical prote	214	29	58.0	228	2	S48783	Li protein - human
142	30	60.0	315	2	A88043	protein Cl3A10.3 [215	29	58.0	247	2	PQ0659	outer capsid spike
143	30	60.0	340	2	E83126	ferric enterobacti	216	29	58.0	261	2	T36705	probable rRNA meth
144	30	60.0	348	2	AH2894	alcohol dehydrogen	217	29	58.0	263	2	T27962	ULBP4 protein - hu
145	30	60.0	360	2	G70615	hypothetical prote	218	29	58.0	276	2	T33529	hypothetical prote
146	30	60.0	368	2	T27432	hypothetical prote	219	29	58.0	278	2	T32391	hypothetical prote
147	30	60.0	374	2	T26739	hypothetical prote	220	29	58.0	288	2	H59104	conserved hypothet
148	30	60.0	380	2	S53293	SCS3 protein - yea	221	29	58.0	296	2	AH1173	conserved hypothet
149	30	60.0	391	2	AC3149	glycosyltransferas	222	29	58.0	296	2	A11530	conserved hypothet
150	30	60.0	391	2	H98118	hypothetical prote	223	29	58.0	302	2	T32102	hypothetical prote
151	30	60.0	459	2	T38013	p54/58N - human	224	29	58.0	309	2	T24202	hypothetical prote
152	30	60.0	485	2	T09974	H+-transporting tw	225	29	58.0	310	2	T16103	hypothetical prote
153	30	60.0	485	2	C75450	hypothetical prote	226	29	58.0	311	2	T37155	probable oxidoredu
154	30	60.0	486	2	B70775	probable atpD prot	227	29	58.0	312	2	S48849	chalcone reductase
155	30	60.0	499	2	S36531	Li protein - human	228	29	58.0	312	2	S48850	chalcone reductase
156	30	60.0	505	1	PIWLR2	Li protein - human	229	29	58.0	312	2	S48851	chalcone reductase
157	30	60.0	508	2	S36508	Li protein - human	230	29	58.0	315	1	S14222	chalcone reductase
158	30	60.0	531	2	F89949	conserved hypothet	231	29	58.0	321	2	A92258	L-arabinose transp
159	30	60.0	534	2	S36583	Li protein - human	232	29	58.0	321	2	AH3026	hypothetical prote
160	30	60.0	539	2	S36566	Li protein - human	233	29	58.0	322	2	AC3207	conserved hypothet
161	30	60.0	568	1	PIWLR1	Li protein - human	234	29	58.0	326	2	H96623	probable Aldo/keto
162	30	60.0	580	2	T32851	hypothetical prote	235	29	58.0	327	2	G96623	probable Aldo/keto
163	30	60.0	591	2	T32845	probable glycosyl	236	29	58.0	327	2	T33541	hypothetical prote
164	30	60.0	675	2	F83472	hypothetical prote	237	29	58.0	328	2	T28099	hypothetical prote
165	30	60.0	682	2	TQ0420	beta-1,3-glucanase	238	29	58.0	332	2	T32852	hypothetical prote
166	30	60.0	682	2	T20640	hypothetical prote	239	29	58.0	339	2	T06612	hypothetical prote
167	30	60.0	708	2	G96518	protein T256.8 [im	240	29	58.0	339	2	T48999	hypothetical prote
168	30	60.0	742	2	JC7595	scavenger receptor	241	29	58.0	354	1	PIWLR1	Li protein - rhesu
169	30	60.0	753	2	T32844	hypothetical prote	242	29	58.0	355	2	D95270	probable fatty aci
170	30	60.0	802	2	B94560	hypothetical prote	243	29	58.0	357	2	T31829	hypothetical prote
171	30	60.0	890	2	T35237	probable secreted	244	29	58.0	382	2	S41798	SUR1 protein - yea
172	30	60.0	897	2	E89222	valine-tRNA ligase	245	29	58.0	383	2	G83500	succinyl-diaminopi
173	30	60.0	906	2	T01440	hypothetical prote	246	29	58.0	393	1	C70929	cyclochrome P450 Rv
174	30	60.0	957	2	G84528	hypothetical prote	247	29	58.0	393	2	A83164	conserved hypothet
175	30	60.0	977	2	D85741	hypothetical prote	248	29	58.0	395	2	T09373	hypothetical prote

249	29	58.0	399	2	T09375	hypothetical prote	322	29	58.0	927	2	H87568	peptidase, M16 fam
250	29	58.0	406	2	D95405	conserved hypothet	323	29	58.0	958	2	E83701	alpha-amyase G-6
251	29	58.0	417	2	E96688	unknown protein, 3	324	29	58.0	1355	2	S51995	probable Arpase (C
252	29	58.0	420	2	S77102	hypothetical prote	325	29	58.0	1927	2	S01168	beta-glycosidase c
253	29	58.0	428	2	T25950	hypothetical prote	326	29	58.0	2710	2	A37052	toxin A - Clostrid
254	29	58.0	452	2	T30759	hypothetical prote	327	28.5	57.0	78	2	AE0323	probable glutaredo
255	29	58.0	456	2	T32300	hypothetical prote	328	28.5	57.0	382	2	TC8088	glutamate-ammonia
256	29	58.0	477	2	F86670	hypothetical prote	329	28.5	57.0	567	2	D70769	hypothetical prote
257	29	58.0	479	1	VGBF2	lysine specific pe	330	28.5	57.0	1170	1	TS0761	thrombospondin 1 p
258	29	58.0	484	2	G72395	alpha-L-arabinofur	331	28.5	57.0	1170	2	A40558	thrombospondin 1 p
259	29	58.0	498	2	B83884	beta-xylosidase /	332	28.5	57.0	1172	1	TS0762	thrombospondin 2 p
260	29	58.0	498	2	B84789	probable protein w	333	28.5	57.0	1178	1	A39804	thrombospondin pre
261	29	58.0	499	1	P1WL13	L1 protein - human	334	28	56.0	58	2	C98353	hypothetical prote
262	29	58.0	500	1	P1WL33	L1 protein - human	335	28	56.0	61	2	E82802	hypothetical prote
263	29	58.0	501	1	P1WL11	L1 protein - human	336	28	56.0	63	2	B84293	hypothetical prote
264	29	58.0	502	1	P1WL11	L1 protein - human	337	28	56.0	79	2	B69966	hypothetical prote
265	29	58.0	502	1	P1WL11	L1 protein - pygmy	338	28	56.0	79	2	AC2929	hypothetical prote
266	29	58.0	502	1	P1WL14	L1 protein - human	339	28	56.0	91	2	C90793	hypothetical prote
267	29	58.0	502	2	S36526	L1 protein - human	340	28	56.0	93	2	F84175	hypothetical prote
268	29	58.0	502	2	S36589	probable transmem	341	28	56.0	93	2	B85603	hypothetical prote
269	29	58.0	503	2	S36514	L1 protein - human	342	28	56.0	111	2	B87071	conserved hypothet
270	29	58.0	503	2	S36549	L1 protein - human	343	28	56.0	120	2	C72504	hypothetical prote
271	29	58.0	504	1	P1WL31	L1 protein - human	344	28	56.0	137	2	T04930	glycine-rich cell
272	29	58.0	504	1	P1WL51	L1 protein - human	345	28	56.0	144	2	H70074	hypothetical prote
273	29	58.0	505	1	S19169	cytochrome P450 2D	346	28	56.0	150	2	S72852	hypothetical prote
274	29	58.0	505	1	P1WL35	L1 protein - human	347	28	56.0	152	2	D70781	hypothetical prote
275	29	58.0	505	1	P1WL39	L1 protein - human	348	28	56.0	154	2	AE3207	hypothetical prote
276	29	58.0	507	2	T35677	probable hydrolase	349	28	56.0	158	2	G64885	conserved hypothet
277	29	58.0	508	2	T32847	hypothetical prote	350	28	56.0	158	2	B90817	probable phage rep
278	29	58.0	511	1	VGBF4	glycoprotein C - h	351	28	56.0	158	2	F85676	unknown protein en
279	29	58.0	511	1	VGBE1K	glycoprotein C - h	352	28	56.0	165	1	C69895	conserved hypothet
280	29	58.0	514	2	B70917	probable zwf2 prot	353	28	56.0	172	2	S26684	hypothetical prote
281	29	58.0	524	1	P1WL58	L1 protein - human	354	28	56.0	172	2	S23768	hypothetical prote
282	29	58.0	529	2	S36578	L1 protein - human	355	28	56.0	173	2	AC1444	hypothetical prote
283	29	58.0	531	1	P1WLHS	major capsid prote	356	28	56.0	178	2	C89829	conserved hypothet
284	29	58.0	531	1	P1WLHS	L1 protein - human	357	28	56.0	179	2	I50142	gamma-crystallin M
285	29	58.0	532	2	S36537	L1 protein - human	358	28	56.0	179	2	I50141	gamma-crystallin M
286	29	58.0	532	2	S36554	L1 protein (altern	359	28	56.0	188	2	T41706	probable phosphor
287	29	58.0	537	1	T19764	hypothetical prote	360	28	56.0	194	2	T50156	hypothetical prote
288	29	58.0	557	1	A25493	tryptophan 2-monoo	361	28	56.0	195	2	F90818	hypothetical prote
289	29	58.0	560	2	S64091	probable membrane	362	28	56.0	195	2	A85678	unknown protein en
290	29	58.0	569	2	D8124	hypothetical prote	363	28	56.0	201	2	T09047	hypothetical prote
291	29	58.0	594	2	S39346	unc-18 protein hom	364	28	56.0	210	2	H87158	probable integral
292	29	58.0	594	2	S39345	unc-18 protein hom	365	28	56.0	212	2	E75334	ribonuclease H1 -
293	29	58.0	599	2	D83764	chitinase BH0916 [366	28	56.0	215	2	H71451	hypothetical prote
294	29	58.0	609	2	T32302	hypothetical prote	367	28	56.0	215	2	D75215	purine phosphoribo
295	29	58.0	622	2	A70414	NADH2 dehydrogenas	368	28	56.0	219	2	S76500	hypothetical prote
296	29	58.0	644	2	B70420	NADH2 dehydrogenas	369	28	56.0	220	2	C84383	hypothetical prote
297	29	58.0	648	2	T34999	probable neuramida	370	28	56.0	223	2	B71514	hypothetical prote
298	29	58.0	670	2	T06742	hypothetical prote	371	28	56.0	224	2	D81672	conserved hypothet
299	29	58.0	683	2	AB0217	oligopeptidase B (372	28	56.0	224	2	T35897	probable secreted
300	29	58.0	687	2	AD2347	ribonuclease E (im	373	28	56.0	225	1	H69781	probable membrane
301	29	58.0	689	2	F83902	beta-galactosidase	374	28	56.0	227	2	T11078	cytochrome-c oxida
302	29	58.0	693	2	D90441	ABC transporter, p	375	28	56.0	228	2	AD2233	hypothetical prote
303	29	58.0	719	2	AE1131	hypothetical prote	376	28	56.0	230	2	T16479	hypothetical prote
304	29	58.0	721	2	AE1491	hypothetical prote	377	28	56.0	232	2	G69883	hypothetical prote
305	29	58.0	727	2	T18665	hypothetical prote	378	28	56.0	235	2	C71354	probable signal pe
306	29	58.0	769	2	B88035	protein M01D1.2 [i	379	28	56.0	236	2	A75455	hypothetical prote
307	29	58.0	824	2	AD3098	periplasmic nitrat	380	28	56.0	244	2	A89752	protein C33E10.1 [
308	29	58.0	828	2	D64990	probable nitrate r	381	28	56.0	250	1	R3YN5C	ribosomal protein
309	29	58.0	828	2	A85860	probable nitrate r	382	28	56.0	252	2	F83443	hypothetical prote
310	29	58.0	828	2	G91015	probable nitrate r	383	28	56.0	252	2	H75147	leu ribosomal prot
311	29	58.0	828	2	A10788	probable nitrate r	384	28	56.0	255	2	G71187	probable ribosomal
312	29	58.0	829	2	D82430	periplasmic nitrat	385	28	56.0	255	2	JC7264	CCAT-enhancer bin
313	29	58.0	829	2	F83499	periplasmic nitrat	386	28	56.0	256	2	S02855	class II histocomp
314	29	58.0	830	2	AE0369	nitrate reductase	387	28	56.0	257	2	S76621	hypothetical prote
315	29	58.0	831	2	A48489	nitrate reductase	388	28	56.0	262	2	G83812	chitin-binding pro
316	29	58.0	831	2	S50163	nitrate reductase	389	28	56.0	263	2	T32081	hypothetical prote
317	29	58.0	834	2	B95346	NapA periplasmic n	390	28	56.0	264	2	S50147	proteasome endopep
318	29	58.0	834	2	E98188	periplasmic nitrat	391	28	56.0	266	2	D95373	TRM17a probable tr
319	29	58.0	894	2	D96713	probable menaquin	392	28	56.0	268	2	B39429	cAMP response elem
320	29	58.0	924	2	D81349	nitrate reductase	393	28	56.0	288	2	B37279	enhancer-binding p
321	29	58.0	926	2	S36742	cation-transportin	394	28	56.0	269	2	A47008	transcription acti

395	28	56.0	277	2	AD3322	lysozyme (EC 3.2.1.1	468	28	56.0	417	2	H83708	hypothetical prote
396	28	56.0	279	2	AG3540	dihydrodipicolinat	469	28	56.0	417	2	A83149	glycosyltransferas
397	28	56.0	280	2	H69288	conserved hypothet	470	28	56.0	418	2	F83411	lacta proteinase pr
398	28	56.0	281	2	AH3586	xanthine/uracil pe	471	28	56.0	418	2	A46076	staphylolytic prot
399	28	56.0	289	2	A99160	pobr protein (AF30	472	28	56.0	432	2	T44292	glutamate-ammonia
400	28	56.0	285	2	AH3127	transcription regu	473	28	56.0	433	2	D82608	hypothetical prote
401	28	56.0	295	2	JE0197	phenol sulfotransf	474	28	56.0	438	2	D84331	hypothetical prote
402	28	56.0	297	2	F82039	ribonuclease BN VC	475	28	56.0	438	2	G11175	hypothetical prote
403	28	56.0	299	2	H84661	heme oxygenase 2 (476	28	56.0	440	2	S61719	glycerol-3-phospha
404	28	56.0	299	2	B69988	hypothetical prote	477	28	56.0	442	2	S32592	alpha-1,2-mannosyl
405	28	56.0	300	2	T00274	hypothetical prote	478	28	56.0	442	2	S72568	hypothetical prote
406	28	56.0	301	2	S73347	probable lipoprote	479	28	56.0	445	2	C83674	phenylacetyl-CoA 1
407	28	56.0	304	2	AG0926	hypothetical prote	480	28	56.0	445	2	B86493	Fmp 5 [imported] -
408	28	56.0	317	2	T05528	hypothetical prote	481	28	56.0	447	2	G83324	probable two-compo
409	28	56.0	317	2	T27274	hypothetical prote	482	28	56.0	448	2	G83333	probable porin PA2
410	28	56.0	319	2	D33537	probable oxidoredu	483	28	56.0	449	2	C70846	probable metC prot
411	28	56.0	320	2	T16311	hypothetical prote	484	28	56.0	449	2	B83456	probable transport
412	28	56.0	321	2	I38238	transcription fact	485	28	56.0	452	2	T21435	hypothetical prote
413	28	56.0	323	2	T50255	hypothetical trans	486	28	56.0	455	2	G75473	probable carotenoi
414	28	56.0	325	2	T02455	hypothetical prote	487	28	56.0	457	2	A95940	probable integral
415	28	56.0	327	2	E95323	hypothetical prote	488	28	56.0	460	2	D96971	stage V sporulatio
416	28	56.0	327	2	A82982	transcription regu	489	28	56.0	461	2	S57713	probable mannosyl
417	28	56.0	327	2	C98301	probable transcrip	490	28	56.0	461	2	A99494	thermostable carbo
418	28	56.0	332	2	F95936	probable sugar upt	491	28	56.0	467	2	T40348	hypothetical prote
419	28	56.0	334	2	T41713	hypothetical prote	492	28	56.0	467	2	T18744	involved in spore
420	28	56.0	335	2	A39579	c-myc promoter-bin	493	28	56.0	468	2	D69716	hypothetical prote
421	28	56.0	335	2	E70655	hypothetical prote	494	28	56.0	468	2	A97626	hypothetical prote
422	28	56.0	340	2	T20101	hypothetical prote	495	28	56.0	470	2	F85164	amidase homolog G0
423	28	56.0	341	2	B99798	hypothetical prote	496	28	56.0	478	1	S73920	hypothetical prote
424	28	56.0	342	2	T19877	hypothetical prote	497	28	56.0	481	2	E84860	hypothetical prote
425	28	56.0	343	2	B2507	hypothetical prote	498	28	56.0	486	2	T21566	hypothetical prote
426	28	56.0	346	2	T26097	hypothetical prote	499	28	56.0	487	2	T32341	hypothetical prote
427	28	56.0	349	2	C69583	alcohol dehydrogen	500	28	56.0	489	2	G71352	probable sigma fac
428	28	56.0	349	2	D82563	alcohol dehydrogen							
429	28	56.0	349	2	H82643	alcohol dehydrogen							
430	28	56.0	349	2	S68092	protein-glutamine							
431	28	56.0	351	2	C88082	protein-T05A8.5 [i							
432	28	56.0	353	2	A32099	transcription regu							
433	28	56.0	355	2	AC2768	alcohol dehydrogen							
434	28	56.0	356	2	B82159	conserved hypothet							
435	28	56.0	356	2	S74766	hypothetical prote							
436	28	56.0	360	2	E69086	cell division prot							
437	28	56.0	362	2	I37515	MHC class I histoc							
438	28	56.0	365	2	AD2669	chorismate synthas							
439	28	56.0	365	2	T24955	hypothetical prote							
440	28	56.0	368	2	E97548	alcohol dehydrogen							
441	28	56.0	368	2	B97451	chorismate synthas							
442	28	56.0	369	2	A42565	interleukin-2 rece							
443	28	56.0	370	2	G83513	conserved hypothet							
444	28	56.0	371	2	B39625	T-cell receptor al							
445	28	56.0	373	2	A96010	hypothetical prote							
446	28	56.0	374	1	L1YXLY	beta-lytic metallo							
447	28	56.0	374	2	E95361	probable muconat							
448	28	56.0	379	2	F82680	trNA methyltransfe							
449	28	56.0	381	2	T33151	hypothetical prote							
450	28	56.0	382	2	S73735	abc transport ATP-							
451	28	56.0	387	2	B98187	probable lacI-fami							
452	28	56.0	391	2	A40059	glycerol-3-phospha							
453	28	56.0	393	2	S61659	Kar1 protein - yea							
454	28	56.0	397	2	A39565	lymphoid enhancer-							
455	28	56.0	399	2	A39625	T-cell receptor al							
456	28	56.0	400	2	F98138	hypothetical prote							
457	28	56.0	402	2	E83119	probable FAD-depen							
458	28	56.0	402	2	F82495	spindolin-related							
459	28	56.0	405	2	C83443	beta-ketoacyl-ACP							
460	28	56.0	405	2	T21433	hypothetical prote							
461	28	56.0	406	2	C70640	hypothetical prote							
462	28	56.0	407	2	UN0584	aminocyclase (EC 3							
463	28	56.0	408	2	F70369	carboxyl-terminal							
464	28	56.0	408	2	A47488	aminoacylase (EC 3							
465	28	56.0	409	2	S69229	probable polyketid							
466	28	56.0	411	2	H83788	involved in spore							
467	28	56.0	417	2	T33376	hypothetical prote							

ALIGNMENTS

RESULT 1

JC7393
 medaka-type gonadotropin-releasing hormone precursor - Japanese medaka
 C;Species: Oryzias latipes (Japanese medaka)
 C;Date: 17-Nov-2000 #sequence_revision 17-Nov-2000 #text_change 20-Jan-2003
 C;Accession: JC7393
 R;Okubo, K.; Amano, M.; Yoshiura, Y.; Suetake, H.; Aida, K.
 Biochem. Biophys. Res. Commun. 276, 298-303, 2000
 A;Title: A novel form of gonadotropin-releasing hormone in the medaka, Oryzias latipes.
 A;Reference number: JC7393
 A;Contents: Brain
 A;Accession: JC7393
 A;Molecule type: mRNA
 A;Residues: 1-91 <OKU>
 A;Cross-references: DDBJ:AB041333
 C;Comment: This protein plays the roles as a hypophysiotropic factor, and a physiologic
 C;Genetics:
 A;Gene: mdgnrh
 C;Superfamily: gonadolibetin
 C;Keywords: brain

Query Match 84.0%; Score 42; DB 2; Length 91;
 Best Local Similarity 60.0%; Pred. No. 0.46;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 ERWSXGXSPG 10
 :|||:
 Db 22 QHWSFGLSPG 31

RESULT 2

IS0739
 gonadotropin-releasing hormone - Cichlid (Haplochromis burtoni)
 C;Species: Haplochromis burtoni
 C;Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 21-Jul-2000

C;Accession: I50739
R;White, S.A.; Kasten, T.L.; Bond, C.T.; Adelman, J.P.; Fernald, R.D.
Proc. Natl. Acad. Sci. U.S.A. 92, 8363-8367, 1995
A;Title: three gonadotropin-releasing hormone genes in one organism suggest novel roles
A;Reference number: I50739; MUID:95396797; PMID:7667296
C;Accession: I50739
A;Status: preliminary; translated from GB/EMBL/DBJ
A;Molecule type: mRNA
A;Residues: 1-98 <WHI>
A;Cross-references: EMBL:U31865; NID:G905398; PIDN:AAC59691.1; PID:G905399
C;Superfamily: gonadoliberin

Query Match 84.0%; Score 42; DB 2; Length 98;
Best Local Similarity 60.0%; Pred. No. 0.5;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
DB 23 QHWSYGLSPG 32

RESULT 3
RHPGG
gonadoliberin - pig
C;Species: Sus scrofa domestica (domestic pig)
C;Date: 13-Jul-1981 #sequence_revision 13-Jul-1981 #text_change 18-Mar-1997
C;Accession: A01411
R;Baba, Y.; Matsuo, H.; Schally, A.V.
Biochem. Biophys. Res. Commun. 44, 459-463, 1971
A;Title: Structure of the porcine LH- and FSH-releasing hormone. II. Confirmation of the
A;Reference number: A90172; MUID:72114303; PMID:4946067
C;Accession: A01411
A;Molecule type: protein
A;Residues: 1-10 <BAB>
R;Matsuo, H.; Arimura, A.; Nair, R.M.G.; Schally, A.V.
Biochem. Biophys. Res. Commun. 45, 822-827, 1971
A;Title: Synthesis of the porcine LH- and FSH-releasing hormone by the solid-phase method
A;Reference number: A90176; MUID:72065376; PMID:4942726
A;Contents: annotation; synthesis
A;Note: the synthetic and natural hormones have the same physicochemical and biological
R;Baba, Y.; Arimura, A.; Schally, A.V.
Biochem. Biophys. Res. Commun. 45, 483-487, 1971
A;Title: On the tryptophan residue in porcine LH and FSH-releasing hormone.
A;Reference number: A90175; MUID:72117544; PMID:4946275
A;Contents: annotation
A;Note: Trp-3 appears to be essential for biological activity
C;Comment: This hypothalamic hormone stimulates the secretion of both luteinizing and follicle stimulating hormone
C;Superfamily: gonadoliberin
C;Keywords: amidated carboxyl end; hormone; hypothalamus; pyroglutamic acid
F;1/0/Modified site: pyroglutamate carboxylic acid (Gln) #status experimental
F;10/Modified site: amidated carboxyl end (Gly) #status experimental

Query Match 82.0%; Score 41; DB 1; Length 10;
Best Local Similarity 60.0%; Pred. No. 0.072;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
DB 1 QHWSYGLRPG 10

RESULT 4
RHSNG
gonadoliberin - sheep
C;Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)
C;Date: 31-Dec-1991 #sequence_revision 31-Dec-1991 #text_change 18-Mar-1997
C;Accession: A93780; A01411
R;Burgus, R.; Butcher, M.; Amoss, M.; Ling, N.; Monahan, M.; Rivier, J.; Fellows, R.; Blumberg, P.M.
Proc. Natl. Acad. Sci. U.S.A. 69, 278-282, 1972
A;Title: Primary structure of the ovine hypothalamic luteinizing hormone-releasing factor
A;Reference number: A93780; MUID:72094314; PMID:4550508
A;Accession: A93780
A;Molecule type: protein

A;Residues: 1-10 <BUR>
A;Note: the natural and synthetic hormones have the same biological activity
C;Comment: This hypothalamic hormone stimulates the secretion of both luteinizing and follicle stimulating hormone
C;Superfamily: gonadoliberin
C;Keywords: amidated carboxyl end; hormone; hypothalamus; pyroglutamic acid
F;1/0/Modified site: pyroglutamate carboxylic acid (Gln) #status experimental
F;10/Modified site: amidated carboxyl end (Gly) #status experimental

Query Match 82.0%; Score 41; DB 1; Length 10;
Best Local Similarity 60.0%; Pred. No. 0.072;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
DB 1 QHWSYGLRPG 10

RESULT 5
RHAQI
gonadoliberin I - American alligator
N;Alternate names: gonadotropin-releasing hormone I
C;Species: Alligator mississippiensis (American alligator)
C;Date: 31-Mar-1993 #sequence_revision 31-Mar-1993 #text_change 18-Mar-1997
C;Accession: A60066
R;Lovejoy, D.A.; Fischer, W.H.; Parker, D.B.; McRory, J.E.; Park, M.; Lance, V.; Swanson
Regul. Pept. 33, 105-116, 1991
A;Title: Primary structure of two forms of gonadotropin-releasing hormone from brains of
A;Reference number: A60066; MUID:91352338; PMID:1882082
C;Accession: A60066
A;Molecule type: protein
A;Residues: 1-10 <LOW>
C;Superfamily: gonadoliberin
C;Keywords: amidated carboxyl end; hormone; hypothalamus; pyroglutamic acid
F;1/0/Modified site: pyroglutamate carboxylic acid (Gln) #status experimental
F;10/Modified site: amidated carboxyl end (Gly) #status experimental

Query Match 82.0%; Score 41; DB 1; Length 10;
Best Local Similarity 60.0%; Pred. No. 0.072;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
DB 1 QHWSYGLRPG 10

RESULT 6
I78541
gonadoliberin precursor - rhesus macaque (fragment)
N;Alternate names: luteinizing hormone releasing hormone
C;Species: Macaca mulatta (rhesus macaque)
C;Date: 02-Aug-1996 #sequence_revision 02-Aug-1996 #text_change 16-Jul-1999
C;Accession: I78541
R;Ma, Y.J.; Costa, M.E.; Ojeda, S.R.
Neuroendocrinology 60, 346-359, 1994
A;Title: Developmental expression of the genes encoding transforming growth factor alpha
A;Reference number: I58134; MUID:95124501; PMID:7545971
C;Accession: I78541
A;Status: preliminary; translated from GB/EMBL/DBJ
A;Molecule type: mRNA
A;Residues: 1-67 <RES>
A;Cross-references: GB:S75918; NID:G912831; PIDN:AAB33096.1; PID:G912832
C;Superfamily: gonadoliberin

Query Match 82.0%; Score 41; DB 2; Length 67;
Best Local Similarity 60.0%; Pred. No. 0.52;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
DB 6 QHWSYGLRPG 15

RESULT 7

RHDI5

gonadoliberin I precursor - sharpooth catfish
N/Alternate names: gonadoliberin, catfish-type; gonadotropin-releasing hormone I (GnRH-I)
N/Contains: gonadoliberin I; gonadoliberin I-associated protein form I; gonadoliberin I
C/Species: Clarias gariepinus (sharpooth catfish)
C/Date: 30-Sep-1993 #sequence_revision 18-Mar-1997 #text_change 18-Jun-1999
C/Accession: S45602; J01242; S42936; S42937
R/Bogerd, J.; Zandbergen, T.; Andersson, E.; Goos, H.
Eur. J. Biochem. 222, 541-549, 1994
A/Title: Isolation, characterization and expression of cDNAs encoding the catfish-type a
A/Reference number: S45600; MUID:94291651; PMID:8020492
A/Accession: S45602
A/Molecule type: mRNA
A/Residues: 1-80 <BOGI>
A/Cross-references: EMBL:X78049; NID:9459433; PIDN:CAAS4971.1; PID:9459434
A/Note: gonadoliberin I-associated protein form I
A/Accession: S45601
A/Molecule type: mRNA
A/Residues: 1-46, 'S' 48-59, 'G' 61-80 <BOG2>
A/Cross-references: EMBL:X78048; NID:9459431; PIDN:CAAS4970.1; PID:9459432
A/Note: gonadoliberin I-associated protein form II, presumed to be a polymorphic form
R/Bogerd, J.; Li, K.W.; Janssen-Dommerholt, C.; Goos, H.
Biochem. Biophys. Res. Commun. 187, 127-134, 1992
A/Title: Two gonadotropin-releasing hormones from African catfish (Clarias gariepinus).
A/Reference number: J01242; MUID:92392313; PMID:1520292
A/Accession: J01242
A/Molecule type: protein
A/Residues: 22-31 <BOG3>
A/Experimental source: brain
A/Superfamily: gonadoliberin
C/Keywords: amidated carboxyl end; hormone; hypothalamus; pyroglutamic acid
F/1-23/Domain: signal sequence #status predicted <SIG>
F/22-31/Product: gonadoliberin I #status experimental <MAT1>
F/35-80/Product: gonadoliberin I-associated protein #status predicted <MAT2>
F/22/Modified site: pyroglutamate carboxylic acid (Gln) (in mature form) #status experimen
F/31/Modified site: amidated carboxyl end (Gly) (amide in mature form from following gly

Query Match 82.0%; Score 41; DB 1; Length 80;
Best Local Similarity 60.0%; Pred. No. 0.62;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXGXP 10
:|||||
DB 22 QHWSHGLRPG 31

RESULT 8

gonadoliberin precursor - African clawed frog
N/Alternate names: luteinizing hormone releasing hormone
C/Species: Xenopus laevis (African clawed frog)
C/Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 16-Jul-1999
C/Accession: I51423
R/Hayes, W.P.; Wray, S.; Battey, J.F.
Endocrinology 134, 1835-1845, 1994
A/Title: The frog GnRH-I gene has a mammalian-like expression pattern and conserved doma
A/Reference number: I51423; MUID:94185563; PMID:8137750
A/Accession: I51423
A/Status: preliminary; translated from GB/EMBL/DBJ
A/Molecule type: DNA
A/Residues: 1-89 <HAY>
A/Cross-references: GB:L28040; NID:9496291; PIDN:AAA49728.1; PID:9496292
C/Genetics:
A/Gene: GnRH-I
C/Superfamily: gonadoliberin

Query Match 82.0%; Score 41; DB 2; Length 89;
Best Local Similarity 60.0%; Pred. No. 0.69;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXGXP 10
:|||||
DB 24 QHWSHGLRPG 33

RESULT 9

gonadoliberin precursor - mouse
N/Alternate names: gonadotropin-releasing hormone (GnRH); luteinizing hormone releasing
N/Contains: gonadoliberin; gonadoliberin-associated protein (GAP)
C/Species: Mus musculus (house mouse)
C/Date: 31-Dec-1993 #sequence_revision 18-Mar-1997 #text_change 18-Jun-1999
C/Accession: A47578
R/Mason, A.J.; Hayflick, J.S.; Zoeller, R.T.; Young III, W.S.; Phillips, H.S.; Nikolic,
Science 234, 1366-1371, 1986
A/Title: A deletion truncating the gonadotropin-releasing hormone gene is responsible f
A/Reference number: A47578; MUID:87069928; PMID:3024317
A/Accession: A47578
A/Molecule type: DNA
A/Residues: 1-90 <MAS>
A/Cross-references: EMBL:M14872; NID:9193576; PIDN:AAA37717.1; PID:9387175
C/Genetics:
A/Insertions: 45/3; 77/3
C/Function:

A/Description: gonadoliberin stimulates pituitary secretion of luteinizing hormone and follicle
A/Note: gonadoliberin-associated protein may have prolactin release inhibiting activity
C/Superfamily: gonadoliberin
C/Keywords: amidated carboxyl end; hormone; hypothalamus; pyroglutamic acid
F/1-23/Domain: signal sequence #status predicted <SIG>
F/22-31/Product: gonadoliberin #status predicted <GLB>
F/35-90/Product: gonadoliberin-associated protein #status predicted <GAP>
F/22/Modified site: pyroglutamate carboxylic acid (Gln) (in mature form) #status predicte
F/31/Modified site: amidated carboxyl end (Gly) (amide in mature form from following gly

Query Match 82.0%; Score 41; DB 1; Length 90;
Best Local Similarity 60.0%; Pred. No. 0.7;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXGXP 10
:|||||
DB 22 QHWSHGLRPG 31

RESULT 10

gonadoliberin precursor [validated] - human
N/Alternate names: gonadotropin releasing hormone (GnRH); luteinizing hormone releasing
N/Contains: gonadoliberin-associated protein (GAP); progadoliberin
C/Species: Homo sapiens (man)
C/Date: 17-Mar-1987 #sequence_revision 21-Jul-1995 #text_change 08-Dec-2000
C/Accession: S05308; A26173; A93342; A90108; A01410; S45718
R/Hayflick, J.S.; Adelman, J.P.; Seeburg, P.H.
Nucleic Acids Res. 17, 6403-6404, 1989
A/Title: The complete nucleotide sequence of the human gonadotropin-releasing hormone g
A/Reference number: S05308; MUID:89366682; PMID:2671939
A/Accession: S05308
A/Status: translation not shown
A/Molecule type: DNA
A/Residues: 1-92 <HAY>
A/Cross-references: EMBL:X15215; NID:931955; PIDN:CAA33285.1; PID:931956
R/Adelman, J.P.; Mason, A.J.; Hayflick, J.S.; Seeburg, P.H.
Proc. Natl. Acad. Sci. U.S.A. 83, 179-183, 1986
A/Title: Isolation of the gene and hypothalamic cDNA for the common precursor of gonadot
A/Reference number: A94090; MUID:86094338; PMID:2867548
A/Accession: A26173
A/Molecule type: mRNA
A/Residues: 1-92 <ADE>
A/Cross-references: GB:M12578; NID:9183418; PIDN:AAA35916.1; PID:9386749
A/Experimental source: hypothalamus
R/Seeburg, P.H.; Adelman, J.P.
Nature 311, 666-668, 1984
A/Title: Characterization of cDNA for precursor of human luteinizing hormone releasing h
A/Reference number: A93342; MUID:85012739; PMID:6090951
A/Accession: A93342
A/Molecule type: mRNA
A/Residues: 1-15, 'S', 17-92 <SEE>

A;Cross-references: GB:X01059; NID:G34356; PIDN:CAA25526.1; PID:G34357
A;Experimental source: Placenta
R;Tan, L.; Rousseau, P.
Biochem. Biophys. Res. Commun. 109, 1061-1071, 1982
A;Title: The chemical identity of the immunoreactive LHRH-like peptide biosynthesized in
A;Reference number: A90108; MUID:83126573; PMID:6760865
A;Accession: A90108
A;Molecule type: protein
A;Residues: 24-33 <TAN>
A;Experimental source: placental trophoblasts
R;Leibovitz, D.; Koch, Y.; Pitzer, F.; Fridkin, M.; Dantes, A.; Baumeister, W.; Amsterda
FEBS Lett. 346, 203-206, 1994
A;Title: Sequential degradation of the neuropeptide gonadotropin-releasing hormone by th
A;Reference number: S45718; MUID:94283597; PMID:8013634
A;Contents: annotation; degradation pathway of synthetic hormone
C;Genetics:
A;Gene: GDB:GNRH, LHRH, GRH
A;Cross-references: GDB:133746; OMIM:27200; OMIM:152760
A;Map position: 8p21-8p11.2
A;Introns: 47/3; 79/3
C;Function:
A;Description: gonadoliberein stimulates pituitary secretion of lutropin and follitropin
A;Note: gonadoliberein-associated protein may have prolactin release inhibiting activity
C;Superfamily: gonadoliberein
C;Keywords: amidated carboxyl end; hormone; hypothalamus; placenta; pyroglutamic acid
F;1-23/Domain: signal sequence #status predicted <SIG>
F;24-92/Product: progadoliberein #status predicted <PGN>
F;24-33/Product: gonadoliberein #status experimental <MAT>
F;37-92/Product: gonadoliberein-associated protein #status predicted <GAP>
F;24/Modified site: pyroglutamic acid (Gln) (in mature form) #status experimental
F;33/Modified site: amidated carboxyl end (Gly) (amide in mature form from following gly

Query Match 82.0%; Score 41; DB 1; Length 92;
Best Local Similarity 60.0%; Pred. No. 0.72;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWXGXKXPG 10
Db 24 QHWSYGLRPG 33

RESULT 11
RHPTG
Gonadoliberein precursor - rat
N;Alternate names: gonadoliberein-associated protein (GAP); gonadotropin releasing hormon
N;Contains: gonadoliberein; prolactin release-inhibiting factor
C;Species: Rattus norvegicus (Norway rat)
C;Date: 31-Mar-1988 #sequence revision 31-Mar-1988 #text_change 18-Jun-1999
C;Accession: A40147; B26173; A48410
R;Bond, C.T.; Hayflick, J.S.; Seeburg, P.H.; Adelman, J.P.
Mol. Endocrinol. 3, 1257-1262, 1989
A;Title: The rat gonadotropin-releasing hormone: SH locus: structure and hypothalamic ex
A;Reference number: A40147; MUID:89384661; PMID:2476669
A;Accession: A40147
A;Molecule type: DNA
A;Residues: 1-92 <BON>
A;Cross-references: GB:M31670; NID:G204447; PIDN:AAA41264.1; PID:G204448
R;Adelman, J.P.; Mason, A.J.; Hayflick, J.S.; Seeburg, P.H.
Proc. Natl. Acad. Sci. U.S.A. 83, 179-183, 1986
A;Title: Isolation of the gene and hypothalamic cDNA for the common precursor of gonadob
A;Reference number: A94090; MUID:86094338; PMID:2867548
A;Accession: B26173
A;Molecule type: mRNA
A;Residues: 1-92 <ADE>
A;Cross-references: GB:M12579; NID:G204445; PIDN:AAA41263.1; PID:G204446
R;Maier, C.C.; Marchetti, B.; Leboeuf, R.D.; Bialock, J.E.
Cell. Mol. Neurobiol. 12, 447-454, 1992
A;Title: Thymocytes express a mRNA that is identical to hypothalamic luteinizing hormone
A;Reference number: A48410; MUID:93105480; PMID:1468115
A;Accession: A48410
A;Status: preliminary
A;Molecule type: mRNA
A;Residues: 1-92 <MAI>

A;Cross-references: GB:S50870; NID:G262059; PIDN:AAB24572.1; PID:G262060
A;Experimental source: thymus
A;Note: Sequence extracted from NCBI backbone (NCBIN:121082, NCBI:P121083)
C;Genetics:
A;Introns: 47/3; 79/3
C;Function:
A;Description: stimulates pituitary secretion of lutropin and follitropin
A;Note: gonadoliberein-associated protein may have prolactin release inhibiting activity
C;Superfamily: gonadoliberein
C;Keywords: amidated carboxyl end; hormone; hypothalamus; placenta; pyroglutamic acid; r
F;1-23/Domain: signal sequence #status predicted <SIG>
F;24-92/Product: progadoliberein #status predicted <PGN>
F;24-33/Product: gonadoliberein #status predicted <GLN>
F;37-92/Product: prolactin release-inhibiting factor #status predicted <PIF>
F;24/Modified site: pyroglutamic acid (Gln) (in mature form) #status predicted
F;33/Modified site: amidated carboxyl end (Gly) (amide in mature form from following gly

Query Match 82.0%; Score 41; DB 1; Length 92;
Best Local Similarity 60.0%; Pred. No. 0.72;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWXGXKXPG 10
Db 24 QHWSYGLRPG 33

RESULT 12
150644
gonadoliberein I precursor - chicken
N;Alternate names: gonadotropin-releasing hormone I
C;Species: Gallus gallus (chicken)
C;Date: 21-Feb-1997 #sequence revision 21-Feb-1997 #text_change 16-Jul-1999
C;Accession: 150644; S33507
R;Dunn, I.C.; Chen, Y.; Hook, C.; Sharp, P.J.; Sang, H.M.
J. Mol. Endocrinol. 11, 19-29, 1993
A;Title: Characterization of the chicken preprogonadotropin-releasing hormone-I gene.
A;Reference number: 150644; MUID:94059355; PMID:7902095
A;Accession: 150644
A;Status: translated from GB/EMBL/DBJ
A;Molecule type: DNA
A;Residues: 1-92 <DU2>
A;Cross-references: EMBL:X69491; NID:G496326; PIDN:CAA49246.1; PID:G311612
C;Genetics:
A;Introns: 47/3; 79/3
C;Superfamily: gonadoliberein

Query Match 82.0%; Score 41; DB 2; Length 92;
Best Local Similarity 50.0%; Pred. No. 0.72;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWXGXKXPG 10
Db 24 QHWSYGLQPG 33

RESULT 13
RHAQ2
gonadoliberein II - American alligator
N;Alternate names: gonadotropin-releasing hormone II
C;Species: Alligator mississippiensis (American alligator)
C;Date: 31-Mar-1993 #sequence revision 31-Mar-1993 #text_change 18-Mar-1997
C;Accession: B60056
R;Lovejoy, D.A.; Fischer, W.H.; Parker, D.B.; McRory, J.E.; Park, M.; Lance, V.; Swanson
Regul. Pept. 33, 105-116, 1991
A;Title: Primary structure of two forms of gonadotropin-releasing hormone from brains of
A;Reference number: A60066; MUID:91352339; PMID:1882082
A;Accession: B60066
A;Molecule type: protein
A;Residues: 1-10 <LOV>
C;Superfamily: gonadoliberein
C;Keywords: amidated carboxyl end; hormone; hypothalamus; pyroglutamic acid
F;1/Modified site: pyroglutamic acid (Gln) #status experimental
F;10/Modified site: amidated carboxyl end (Gly) #status experimental

Query Match 80.0%; Score 40; DB 1; Length 10;
Best Local Similarity 60.0%; Pred. No. 0.11;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWXGXXP 10
DB 1 QHWSHGWP 10

RESULT 14
A61126
gonadoliberin - spotted ratfish
N:Alternate names: gonadotropin-releasing hormone
C:Species: Hydrologus collieri (spotted ratfish)
C>Date: 26-May-1994 #sequence_revision 26-May-1994 #text_change 18-Mar-1997
C:Accession: A61126
R:Lovejoy, D.A.; Sherwood, N.M.; Fischer, W.H.; Jackson, B.C.; Rivier, J.E.; Lee, T.
Gen. Comp. Endocrinol. 82, 152-161, 1991
A:Title: Primary structure of gonadotropin-releasing hormone from the brain of a holocarp
A:Reference number: A61126; MUID:91340067; PMID:1678723
A:Accession: A61126
A:Molecule type: protein
A:Residues: 1-10 <LOV>
A:Experimental source: brain
C:Superfamily: gonadoliberin
C:Keywords: amidated carboxyl end; brain; hormone; pyroglutamic acid
F:1/Modified site: pyrrolidone carboxylic acid (Gln) #status experimental
F:1/Modified site: amidated carboxyl end (Gly) #status experimental

Query Match 80.0%; Score 40; DB 1; Length 10;
Best Local Similarity 60.0%; Pred. No. 0.11;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWXGXXP 10
DB 1 QHWSHGWP 10

RESULT 15
B46030
gonadoliberin II - spiny dogfish
N:Alternate names: gonadotropin-releasing hormone
C:Species: Squalus acanthias (spiny dogfish)
C>Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 20-Jan-2003
C:Accession: B46030
R:Lovejoy, D.A.; Fischer, W.H.; Ngamvongchon, S.; Craig, A.G.; Nahorniak, C.S.; Peter, R.
Proc. Natl. Acad. Sci. U.S.A. 89, 6373-6377, 1992
A:Title: Distinct sequence of gonadotropin-releasing hormone (GNRH) in dogfish brain pro
A:Reference number: A46030; MUID:92335300; PMID:1631133
A:Accession: B46030
A:Status: preliminary
A:Molecule type: protein
A:Residues: 1-10 <LOV>
C:Superfamily: gonadoliberin
C:Keywords: hormone; pyroglutamic acid
F:1/Modified site: pyrrolidone carboxylic acid (Gln) #status experimental

Query Match 80.0%; Score 40; DB 2; Length 10;
Best Local Similarity 60.0%; Pred. No. 0.11;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWXGXXP 10
DB 1 QHWSHGWP 10

RESULT 16
A46030
gonadoliberin I - spiny dogfish
N:Alternate names: gonadotropin-releasing hormone
C:Species: Squalus acanthias (spiny dogfish)
C>Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 16-Dec-1998

C:Accession: A46030
R:Lovejoy, D.A.; Fischer, W.H.; Ngamvongchon, S.; Craig, A.G.; Nahorniak, C.S.; Peter, R.
Proc. Natl. Acad. Sci. U.S.A. 89, 6373-6377, 1992
A:Title: Distinct sequence of gonadotropin-releasing hormone (GNRH) in dogfish brain pr
A:Reference number: A46030; MUID:92335300; PMID:1631133
A:Accession: A46030
A:Status: preliminary
A:Molecule type: protein
A:Residues: 1-10 <LOV>
C:Keywords: hormone; pyroglutamic acid
F:1/Modified site: pyrrolidone carboxylic acid (Gln) #status experimental

Query Match 80.0%; Score 40; DB 2; Length 10;
Best Local Similarity 60.0%; Pred. No. 0.11;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWXGXXP 10
DB 1 QHWSHGWP 10

RESULT 17
A21114
gonadoliberin - chum salmon
C:Species: Oncorhynchus keta (chum salmon)
C>Date: 10-Aug-1990 #sequence_revision 10-Aug-1990 #text_change 18-Jun-1993
C:Accession: A21114
R:Sherwood, N.; Eiden, L.; Brownstein, M.; Spiess, J.; Rivier, J.; Vale, W.
Proc. Natl. Acad. Sci. U.S.A. 80, 2794-2798, 1983
A:Title: Characterization of a teleost gonadotropin-releasing hormone.
A:Reference number: A21114; MUID:83195140; PMID:6341999
A:Accession: A21114
A:Status: preliminary
A:Molecule type: protein
A:Residues: 1-10 <SHE>

Query Match 80.0%; Score 40; DB 2; Length 10;
Best Local Similarity 60.0%; Pred. No. 0.11;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWXGXXP 10
DB 1 QHWSHGWP 10

RESULT 18
I51092
gonadotropin releasing hormone - chinook salmon (fragment)
C:Species: Oncorhynchus tshawytscha (chinook salmon)
C>Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 09-Aug-1997
C:Accession: I51092
R:Klungland, H.; Lorens, J.B.; Andersen, O.; Kisen, G.O.; Alestrom, P.
Mol. Cell. Endocrinol. 84, 167-174, 1992
A:Title: The Atlantic salmon prepro-gonadotropin releasing hormone gene and mRNA.
A:Reference number: I51040; MUID:92267241; PMID:1587389
A:Accession: I51092
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: DNA
A:Residues: 1-74 <XLU>
A:Cross-references: EMBL:X79711; NID:G499322; PID:G499323
C:Genetics:
A:Gene: GNRH
A:Introns: 38/3; 65/3

Query Match 80.0%; Score 40; DB 2; Length 74;
Best Local Similarity 60.0%; Pred. No. 0.88;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWXGXXP 10
DB 16 QHWSHGWP 25

```
RESULT 19
JC7394
Chicken-II-type: gonadotropin-releasing hormone precursor - Japanese medaka
C:Species: Oryzias latipes (Japanese medaka)
C:Date: 17-Nov-2000 #sequence_revision 17-Nov-2000 #text_change 20-Jan-2003
C:Accession: JC7394
R:Okubo, K.; Amano, M.; Yoshiura, Y.; Suetake, H.; Aida, K.
Biochem. Biophys. Res. Commun. 276, 298-303, 2000
A:Title: A novel form of gonadotropin-releasing hormone in the medaka, Oryzias latipes.
A:Reference number: JC7393
A:Contents: Brain
A:Accession: JC7394
A:Molecule type: mRNA
A:Residues: 1-80 <OKU>
A:Cross-references: DBJ:AB041330
C:Comment: This protein with the roles as the physiologic regulator of gonadotropin release
C:Genetics:
A:Gene: cgnth-II
C:Superfamily: gonadoliberin
C:Keywords: brain

Query Match      80.0%; Score 40; DB 2; Length 80;
Best Local Similarity 60.0%; Pred. No. 0.95;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy      1 EHWSXGXPG 10
      :||| |||
Db      22 QHWSHGWLPG 31

RESULT 20
I51180
gonadotropin-releasing hormone - cherry salmon
C:Species: Oncorhynchus masou (cherry salmon)
C:Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 20-Jan-2003
C:Accession: I51180
R:Suzuki, M.; Ryodo, S.; Kobayashi, M.; Aida, K.; Urano, A.
J. Mol. Endocrinol. 9, 73-82, 1992
A:Title: Characterization and localization of mRNA encoding the salmon-type gonadotropin
A:Reference number: I51180; MUID:92384893; PMID:1515027
A:Accession: I51180
A>Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-82 <SUZ>
A:Cross-references: GB:S44614; NID:9254824; PID:9254825
C:Superfamily: gonadoliberin

Query Match      80.0%; Score 40; DB 2; Length 82;
Best Local Similarity 60.0%; Pred. No. 0.98;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy      1 EHWSXGXPG 10
      :||| |||
Db      24 QHWSYGLPG 33

RESULT 21
I51355
gonadotropin releasing hormone - Atlantic salmon
C:Species: Salmo salar (Atlantic salmon)
C:Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 21-Jul-2000
C:Accession: I51355
R:Klungland, H.; Lorens, J.B.; Andersen, O.; Kisen, G.O.; Alestrom, P.
Mol. Cell. Endocrinol. 84, 167-174, 1992
A:Title: The Atlantic salmon prepro-gonadotropin releasing hormone gene and mRNA.
A:Reference number: I51040; MUID:92267241; PMID:1587389
A:Accession: I51355
A>Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-82 <KLU>
A:Cross-references: EMBL:X79709; NID:9499341; PID:9499342
A:Accession: I51355
A>Status: preliminary; translated from GB/EMBL/DBJ

A:Molecule type: DNA
A:Residues: 1-82 <KLU2>
A:Cross-references: EMBL:X74957; NID:9402786; PIDN:CAA52912.1; PID:9402787
C:Genetics:
A:Gene: GnRH
A:Introns: 46/3; 73/3

Query Match      80.0%; Score 40; DB 2; Length 82;
Best Local Similarity 60.0%; Pred. No. 0.98;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy      1 EHWSXGXPG 10
      :||| |||
Db      24 QHWSYGLPG 33

RESULT 22
I51365
gonadotropin-releasing hormone - brown trout
C:Species: Salmo trutta (brown trout)
C:Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 21-Jul-2000
C:Accession: I51365
R:Klungland, H.; Lorens, J.B.; Andersen, O.; Kisen, G.O.; Alestrom, P.
Mol. Cell. Endocrinol. 84, 167-174, 1992
A:Title: The Atlantic salmon prepro-gonadotropin releasing hormone gene and mRNA.
A:Reference number: I51040; MUID:92267241; PMID:1587389
A:Accession: I51365
A>Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: DNA
A:Residues: 1-82 <KLU>
A:Cross-references: EMBL:X79713; NID:9499343; PIDN:CAA56152.1; PID:9499344
C:Genetics:
A:Gene: GnRH
A:Introns: 46/3; 73/3

Query Match      80.0%; Score 40; DB 2; Length 82;
Best Local Similarity 60.0%; Pred. No. 0.98;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy      1 EHWSXGXPG 10
      :||| |||
Db      24 QHWSYGLPG 33

RESULT 23
I51331
gonadotropin releasing hormone - brook trout
C:Species: Salvelinus fontinalis (brook trout)
C:Date: 04-Sep-1997 #sequence_revision 04-Sep-1997 #text_change 05-Nov-1999
C:Accession: I51331
R:Klungland, H.; Lorens, J.B.; Andersen, O.; Kisen, G.O.; Alestrom, P.
Mol. Cell. Endocrinol. 84, 167-174, 1992
A:Title: The Atlantic salmon prepro-gonadotropin releasing hormone gene and mRNA.
A:Reference number: I51040; MUID:92267241; PMID:1587389
A:Accession: I51331
A>Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: DNA
A:Residues: 1-82 <KLU>
A:Cross-references: EMBL:X79712; NID:9499336; PIDN:CAA56151.1; PID:9499337
C:Genetics:
A:Gene: GnRH
A:Introns: 46/3; 73/3

Query Match      80.0%; Score 40; DB 2; Length 82;
Best Local Similarity 60.0%; Pred. No. 0.98;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy      1 EHWSXGXPG 10
      :||| |||
Db      24 QHWSYGLPG 33

RESULT 24
I51355
gonadotropin releasing hormone - Atlantic salmon
C:Species: Salmo salar (Atlantic salmon)
C:Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 21-Jul-2000
C:Accession: I51355
R:Klungland, H.; Lorens, J.B.; Andersen, O.; Kisen, G.O.; Alestrom, P.
Mol. Cell. Endocrinol. 84, 167-174, 1992
A:Title: The Atlantic salmon prepro-gonadotropin releasing hormone gene and mRNA.
A:Reference number: I51040; MUID:92267241; PMID:1587389
A:Accession: I51355
A>Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: mRNA
A:Residues: 1-82 <KLU>
A:Cross-references: EMBL:X79709; NID:9499341; PID:9499342
A:Accession: I51355
A>Status: preliminary; translated from GB/EMBL/DBJ
```

```

A53453
Gonadoliberin II precursor - Cichlid (Haplochromis burtoni)
C/Species: Haplochromis burtoni
C/Date: 25-Aug-1995 #sequence_revision 25-Aug-1995 #text_change 16-Jul-1999
C/Accession: A53453
R/White, S.A.; Bond, C.T.; Francis, R.C.; Kasten, T.L.; Fernald, R.D.; Adelman, J.P.
Proc. Natl. Acad. Sci. U.S.A. 91, 1423-1427, 1994
A/Title: A second gene for gonadotropin-releasing hormone: cDNA and expression pattern in
A/Reference number: A53453; MUID:94151343; PMID:8108425
A/Accession: A53453
A/Status: preliminary
A/Molecule type: mRNA
A/Residues: 1-85 <WHI>
A/Cross-references: GB:L27435; NID:g439868; PIDN:AAA74993.1; PID:g439869
C/Superfamily: gonadoliberin
C/Keywords: brain; hormone

Query Match      80.0%; Score 40; DB 2; Length 85;
Best Local Similarity 60.0%; Pred. No. 1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXXPG 10
   :|||:|
Db 24 QHWSHGWTYPG 33

RESULT 25
RHID25
Gonadoliberin II precursor - sharpooth catfish
N/Alternate names: gonadoliberin, chicken-type; gonadotropin-releasing hormone II (GnRH-
N/Contains: gonadoliberin II; gonadoliberin II-associated protein
C/Species: Clarias gariepinus (sharpooth catfish)
C/Date: 30-Sep-1993 #sequence_revision 18-Mar-1997 #text_change 18-Jun-1999
C/Accession: S45600; JCI1243; S42935
R/Bogerd, J.; Zandbergen, T.; Andersson, B.; Goos, H.
Eur. J. Biochem. 222, 541-549, 1994
A/Title: Isolation, characterization and expression of cDNAs encoding the catfish-type a
A/Reference number: S45600; MUID:94291651; PMID:8020492
A/Accession: S45600
A/Molecule type: mRNA
A/Residues: 1-86 <BOGI>
A/Cross-references: EMBL:X78047; NID:g459429; PIDN:CAA54969.1; PID:g459430
R/Bogerd, J.; Li, K.W.; Janssen-Dommerholt, C.; Goos, H.
Biochem. Biophys. Res. Commun. 187, 127-134, 1992
A/Title: Two gonadotropin-releasing hormones from African catfish (Clarias gariepinus).
A/Reference number: JCI1242; MUID:92392313; PMID:1520292
A/Accession: JCI1243
A/Molecule type: protein
A/Residues: 25-34 <BOG2>
A/Experimental source: brain
C/Superfamily: gonadoliberin
C/Keywords: amidated carboxyl end; hormone; hypothalamus; pyroglutamic acid
F/1-24/Domain: signal sequence #status predicted <SIG>
F/25-34/Product: gonadoliberin II #status experimental
F/38-86/Product: gonadoliberin II-associated protein #status predicted <MAT1>
F/25/Modified site: pyrrolidone carboxylic acid (Gln) (in mature form) #status expiermed
F/34/Modified site: amidated carboxyl end (Gly) (amide in mature form from following gly

Query Match      80.0%; Score 40; DB 1; Length 86;
Best Local Similarity 60.0%; Pred. No. 1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXXPG 10
   :|||:|
Db 25 QHWSHGWTYPG 34

RESULT 26
JC7395
salmon-type gonadotropin-releasing hormone precursor - Japanese medaka
C/Species: Oryzias latipes (Japanese medaka)
C/Date: 17-Nov-2000 #sequence_revision 17-Nov-2000 #text_change 17-Nov-2000
C/Accession: JC7395
R;Okubo, K.; Amano, M.; Yoshiura, Y.; Suetake, H.; Aida, K.
Biochem. Biophys. Res. Commun. 276, 298-303, 2000
A/Title: A novel form of gonadotropin-releasing hormone in the medaka, Oryzias latipes.
A/Reference number: JC7395
A/Contents: Brain
A/Accession: JC7395
A/Molecule type: mRNA
A/Residues: 1-90 <OKU>
A/Cross-references: DDBJ:AB041331
C/Comment: This protein with the roles as the physiologic regulator of gonadotropin rel;
C/Genetics:
A/Gene: sgnrh
C/Keywords: brain

Query Match      80.0%; Score 40; DB 2; Length 90;
Best Local Similarity 60.0%; Pred. No. 1.1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXXPG 10
   :|||:|
Db 24 QHWSYGWLPG 33

RESULT 27
A23735
gonadoliberin precursor - Cichlid (Haplochromis burtoni)
C/Species: Haplochromis burtoni
C/Date: 30-Dec-1991 #sequence_revision 30-Dec-1991 #text_change 18-Jun-1993
C/Accession: A23735
R/Bond, C.T.; Francis, R.C.; Fernald, R.D.; Adelman, J.P.
Mol. Endocrinol. 5, 931-937, 1991
A/Title: Characterization of complementary DNA encoding the precursor for gonadotropin-
A/Reference number: A23735; MUID:92049375; PMID:1944299
A/Accession: A23735
A/Status: preliminary; not compared with conceptual translation
A/Molecule type: mRNA
A/Residues: 1-90 <BON>
F/24-33/Product: gonadoliberin #status predicted <GLB>

Query Match      80.0%; Score 40; DB 2; Length 90;
Best Local Similarity 60.0%; Pred. No. 1.1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXXPG 10
   :|||:|
Db 24 QHWSYGWLPG 33

RESULT 28
I51095
gonadoliberin precursor - red sea bream
N/Alternate names: prepro-sgnrh
C/Species: Chrysophrys major (red sea bream)
C/Date: 13-Sep-1996 #sequence_revision 13-Sep-1996 #text_change 21-Jul-2000
C/Accession: I51095
R;Okuzawa, K.; Araki, K.; Tanaka, H.; Kagawa, H.; Hirose, K.
Gen. Comp. Endocrinol. 96, 234-242, 1994
A/Title: Molecular cloning of a cDNA encoding the prepro-salmon gonadotropin-releasing i
A/Reference number: I51095; MUID:95154651; PMID:7851723
A/Accession: I51095
A/Status: preliminary; translated from GB/EMBL/DDBJ
A/Molecule type: mRNA
A/Residues: 1-90 <OKU>
A/Cross-references: GB:D26108; NID:g685222; PIDN:BAA05104.1; PID:g685223

Query Match      80.0%; Score 40; DB 2; Length 90;
Best Local Similarity 60.0%; Pred. No. 1.1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXXPG 10
   :|||:|
Db 24 QHWSYGWLPG 33

```

RESULT 29

C82630
serine proteinase XF1851 [imported] - Xylella fastidiosa (strain 9a5c)
C/Species: Xylella fastidiosa
C/Date: 18-Aug-2000 #sequence_revision 20-Aug-2000 #text_change 24-Nov-2003
C/Accession: C82630
R/anonymous, The Xylella fastidiosa Consortium of the Organization for Nucleotide Sequencing
Nature 406, 151-157, 2000
A/Title: The genome sequence of the plant pathogen Xylella fastidiosa.
A/Reference number: A82515; MUID:20365717; PMID:10910347
A/Note: for a complete list of authors see reference number A59328 below
A/Accession: C82630
A/Status: preliminary
A/Molecule type: DNA
A/Residues: 1-1000 <SIM>
A/Cross-references: GB:AE004006; GB:AE003849; NID:99106932; PIDN:AAF4657.1; GSPDB:GN001
A/Experimental source: strain 9a5c
R/Simpson, A.J.G.; Reinach, F.C.; Arruda, P.; Abreu, F.A.; Acencio, M.; Alvarenga, R.; A
Briones, M.R.S.; Bueno, M.R.P.; Camargo, A.A.; Camargo, D.M.; Carrer, H
as-Neto, E.; Docena, C.; El-Dorry, H.; Facincani, A.P.; Ferreira, A.J.S.
submitted to Genbank, June 2000
A/Authors: Ferreira, V.C.A.; Ferro, J.A.; Praga, J.S.; Franca, S.C.; Franco, M.C.; Frohm
J.D.; Junqueira, M.L.; Kemper, E.L.; Kitajima, J.P.; Krieger, J.E.; Kuramae, E.E.; Laig
chado, M.A.; Madeira, A.M.B.N.; Madeira, H.M.F.; Marino, C.L.; Marques, M.V.; Martins, E
A/Authors: Martins, E.M.F.; Matsukuma, A.Y.; Menck, C.F.M.; Miracca, E.C.; Miyaki, C.Y.
F.G.; Nunes, L.R.; Oliveira, M.A.; de Oliveira, M.C.; de Oliveira, R.C.; Palmieri, D.A
Rodrigues, V.; Rosa, A.J. de M.; de Rosa Jr., V.E.; de Sa, R.G.; Santelli, R.V.; Sawasak
A/Authors: da Silva, A.C.R.; da Silva, F.R.; da Silva, A.M.; Silva Jr., W.A.; da Silveir
M.; Tshunako, M.H.; Vallada, H.; Van Sluys, M.A.; Vertovski-Almeida, S.; Vettore, A.L.; Z
A/Reference number: A59328
A/Contents: annotation
C/Genetics:
A/Gene: XF1851
C/Superfamily: Autotransporter subtilisin-like protease precursor; subtilisin homology

Query Match 80.0%; Score 40; DB 2; Length 1000;
Best Local Similarity 60.0%; Pred. No. 13;
Matches 6; Conservative 0; Mismatches 4; Indels 0; Gaps 0;

QY 1 EHWXGXKXPG 10
|||
DB 182 EHWFGGIAPG 191

RESULT 30

G84715
hypothetical protein At2g31040 [imported] - Arabidopsis thaliana
C/Species: Arabidopsis thaliana (mouse-ear cress)
C/Date: 02-Feb-2001 #sequence_revision 02-Feb-2001 #text_change 02-Feb-2001
C/Accession: G84715
R/Lin, X.; Kaul, S.; Rounsley, S.D.; Shea, T.P.; Benito, M.I.; Town, C.D.; Fujii, C.Y.;
M.; Koo, H.; Moffat, K.S.; Cronin, L.A.; Shen, M.; VanAken, S.E.; Umayam, L.; Tallon, L.
euss, D.; Nierman, W.C.; White, O.; Eisen, J.A.; Salzberg, S.L.; Fraser, C.M.; Venter, J
Nature 402, 761-768, 1999
A/Title: Sequence and analysis of chromosome 2 of the plant Arabidopsis thaliana.
A/Reference number: A84420; MUID:20083487; PMID:10617197
A/Accession: G84715
A/Status: preliminary
A/Molecule type: DNA
A/Residues: 1-350 <STO>
A/Cross-references: GB:AE002093; NID:93746067; PIDN:AAC63842.1; GSPDB:GN00139
C/Genetics:
A/Gene: At2g31040
A/Map position: 2

Query Match 74.0%; Score 37; DB 2; Length 350;
Best Local Similarity 60.0%; Pred. No. 16;
Matches 6; Conservative 0; Mismatches 4; Indels 0; Gaps 0;

QY 1 EHWXGXKXPG 10
|||
DB 38 EKXWGTGAPG 47

RESULT 31

A49187
gonadotropin-releasing hormone III - sea lamprey
C/Species: Petromyzon marinus (sea lamprey)
C/Date: 19-Dec-1993 #sequence_revision 18-Nov-1994 #text_change 03-Mar-1995
C/Accession: A49187
R/Sower, S.A.; Chang, Y.C.; Lovas, S.; Conlon, J.M.
Endocrinology 132, 1125-1131, 1993
A/Title: Primary structure and biological activity of a third gonadotropin-releasing hor
A/Reference number: A49187; MUID:93178316; PMID:8440174
A/Accession: A49187
A/Status: preliminary
A/Molecule type: Protein
A/Residues: 1-10 <SOW>
A/Experimental source: brain
A/Note: sequence extracted from NCBI backbone (NCBIP:126381)

Query Match 72.0%; Score 36; DB 2; Length 10;
Best Local Similarity 60.0%; Pred. No. 0.63;
Matches 6; Conservative 0; Mismatches 4; Indels 0; Gaps 0;

QY 1 EHWXGXKXPG 10
|||
DB 1 EHWSHDWKPG 10

RESULT 32

S32507
proteasome endopeptidase complex (EC 3.4.25.1) beta-type chain N3 precursor - rat
N/Alternate names: proteasome beta-type chain N3; proteasome chain N3
C/Species: Rattus norvegicus (Norway rat)
C/Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 28-Jul-2003
C/Accession: S32507; S69598
R/Thomson, S.; Baisson, D.F.; Rivett, A.J.
FEBS Lett. 322, 135-138, 1993
A/Title: cDNA cloning of a new type of subunit of mammalian proteasomes.
A/Reference number: S32507; MUID:93245975; PMID:8482379
A/Accession: S32507
A/Molecule type: mRNA
A/Residues: 32-263 <THO>
A/Cross-references: GB:L17127; NID:9310213; PIDN:AAA42054.1; PID:G310214
A/Note: the authors translated the codon CAG for residue 74 as Glu, CAA for residue 78 a
R/Thomson, S.; Rivett, A.J.
Biochem. J. 315, 733-738, 1996
A/Title: Processing of N3, a mammalian proteasome beta-type subunit.
A/Reference number: S69598; MUID:96220681; PMID:8645151
A/Accession: S69598
A/Molecule type: mRNA
A/Residues: 1-40, P', 42-49, V', 51-59, S', 61-79, L', 81, N', 83-85, F', 87-88, L', 90-140 <TH

A/Cross-references: EMBL:S82190
A/Experimental source: liver
A/Note: the authors translated the codon TCC for residue 60 as Phe, CTC for residue 80 a
Glu, CAA for residue 109 as Glu, and CAG for residue 113 as Glu
C/Complex: multicentric proteinase complex; cylindrical structure is made up of four stack
C/Function:
A/Description: endopeptidase; peptidylglutamyl-peptide hydrolase activity
A/Pathway: protein degradation
A/Note: constitutes the major non-lysosomal proteolytic machinery; requires covalent lin
C/Superfamily: proteasome endopeptidase complex, beta subunit
C/Keywords: ATP; hydrolase; proteasome; protein degradation; proteinase
F,1-11/Domain: propeptide #status predicted <PRO>
F,32-263/Product: multicatalytic endopeptidase complex chain N3 #status predicted <MAT>

Query Match 72.0%; Score 36; DB 1; Length 263;
Best Local Similarity 55.6%; Pred. No. 18;
Matches 5; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 2 HWSGXKXPG 10
|||
DB 11 HWAGGPAPG 19

RESULT 33

T08556
 N:Alternate names: 3-deoxyglucosone reductase 3; aldose reductase
 C:Species: Arabidopsis thaliana (mouse-ear cress)
 C:Date: 11-Jun-1999 #sequence_revision 11-Jun-1999 #text_change 22-Oct-1999
 C:Accession: T08556
 R:Bevan, M.; Zimmermann, W.; Gruenewald, A.; Warbut, R.; Bancroft, I.; Mewes, H.W.; May
 submitted to the Protein Sequence Database, May 1999
 A:Reference number: Z16442
 A:Accession: T08556
 A:Molecule type: DNA
 A:Residues: 1-828 <BEV>
 A:Cross-references: EMBL:AL050352; GSPDB:GN00062; ATSP:F27B13.190
 A:Experimental source: cultivar Columbia; BAC clone F27B13
 C:Genetics:
 A:Gene: ATSP:F27B13.190
 A:Map position: 4
 A:Introns: 52/2; 87/1; 146/1; 777/3

Query Match 72.0%; Score 36; DB 2; Length 828;
 Best Local Similarity 60.0%; Pred. No. 60;
 Matches 6; Conservative 0; Mismatches 4; Indels 0; Gaps 0;

QY 1 EHWSXGXPPG 10
 |||||
 DB 113 EHWSYFOAPG 122

RESULT 34

A95262
 N:Alternate names: probable formate dehydrogenase (EC 1.2.1.2) alpha chain FdoG [imported] - Sinorhizobium
 C:Species: Sinorhizobium meliloti
 C:Date: 24-Aug-2001 #sequence_revision 24-Aug-2001 #text_change 17-May-2002
 C:Accession: A95262
 R:Barnett, M.J.; Fisher, R.F.; Jones, T.; Kemp, C.; Abola, A.P.; Barloy-Hubler, F.; Bowe
 ; Kalman, S.; Keating, D.H.; Palm, C.; Peck, M.C.; Surzycki, R.; Wells, D.H.; Yeh, K.C.
 Proc. Natl. Acad. Sci. U.S.A. 98, 9893-9898, 2001
 A:Title: Nucleotide sequence and predicted functions of the entire Sinorhizobium meliloti
 A:Reference number: A95262; MUID:21396509; PMID:11481432
 A:Accession: A95262
 A:Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-1034 <KUR>

A:Cross-references: GB:AE006469; PIDN:AAK64659.1; PID:G14523056; GSPDB:GN00165
 A:Experimental source: strain 1021, megaplasmid pSYMA
 R:Galibert, F.; Finan, T.M.; Long, S.R.; Puhler, A.; Abola, P.; Ampe, F.; Barloy-Hubler,
 pela, D.; Chain, P.; Cowie, A.; Davis, R.W.; Dreano, S.; Federspiel, N.A.; Fisher, R.F.;
 L.; Hyman, R.W.; Jones, T.
 Science 293, 668-672, 2001
 A:Authors: Kahn, D.; Kahn, M.L.; Kalman, S.; Keating, D.H.; Kiss, E.; Komp, C.; Lelaure,
 heault, P.; Vandenbol, M.; Vorholter, F.J.; Weidner, S.; Wells, D.H.; Wong, K.; Yeh, K.
 A:Title: The composite genome of the legume symbiont Sinorhizobium meliloti.
 A:Reference number: A96039; MUID:21368234; PMID:11474104
 A:Contents: annotation
 C:Genetics:
 A:Gene: fdoG
 A:Genome: Plasmid
 C:Superfamily: formate dehydrogenase
 C:Keywords: oxidoreductase

Query Match 72.0%; Score 36; DB 2; Length 1034;
 Best Local Similarity 55.6%; Pred. No. 76;
 Matches 5; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 2 HWSXGXPPG 10
 |||||
 DB 646 HWAGTTPG 654

RESULT 35

S39779
 N:Alternate names: aldohyde reductase (EC 1.1.1.21) - Japanese macaque (fragments)

N:Alternate names: 3-deoxyglucosone reductase 3; aldose reductase
 C:Species: Macaca fuscata (Japanese macaque)
 C:Date: 19-Mar-1997 #sequence_revision 05-Dec-1997 #text_change 12-Feb-1999
 C:Accession: S39779
 R:Sato, K.; Inazu, A.; Yamaguchi, S.; Nakayama, T.; Deyashiki, Y.; Sawada, H.; Hara, A.
 Arch. Biochem. Biophys. 307, 286-294, 1993
 A:Title: Monkey 3-deoxyglucosone reductase: tissue distribution and purification of thr
 aldose reductase.
 A:Reference number: S39779; MUID:94099609; PMID:8274014
 A:Accession: S39779
 A:Molecule type: protein
 A:Residues: 1-10; 11-52; 53-61; 62-72; 73-80 <SAT>
 A:Experimental source: kidney
 A:Note: the species is not identified by the authors; the most probable species is show
 C:Superfamily: aldehyde reductase
 C:Keywords: blocked amino end; monomer; NADP; oxidoreductase

Query Match 70.0%; Score 35; DB 2; Length 80;
 Best Local Similarity 55.6%; Pred. No. 8.3;
 Matches 5; Conservative 0; Mismatches 4; Indels 0; Gaps 0;

QY 2 HWSXGXPPG 10
 |||||
 DB 43 HWPTGFKPG 51

RESULT 36

S25968
 N:Alternate names: succinate dehydrogenase (ubiquinone) (EC 1.3.5.1) chain 3 - liverwort (Marchantia polym
 C:Species: Marchantia polymorpha
 C:Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 10-Sep-1999
 C:Accession: S25968
 R:Oda, K.; Yamato, K.; Ohta, E.; Nakamura, Y.; Takemura, M.; Nozato, N.; Akashi, K.; Kai
 J. Mol. Biol. 223, 1-7, 1992
 A:Title: Gene organization deduced from the complete sequence of liverwort Marchantia po
 A:Reference number: S25941; MUID:92114051; PMID:1731062
 A:Accession: S25968
 A:Status: nucleic acid sequence not shown; translation not shown
 A:Molecule type: DNA
 A:Residues: 1-137 <ODA>
 A:Cross-references: EMBL:M68929; NID:G786182; PIDN:AAC09406.1; PID:G786193
 A:Note: the nucleotide sequence was submitted to the EMBL Data Library, February 1992
 C:Genetics:
 A:Genome: mitochondrion
 C:Superfamily: succinate dehydrogenase chain 3
 C:Keywords: mitochondrion; oxidoreductase; transmembrane protein

Query Match 70.0%; Score 35; DB 1; Length 137;
 Best Local Similarity 55.6%; Pred. No. 14;
 Matches 5; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSXGXPP 9
 :|||
 DB 128 QHWSNGQIP 136

RESULT 37

A35452
 N:Alternate names: aldohyde reductase (EC 1.1.1.21) - bovine
 C:Species: Bos primigenius taurus (cattle)
 C:Date: 20-Apr-2000 #sequence_revision 20-Apr-2000 #text_change 20-Apr-2000
 C:Accession: A35452; A48316; A46379
 R:Schade, S.Z.; Early, S.L.; Williams, T.R.; Kerdz, F.J.; Heinrikson, R.L.; Grimshaw, C.
 J. Biol. Chem. 265, 3628-3635, 1990
 A:Title: Sequence analysis of bovine lens aldose reductase.
 A:Reference number: A35452; MUID:90154035; PMID:2105951
 A:Accession: A35452
 A:Molecule type: protein
 A:Residues: 1-315 <SCH>
 A:Experimental source: lens
 R:Petrash, J.M.; Favello, A.D.

Curr. Eye Res. 8, 1021-1027, 1989
 A>Title: Isolation and characterization of cDNA clones encoding aldose reductase.
 A:Reference number: A48316; MUID:90125780; PMID:2515032
 A:Accession: A48316
 A:Molecule type: mRNA
 A:Residues: 20-315 <PET>
 A:Cross-references: GB:M31463; NID:g162651; PIDN:AAA30370.1; PID:g162652
 R:Warren, J.C.; Murodock, G.L.; Ma, Y.; Goodman, S.R.; Zimmer, W.E.
 Biochemistry 32, 1401-1406, 1993
 A>Title: Molecular cloning of testicular 20 alpha-hydroxysteroid dehydrogenase: identity
 A:Reference number: A46379; MUID:93160176; PMID:8431420
 A:Accession: A46379
 A:Molecule type: mRNA
 A:Residues: 9-315 <WAR>
 A:Cross-references: GB:S54973; NID:g265403; PIDN:AAB25333.1; PID:g265404
 A:Experimental source: testes
 A>Note: sequence extracted from NCBI backbone (NCBI:124742, NCBI:P:124745)
 C:Comment: Part of this sequence was confirmed by protein sequencing
 C:Superfamily: aldehyde reductase
 C:Keywords: acetylated amino end; monomer; oxidoreductase
 F:1/Modified site: acetylated amino end (Ala) #status experimental

Query Match 70.0%; Score 35; DB 1; Length 315;
 Best Local Similarity 55.6%; Pred. No. 34;
 Matches 5; Conservative 0; Mismatches 4; Indels 0; Gaps 0;

QY 2 HWSXGXPG 10
 |||||
 110 HWPTGFKPG 118

Db

RESULT 38
 A39763
 A:Alternate names: aldose reductase
 C:Species: Homo sapiens (man)
 C:Date: 08-Dec-2000 #sequence_revision 08-Dec-2000 #text_change 08-Dec-2000
 C:Accession: A39763; S06591; A34583; A36510; A36436; S29630; A31432; S39368
 R:Graham, A.; Brown, L.; Hedge, P.J.; Gammack, A.J.; Markham, A.F.
 J. Biol. Chem. 266, 6872-6877, 1991
 A>Title: Structure of the human aldose reductase gene.
 A:Reference number: A39763; MUID:91201333; PMID:1901857
 A:Accession: A39763
 A>Status: preliminary
 A:Molecule type: DNA
 A:Residues: 1-316 <GRA1>
 A:Cross-references: GB:M59856; GB:M59783; NID:g178483; PIDN:AAA51712.1; PID:g178485
 R:Graham, A.; Hedge, P.J.; Powell, S.J.; Riley, J.; Brown, L.; Gammack, A.; Carey, F.; M
 Nucleic Acids Res. 17, 8369, 1989
 A>Title: Nucleotide sequence of cDNA for human aldose reductase.
 A:Reference number: S06591; MUID:90045960; PMID:2510130
 A:Accession: S06591
 A:Molecule type: mRNA
 A:Residues: 1-316 <GRA2>
 A:Cross-references: EMBL:X15414; NID:g28646; PIDN:CAA33460.1; PID:g28647
 R:Bohren, K.M.; Bullock, B.; Wermuth, B.; Gabbay, K.H.
 J. Biol. Chem. 264, 9547-9551, 1989
 A>Title: The aldo-keto reductase superfamily. cDNAs and deduced amino acid sequences of
 A:Reference number: A33851; MUID:89255461; PMID:2498333
 A:Accession: B33851
 A>Status: preliminary
 A:Molecule type: mRNA
 A:Residues: 1-316 <BOH>
 A:Cross-references: GB:J04795; NID:g178486; PIDN:AAA51713.1; PID:g178487
 R:Grundmann, U.; Bohn, H.; Obermeier, R.; Amann, E.
 DNA Cell Biol. 9, 149-157, 1990
 A>Title: Cloning and prokaryotic expression of a biologically active human placental ald
 A:Reference number: A34583; MUID:90253609; PMID:2111143
 A:Accession: A34583
 A>Status: preliminary
 A:Molecule type: mRNA
 A:Residues: 1-316 <GRU>

A:Cross-references: GB:M34720; NID:g179035; PIDN:AAA35560.1; PID:g179036
 R:Chung, S.; Lamendola, J.
 J. Biol. Chem. 264, 14775-14777, 1989
 A>Title: Cloning and sequence determination of human placental aldose reductase gene.
 A:Reference number: A36510; MUID:89359274; PMID:2504709
 A:Accession: A36510
 A>Status: preliminary
 A:Molecule type: mRNA
 A:Residues: 1-417, 6-316 <CHU>
 A:Cross-references: GB:J05017; NID:g178488; PIDN:AAA51714.1; PID:g178489
 R:Nishimura, C.; Matsura, Y.; Kokai, Y.; Akera, T.; Carper, D.; Morjana, N.; Lyons, C.;
 J. Biol. Chem. 265, 9788-9792, 1990
 A>Title: Cloning and expression of human aldose reductase.
 A:Reference number: A36436; MUID:90277668; PMID:2112546
 A:Accession: A36436
 A>Status: preliminary
 A:Molecule type: mRNA
 A:Residues: 1-316 <NIS>
 A:Cross-references: GB:J05474; NID:g178490; PIDN:AAA51715.1; PID:g178491
 R:Ferraretto, A.; Negri, A.; Giuliani, A.; de Grada, L.; Fuhrman Conti, A.M.; Ronchi, S.
 Biochim. Biophys. Acta 1175, 283-288, 1993
 A>Title: Aldose reductase is involved in long-term adaptation of EUE cells to hyperosmot
 A:Reference number: S29630; MUID:93168787; PMID:8435445
 A:Accession: S29630
 A:Molecule type: protein
 A:Residues: 131-157, 'XX', 160-162 <FER>
 R:Morjana, N.A.; Lyons, C.; Flynn, T.G.
 J. Biol. Chem. 264, 2912-2919, 1989
 A>Title: Aldose reductase from human psoas muscle. Affinity labeling of an active site 1
 A:Reference number: A31432; MUID:89123393; PMID:2492527
 A:Accession: A31432
 A>Status: preliminary
 A:Molecule type: protein
 A:Residues: 244-275 <MOR>
 R:Liu, S.Q.; Bhatnagar, A.; Ansari, N.H.; Srivastava, S.K.
 Biochim. Biophys. Acta 1164, 268-272, 1993
 A>Title: Identification of the reactive cysteine residue in human placenta aldose reduct
 A:Reference number: S39368; MUID:93344424; PMID:8343525
 A:Accession: S39368
 A:Molecule type: protein
 A:Residues: 298-306, 'M', 308-316 <LIU>
 C:Genetics:
 A:Gene: GDB:ALDRL1
 A:Cross-references: GDB:128041; OMIM:103880
 A:Map position: 7q35-7q35
 C:Superfamily: aldehyde reductase
 C:Keywords: NADP; oxidoreductase
 F:263/Active site: Lys #status predicted

Query Match 70.0%; Score 35; DB 1; Length 316;
 Best Local Similarity 55.6%; Pred. No. 34;
 Matches 5; Conservative 0; Mismatches 4; Indels 0; Gaps 0;

QY 2 HWSXGXPG 10
 |||||
 111 HWPTGFKPG 119

Db

RESULT 39
 A50603
 A:Alternate names: aldose reductase
 C:Species: Rattus norvegicus (Norway rat)
 C:Date: 20-Apr-2000 #sequence_revision 20-Apr-2000 #text_change 20-Apr-2000
 C:Accession: A60603; S00079; B60603; I53649
 R:Carper, D.A.; Wistow, G.; Nishimura, C.; Graham, C.; Watanabe, K.; Fujii, Y.; Hayashi,
 Exp. Eye Res. 49, 377-388, 1989
 A>Title: A superfamily of NADPH-dependent reductases in eukaryotes and prokaryotes.
 A:Reference number: A60603; MUID:90005742; PMID:2507340
 A:Accession: A60603
 A>Status: not compared with conceptual translation
 A:Molecule type: mRNA
 A:Residues: 1-316 <CAR>

R;Carper, D.; Nishimura, C.; Shinohara, T.; Dietzchold, B.; Wistow, G.; Craft, C.; Kador
FEBS Lett. 220, 209-213, 1987

A;Title: Aldose reductase and rho-crystallin belong to the same protein superfamily as a
A;Reference number: S00079; MUID:87276556; PMID:3111886

A;Accession: S00079

A;Molecule type: mRNA

A;Residues: 33-316 <CA2>

A;Cross-references: EMBL:X05884

A;Note: 45-Ser and 54-Trp were also found

A;Accession: B60603

A;Molecule type: protein

A;Residues: 34-60, 'XXX', 92-108, 146-173, 204-231, 244-252, 276-294 <CA3>

A;Note: part of this sequence was confirmed by protein sequencing

R;Graham, C.E.; Szpirer, C.; Levan, G.; Carper, D.
Gene 107, 259-267, 1991

A;Title: Characterization of the aldose reductase-encoding gene family in rat.

A;Reference number: I53649; MUID:92084116; PMID:1748296

A;Accession: I53649

A;Status: translated from GB/EMBL/DBJ

A;Molecule type: DNA

A;Residues: 1-316 <RES>

A;Cross-references: GB:M60322; NID:G202851; PIDN:AAA0721.1; PID:G202852

C;Comment: Aldose reductase catalyzes reduction of a variety of sugars to sugar alcohols

C;Comment: This enzyme is active in the eye lens, where an accumulation of sugar alcohol

C;Genetics:

A;Introns: 22/3; 78/3; 117/3; 143/3; 184/3; 220/2; 247/3; 275/3; 303/2

C;Superfamily: aldehyde reductase

C;Keywords: eye lens; NADP; oxidoreductase

F;263/Active site: Lys #status predicted

Query Match 70.0%; Score 35; DB 1; Length 316;
Best Local Similarity 55.6%; Pred. No. 34;
Matches 5; Conservative 0; Mismatches 4; Indels 0; Gaps 0;

Qy 2 HWSXGXKPG 10
Db 111 HWPTGFKPG 119

RESULT 40

A59021

aldehyde reductase (EC 1.1.1.21) [validated] - pig

C;Species: Sus scrofa domestica (domestic pig)

C;Date: 24-Jul-1998 #sequence_revision 24-Jul-1998 #text_change 15-Sep-2000

C;Accession: A59021; A59019; A53018

R;Kubisek, T.J.; Green, N.C.; Flynn, T.G.
Adv. Exp. Med. Biol. 328, 259-265, 1993

A;Title: Location of an essential arginine residue in the primary structure of pig aldose

A;Reference number: A59021; MUID:93263021; PMID:8493902

A;Accession: A59021

A;Molecule type: mRNA

A;Residues: 1-316 <KUB>

A;Cross-references: GB:U46065; NID:G1184819; PIDN:AAC4851.1; PID:G1184820

A;Experimental source: adult brain

A;Note: submitted to Genbank January 1996

R;Jaminod, M.; Potier, N.; Klarskov, K.; Reymann, J.M.; Sorokine, O.; Kieffer, S.; Bart
Eur. J. Biochem. 218, 893-903, 1993

A;Title: Sequence of pig lens aldose reductase and electrospray mass spectrometry of non

A;Reference number: A59018; MUID:94103988; PMID:8281941

A;Accession: A59018

A;Molecule type: protein

A;Residues: 2-98, 'D', 100-316 <JAQ1>

A;Experimental source: eye lens

A;Note: the authors found that a disulfide bond between residues 299-304 which they thou

A;Accession: A53018

A;Molecule type: protein

A;Residues: 2-12 <JAQ2>

R;Moras, D.; Podjarny, A.
submitted to the Brookhaven Protein Data Bank, April 1997

A;Reference number: A69051; PDB:1AH4

A;Contents: annotation; X-ray crystallography, 2.0 angstroms, residues 2-98, 'D', 100-316

R;Rondeau, J.M.; Tete-Favier, F.; Podjarny, A.; Reymann, J.M.; Barth, P.; Biellmann, J.F.
submitted to the Brookhaven Protein Data Bank, February 1993

A;Reference number: A52185; PDB:1DLA

A;Contents: annotation; X-ray crystallography, 3.0 angstroms, residues 2-98, 'D', 100-316

C;Genetics:

A;Gene: ALR2

C;Superfamily: aldehyde reductase

C;Keywords: acetylated amino end; oxidoreductase

F;2-316/Product: aldehyde reductase #status experimental <MAT>

F;2/Modified site: acetylated amino end (Ala) (in mature form) #status experimental

Query Match 70.0%; Score 35; DB 2; Length 316;
Best Local Similarity 55.6%; Pred. No. 34;
Matches 5; Conservative 0; Mismatches 4; Indels 0; Gaps 0;

Qy 2 HWSXGXKPG 10
Db 111 HWPTGFKPG 119

RESULT 41

I49484

aldehyde reductase (EC 1.1.1.21) - mouse

C;Species: Mus musculus (house mouse)

C;Date: 02-Jul-1996 #sequence_revision 02-Jul-1996 #text_change 21-Jul-2000

C;Accession: I49484

R;Gui, T.; Tanimoto, T.; Kokai, Y.; Nishimura, C.
Eur. J. Biochem. 227, 448-453, 1995

A;Title: Presence of a closely related subgroup in the aldo-ketoreductase family of the

A;Reference number: I49484; MUID:95154325; PMID:7851421

A;Accession: I49484

A;Status: preliminary; translated from GB/EMBL/DBJ

A;Molecule type: mRNA

A;Residues: 1-316 <RES>

A;Cross-references: GB:D32250; NID:G1384073; PIDN:BAA06980.1; PID:G786001

C;Superfamily: aldehyde reductase

C;Keywords: NADP; oxidoreductase

Query Match 70.0%; Score 35; DB 2; Length 316;
Best Local Similarity 55.6%; Pred. No. 34;
Matches 5; Conservative 0; Mismatches 4; Indels 0; Gaps 0;

Qy 2 HWSXGXKPG 10
Db 111 HWPTGFKPG 119

RESULT 42

T32849

hypothetical protein K05F6.2 - Caenorhabditis elegans

C;Species: Caenorhabditis elegans

C;Date: 29-Oct-1999 #sequence_revision 29-Oct-1999 #text_change 29-Oct-1999

C;Accession: T32849

R;Du, Z.; Goela, D.
submitted to the EMBL Data Library, December 1997

A;Description: The sequence of C. elegans cosmid K05F6.

A;Reference number: Z21233

A;Accession: T32849

A;Status: preliminary; translated from GB/EMBL/DBJ

A;Molecule type: DNA

A;Residues: 1-532 <DUZ>

A;Cross-references: EMBL:AF040653; PIDN:AAB95031.1; GSPDB:GN00020; CESP:K05F6.2

A;Experimental source: strain Bristol N2; clone K05F6

C;Genetics:

A;Gene: CESP:K05F6.2

A;Map position: 2

A;Introns: 194/3; 290/1; 334/2; 430/1

Query Match 70.0%; Score 35; DB 2; Length 532;
Best Local Similarity 50.0%; Pred. No. 59;
Matches 5; Conservative 1; Mismatches 4; Indels 0; Gaps 0;

Qy 1 EHWSXGXKPG 10
Db 438 KHWIAGLRPG 447

A;Residues: 1-300 <SCH>
A;Cross-references: EMBL:X76943; NID:G439626; PIDN:CAA54262.1; PID:G439627
C;Superfamily: herpesvirus immediate-early protein IE68

Query Match 68.0%; Score 34; DB 2; Length 300;
Best Local Similarity 62.5%; Pred. No. 50;
Matches 5; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 3 WSGXGXP 10
Db 265 WSGSSPG 272

RESULT 46

A53440
aldose reductase homolog - mouse
C;Species: Mus musculus (house mouse)
C;Date: 19-May-1995 #sequence_revision 19-May-1995 #text_change 11-Jun-1999
C;Accession: A53440
R;Donohue, P.J.; Alberts, G.F.; Hampton, B.S.; Winkles, J.A.
J. Biol. Chem. 269, 8604-8609, 1994

A;Title: A delayed-early gene activated by fibroblast growth factor-1 encodes a protein
A;Reference number: A53440; MUID:94179253; PMID:7510692
A;Accession: A53440
A;Status: preliminary
A;Molecule type: mRNA

A;Residues: 1-316 <DON>
A;Cross-references: GB:U04204; NID:G463376; PIDN:AAA16953.1; PID:G463377
C;Superfamily: aldehyde reductase

Query Match 68.0%; Score 34; DB 2; Length 316;
Best Local Similarity 55.6%; Pred. No. 53;
Matches 5; Conservative 0; Mismatches 4; Indels 0; Gaps 0;

Qy 2 HWSGXGXP 10
Db 111 HWPQGLQF 119

RESULT 47

JT0386
acid phosphatase (EC 3.1.3.2) precursor, repressible - Aspergillus niger
C;Species: Aspergillus niger
C;Date: 31-Mar-1992 #sequence_revision 31-Mar-1992 #text_change 21-Jul-2000
C;Accession: JT0386
R;MacRae, W.D.; Buxton, F.P.; Sibley, S.; Garven, S.; Gwynne, D.I.; Davies, R.W.; Arst J

Gene 71, 339-348, 1998
A;Title: A phosphate-repressible acid phosphatase gene from Aspergillus niger: its cloni
A;Reference number: JT0386; MUID:89138010; PMID:3224828
A;Accession: JT0386
A;Molecule type: DNA

A;Residues: 1-436 <MAC>
A;Cross-references: GB:M23540; NID:G340936; PIDN:AAA32700.1; PID:G514316
A;Experimental source: ATCC 46951
C;Genetics:
A;Gene: pacA

A;Introns: 119/3; 219/1
C;Keywords: phosphoric monoester hydrolase
F;1-20/Domain: signal sequence #status predicted <SIG>
F;21-426/Product: acid phosphatase #status predicted <MAT>

Query Match 68.0%; Score 34; DB 2; Length 436;
Best Local Similarity 50.0%; Pred. No. 74;
Matches 5; Conservative 1; Mismatches 4; Indels 0; Gaps 0;

Qy 1 EHSXGXGXP 10
Db 121 QDWSSGRSPG 130

RESULT 48

T21643
hypothetical protein F32B6.8 - Caenorhabditis elegans

RESULT 43

A42094
regulator protein bW2 - smut fungus (Ustilago maydis)
C;Species: Ustilago maydis (corn smut)
C;Date: 04-Mar-1993 #sequence_revision 18-Nov-1994 #text_change 24-Sep-1999
C;Accession: A42094
R;Gillissen, B.; Bergemann, J.; Sandmann, C.; Schroeder, B.; Boelker, M.; Kahmann, R.
Cell 68, 647-657, 1992

A;Title: A two-component regulatory system for self/non-self recognition in Ustilago may

A;Reference number: A42094; MUID:92154679; PMID:1739973

A;Accession: A42094

A;Status: preliminary

A;Molecule type: DNA

A;Residues: 1-626 <GIL>

A;Cross-references: GB:M84182; NID:G170574; PIDN:AAA344221.1; PID:G170575

A;Note: sequence extracted from NCBI backbone (NCBI:82507, NCBI:82508)

C;Superfamily: unassigned homeobox proteins; homeobox homology

C;Keywords: DNA binding; homeobox; nucleus; transcription regulation

F;136-192/Domain: homeobox homology <HOK>

Query Match 70.0%; Score 35; DB 2; Length 626;
Best Local Similarity 40.0%; Pred. No. 70;
Matches 4; Conservative 2; Mismatches 4; Indels 0; Gaps 0;

Qy 1 EHSXGXGXP 10

Db 458 DHWNSNTAPG 467

RESULT 44

A84112
alkaline amylomullulanase BH3697 [imported] - Bacillus halodurans (strain C-125)
C;Species: Bacillus halodurans
C;Date: 01-Dec-2000 #sequence_revision 01-Dec-2000 #text_change 22-Jun-2003
C;Accession: A84112
R;Takami, H.; Nakasone, K.; Takaki, Y.; Maeno, G.; Sasaki, R.; Masui, N.; Fujii, F.; Hira

Nucleic Acids Res. 28, 4317-4331, 2000

A;Title: Complete genome sequence of the alkaliphilic bacterium Bacillus halodurans and

A;Reference number: A83650; MUID:20512582; PMID:11058132

A;Accession: A84112

A;Status: preliminary

A;Molecule type: DNA

A;Residues: 1-1072 <STO>

A;Cross-references: GB:AP001519; GB:BA000004; NID:G10176109; PIDN:BA807416.1; GSPDB:GN00

A;Experimental source: strain C-125

C;Genetics:

C;Gene: BH3697

C;Superfamily: pullulanase type debranching enzyme

Query Match 70.0%; Score 35; DB 2; Length 1072;
Best Local Similarity 55.6%; Pred. No. 1.2e+02;
Matches 5; Conservative 0; Mismatches 4; Indels 0; Gaps 0;

Qy 1 EHSXGXGXP 9

Db 178 EHPFSGANP 186

RESULT 45

S41171
transpressor protein BICP22 - bovine herpesvirus 1
C;Species: bovine herpesvirus 1
C;Date: 06-Jan-1995 #sequence_revision 06-Jan-1995 #text_change 08-Oct-1999
C;Accession: S41171
R;Schwyzer, M.; Wirth, U.V.; Vogt, B.; Fraefel, C.
submitted to the EMBL Data Library, December 1993

A;Description: Transpressor protein BICP22 of bovine herpesvirus 1 is encoded by a spl

A;Reference number: S41171

A;Accession: S41171

A;Status: preliminary

A;Molecule type: DNA

C:Species: Caenorhabditis elegans
C:Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 28-Jul-2000
C:Accession: T21643
R: Basham, V.
submitted to the EMBL Data Library, October 1996
A:Reference number: Z19453
A:Accession: T21643
A:Status: preliminary; translated from GB/EMBL/DBJ
A:Molecule type: DNA
A:Residues: 1-495 <WLL>
A:Cross-references: EMBL:Z81074; FIDN:CA803042.1; GSPDB:GN00022; CESP:F32B6.8
A:Experimental source: clone F32B6
C:Genetics:
A:Gene: CESP:F32B6.8
A:Map position: 4
A:Introns: 12/2; 48/2; 111/1; 151/1; 207/3; 250/3; 272/3; 348/3; 374/1; 416/3; 448/3
C:Superfamily: GTPase activating protein SPBC530.01

Query Match 68.0%; Score 34; DB 2; Length 495;
Best Local Similarity 62.5%; Pred. No. 84;
Matches 5; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 3 WSGXGXP 10
|||
Db 4 WSGSTPG 11
|||

RESULT 49
H83896
hypothetical protein BH1896 [imported] - Bacillus halodurans (strain C-125)
C:Species: Bacillus halodurans
C:Date: 01-Dec-2000 #sequence_revision 01-Dec-2000 #text_change 15-Jun-2001
C:Accession: H83886
R: Takami, H.; Nakasone, K.; Takaki, Y.; Maeno, G.; Sasaki, R.; Masui, N.; Fujii, F.; Hira
Nucleic Acids Res. 28, 4317-4331, 2000
A:Title: Complete genome sequence of the alkaliphilic bacterium Bacillus halodurans and
A:Reference number: A83650; MUID:20512582; PMID:11058132
A:Accession: H83886
A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-497 <STO>
A:Cross-references: GB:AP001513; GB:BA000004; NID:G10174345; FIDN:BA805615.1; GSPDB:GN00
A:Experimental source: strain C-125
C:Genetics:
A:Gene: BH1896

Query Match 68.0%; Score 34; DB 2; Length 497;
Best Local Similarity 55.6%; Pred. No. 85;
Matches 5; Conservative 0; Mismatches 4; Indels 0; Gaps 0;

QY 2 HWSGXGXP 10
|||
Db 33 HWYAGDDPG 41
|||

RESULT 50
B86454
hypothetical protein F9L11.12 - Arabidopsis thaliana
C:Species: Arabidopsis thaliana (mouse-ear cress)
C:Date: 02-Mar-2001 #sequence_revision 02-Mar-2001 #text_change 31-Dec-2001
C:Accession: B86454
R: Theologis, A.; Ecker, J.R.; Palm, C.J.; Federspiel, N.A.; Kaul, S.; White, O.; Alonso,
Chin, C.W.; Chung, M.K.; Conn, L.; Conway, A.B.; Conway, A.R.; Creasy, T.H.; Dewar, K.;
ansen, N.F.; Hughes, B.; Huizar, L.
Nature 408, 816-820, 2000
A:Authors: Hunter, J.L.; Jenkins, J.; Johnson-Hopson, C.; Khan, S.; Khaykin, E.; Kim, C.
C.A.; Li, J.H.; Li, Y.; Lin, X.; Liu, S.X.; Liu, Z.A.; Luros, J.S.; Maiti, R.; Marziani,
Rizzo, M.; Rooney, T.; Rowley, D.; Sakano, H.
A:Authors: Salzberg, S.L.; Schwartz, J.R.; Shinn, P.; Southwick, A.M.; Sun, H.; Tallon,
ker, M.; Wu, D.; Yu, G.; Fraser, C.M.; Venter, J.C.; Davis, R.W.
A:Title: Sequence and analysis of chromosome 1 of the plant Arabidopsis.
A:Reference number: A86141; MUID:21016719; PMID:11130712
A:Accession: B86454

A:Status: preliminary
A:Molecule type: DNA
A:Residues: 1-763 <STO>
A:Cross-references: GB:AB005172; NID:G6910572; FIDN:AAF31277.1; GSPDB:GN00141
C:Genetics:
A:Map position: 1
C:Superfamily: subtilisin-like proteinase ag12; subtilisin homology

Query Match 68.0%; Score 34; DB 2; Length 763;
Best Local Similarity 55.6%; Pred. No. 1.3e+02;
Matches 5; Conservative 0; Mismatches 4; Indels 0; Gaps 0;

QY 2 HWSGXGXP 10
|||
Db 163 HWKGGCEPG 171
|||

Search completed: March 2, 2004, 19:28:32
Job time: 21.5 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 2, 2004, 19:16:38 ; Search time 10 Seconds

(without alignments)
52.070 Million cell updates/sec

Title: US-09-857-115-7

Perfect score: 50

Sequence: 1 EHWXGXPG 10

Scoring table:

BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 141681 seqs, 52070155 residues

Total number of hits satisfying chosen parameters: 141681

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 500 summaries

Database : SwissProt_42:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	DB ID	Description
1	42	84.0	10	G0N1_CLUPA	P81749 clupea pall
2	42	84.0	91	G0N1_ORYLA	Q94gc8 o prognado
3	42	84.0	94	G0N1_HAPBU	P51918 haplochromi
4	42	84.0	95	G0N1_MORSA	O73812 morone saxa
5	42	84.0	95	G0N1_PAGMA	P70074 pagrus majo
6	42	84.0	95	G0N1_SPAAU	P51919 sparus aura
7	42	84.0	99	G0N1_DICLA	Q91a10 dicentrarch
8	41	82.0	10	G0N1_ALIMI	P37041 alligator m
9	41	82.0	61	G0N1_SHEEP	Q28588 ovis aries
10	41	82.0	63	G0N1_MESAU	O09163 mesocricetu
11	41	82.0	67	G0N1_MACMU	P55247 macaca mula
12	41	82.0	80	G0N1_CLAGA	P33439 ciarias gar
13	41	82.0	89	G0N1_XENLA	P45656 xenopus lae
14	41	82.0	90	G0N1_MOUSE	P13562 mus musculu
15	41	82.0	90	G0N1_RANCA	Q90y63 rana catesb
16	41	82.0	91	G0N1_PIG	P49921 sus scrofa
17	41	82.0	92	G0N1_CHICK	P37042 gallus gall
18	41	82.0	92	G0N1_HUMAN	P01148 homo sapien
19	41	82.0	92	G0N1_RAT	P07490 rattus norv
20	41	82.0	92	G0N1_TUPGB	Q95335 tupaia glis
21	40	80.0	10	G0N2_CHICK	P37043 gallus gall
22	40	80.0	10	G0N3_ONCKE	P20367 oncorhynch
23	40	80.0	10	G0N1_SQUAC	P27429 squalus sca
24	40	80.0	74	G0N3_ONCMY	P55246 oncorhynch
25	40	80.0	74	G0N3_ONCTS	Q92097 oncorhynch
26	40	80.0	82	G0N2_ORYLA	Q94gc9 o prognado
27	40	80.0	82	G0N3_ONCMA	P30973 oncorhynch
28	40	80.0	82	G0N3_SALSA	P35629 salmo salar
29	40	80.0	82	G0N3_SALTR	P45653 salmo trutt
30	40	80.0	85	G0N2_DICLA	Q91a08 dicentrarch
31	40	80.0	85	G0N2_HAPBU	P37044 n prognado
32	40	80.0	85	G0N2_MORSA	O73811 morone saxa
33	40	80.0	85	G0N2_SPAAU	P51925 sparus aura

34	40	80.0	86	1	G02A_CARAU	P51924 carassius a
35	40	80.0	86	1	G02B_CARAU	O42471 carassius a
36	40	80.0	86	1	G0N2_CLAGA	P43306 ciarias gar
37	40	80.0	86	1	G0N2_ONCMY	O42241 oncorhynch
38	40	80.0	86	1	G0N2_RUTRU	Q91930 rutilus rut
39	40	80.0	89	1	G0N3_PORNO	P51922 porichthys
40	40	80.0	90	1	G0N3_DICLA	Q91a09 dicentrarch
41	40	80.0	90	1	G0N3_HAPBU	P45652 haplochromi
42	40	80.0	90	1	G0N3_ORYLA	Q94d49 o prognado
43	40	80.0	90	1	G0N3_PAGMA	P51921 pagrus majo
44	40	80.0	90	1	G0N3_SPAAU	P51923 sparus aura
45	40	80.0	90	1	G0N8_RANDY	Q91a02 rana dybows
46	40	80.0	93	1	G0N2_RANCA	Q94g36 rana catesb
47	40	80.0	94	1	G0N3_CARAU	P51917 carassius a
48	40	80.0	94	1	G0N3_RUTRU	Q92106 rutilus rut
49	40	80.0	110	1	G0N2_SUNMU	Q97886 suncus muri
50	40	80.0	114	1	G0N2_TUPGB	Q95336 tupaia glis
51	40	80.0	120	1	G0N2_HUMAN	O43555 homo sapien
52	36	72.0	154	1	PSB4_PIG	Q29384 sus scrofa
53	36	72.0	263	1	PSB4_RAT	P34067 rattus norv
54	36	72.0	264	1	PSB4_MOUSE	P99026 mus musculu
55	35	70.0	92	1	G0N1_CAVPO	O54713 cavia porce
56	35	70.0	137	1	C560_MARPO	P35721 marchantia
57	35	70.0	315	1	ALDR_BOVIN	P16116 bos taurus
58	35	70.0	315	1	ALDR_HUMAN	P15121 homo sapien
59	35	70.0	315	1	ALDR_MOUSE	P45376 mus musculu
60	35	70.0	315	1	ALDR_PIG	P80276 sus scrofa
61	35	70.0	315	1	ALDR_RAT	P07943 rattus norv
62	35	70.0	508	1	VLI1_HPV1A	P03099 human papil
63	34	68.0	301	1	AKEL_MOUSE	Q94d41 mus musculu
64	34	68.0	315	1	ALD2_MOUSE	P45377 mus musculu
65	34	68.0	436	1	PPAI_ASPNG	P20584 aspergillus
66	33	66.0	10	1	G0N2_CHEPR	P80678 chelyosoma
67	33	66.0	10	1	G0N3_PETMA	P30948 petromyzon
68	33	66.0	291	1	Y126_TBPA	O83163 treponema p
69	33	66.0	510	1	VLI1_HPV2A	P25486 human papil
70	33	66.0	510	1	VLI1_HPV57	P22162 human papil
71	33	66.0	594	1	VLI1_HPV27	P36736 human papil
72	32	64.0	10	1	G0N1_CHEPR	P80677 chelyosoma
73	32	64.0	206	1	EBRP_MOUSE	Q94d00 mus musculu
74	32	64.0	434	1	ACEA_ECOLI	P05313 escherichia
75	32	64.0	756	1	EFER_HUMAN	O75154 homo sapien
76	32	64.0	2483	1	COA2_HUMAN	O00763 homo sapien
77	31	62.0	228	1	C79B_MOUSE	P15530 mus musculu
78	31	62.0	229	1	C79B_HABIT	P40259 mus sapien
79	31	62.0	235	1	CAH1_RABIT	P07452 oryctolagus
80	31	62.0	246	1	AQPM_ARCFU	O28846 archaeoglob
81	31	62.0	298	1	BIR7_HUMAN	Q96ca5 homo sapien
82	31	62.0	453	1	YAW6_SCHPO	Q10181 schizosacch
83	31	62.0	487	1	YAG0_BORPE	Q7v247 bordetella
84	31	62.0	495	1	YU19_BORPA	Q7w954 bordetella
85	31	62.0	495	1	YLO7_BORBR	Q7w954 bordetella
86	31	62.0	503	1	VLI1_HPV66	Q80961 human papil
87	31	62.0	510	1	DMP1_BOVIN	Q95120 bos taurus
88	31	62.0	513	1	DMP1_HUMAN	Q13316 homo sapien
89	31	62.0	528	1	VLI1_HPV34	P36738 human papil
90	30	60.0	110	1	VHEV_ACTAC	P96769 actinobacil
91	30	60.0	145	1	RNPA_XANAC	Q8pe66 xanthomonas
92	30	60.0	148	1	RNPA_XANCP	Q8pe67 xanthomonas
93	30	60.0	152	1	AAC6_ENTAE	P50888 enterobacte
94	30	60.0	190	1	DSR6_HUMAN	P57055 homo sapien
95	30	60.0	204	1	CU67_HUMAN	P58512 homo sapien
96	30	60.0	213	1	RS3_OCEIH	P59182 oceanobacil
97	30	60.0	217	1	RS3_BACST	P23309 bacillus st
98	30	60.0	218	1	RS3_LISNO	Q92713 listeria mo
99	30	60.0	219	1	RS3_BACHD	Q92948 bacillus ha
100	30	60.0	222	1	DSBA_ENTAM	Q9xdp1 enterobacte
101	30	60.0	222	1	DSBL_ECOL6	P97037 escherichia
102	30	60.0	228	1	VG77_HSV11	Q00149 ictaluriid h
103	30	60.0	291	1	Y499_MYCTU	Q11164 mycobacteri
104	30	60.0	294	1	HUPK_RHOCA	P30797 rhodobacter
105	30	60.0	305	1	CAH4_MOUSE	O64444 mus musculu
106	30	60.0	346	1	GP81_HUMAN	Q9bxc0 homo sapien

107	1	ARGC BIFLO	364	60.0	30	60.0	180	29	58.0	532	1	CG48 HUMAN	Q9Y5J1
108	30	SCS3 YEAST	380	60.0	30	60.0	181	29	58.0	532	1	VL1_HPV03	Q36731
109	30	CAH9 MOUSE	437	60.0	30	60.0	182	29	58.0	557	1	TR2M_PSRSS	Q6617
110	30	CAH9 HUMAN	439	60.0	30	60.0	183	29	58.0	560	1	GUP1_YEAST	Q3154
111	30	ATPB MYCLE	485	60.0	30	60.0	184	29	58.0	594	1	STB1_HUMAN	Q4320
112	30	ATPB MYCTU	486	60.0	30	60.0	185	29	58.0	594	1	STB1_MOUSE	Q8599
113	30	VL1_HPV54	497	60.0	30	60.0	186	29	58.0	828	1	NAPA_ECOLI	Q39397
114	30	VL1_HPV53	499	60.0	30	60.0	187	29	58.0	831	1	NAPA_ALCEU	P39185
115	30	VL1_HPV70	504	60.0	30	60.0	188	29	58.0	831	1	NAPA_PARP	Q56350
116	30	VL1_HPV61	505	60.0	30	60.0	189	29	58.0	831	1	NAPA_RHOSH	Q53176
117	30	VL1_HPV68	505	60.0	30	60.0	190	29	58.0	926	1	ATCL_SYNF7	Q31778
118	30	VL1_HPVNE	505	60.0	30	60.0	191	29	58.0	1150	1	DPOL_ADGCT	Q32728
119	30	VL1_HPV30	508	60.0	30	60.0	192	29	58.0	1335	1	UTX_MOUSE	Q70546
120	30	YQCG_BACSU	531	60.0	30	60.0	193	29	58.0	1335	1	ATC3_YEAST	P39524
121	30	VL1_HPV56	534	60.0	30	60.0	194	29	58.0	1581	1	LMG3_MOUSE	Q9R0D6
122	30	VL1_HPV45	539	60.0	30	60.0	195	29	58.0	1927	1	LFH_HUMAN	P09848
123	30	VL1_HPV18	568	60.0	30	60.0	196	29	58.0	2710	1	TOXA_CLODI	P16154
124	30	MSLN_HUMAN	628	60.0	30	60.0	197	28.5	57.0	382	1	GLN1_CHLRE	Q42688
125	30	EL3B_BACCI	682	60.0	30	60.0	198	28.5	57.0	567	1	YD20_MYCTU	Q10633
126	30	VINE_MOUSE	733	60.0	30	60.0	199	28.5	57.0	567	1	YD54_MYCHO	P59972
127	30	SVF_METH	777	60.0	30	60.0	200	28.5	57.0	1170	1	TSP1_MOUSE	P07996
128	30	FDQG_ECOLI	1016	60.0	30	60.0	201	28.5	57.0	1170	1	TSP1_MOUSE	P35441
129	30	AXOI_HUMAN	1040	60.0	30	60.0	202	28.5	57.0	1172	1	TSP2_HUMAN	P35442
130	30	TSP2_BOVIN	1170	60.0	30	60.0	203	28.5	57.0	1173	1	TSP1_XENLA	P35448
131	30	HSV1_XENLA	136	60.0	30	60.0	204	28.5	57.0	1178	1	TSP2_CHICK	P35440
132	23	MOAE_BACHD	156	58.0	23	58.0	205	28	56.0	76	1	BB11_SCHCO	Q46582
133	29	LITH_MOUSE	165	58.0	29	58.0	206	28	56.0	78	1	DSVD_DESVH	P78742
134	29	LITH_RAT	165	58.0	29	58.0	207	28	56.0	79	1	YKQC_BACSU	P4566
135	29	MOAE_ANASP	165	58.0	29	58.0	208	28	56.0	144	1	YXEF_BACSU	P54945
136	29	LITA_HUMAN	166	58.0	29	58.0	209	28	56.0	153	1	VL1_HPV64	P50824
137	29	LITB_HUMAN	166	58.0	29	58.0	210	28	56.0	158	1	RACR_ECOLI	P76062
138	29	LIT2_MOUSE	173	58.0	29	58.0	211	28	56.0	170	1	Y887_MYCTU	Q10548
139	29	PAAD_STRCO	216	58.0	29	58.0	212	28	56.0	174	1	EIA_ADECR	Q96676
140	29	NUCG_MOUSE	294	58.0	29	58.0	213	28	56.0	188	1	YEAE_SCHPO	Q14076
141	29	6DCS_SOYBN	315	58.0	29	58.0	214	28	56.0	205	1	RNH2_CANBF	Q7VRD2
142	29	GRXC_BACAN	318	58.0	29	58.0	215	28	56.0	230	1	EIA_ADECC	Q85941
143	29	CD1D_SHEEP	335	58.0	29	58.0	216	28	56.0	250	1	RS5_MYCCA	P10128
144	29	Z396_HUMAN	335	58.0	29	58.0	217	28	56.0	255	1	RL4_PYRAB	Q9V1T6
145	29	AROC_PYRAE	368	58.0	29	58.0	218	28	56.0	255	1	RL4_PYRHO	Q59420
146	29	SURI_YEAST	382	58.0	29	58.0	219	28	56.0	256	1	HA2B_RAT	P20037
147	29	TS50_HUMAN	385	58.0	29	58.0	220	28	56.0	261	1	MM26_HUMAN	Q9REL
148	29	SOX1_HUMAN	387	58.0	29	58.0	221	28	56.0	262	1	CAH1_MONDO	Q8HY33
149	29	SOX1_MOUSE	391	58.0	29	58.0	222	28	56.0	264	1	PSB4_HUMAN	P28070
150	29	C143_MYCTU	393	58.0	29	58.0	223	28	56.0	268	1	CEBD_MOUSE	Q80322
151	29	VGLC_HSV2G	479	58.0	29	58.0	224	28	56.0	268	1	CEBD_RAT	Q83484
152	29	VGLC_HSV23	480	58.0	29	58.0	225	28	56.0	268	1	DAPB_BRUME	Q8YDC8
153	29	VGLC_HSV2H	480	58.0	29	58.0	226	28	56.0	268	1	DAPB_BRUSU	Q8FV07
154	29	UAP1_CAEEL	484	58.0	29	58.0	227	28	56.0	269	1	CEBD_HUMAN	P49716
155	29	VL1_HPV13	499	58.0	29	58.0	228	28	56.0	271	1	DAPB_BRAJA	Q89WK2
156	29	VL1_HPV33	499	58.0	29	58.0	229	28	56.0	273	1	DAB1_RHILIO	P86210
157	29	VL1_HPV44	500	58.0	29	58.0	230	28	56.0	284	1	URED_BORPE	Q6704
158	29	VL1_HPV6A	500	58.0	29	58.0	231	28	56.0	287	1	TRUB_SYNEL	Q8CWM3
159	29	VL1_HPV11	501	58.0	29	58.0	232	28	56.0	297	1	REN_VIBCH	Q9KNJ6
160	29	VL1_HPV55	501	58.0	29	58.0	233	28	56.0	301	1	Y186_MYCPN	Q8KNJ6
161	29	VL1_HPV5	501	58.0	29	58.0	234	28	56.0	314	1	REN_VIBPA	P75265
162	29	VL1_HPV28	502	58.0	29	58.0	235	28	56.0	317	1	SOX2_HUMAN	Q87TE5
163	29	VL1_HPV28	502	58.0	29	58.0	236	28	56.0	319	1	SOX2_MOUSE	P48431
164	29	VL1_HPV45	502	58.0	29	58.0	237	28	56.0	320	1	SOX2_SHEEP	P48432
165	29	VL1_HPV42	502	58.0	29	58.0	238	28	56.0	329	1	SOX1_HUMAN	Q8XJ3
166	29	VL1_PCPV1	502	58.0	29	58.0	239	28	56.0	334	1	CQT4_SCHPO	Q9UT53
167	29	VL1_HPV26	503	58.0	29	58.0	240	28	56.0	335	1	MPB1_HUMAN	P22712
168	29	VL1_HPV29	503	58.0	29	58.0	241	28	56.0	337	1	CAHE_HUMAN	Q9ULX7
169	29	VL1_HPV32	503	58.0	29	58.0	242	28	56.0	338	1	HEMZ_PSEPK	Q88PV4
170	29	VL1_HPV31	504	58.0	29	58.0	243	28	56.0	342	1	YQGE_CAEEL	Q9275
171	29	VL1_HPV51	504	58.0	29	58.0	244	28	56.0	346	1	YR24_CAEEL	Q9341
172	29	CPDB_MOUSE	505	58.0	29	58.0	245	28	56.0	353	1	KERA_CHICK	Q42335
173	29	VL1_HPV39	505	58.0	29	58.0	246	28	56.0	353	1	KERA_COTJA	Q9DE66
174	29	VGLC_HSV11	511	58.0	29	58.0	247	28	56.0	369	1	VH73_VIBCH	Q9KR70
175	29	VGLC_HSV1K	511	58.0	29	58.0	248	28	56.0	369	1	CYRG_HUMAN	P31785
176	29	G6PD_MYCTU	514	58.0	29	58.0	249	28	56.0	374	1	PRLB_ACHLY	P27458
177	29	VL1_HPV38	524	58.0	29	58.0	250	28	56.0	378	1	PRLB_ACHLY	P27458
178	29	VL1_HPV52	529	58.0	29	58.0	251	28	56.0	378	1	TRM3_CANAL	P87207
179	29	VL1_HPV10	531	58.0	29	58.0	252	28	56.0	378	1	TRMU_XANAC	Q8PI08
	29	VL1_HPV16	531	58.0	29	58.0	252	28	56.0	378	1	TRMU_XANCF	Q8P9A1

253	28	56.0	379	1	CYRG BOVIN	Q95118 bos taurus	326	28	56.0	1043	1	MYLA HUMAN	Q9ubc5 homo sapien
254	28	56.0	379	1	SGAA METEX	P55819 methylobact	327	28	56.0	1111	1	UN84 CAEL	Q20745 caenorhabdi
255	28	56.0	379	1	TRMU XYLEFA	Q9pdd9 xylella fas	328	28	56.0	1181	1	HAIR RAT	P97609 rattus norv
256	28	56.0	379	1	TRMU XYLEFA	Q9pdd9 xylella fas	329	28	56.0	1182	1	HAIR MOUSE	Q61645 mus musculu
257	28	56.0	389	1	GP02 ZYGRO	Q9bgy1 zygosacchar	330	28	56.0	1189	1	HAIR HUMAN	Q43593 homo sapien
258	28	56.0	391	1	GP01 YEAST	Q00055 saccharomyc	331	28	56.0	1216	1	AEGP RAT	Q63191 rattus norv
259	28	56.0	393	1	KTR1 YEAST	P27810 saccharomyc	332	28	56.0	1534	1	DNM1 ARATH	P34881 arabidopsis
260	28	56.0	397	1	LEF1 MOUSE	P27782 mus musculu	333	28	56.0	1928	1	LPH RAT	Q02401 rattus norv
261	28	56.0	397	1	LEF1 RAT	Q9qxn1 rattus norv	334	28	56.0	2236	1	PIR1 DROME	P05990 drosophila
262	28	56.0	399	1	LEF1 HUMAN	Q9ujm2 homo sapien	335	28	56.0	2318	1	NTC3 MOUSE	Q61982 mus musculu
263	28	56.0	401	1	GP01 ZYGRO	Q9bgy2 zygosacchar	336	28	56.0	2319	1	NTC3 RAT	Q9r172 rattus norv
264	28	56.0	406	1	ACV1 PIG	P37111 sus scrofa	337	28	56.0	2321	1	NTC3 HUMAN	Q9um47 homo sapien
265	28	56.0	408	1	ACV1 HUMAN	Q03154 homo sapien	338	28	56.0	2366	1	TOXB CLODI	PI8177 clostridium
266	28	56.0	418	1	LASA PSEAE	P14789 pseudomonas	339	28	56.0	2485	1	PTND HUMAN	Q12923 homo sapien
267	28	56.0	431	1	KRE2 CANAL	Q00310 candida alb	340	28	56.0	3564	1	CSM1 MOUSE	Q92313 mus musculu
268	28	56.0	432	1	GLN2 DRUCA	O2P506 raizos caro	341	28	56.0	3947	1	SID3 USTMA	Q43103 ustilago ma
269	28	56.0	432	1	Y41L RHISN	P55495 rhizobium s	342	28	56.0	4499	1	DYHA CHLRE	Q39610 chlamydonon
270	28	56.0	440	1	GP02 YEAST	P41911 saccharomyc	343	28	56.0	4705	1	FAT2 DROME	Q9w71 drosophila
271	28	56.0	442	1	KRE2 YEAST	P27809 saccharomyc	344	28	56.0	763	1	PEPX LACLA	Q9ce01 lactococcus
272	28	56.0	461	1	MNT2 CANAL	P46592 candida alb	345	27.5	55.0	763	1	PEPX LACLA	Q9ce01 lactococcus
273	28	56.0	468	1	SP5R BACSU	P37875 bacillus su	346	27.5	55.0	763	1	PEPX LACLA	Q9ce01 lactococcus
274	28	56.0	478	1	GATA MYCPN	P75534 mycoplasma	347	27	54.0	110	1	RPCH CARMA	Q26324 carcinus ma
275	28	56.0	492	1	CP83 PIG	Q02390 sus scrofa	348	27	54.0	112	1	VPX SVSP	PI9508 simian immu
276	28	56.0	494	1	ALG8 PSEAE	Q52463 pseudomonas	349	27	54.0	124	1	RNP BALAC	P00673 balantopter
277	28	56.0	500	1	NU4C MAIZE	P11647 zea mays (m	350	27	54.0	134	1	MSRB RALSO	Q8xyll ralsconia s
278	28	56.0	500	1	NU4C NEPOL	Q9tkv8 nephroselmi	351	27	54.0	138	1	RL16 CHLMU	P47851 ovis aries
279	28	56.0	501	1	S3A3 HUMAN	Q12874 homo sapien	352	27	54.0	138	1	RL16 CHLMU	Q9pjm1 chlamydia m
280	28	56.0	501	1	S3A3 MOUSE	Q94554 mus musculu	353	27	54.0	142	1	OC17 CHICK	Q9p88 gallus galli
281	28	56.0	501	1	VLI PAPVE	P11326 european el	354	27	54.0	147	1	GRP RAT	P24393 rattus norv
282	28	56.0	503	1	IRF7 HUMAN	Q92985 homo sapien	355	27	54.0	148	1	GRP HUMAN	P07492 homo sapien
283	28	56.0	503	1	VLI COPV	Q89828 canine oral	356	27	54.0	152	1	VLI HPV43	P50815 human papil
284	28	56.0	507	1	YCGE ECOLI	Q07861 human papil	357	27	54.0	155	1	GRP BOMOR	P29007 bombina ori
285	28	56.0	510	1	YCGE ECOLI	P29013 escherichia	358	27	54.0	159	1	UL14 PRV3	P30661 pseudorabie
286	28	56.0	511	1	CTAQ THEAQ	P42663 thermus aqu	359	27	54.0	163	1	RM23 YEAST	Q12487 saccharomyc
287	28	56.0	514	1	ABF2 BACOV	Q59219 bacteroides	360	27	54.0	163	1	VS10 ROTH2	P30030 human rotav
288	28	56.0	516	1	YLI7 YEAST	P40492 saccharomyc	361	27	54.0	175	1	VS10 ROTH7	P30031 human rotav
289	28	56.0	521	1	YC30 MYCTU	Q10616 mycobacteri	362	27	54.0	175	1	VS10 ROTH8	P30032 human rotav
290	28	56.0	535	1	YD19 MYCTU	Q10632 mycobacteri	363	27	54.0	175	1	VS10 ROTH8	P04512 simian ii r
291	28	56.0	550	1	SOAI HUMAN	P35610 homo sapien	364	27	54.0	176	1	KEFF SALT1	Q8zrk3 salmonella
292	28	56.0	552	1	ARRA ARATH	O49397 arabidopsis	365	27	54.0	176	1	KEFF SALT1	Q8zrk3 salmonella
293	28	56.0	555	1	SYK METKA	Q8twp6 methanopyru	366	27	54.0	206	1	KTHY NEIMA	Q9jve7 neisseria m
294	28	56.0	593	1	Y40A RHISN	P55586 rhizobium s	367	27	54.0	206	1	KTHY NEIMA	Q9k09 neisseria m
295	28	56.0	610	1	GLMS THIRE	O56275 t glucosami	368	27	54.0	210	1	GIDB RHIL0	Q98d22 rhizobium l
296	28	56.0	611	1	YF51 SCHPO	O14127 schizosacch	369	27	54.0	221	1	EF1E BOMMO	P29522 bombyx mori
297	28	56.0	628	1	DY11 MOUSE	O88485 mus musculu	370	27	54.0	231	1	PSAF SPIOL	P12355 spinacia ol
298	28	56.0	630	1	Y4EJ RHISN	P55377 rhizobium s	371	27	54.0	232	1	PSAF FLATR	P46486 flaveria tr
299	28	56.0	643	1	DY11 RAT	Q63100 rattus norv	372	27	54.0	235	1	PSAF HORVU	P13192 hordeum vul
300	28	56.0	645	1	DY11 HUMAN	O14576 homo sapien	373	27	54.0	248	1	RM09 DROME	Q9vf89 drosophila
301	28	56.0	652	1	HS70 ACHKL	P41753 achlya kleb	374	27	54.0	253	1	ADH DROPE	P37473 drosophila
302	28	56.0	663	1	CIRA ECOLI	P17315 escherichia	375	27	54.0	253	1	ADH DROPS	P07158 drosophila
303	28	56.0	663	1	Y4WM RHISN	P55691 rhizobium s	376	27	54.0	254	1	ADH DROMA	P25139 drosophila
304	28	56.0	684	1	LIPE AERHY	P40600 aeromonas h	377	27	54.0	260	1	OXIR MOUSE	P58307 mus musculu
305	28	56.0	705	1	TRFE CHICK	P02789 gallus gall	378	27	54.0	264	1	MM07 MOUSE	Q10738 mus musculu
306	28	56.0	736	1	DVL2 MOUSE	Q60838 mus musculu	379	27	54.0	264	1	OTP DROME	P56672 drosophila
307	28	56.0	752	1	HEPA HSV2H	RM9431 herpes simp	380	27	54.0	265	1	FABI PSEAE	Q9zfe4 pseudomonas
308	28	56.0	757	1	DHET GLUOX	O05542 gluconobact	381	27	54.0	267	1	MM07 RAT	P50280 rattus norv
309	28	56.0	760	1	SM4A MOUSE	Q62178 mus musculu	382	27	54.0	268	1	PSB4 DROME	Q9vna5 drosophila
310	28	56.0	779	1	PQPF PSESM	Q88479 pseudomonas	383	27	54.0	288	1	A41 LEIDO	P55905 leishmania
311	28	56.0	795	1	SYFE YERPE	Q8zdx1 yersinia pe	384	27	54.0	344	1	YK83 MYCTU	Q10691 mycobacteri
312	28	56.0	820	1	CHIA ALTSO	P32823 alteromonas	385	27	54.0	332	1	POR FLEBO	O66148 plectonema
313	28	56.0	829	1	CADG HUMAN	O75309 homo sapien	386	27	54.0	332	1	POR SYN3	Q59987 synochocyst
314	28	56.0	829	1	CADG RABIT	Q28634 coryctolagus	387	27	54.0	334	1	ZIPI HUMAN	Q9y26 homo sapien
315	28	56.0	830	1	CADG MOUSE	O88138 mus musculu	388	27	54.0	334	1	ZIPI MOUSE	Q9qz03 mus musculu
316	28	56.0	877	1	MGR3 HUMAN	Q14832 homo sapien	389	27	54.0	335	1	MOXR HUMAN	Q8td46 homo sapien
317	28	56.0	879	1	MGR3 MOUSE	Q9qy82 mus musculu	390	27	54.0	335	1	PAHS STRCO	Q9jns2 streptomyce
318	28	56.0	879	1	MGR3 RAT	P31422 rattus norv	391	27	54.0	342	1	YGL1 YEAST	P53219 saccharomyc
319	28	56.0	886	1	SNXE HUMAN	Q9y5w7 homo sapien	392	27	54.0	347	1	OMPA BUCAP	Q8k914 buchneria ap
320	28	56.0	942	1	KDGT HUMAN	P52824 homo sapien	393	27	54.0	349	1	YAKH ECOLI	P75691 escherichia
321	28	56.0	967	1	SVL PYRAB	Q9v0b9 pyrococcus	394	27	54.0	355	1	GLN1 PEA	P08282 pisum sativ
322	28	56.0	967	1	SVL PYRHO	O58698 pyrococcus	395	27	54.0	403	1	SHBG MOUSE	P97497 mus musculu
323	28	56.0	1002	1	TAGK VIBCH	P24019 vibrio chol	396	27	54.0	403	1	SHBG RAT	P08689 rattus norv
324	28	56.0	1015	1	PDNG ECOLI	P24183 escherichia	397	27	54.0	404	1	Y4XM RHISN	P55705 rhizobium s
325	28	56.0	1030	1	Y075 MYCPN	P75556 mycoplasma	398	27	54.0	428	1	GLNC BRANA	Q42644 brassica na

399	27	54.0	430	1	GLN2 ARATH	Q43127 arabidopsis	472	27	54.0	986	1	CYGR ARBPU	P11528 arbacia pun
400	27	54.0	435	1	EPRA RHOC	P18607 rhodobacter	473	27	54.0	1001	1	TP3A HUMAN	Q13472 homo sapien
401	27	54.0	441	1	ENUL HUMAN	Q96a84 homo sapien	474	27	54.0	1002	1	TP33 MOUSE	P59158 mus musculu
402	27	54.0	447	1	TEA2 HUMAN	Q15562 homo sapien	475	27	54.0	1002	1	S123 RAT	P55017 rattus norv
403	27	54.0	467	1	TM11 MOUSE	Q99pq2 mus musculu	476	27	54.0	1003	1	TP3A MOUSE	O70157 mus musculu
404	27	54.0	468	1	TM11 HUMAN	Q96f44 homo sapien	477	27	54.0	1021	1	S123 HUMAN	P55017 homo sapien
405	27	54.0	469	1	DPD2 HUMAN	P49005 homo sapien	478	27	54.0	1024	1	Y075 MYCGE	P47321 mycoplasma
406	27	54.0	474	1	GLGA XANAC	O8pg33 xanthomonas	479	27	54.0	1036	1	OGT1 HUMAN	O15294 homo sapien
407	27	54.0	474	1	GLGA XANCP	O8pd32 xanthomonas	480	27	54.0	1036	1	OGT1 RAT	P56558 rattus norv
408	27	54.0	489	1	GATA GLOVI	Q9kfo1 globobacter	481	27	54.0	1164	1	CNA2 HUMAN	Q9h723 homo sapien
409	27	54.0	495	1	VLI BPV1	Q8n103 bovine papi	482	27	54.0	1186	1	CEAA BACTS	Q45710 bacillus th
410	27	54.0	503	1	VRK2 MOUSE	Q8bn21 mus musculu	483	27	54.0	1239	1	CHS5 USTWA	O13394 ustilago th
411	27	54.0	506	1	VLI HPV23	P50789 human papil	484	27	54.0	1254	1	POLS EEVVM	P36331 venezuelan
412	27	54.0	508	1	COBI MYCTU	Q10677 mycobacteri	485	27	54.0	1862	1	ANK1 MOUSE	Q02357 mus musculu
413	27	54.0	509	1	VLI HPV49	P36742 human papil	486	27	54.0	1880	1	ANK1 HUMAN	P16157 homo sapien
414	27	54.0	510	1	VLI HPV22	P50788 human papil	487	27	54.0	2182	1	CABI RAT	O88480 rattus norv
415	27	54.0	510	1	VLI HPV38	P50814 human papil	488	27	54.0	2220	1	CABI HUMAN	Q9y6j0 homo sapien
416	27	54.0	524	1	K2C4 MOUSE	P07744 mus musculu	489	27	54.0	2471	1	NTC2 RAT	Q9qk30 rattus norv
417	27	54.0	547	1	LY41 SYNY3	P74269 synchocyst	490	27	54.0	2812	1	ZAN HUMAN	Q9y493 homo sapien
418	27	54.0	548	1	CEAK ECOLI	Q47502 escherichia	491	27	54.0	2944	1	CA17 HUMAN	Q02388 homo sapien
419	27	54.0	551	1	CEA3 ECOLI	P00646 escherichia	492	27	54.0	3565	1	CSM1 HUMAN	Q96p27 homo sapien
420	27	54.0	551	1	CEA6 ECOLI	P17999 escherichia	493	27	54.0	5376	1	ZAN MOUSE	O88799 mus musculu
421	27	54.0	560	1	ERS MOUSE	Q64355 mus musculu	494	26.5	53.0	191	1	YJGE BACSU	O34960 bacillus su
422	27	54.0	561	1	ERS HUMAN	Q43281 homo sapien	495	26.5	53.0	364	1	Y3B8 FSEAE	P33642 pseudomonas
423	27	54.0	567	1	KDGE MOUSE	Q9r1c6 mus musculu	496	26.5	53.0	492	1	PEPD HUMAN	P12955 homo sapien
424	27	54.0	567	1	KDGE HUMAN	P52429 homo sapien	497	26.5	53.0	842	1	ELF2 YEAST	P32324 saccharomyc
425	27	54.0	576	1	CEA7 ECOLI	Q47112 escherichia	498	26	52.0	15	1	GLN2 PINPS	P81107 pinus pinas
426	27	54.0	581	1	CEA2 ECOLI	P04419 escherichia	499	26	52.0	23	1	PAP1 HELVI	P30251 heliothis v
427	27	54.0	582	1	CEA9 ECOLI	P09883 escherichia	500	26	52.0	42	1	BAVM LACSK	P80493 lactobacill
428	27	54.0	584	1	NIFA RHLET	P54931 rhizobium e							
429	27	54.0	607	1	DB10 NICSY	P46942 nicotiana s							
430	27	54.0	612	1	LKHA SCHPO	Q94544 schizosacch							
431	27	54.0	628	1	JPL1 HUMAN	Q96jj6 homo sapien							
432	27	54.0	628	1	JPL1 MOUSE	Q80wt0 mus musculu							
433	27	54.0	638	1	GHR FIG	P19756 sus scrofa							
434	27	54.0	638	1	GHR RABIT	P19941 oryctolagus							
435	27	54.0	676	1	CIQ1 HUMAN	P51787 homo sapien							
436	27	54.0	689	1	MEA ARATH	O65312 arabidopsis							
437	27	54.0	741	1	LOXB PHAVU	P27481 phaseolus v							
438	27	54.0	754	1	PURL MYCLE	Q50023 mycobacteri							
439	27	54.0	779	1	PHK2 RHIME	Q92za4 rhizobium m							
440	27	54.0	786	1	ST5B HUMAN	P51692 homo sapien							
441	27	54.0	786	1	ST5B MOUSE	P42232 mus musculu							
442	27	54.0	786	1	ST5B RAT	P52632 rattus norv							
443	27	54.0	787	1	ST5B BOVIN	Q9tum3 bos taurus							
444	27	54.0	787	1	ST5B FIG	Q9tuo0 sus scrofa							
445	27	54.0	789	1	PHK1 RHIME	Q92t74 rhizobium m							
446	27	54.0	789	1	PHK BRUSU	Q8fwr0 bruceella su							
447	27	54.0	791	1	PHK CHLTE	Q8kca0 chlorobium							
448	27	54.0	792	1	KFC2 MOUSE	O08672 mus musculu							
449	27	54.0	792	1	PHK BRUME	O8yb18 bruceella me							
450	27	54.0	793	1	PHK2 ANASP	Q8yt26 anabaena sp							
451	27	54.0	793	1	ST5A MOUSE	P42230 mus musculu							
452	27	54.0	793	1	ST5A RAT	Q62771 rattus norv							
453	27	54.0	794	1	ST5A BOVIN	Q95115 bos taurus							
454	27	54.0	794	1	ST5A HUMAN	P42229 homo sapien							
455	27	54.0	794	1	ST5A SHEEP	P42231 ovis aries							
456	27	54.0	799	1	ST5A FIG	Q9tu21 sus scrofa							
457	27	54.0	801	1	PHK BRAJA	Q98s87 bradyrhizob							
458	27	54.0	807	1	PHK RHIL0	Q98sv1 rhizobium l							
459	27	54.0	808	1	PHK1 ANASP	Q9yvw1 anabaena sp							
460	27	54.0	812	1	PHK SYNEL	Q8djh6 synchococc							
461	27	54.0	817	1	PHK STRCO	Q8ck51 streptomyce							
462	27	54.0	821	1	PHK SYNY3	P74690 synchocyst							
463	27	54.0	825	1	XFP BIFAN	O9aen9 bifidobacter							
464	27	54.0	836	1	PAPC ECOLI	P07110 escherichia							
465	27	54.0	853	1	NUG2 RHIME	P56914 rhizobium m							
466	27	54.0	876	1	EPAC MOUSE	Q9vcc8 mus musculu							
467	27	54.0	884	1	EPAC RAT	Q921c8 rattus norv							
468	27	54.0	900	1	GUNH CLOTM	P16218 clostridium							
469	27	54.0	904	1	ABRU DROME	Q24174 drosophila							
470	27	54.0	906	1	BPOL BPK11	P18147 bacterioph							
471	27	54.0	968	1	Y682 METIA	Q58095 methanococc							

ALIGNMENTS

RESULT 1
GONI_CLUPA STANDARD; PRT; 10 AA.

AC P81749;
DT 16-OCT-2001 (Rel. 40, Created)
DT 16-OCT-2001 (Rel. 40, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberin I (Gonadotropin-releasing hormone I) (GNRH-I) (LH-RH)
DE (luliberin I).
GN GNRH1.
OS Clupea pallasii (Pacific herring).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Clupeomorpha; Clupeidae;
OC Clupea.
OX NCBI_TaxID=30724;
RN [1]
RP SEQUENCE, AND FUNCTION.
RC TISSUE=Brain, and Pituitary;
RX MEDLINE=20114351; PubMed=10650929;
RA Carlsfeld J., Powell J.F.F., Park M., Fischer W.H., Craig A.G.,
Chang J.P., Rivier J.E., Sherwood N.M.;
RT "Primary structure and function of three gonadotropin-releasing
hormones, including a novel form, from an ancient teleost, herring.";
RL Endocrinology 141:505-512(2000).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GNRH family.
DR Interpro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
KW Hormone; Amidation; Hypothalamus; Pyroglutamate; Pyroglutamic acid.
FT MOD_RES 10 1 PYROGLUTAMATE CARBOXYLIC ACID.
FT MOD_RES 10 10 AMIDATION
SQ SEQUENCE 10 AA; 1105 MW; 284620B72871F5A3 CRC64;

Query Match 84.0%; Score 42; DB 1; Length 10;
Best Local Similarity 60.0%; Pred. No. 0.018;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXPG 10
Db 1 QHWSHGLSPG 10

RESULT 2
GONI_ORYLA STANDARD; PRT; 91 AA.

AC Q9DGC8; Q9JIO7;
DT 10-OCT-2003 (Rel. 42, Created)
DT 10-OCT-2003 (Rel. 42, Last sequence update)
DT 10-OCT-2003 (Rel. 42, Last annotation update)
DE Pregonadoliberein I precursor (Medaka-type gonadotropin-releasing hormone) (mdGNRH) [Contains: Gonadoliberein I (LH-RH I), hormone I] (GNRH I) (Luliberin I); GNRH-associated peptide I].
OS Oryzias latipes (Medaka fish) (Japanese ricefish).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Acanthomorpha; Acanthopterygii; Teleostei; Euteleostei; Neoteleostei; Belontiiformes; Adrianichthyidae; Oryziinae; Oryzias.
OC NCBI_TaxID=8090;
RN [1]
RP SEQUENCE FROM N.A., AND TISSUE SPECIFICITY.
RC TISSUE=Brain;
RX MEDLINE=20462954; PubMed=11006121;
RA Okubo K., Amano M., Yoshiura Y., Suetake H., Aida K.;
RT "A novel form of gonadotropin-releasing hormone in the medaka, Oryzias latipes.";
RL Biochem. Biophys. Res. Commun. 276:298-303(2000).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=HNI, and Himekaka;
RX MEDLINE=2213319; PubMed=12137956;
RA Okubo K., Mitani H., Naruse K., Kondo M., Shima A., Tanaka M., Asakawa S., Shimizu N., Yoshiura Y., Aida K.;
RT "Structural characterization of GnRH loci in the medaka genome.";
RL Gene 293:181-189(2002).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins (By similarity).
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- TISSUE SPECIFICITY: Expressed in the cell bodies of a cluster of neurons in the preoptic region.
CC -!- MISCELLANEOUS: Teleost species possess three paralogous GnRHs: mdGNRH and cGNRH-II have been identified in tetrapods; sgGNRH has no tetrapod ortholog and is thought to be a duplication of cGNRH-II.
CC -!- SIMILARITY: Belongs to the GnRH family.

This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.ebi.ac.uk/announcements> or send an email to license@ebi.ac.uk).

EMBL; AB041333; BAB16303.1; -
DR EMBL; AB041336; BAC06419.1; -
DR EMBL; AB074499; BAC06421.1; -
DR PIR; JCT7393; JCT7393.
DR GO; GO:0005576; C:extracellular; ISS.
DR GO; GO:0005183; P:development; ISS.
DR GO; GO:0007275; P:development; ISS.
DR InterPro; IPR002012; GNRH.
DR PROSITE; PS00473; GNRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Signal;
FT SIGNAL 1 21 BY SIMILARITY.
FT CHAIN 22 91 PRONADOLIBERIN I.
FT PEPTIDE 22 31 GONADOLIBERIN I.
FT PEPTIDE 35 91 GNRH-ASSOCIATED PEPTIDE I.

FT MOD_RES 22 22 PYRROLIDONE CARBOXYLIC ACID (BY SIMILARITY).
FT MOD_RES 31 31 AMIDATION (G-32 PROVIDE AMIDE GROUP) (BY SIMILARITY).
FT CONFLICT 8 8 P -> L (IN REF. 2; BAC06421).
FT CONFLICT 54 54 T -> A (IN REF. 2; BAC06421).
SQ SEQUENCE 91 AA; 10307 MW; A00F2BED6FDE0B5 CRC64;
Query Match 84.0%; Score 42; DB 1; Length 91;
Best Local Similarity 60.0%; Pred. No. 0.16;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWXGXPG 10
Db 22 QHWSHGLSPG 31

RESULT 3
GONI_HAPBU STANDARD; PRT; 94 AA.

AC P51918; O93387;
DT 01-OCT-1996 (Rel. 34, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 10-OCT-2003 (Rel. 42, Last annotation update)
DE Pregonadoliberein I precursor [Contains: Gonadoliberein I (Luteinizing hormone releasing hormone I) (Gonadotropin-releasing hormone I) (GNRH-I) (LH-RH I) (Luliberin I); GNRH-associated peptide I].
GN GNRH1.
OS Haplochromis burtoni (Burton's mouthbrooder).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei; Acanthomorpha; Acanthopterygii; Percormorpha; Perciformes; Labroidae; Cichlidae; Astatotilapia.
OC NCBI_TaxID=8153;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=95396797; PubMed=7667296;
RA White S.A., Kaaten T.L., Bond C.T., Adelman J.P., Fernald R.D.;
RT "Three gonadotropin-releasing hormone genes in one organism suggest novel roles for an ancient peptide.";
RL Proc. Natl. Acad. Sci. U.S.A. 92:8363-8367(1995).
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=99061842; PubMed=9843638;
RA White R.B., Fernald R.D.;
RT "Ontogeny of gonadotropin-releasing hormone (GNRH) gene expression reveals a distinct origin for GNRH-containing neurons in the midbrain.";
RL Gen. Comp. Endocrinol. 112:322-329(1998).
RN [3]
RP SEQUENCE OF 23-32, AND MASS SPECTROMETRY.
RC TISSUE=Pituitary;
RX MEDLINE=95372591; PubMed=7644702;
RA Powell J.F.F., Fischer W.H., Park M., Craig A.G., Rivier J.E., White S.A., Francis R.C., Fernald R.D., Licht P., Warby C., Sherwood N.M.;
RT "Primary structure of solitary form of gonadotropin-releasing hormone (GNRH) in cichlid pituitary; three forms of GNRH in brain of cichlid and pumpkinseed fish.";
RL Regul. Pept. 57:43-53(1995).
CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS. MAY BE RESPONSIBLE FOR THE REGULATION OF THE HYPOTHALAMIC-PITUITARY-GONADAL AXIS.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- TISSUE SPECIFICITY: SYNTHESIZED IN PREOPTIC NEURONS AND IS TRANSPORTED TO THE PITUITARY IN THE PREOPTIC-HYPOTHALAMIC AXONS.
CC -!- MASS SPECTROMETRY: MW=1113.9; METHOD=MALDI; RANGE=23-32.
CC -!- SIMILARITY: Belongs to the GNRH family.

This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way

DR InterPro; IPR002012; GnRH.

DR PROSITE; PS00473; GNRH; 1.

RESULT 5

DT 15-JUL-1998 (Rel. 36, Created)

GN	GNRH1
GN	GNRH1

DR InterPro; IPR002012; GnRH.

FT	MOD RES	24	24	PYRROLIDONE CARBOXYLIC ACID (BY

Fellows R., Blackwell R., Vale W., Guillemin R.;
 "Primary structure of the ovine hypothalamic luteinizing hormone-
 releasing factor (LRF) (LH-hypothalamic-LRF-gas chromatography-mass
 spectrometry-decapeptide-Edman degradation).";
 Proc. Natl. Acad. Sci. U.S.A. 69:278-282(1972).
 !- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
 the secretion of both luteinizing and follicle-stimulating
 hormones.
 !- SUBCELLULAR LOCATION: Secreted.
 !- SIMILARITY: Belongs to the GnRH family.

 This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL Outstation
 at the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).

 EMBL; U02517; AAA03433.1; -.
 InterPro; IPR002012; GnRH.
 InterPro; IPR004079; GonadoliblerinI.
 Pfam; PF00446; GnRH; 1.
 PRINTS; PR01541; GONADOLIBERNI.
 PROSITE; PS00473; GnRH; 1.
 Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 Placenta; Pyrilidone carboxylic acid.
 NON_TER 1
 FT CHAIN 1
 FT PEPTIDE 1 >61 PROGONADOLIBERIN I.
 FT PEPTIDE 1 10 GONADOLIBERIN I.
 FT PEPTIDE 14 >61 GnRH-ASSOCIATED PEPTIDE I.
 FT ACT_SITE 3 3 APPEARS TO BE ESSENTIAL FOR BIOLOGICAL
 FT ACT_SITE 3 3 ACTIVITY.
 FT MOD_RES 1 1 PYRROLIDONE CARBOXYLIC ACID.
 FT MOD_RES 10 10 AMIDATION (G-11 PROVIDE AMIDE GROUP).
 FT NON_TER 61 61
 FT SEQUENCE 61 AA; 6828 MW; 63962AAAE319B8F0 CRC64;

 Query Match 82.0%; Score 41; DB 1; Length 61;
 Best Local Similarity 60.0%; Pred. No. 0.17;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

 QY 1 EHW5GXGXP 10
 : ||||| ||
 Db 1 QHWSYGLRG 10

 RESULT 10
 GON1_MESAU STANDARD; PRT; 63 AA.
 ID GON1_MESAU
 AC 0091c3;
 DT 15-DEC-1998 (Rel. 37, Created)
 DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Progonadoliblerin I precursor [Contains: Gonadoliblerin I (LH-RH I)
 DE (luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
 DE hormone I) (GnRH I) (luliberin I); GnRH-associated peptide I]
 DE (Fragment).
 DE GN RH1 OR GN RH OR LHRH.
 OS Mesocricetus auratus (Golden hamster).
 CC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Cricetinae;
 CC Mesocricetus.
 CC Mesocricetus.
 CC NCBI_TaxID=10036;
 CC [1]
 CC SEQUENCE FROM N.A.
 CC Jansen H.T., Stevens P.J., Zeitler P., Lehman M.N.;
 CC Submitted (MAR-1997) to the EMBL/GenBank/DBJ databases.
 CC !- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
 CC the secretion of both luteinizing and follicle-stimulating
 CC hormones.
 CC !- SUBCELLULAR LOCATION: Secreted.
 CC !- SIMILARITY: Belongs to the GnRH family.

Fellows R., Blackwell R., Vale W., Guillemin R.;
 "Primary structure of the ovine hypothalamic luteinizing hormone-
 releasing factor (LRF) (LH-hypothalamic-LRF-gas chromatography-mass
 spectrometry-decapeptide-Edman degradation).";
 Proc. Natl. Acad. Sci. U.S.A. 69:278-282(1972).
 !- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
 the secretion of both luteinizing and follicle-stimulating
 hormones.
 !- SUBCELLULAR LOCATION: Secreted.
 !- SIMILARITY: Belongs to the GnRH family.

 This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).

 EMBL; U02517; AAA03433.1; -.
 InterPro; IPR002012; GnRH.
 InterPro; IPR004079; GonadoliblerinI.
 Pfam; PF00446; GnRH; 1.
 PRINTS; PR01541; GONADOLIBERNI.
 PROSITE; PS00473; GnRH; 1.
 Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 Placenta; Pyrilidone carboxylic acid.
 NON_TER 1
 FT CHAIN 1
 FT PEPTIDE 1 >61 PROGONADOLIBERIN I.
 FT PEPTIDE 1 10 GONADOLIBERIN I.
 FT PEPTIDE 14 >61 GnRH-ASSOCIATED PEPTIDE I.
 FT ACT_SITE 3 3 APPEARS TO BE ESSENTIAL FOR BIOLOGICAL
 FT ACT_SITE 3 3 ACTIVITY.
 FT MOD_RES 1 1 PYRROLIDONE CARBOXYLIC ACID.
 FT MOD_RES 10 10 AMIDATION (G-11 PROVIDE AMIDE GROUP).
 FT NON_TER 61 61
 FT SEQUENCE 61 AA; 6828 MW; 63962AAAE319B8F0 CRC64;

 Query Match 82.0%; Score 41; DB 1; Length 61;
 Best Local Similarity 60.0%; Pred. No. 0.17;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

 QY 1 EHW5GXGXP 10
 : ||||| ||
 Db 1 QHWSVGLRG 10

 RESULT 10
 GON1_MESAU STANDARD; PRT; 63 AA.
 ID GON1_MESAU
 AC 0091c3;
 DT 15-DEC-1998 (Rel. 37, Created)
 DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Progonadoliblerin I precursor [Contains: Gonadoliblerin I (LH-RH I)
 DE (luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
 DE hormone I) (GnRH I) (luliberin I); GnRH-associated peptide I]
 DE (Fragment).
 DE GN
 GN GNRH1 OR GNRH OR LHRH.
 OS Mesocricetus auratus (Golden hamster).
 CC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Cricetinae;
 CC Mesocricetus.
 CC Mesocricetus.
 CC NCBI_TaxID=10036;
 CC [1]
 CC SEQUENCE FROM N.A.
 CC Jansen H.T., Stevens P.J., Zeitler P., Lehman M.N.;
 CC Submitted (MAR-1997) to the EMBL/GenBank/DBJ databases.
 CC !- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
 CC the secretion of both luteinizing and follicle-stimulating
 CC hormones.
 CC !- SUBCELLULAR LOCATION: Secreted.
 CC !- SIMILARITY: Belongs to the GnRH family.

```

CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; U91938; AAB51302.1; -.
CC InterPro; IPR002012; GnRH.
CC Pfam; PF00446; GnRH; 1.
CC PRINTS; PR01541; GONADOLIBERN.
CC PROSITE; PS00473; GnRH; 1.
CC Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Placenta; Pyrrolidone carboxylic acid.
FT NON_TER 1 1
FT CHAIN 1 >63 PROGONADOLIBERIN I.
FT PEPTIDE 1 10 GONADOLIBERIN I.
FT PEPTIDE 14 >63 GNRH-ASSOCIATED PEPTIDE I (BY
FT ACT_SITE 3 3 APPEARS TO BE ESSENTIAL FOR BIOLOGICAL
FT MOD_RES 1 1 ACTIVITY (BY SIMILARITY).
FT MOD_RES 10 10 PYRROLIDONE CARBOXYLIC ACID (BY
FT NON_TER 63 63 AMIDATION (G-11 PROVIDE AMIDE GROUP) (BY
FT SEQUENCE 63 AA; 7370 MW; FC94995676F77180 CRC64;
Query Match 82.0%; Score 41; DB 1; Length 63;
Best Local Similarity 60.0%; Pred. No. 0.18;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWSGXGXP 10
DB 1 QHWSYGLRPG 10
RESULT 11
GONI_MACMU STANDARD; PRT; 67 AA.
AC P55247;
DT 01-OCT-1996 (Rel. 34, Created)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Progonadoliberein I precursor [Contains: Gonadoliberein I (LH-RH I)
DE (luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
DE hormone I) (GnRH I) (luliberin I); GnRH-associated peptide I]
DE (Fragment).
DE GNRH1 OR GNRH OR LHRH.
OS Macaca mulatta (Rhesus macaque).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
OC Cercopithecoidea; Macaca.
OC NCBI_TaxID=9544;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Hypothalamus;
RX MEDLINE=95124501; PubMed=7545971;
RA Ma Y.J., Costa M.E., Ojeda S.R.;
RT "Developmental expression of the genes encoding transforming growth
RT factor alpha and its receptor in the hypothalamus of female rhesus
RT macaques."
RL Neuroendocrinology 60:346-359(1994).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
CC the secretion of both luteinizing and follicle-stimulating
CC hormones.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GnRH family.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration

```

```

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; S75918; AAB33096.1; -.
CC InterPro; IPR002012; GnRH.
CC Pfam; PF00446; GnRH; 1.
CC PRINTS; PR01541; GONADOLIBERN.
CC PROSITE; PS00473; GnRH; 1.
CC Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Signal; Pyrrolidone carboxylic acid.
FT NON_TER 1 1
FT CHAIN 6 >67 PROGONADOLIBERIN I.
FT PEPTIDE 6 15 GONADOLIBERIN I.
FT PEPTIDE 19 >67 GNRH-ASSOCIATED PEPTIDE I.
FT ACT_SITE 8 8 APPEARS TO BE ESSENTIAL FOR BIOLOGICAL
FT MOD_RES 6 6 ACTIVITY (BY SIMILARITY).
FT MOD_RES 15 15 PYRROLIDONE CARBOXYLIC ACID (BY
FT NON_TER 67 67 AMIDATION (G-16 PROVIDE AMIDE GROUP) (BY
FT SEQUENCE 67 AA; 7573 MW; 505394DAA261A3F2 CRC64;
Query Match 82.0%; Score 41; DB 1; Length 67;
Best Local Similarity 60.0%; Pred. No. 0.19;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWSGXGXP 10
DB 6 QHWSYGLRPG 15
RESULT 12
GONI_CLAGA STANDARD; PRT; 80 AA.
AC P33439;
DT 01-FEB-1994 (Rel. 28, Created)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein I precursor (Gonadotropin-releasing hormone I) (GnRH-I)
DE (LH-RH) (luliberin I).
OS Clarias gariepinus (Sharptooth catfish) (African catfish).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Osteichthyes; Siluriformes;
OC Clariidae; Clarias.
OC NCBI_TaxID=13013;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RX MEDLINE=94291651; PubMed=8020492;
RA Bogerd J., Zandbergen T., Andersson E., Goos H.;
RT "Isolation, characterization and expression of cDNAs encoding the
RT catfish-type and chicken-II-type gonadotropin-releasing-hormone
RT precursors in the African catfish."
RL Eur. J. Biochem. 222:541-549(1994).
RN [2]
RP SEQUENCE OF 25-31.
RC TISSUE=Brain;
RX MEDLINE=92392313; PubMed=1520292;
RA Bogerd J., Li K.W., Janssen-Dommerholt C., Goos H.;
RT "Two gonadotropin-releasing hormones from African catfish (Clarias
RT gariepinus)."
RL Biochem. Biophys. Res. Commun. 187:127-134(1992).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GnRH family.

```

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; X78048; CAA54970.1; -;
 CC EMBL; X78049; CAA54971.1; -;
 CC PIR; S45602; RHIDIS.
 CC InterPro; IPR002012; GNRH.
 CC Pfam; PF00446; GNRH; 1.
 CC PROSITE; PS00473; GNRH; 1.
 CC Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 CC Signal; Pyrrolidone carboxylic acid.
 CC -----
 CC FT SIGNAL 1 21
 CC FT CHAIN 22 80 PROGNADOLIBERIN I.
 CC FT PEPTIDE 22 31 GONADOLIBERIN I.
 CC FT PEPTIDE 35 80 GNRH-ASSOCIATED PEPTIDE I.
 CC FT MOD_RES 22 22 PYRROLIDONE CARBOXYLIC ACID.
 CC FT MOD_RES 31 31 AMIDATION (G-32 PROVIDE AMIDE GROUP).
 CC FT VARIANT 47 47 S -> R.
 CC FT VARIANT 60 60 G -> R.
 CC FT VARIANT 80 80 OBE5EEEF0F4FF861A CRC64;
 CC SQ SEQUENCE 80 AA; 8893 MW; 0B5EEEF0F4FF861A CRC64;
 CC -----
 CC Query Match 82.0%; Score 41; DB 1; Length 80;
 CC Best Local Similarity 60.0%; Pred. No. 0.22;
 CC Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 CC -----
 CC QY 1 EHWXGXKXPG 10
 CC DB 22 QHWSHGLNPG 31
 CC -----
 CC RESULT 13
 CC GONI_XENLA STANDARD; PRT; 89 AA.
 CC ID GONI_XENLA
 CC AC P45656;
 CC DT 01-NOV-1995 (Rel. 32, Created)
 CC DT 01-NOV-1995 (Rel. 32, Last sequence update)
 CC DT 28-FEB-2003 (Rel. 41, Last annotation update)
 CC DE Gonadoliberin I precursor (Gonadotropin-releasing hormone I) (GNRH-I)
 CC (LH-RH) (Luliberin I).
 CC OS Xenopus laevis (African clawed frog).
 CC OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Amphibia; Batrachia; Anura; Mesobatrachia; Pipidae;
 CC OC Xenopodinae; Xenopus.
 CC OX NCBI_TaxID=8355;
 CC RN [1]
 CC RP SEQUENCE FROM N.A.
 CC RC TISSUE=Forebrain;
 CC RX MEDLINE=94185563; PubMed=8137750;
 CC RA Hayes W.P., Wray S., Battery J.F.;
 CC RT "The frog gonadotropin-releasing hormone-I (GNRH-I) gene has a
 CC GNRH-associated expression pattern and conserved domains in
 CC metacarpophospha".
 CC RT Endocrinology 134:1835-1844(1994).
 CC CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
 CC CC -!- SUBCELLULAR LOCATION: Secreted.
 CC CC -!- SIMILARITY: Belongs to the GNRH family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; L28040; AAA49728.1; -;

DR PIR; I51423; I51423.
 DR InterPro; IPR002012; GNRH.
 DR Pfam; PF00446; GNRH; 1.
 DR PROSITE; PS00473; GNRH; 1.
 DR Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 DR Signal; Pyrrolidone carboxylic acid.
 DR -----
 DR FT SIGNAL 1 23
 DR FT CHAIN 24 89 PROGNADOLIBERIN I.
 DR FT PEPTIDE 24 89 GONADOLIBERIN I.
 DR FT PEPTIDE 37 85 GNRH-ASSOCIATED PEPTIDE I (GAP).
 DR FT MOD_RES 24 24 PYRROLIDONE CARBOXYLIC ACID.
 DR FT MOD_RES 33 33 AMIDATION (G-34 PROVIDE AMIDE GROUP).
 DR SQ SEQUENCE 89 AA; 10246 MW; 6F4F36FBAE0D4284 CRC64;
 DR -----
 DR Query Match 82.0%; Score 41; DB 1; Length 89;
 DR Best Local Similarity 60.0%; Pred. No. 0.25;
 DR Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 DR -----
 DR QY 1 EHWXGXKXPG 10
 DR DB 24 QHWSYGLRPG 33
 DR -----
 DR RESULT 14
 DR GONI_MOUSE STANDARD; PRT; 90 AA.
 DR ID GONI_MOUSE
 DR AC P13562;
 DR DT 01-JAN-1990 (Rel. 13, Created)
 DR DT 01-JAN-1990 (Rel. 13, Last sequence update)
 DR DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DR DE Progonadoliberin I precursor [Contains: Gonadoliberin I (LH-RH I)
 DR (Luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
 DR hormone I) (GNRH I) (Luliberin I); Prolactin release-inhibiting factor
 DR I].
 DR GN GNRH1 OR GNRH.
 DR OS Mus musculus (Mouse).
 DR OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 DR Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 DR OX NCBI_TaxID=10090;
 DR RN [1]
 DR RP SEQUENCE FROM N.A.
 DR RX MEDLINE=87063928; PubMed=3024317;
 DR RA Mason A.J., Hayflick J.S., Zoeller R.T., Young W.S. III,
 DR Phillips H.S., Nikolics K., Seeburg P.H.;
 DR "A deletion truncating the gonadotropin-releasing hormone gene is
 DR responsible for hypogonadism in the hpg mouse.";
 DR Science 234:1366-1371(1986).
 DR RL -!- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
 CC the secretion of both luteinizing and follicle-stimulating
 CC hormones.
 CC CC -!- SUBCELLULAR LOCATION: Secreted.
 CC CC -!- SIMILARITY: Belongs to the GNRH family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL; M14872; AAA37717.1; -;
 CC PIR; A47578; REMSG.
 CC MGD; MGI:95789; GNRH.
 CC InterPro; IPR002012; GNRH.
 CC InterPro; IPR004079; GonadoliberinI.
 CC Pfam; PF00446; GNRH; 1.
 CC PROSITE; PS01541; GONADOLIBERIN.
 CC PROSITE; PS00473; GNRH; 1.

KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 KW Placenta; Signal; Pyroglutamate carboxylic acid.
 FT SIGNAL 1 21
 FT CHAIN 22 30 PROGNADOLIBERIN I.
 FT PEPTIDE 22 31 GONADOLIBERIN I.
 FT PEPTIDE 35 90 PROLACTIN RELEASE-INHIBITING FACTOR I.
 FT ACT_SITE 24 24 APPEARS TO BE ESSENTIAL FOR BIOLOGICAL
 FT ACTIVITY.
 FT MOD_RES 22 22 PYROGLUTAMATE CARBOXYLIC ACID.
 FT MOD_RES 31 31 AMIDATION (G-32 PROVIDE AMIDE GROUP).
 SQ SEQUENCE 90 AA; 10337 MW; 1C0766FA482624D9 CRC64;
 Query Match 82.0%; Score 41; DB 1; Length 90;
 Best Local Similarity 60.0%; Pred. No. 0.25; Indels 0; Gaps 0;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXGPG 10
 :|||:|
 Db 22 QHWSYGLRPG 31
 RESULT 15
 GONI_RANCA STANDARD; PRT; 90 AA.
 ID GONI_RANCA STANDARD; PRT; 90 AA.
 AC Q90Y63;
 DT 10-OCT-2003 (Rel. 42, Created)
 DT 10-OCT-2003 (Rel. 42, Last sequence update)
 DT 10-OCT-2003 (Rel. 42, Last annotation update)
 DE Prognadoliberin I precursor [Contains: Gonadoliberin I (LHRH I)
 DE (Luteinizing hormone releasing hormone I) (Gonadotropin releasing
 DE hormone I) (GnRH I) (Luliberin I); GnRH-associated peptide I (GAP1)].
 GN GNRH1 OR GNRH.
 OS Rana catesbeiana (Bull frog).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Amphibia; Batrachia; Anura; Neobatrachia; Ranoidae; Rana.
 OX NCBI_TaxID=8400;
 RN [1]
 RP SEQUENCE FROM N.A., TISSUE SPECIFICITY, AND DEVELOPMENTAL STAGE.
 RC TISSUE=Forebrain;
 RX MEDLINE=21102951; PubMed=11170016;
 RA Wang L., Yoo M.S., Kang H.M., Im W.B., Choi H.S., Bogerd J.,
 RA Kwon H.B.;
 RT "Cloning and characterization of cDNAs encoding the GNRH1 and GNRH2
 RT precursors from bullfrog (Rana catesbeiana).";
 RL J. Exp. Zool. 289:190-201(2001).
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins (By
 CC similarity).
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- TISSUE SPECIFICITY: Forebrain.
 CC -!- DEVELOPMENTAL STAGE: Expressed at significantly higher levels
 CC during post-breeding. Not expressed in pituitary.
 CC -!- SIMILARITY: Belongs to the GnRH family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@sib-sib.ch).
 CC
 CC EMBL; AF188754; AAL05972.1;
 CC GO; GO:0005576; C:extracellular; NAS.
 CC GO; GO:0005183; P:luteinizing hormone-releasing factor activity; NAS.
 CC GO; GO:0009755; P:hormone mediated signaling; NAS.
 CC GO; GO:0000003; P:reproduction; NAS.
 CC InterPro; IPR002012; GnRH.
 CC InterPro; IPR004079; GonadoliberinI.
 CC Pfam; PF00446; GnRH; 1.
 CC PRINTS; PR01541; GONADOLIBERIN.
 CC PROSITE; PS00473; GNRH; 1.
 KW Cleavage on pair of basic residues; Hormone; Amidation; Signal;
 KW Pyroglutamate carboxylic acid.

FT SIGNAL 1 24 POTENTIAL.
 FT CHAIN 25 90 PROGNADOLIBERIN I.
 FT PEPTIDE 25 34 GONADOLIBERIN I.
 FT PEPTIDE 38 86 GNRH-ASSOCIATED PEPTIDE I (BY
 FT SIMILARITY).
 FT MOD_RES 25 25 PYROGLUTAMATE CARBOXYLIC ACID (BY
 FT SIMILARITY).
 FT MOD_RES 34 34 AMIDATION (G-35 PROVIDE AMIDE GROUP) (BY
 FT SIMILARITY).
 SQ SEQUENCE 90 AA; 10291 MW; 317203B4E3DA2FE7 CRC64;
 Query Match 82.0%; Score 41; DB 1; Length 90;
 Best Local Similarity 60.0%; Pred. No. 0.25; Indels 0; Gaps 0;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXGPG 10
 :|||:|
 Db 25 QHWSYGLRPG 34
 RESULT 16
 GONI_PIG STANDARD; PRT; 91 AA.
 ID GONI_PIG STANDARD; PRT; 91 AA.
 AC P4921;
 DT 01-OCT-1996 (Rel. 34, Created)
 DT 01-OCT-1996 (Rel. 34, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Prognadoliberin I precursor [Contains: Gonadoliberin I (LH-RH I)
 DE (Luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
 DE hormone I) (GnRH I) (Luliberin I); GnRH-associated peptide I].
 GN GNRH1 OR GNRH.
 OS Sus scrofa (Pig).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
 OX NCBI_TaxID=9823;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Hypothalamus;
 RA Weesner G.D., Matteri R.L., Becker B.A.;
 RL Submitted (MAY-1994) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE OF 24-33.
 RX MEDLINE=72114303; PubMed=4946067;
 RA Baba Y., Matsuo H., Schally A.V.;
 RA "Structure of the porcine LH- and FSH-releasing hormone. II.
 RT Confirmation of the proposed structure by conventional sequential
 RT analyses.";
 RL Biochem. Biophys. Res. Commun. 44:459-463(1971).
 RN [3]
 RP SYNTHESIS OF GONADOLIBERIN.
 RX MEDLINE=72065376; PubMed=4942726;
 RA Matsuo H., Arimura A., Nair R.M.G., Schally A.V.;
 RT "Synthesis of the porcine LH- and FSH-releasing hormone by the solid-
 RT phase method.";
 RL Biochem. Biophys. Res. Commun. 45:822-827(1971).
 RN [4]
 RP SYNTHESIS OF GONADOLIBERIN.
 RX MEDLINE=72117544; PubMed=4946275;
 RA Baba Y., Arimura A., Schally A.V.;
 RT "On the tryptophan residue in porcine LH and FSH-releasing hormone.";
 RL Biochem. Biophys. Res. Commun. 45:483-487(1971).
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
 CC the secretion of both luteinizing and follicle-stimulating
 CC hormones.
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- SIMILARITY: Belongs to the GnRH family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>)

or send an email to license@isb-sib.ch).

EMBL; L32864; AAA31066.1; --
 InterPro; IPR002012; GnRH.
 Pfam; PF00446; GnRH; 1.
 PRINTS; PR01541; GONADOLIBRN.
 PROSITE; PS00473; GnRH; 1.
 Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 Placenta; Signal; Pyrrolidone carboxylic acid.
 SIGNAL 1 23
 CHAIN 24 91
 PEPTIDE 24 33
 ACT_SITE 24 26
 MOD_RES 24 24
 MOD_RES 33 33
 SEQUENCE 91 AA; 10090 MW; 8340474F32DDAA99 CRC64;
 Query Match 82.0%; Score 41; DB 1; Length 91;
 Best Local Similarity 60.0%; Pred. No. 0.26;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXXP 10
 DB 24 QHWSYGLRPG 33

RESULT 17
 GONI_CHICK
 ID GONI_CHICK STANDARD; PRT; 92 AA.
 AC P37042; P20407;
 DT 01-FEB-1991 (Rel. 17, Created)
 DT 01-FEB-1994 (Rel. 29, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Progonadolibrin I precursor [Contains: Gonadolibrin I (LH-RH I)
 (Luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
 hormone I) (GnRH I) (Luliberin I); GnRH-associated peptide II].
 OS Gallus gallus (Chicken).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
 OC Gallus.
 OX NCBI_TaxID=9031;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=White leghorn;
 RX MEDLINE=94059355; PubMed=7902095;
 RA Dunn I.C., Chen Y., Hook C., Sharp P.J., Sang H.M.;
 RT "Characterization of the chicken pregonadotropin-releasing
 hormone-I gene.";
 RL J. Mol. Endocrinol. 11:19-29(1993).
 RN [2]
 RP SEQUENCE OF 24-33.
 RC TISSUE=Hypothalamus;
 RX MEDLINE=82265778; PubMed=7050119;
 RA King J.A., Millar R.P.;
 RT "Structure of chicken hypothalamic luteinizing hormone-releasing
 hormone. II. Isolation and characterization.";
 RL J. Biol. Chem. 257:10729-10732(1982).
 RN [3]
 RP SEQUENCE OF 24-33.
 RC TISSUE=Hypothalamus;
 RX MEDLINE=82265777; PubMed=7050118;
 RA King J.A., Millar R.P.;
 RT "Structure of chicken hypothalamic luteinizing hormone-releasing
 hormone. I. Structural determination on partially purified
 material.";

J. Biol. Chem. 257:10722-10728(1982).
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- SIMILARITY: Belongs to the GnRH family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (see http://www.isb-sib.ch/announce/
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL; X69491; CRA49246.1; --
 DR PIR; I50644; I50644.
 DR GO; GO:0005576; C:extracellular; IDA.
 DR GO; GO:0005183; F:luteinizing hormone-releasing factor activity; IDA.
 DR GO; GO:0007275; P:development; IDA.
 DR InterPro; IPR002012; GnRH.
 DR InterPro; IPR004079; Gonadolibrin.
 DR Pfam; PF00446; GnRH; 1.
 DR PRINTS; PR01541; GONADOLIBRN.
 DR PROSITE; PS00473; GnRH; 1.
 KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 KW Signal; Pyrrolidone carboxylic acid.
 FT SIGNAL 1 23
 FT CHAIN 24 92
 FT PEPTIDE 24 33
 FT PEPTIDE 37 92
 FT MOD_RES 24 24
 FT MOD_RES 33 33
 FT MOD_RES 33 33
 SEQUENCE 92 AA; 10206 MW; 61ABE7EAF508B6A CRC64;
 Query Match 82.0%; Score 41; DB 1; Length 92;
 Best Local Similarity 60.0%; Pred. No. 0.26;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXXP 10
 DB 24 QHWSYGLRPG 33

RESULT 18
 GONI_HUMAN
 ID GONI_HUMAN STANDARD; PRT; 92 AA.
 AC P01148;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 01-APR-1988 (Rel. 07, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Progonadolibrin I precursor [Contains: Gonadolibrin I (LH-RH I)
 (Luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
 hormone I) (GnRH I) (Luliberin I) (Gonadorelin); GnRH-associated
 peptide II].
 DE Peptide II.
 GN GnRH1 OR GnRH OR LHRH.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=89366682; PubMed=2671939;
 RA Hayflick J.S., Adelman J.P., Seeburg P.H.;
 RT "The complete nucleotide sequence of the human gonadotropin-releasing
 hormone gene.";
 RL Nucleic Acids Res. 17:6403-6403(1989).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=86094338; PubMed=2867548;
 RA Adelman J.P., Mason A.J., Hayflick J.S., Seeburg P.H.;
 RT "Isolation of the gene and hypothalamic cDNA for the common precursor
 of gonadotropin-releasing hormone and prolactin release-inhibiting
 factor in human and rat.";
 RT Proc. Natl. Acad. Sci. U.S.A. 83:179-183(1986).
 RL

[3]
 RA SEQUENCE FROM N.A., AND VARIANT SER-16.
 RP MEDLINE=85012739; PubMed=6090951;
 RA Seeburg P.H., Adelman J.P.;
 RT "Characterization of cDNA for precursor of human luteinizing hormone
 releasing hormone.";
 RL Nature 311:666-668(1984).
 RN [4]
 RP SEQUENCE OF 24-33.
 RX MEDLINE=83126573; PubMed=6760865;
 RA Tan L., Rousseau P.;
 RT "The chemical identity of the immunoreactive LHRH-like peptide
 biosynthesized in the human placenta.";
 RL Biochem. Biophys. Res. Commun. 109:1061-1071(1982).
 RN [5]
 RP VARIANT SER-16.
 RX MEDLINE=99318093; PubMed=10391209;
 RA Cargill M., Altshuler D., Ireland J., Sklar P., Ardlie K., Patil N.,
 RA Shaw N., Lane C.R., Lim E.P., Kalyanaraman N., Nemesh J., Ziaugra L.,
 RA Friedland L., Rolfe A., Warrington J., Lipshutz R., Daley G.Q.,
 RA Lander E.S.;
 RT "Characterization of single-nucleotide polymorphisms in coding regions
 of human genes.";
 RL Nat. Genet. 22:231-238(1999).
 RN [6]
 RP VARIANT SER-16.
 RX MEDLINE=99318093; PubMed=10391209;
 RA Cargill M., Altshuler D., Ireland J., Sklar P., Ardlie K., Patil N.,
 RA Shaw N., Lane C.R., Lim E.P., Kalyanaraman N., Nemesh J., Ziaugra L.,
 RA Friedland L., Rolfe A., Warrington J., Lipshutz R., Daley G.Q.,
 RA Lander E.S.;
 RT "Characterization of single-nucleotide polymorphisms in coding regions
 of human genes.";
 RL Nat. Genet. 22:231-238(1999).
 CC -1- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
 the secretion of both luteinizing and follicle-stimulating
 hormones.
 CC -1- SUBCELLULAR LOCATION: Secreted.
 CC -1- PHARMACEUTICAL: Available under the names Factrel (Ayerst Labs),
 Lutropulse or Lutrelaf (Pferring Pharmaceuticals) and Relisorm
 (Serono).
 CC -1- SIMILARITY: Belongs to the GnRH family.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).
 DR EMBL; X01059; CAA25526.1; -;
 DR EMBL; M12578; AAA55916.1; -;
 DR EMBL; X15215; CAA33285.1; -;
 DR PIR; S05308; RHUG.
 DR Genew; HGNC:4419; GNRH1.
 DR MIM; 152760; -;
 DR GO; GO:0005625; C:soluble fraction; TAS.
 DR GO; GO:0005183; F:luteinizing hormone-releasing factor activity; TAS.
 DR GO; GO:0007267; P:cell-cell signaling; TAS.
 DR GO; GO:0007275; P:development; TAS.
 DR GO; GO:0008285; P:negative regulation of cell proliferation; TAS.
 DR GO; GO:0007165; P:signal transduction; TAS.
 DR InterPro; IPR002012; GnRH.
 DR InterPro; IPR004079; Gonadoliberin.
 DR Pfam; PF00446; GnRH; 1.
 DR PRINTS; PR01541; GONADOLIBERN.
 DR PROSITE; PS00473; GNRH; 1.
 KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 KW Placenta; Pharmaceutical; Signal; Polymorphism;
 KW Pyroglutamate carboxylic acid.
 FT SIGNAL 1 23 PROGONADOLIBERIN I.
 FT CHAIN 24 92 GONADOLIBERIN I.
 FT PEPTIDE 24 33
 FT PEPTIDE 37 92 GNRH-ASSOCIATED PEPTIDE I.
 FT ACT_SITE 26 26 APPEARS TO BE ESSENTIAL FOR BIOLOGICAL

FT MOD_RES 24 24 ACTIVITY.
 FT MOD_RES 33 33 PYROLIDONE CARBOXYLIC ACID.
 FT VARIANT 16 16 AMIDATION (G-34 PROVIDE AMIDE GROUP).
 FT W -> S (in GDSNP:6185).
 FT /FTID=VAR 013943.
 SQ SEQUENCE 92 AA; 10380 MW; 30A72221B076FA79 CRC64;
 Query Match 82.0%; Score 41; DB 1; Length 92;
 Best Local Similarity 60.0%; Pred. NO. 0.26; 3; Indels 0; Gaps 0;
 Matches 6; Conservative 1; Mismatches 3;
 Qy 1 EHWSXGXPG 10
 Db 24 QHWSYGLRPG 33
 RESULT 19
 ID GON1 RAT STANDARD; PRT; 92 AA.
 AC P07490;
 DT 01-APR-1988 (Rel. 07, Created)
 DT 01-APR-1988 (Rel. 07, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Progonadoliberin I precursor [Contains: Gonadoliberin I (LH-RH I)
 DE (luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
 DE hormone I) (GnRH I) (Luliberin I); Prolactin release-inhibiting factor
 DE I].
 DE GN GNRH1 OR GNRH.
 OS Rattus norvegicus (Rat).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognath.; Muridae; Murinae; Rattus.
 OX NCBI_TaxID=10116;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=86094338; PubMed=2867548;
 RA Adelman J.P., Mason A.J., Hayflick J.S., Seeburg P.H.;
 RT "Isolation of the gene and hypothalamic cDNA for the common precursor
 of gonadotropin-releasing hormone and prolactin release-inhibiting
 factor in human and rat.";
 RT Proc. Natl. Acad. Sci. U.S.A. 83:179-183(1986).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=89384661; PubMed=2476669;
 RA Bond C.T., Hayflick J.S., Seeburg P.H., Adelman J.P.;
 RT "The rat gonadotropin-releasing hormone: SH locus: structure and
 RT hypothalamic expression.";
 RL Mol. Endocrinol. 3:1257-1262(1989).
 RN [3]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Thymus;
 RX MEDLINE=93105480; PubMed=1468115;
 RA Maier C.C., Marchetti B., Leboeuf R.D., Bialock J.E.;
 RT "Thymocytes express a mRNA that is identical to hypothalamic
 RT luteinizing hormone-releasing hormone mRNA.";
 RL Cell. Mol. Neurobiol. 12:447-454(1992).
 RN [4]
 RP SEQUENCE OF 1-47 FROM N.A.
 RC TISSUE=Heart;
 RX MEDLINE=87149087; PubMed=3547652;
 RA Adelman J.P., Bond C.T., Douglass J., Herbert E.;
 RT "Two mammalian genes transcribed from opposite strands of the same
 RT DNA locus.";
 RL Science 235:1514-1517(1987).
 CC -1- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
 the secretion of both luteinizing and follicle-stimulating
 hormones.
 CC -1- SUBCELLULAR LOCATION: Secreted.
 CC -1- TISSUE SPECIFICITY: Central nervous system.
 CC -1- SIMILARITY: Belongs to the GnRH family.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its

use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

CC EMBL; S50870; AAB24572.1; -;
 CC EMBL; M12579; AAA41263.1; -;
 CC EMBL; M31670; AAA41264.1; -;
 CC EMBL; M15527; AAA42141.1; -;
 CC EMBL; M15529; AAA42139.1; -;
 CC EMBL; M15528; -; NOT_ANNOTATED_CDS.
 CC PIR; A40147; RHRTG.
 CC InterPro; IPR002012; GnRH.
 CC InterPro; IPR004079; GonadoliberinI.
 CC Pfam; PF00446; GnRH; 1.
 CC PRINTS; PR01541; GONADOLIBERNI.
 CC PROSITE; PS00473; GnRH; 1.
 CC Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 KW Placenta; Signal; Pyrrolidone carboxylic acid.
 FT SIGNAL 1 23
 FT CHAIN 24 92
 FT PEPTIDE 24 33
 FT PEPTIDE 37 92
 FT ACT_SITE 26 26
 FT MOD_RES 24 24
 FT MOD_RES 33 33
 FT SEQUENCE 92 AA; 10500 NW; 494B5C64DA8A3EB3 CRC64;
 Query Match 82.0%; Score 41; DB 1; Length 92;
 Best Local Similarity 60.0%; Pred. No. 0.26; 3; Indels 0; Gaps 0;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKXP 10
 DB 24 QHWSYGLRPG 33
 RESULT 20
 GON1 TUPGB STANDARD; PRT; 92 AA.
 AC Q95335;
 DT 15-DEC-1998 (Rel. 37; Created)
 DT 15-DEC-1998 (Rel. 37; Last sequence update)
 DT 28-FEB-2003 (Rel. 41; Last annotation update)
 DE Progonadoliberin I precursor (Contains: Gonadoliberin I (LH-RH I)
 DE (Luteinizing hormone-releasing hormone I) (Gonadotropin-releasing
 DE hormone I) (GnRH I) (Laliberin I); GnRH-associated peptide I].
 GN GnRH1 OR GnRH.
 OS Tupia glis belangeri (Common tree shrew).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Scandentia; Tupaiidae; Tupaiia.
 ON NCBI_TaxID=37347;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Hypothalamus;
 RX MEDLINE=97079639; PubMed=8921350;
 RA Kasten T.L., White S.A., Norton T.T., Bond C.T., Adelman J.P.,
 RA Fernald R.D.;
 RA "Characterization of two new preproGnRH mRNAs in the tree shrew:
 RT first direct evidence for mesencephalic GnRH gene expression in a
 RT placental mammal.";
 RL Gen. Comp. Endocrinol. 104:7-19(1996).
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
 CC the secretion of both luteinizing and follicle-stimulating
 CC hormones.
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- SIMILARITY: Belongs to the GnRH family.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way

CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).

CC EMBL; U63326; AAB16837.1; -;
 CC InterPro; IPR002012; GnRH.
 CC InterPro; IPR004079; GonadoliberinI.
 CC Pfam; PF00446; GnRH; 1.
 CC PRINTS; PR01541; GONADOLIBERNI.
 CC PROSITE; PS00473; GnRH; 1.
 CC Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 KW Placenta; Signal; Pyrrolidone carboxylic acid.
 FT SIGNAL 1 23
 FT CHAIN 24 92
 FT PEPTIDE 24 33
 FT PEPTIDE 37 92
 FT ACT_SITE 26 26
 FT MOD_RES 24 24
 FT MOD_RES 33 33
 FT SEQUENCE 92 AA; 10197 MW; 4FDBF2C58CF5F63B CRC64;
 Query Match 82.0%; Score 41; DB 1; Length 92;
 Best Local Similarity 60.0%; Pred. No. 0.26; 3; Indels 0; Gaps 0;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKXP 10
 DB 24 QHWSYGLRPG 33
 RESULT 21
 GON2 CHICK STANDARD; PRT; 10 AA.
 AC P37043; P20408; P81750;
 DT 01-FEB-1991 (Rel. 17; Created)
 DT 01-FEB-1991 (Rel. 17; Last sequence update)
 DT 28-FEB-2003 (Rel. 41; Last annotation update)
 DE Gonadoliberin II (Gonadotropin-releasing hormone II) (GnRH-II)
 DE (LH-RH II) (Laliberin II).
 OS Gallus gallus (Chicken).
 OS Alligator mississippiensis (American alligator).
 OS Squalus acanthias (Spiny dogfish).
 OS Hydrolagus colliei (Spotted ratfish) (Pacific ratfish), and
 OS Clupea pallasi (Pacific herring).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Archosauria; Aves; Neognathae; Galliformes; Phasianinae;
 OC Gallus.
 ON NCBI_TaxID=9031, 8496, 7797, 7873, 30724;
 RN [1]
 RP SEQUENCE.
 RC SPECIES=Chicken; TISSUE=Hypothalamus;
 RX MEDLINE=8422059; PubMed=6427779;
 RA Miyamoto K., Hasegawa Y., Nomura M., Igarashi M., Kangawa K.,
 RA Matsuo H.;
 RA "Identification of the second gonadotropin-releasing hormone in
 RT chicken hypothalamus: evidence that gonadotropin secretion is
 RT probably controlled by two distinct gonadotropin-releasing hormones
 RT in avian species.";
 RL Proc. Natl. Acad. Sci. U.S.A. 81:3874-3878(1984).
 RN [2]
 RP SEQUENCE.
 RC SPECIES=A.mississippiensis; TISSUE=Brain;
 RX MEDLINE=911352338; PubMed=1882082;
 RA Lovejoy D.A., Fischer W.H., Parker D.B., McRory J.E., Park M.,
 RA Lance V., Swanson P., Rivier J.E., Sherwood N.M.;
 RT "Primary structure of two forms of gonadotropin-releasing hormone
 RT from brains of the American alligator (Alligator mississippiensis).";
 RL Regul. Pept. 33:105-116(1991).
 RN [3]
 RP SEQUENCE.


```

RESULT 24
GON3_ONCMY STANDARD; PRT; 74 AA.
AC PS246;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberin III precursor (Gonadotropin-releasing hormone III)
DE (GNRH-III) (LH-RH III) (Luliberin III) (Fragment).
GN GNRH3.
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
RN [1]
RT Mol. Mar. Biol. Biotechnol. 1:420-425(1992).
RP SEQUENCE FROM N.A.
RC TISSUE=Muscle;
RA Klungland H., Andersen O., Alestroem P.;
RT "The salmon gonadotropin-releasing hormone encoding gene in
RT salmonids.";
RL Mol. Mar. Biol. Biotechnol. 1:420-425(1992).
RN [2]
RP SEQUENCE OF 1-65 FROM N.A.
RX MEDLINE=9336322; Pubmed=1308825;
RA Alestroem P., Kisen G., Klungland H., Andersen O.;
RT "Fish gonadotropin-releasing hormone gene and molecular approaches
RT for control of sexual maturation: development of a transgenic fish
RT model.";
RL Mol. Mar. Biol. Biotechnol. 1:376-379(1992).
CC -1- FUNCTION: Stimulates the secretion of gonadotropins.
CC -1- SUBCELLULAR LOCATION: Secreted.
CC -1- SIMILARITY: Belongs to the GnRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (see http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; X79710; CAA56149.1; -
DR PIR; I51092; I51092.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Signal; Pyrrolidone carboxylic acid.
FT NON_TER 1 1
FT SIGNAL <1 15 BY SIMILARITY
FT CHAIN 16 74 PROGNADOLIBERIN III.
FT PEPTIDE 16 25 GNRH-ASSOCIATED PEPTIDE III.
FT PEPTIDE 29 74 GNRH-ASSOCIATED PEPTIDE III.
FT MOD_RES 16 16 PYRROLIDONE CARBOXYLIC ACID
FT MOD_RES 16 16 (BY SIMILARITY).
FT MOD_RES 25 25 AMIDATION (G-26 PROVIDE AMIDE GROUP).
FT SEQUENCE 74 AA; 8254 MW; BD63C46D8228EF84 CRC64;
SQ
Query Match 80.0%; Score 40; DB 1; Length 74;
Best Local Similarity 60.0%; Pred. No. 0.32;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKXPG 10
Db |||||
16 QHWSYGLWLP 25

RESULT 25
GON2_ORVLA STANDARD; PRT; 80 AA.
AC Q9DCG9; Q8U1Q5;
DT 10-OCT-2003 (Rel. 42, Created)
DT 10-OCT-2003 (Rel. 42, Last sequence update)
DT 10-OCT-2003 (Rel. 42, Last annotation update)
DE Progonadoliberin II precursor (Chicken-type II gonadotropin-releasing
DE hormone) (cGNRH-II) (Contains: Gonadoliberin II (LH-RH II)
DE (Luteinizing hormone releasing hormone II) (GNRH-associated peptide II)).
DE hormone II) (GNRH II) (Luliberin II); GNRH-associated peptide II).
DE Oryzias latipes (Medaka fish) (Japanese ricefish).
OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Acanthomorpha; Acanthopterygii; Perciformes; Atherinomorpha;
OC Belontiiformes; Adrianichthyidae; Oryziinae; Oryzias.
OX NCBI_TaxID=8090;

QY 1 EHWXGXKXPG 10
Db |||||
16 QHWSYGLWLP 25

RESULT 26
GON2_ORVLA STANDARD; PRT; 80 AA.
AC Q9DCG9; Q8U1Q5;
DT 10-OCT-2003 (Rel. 42, Created)
DT 10-OCT-2003 (Rel. 42, Last sequence update)
DT 10-OCT-2003 (Rel. 42, Last annotation update)
DE Progonadoliberin II precursor (Chicken-type II gonadotropin-releasing
DE hormone) (cGNRH-II) (Contains: Gonadoliberin II (LH-RH II)
DE (Luteinizing hormone releasing hormone II) (GNRH-associated peptide II)).
DE hormone II) (GNRH II) (Luliberin II); GNRH-associated peptide II).
DE Oryzias latipes (Medaka fish) (Japanese ricefish).
OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Acanthomorpha; Acanthopterygii; Perciformes; Atherinomorpha;
OC Belontiiformes; Adrianichthyidae; Oryziinae; Oryzias.
OX NCBI_TaxID=8090;

```

```

RN  [1]
RP  SEQUENCE FROM N.A., AND TISSUE SPECIFICITY.
RC  TISSUE=Brain;
RX  MEDLINE=20462954; PubMed=11006121;
RA  Okubo K., Amano M., Yoshiura Y., Suetake H., Aida K.;
RT  "A novel form of gonadotropin-releasing hormone in the medaka,
RL  Oryzias latipes.";
RN  Biochem. Biophys. Res. Commun. 276:298-303 (2000).
[2]
RP  SEQUENCE FROM N.A.
RC  STRAIN=HNI, and Himekida;
RX  MEDLINE=22133319; PubMed=12137956;
RA  Okubo K., Mitani H., Naruse K., Kondo M., Shima A., Tanaka M.,
RT  Asakawa S., Shimizu N., Yoshiura Y., Aida K.;
RL  "Structural characterization of GnRH loci in the medaka genome.";
RN  Gene 293:181-189 (2002).
CC  -1- FUNCTION: Stimulates the secretion of gonadotropins (By
CC  similarity).
CC  -1- SUBCELLULAR LOCATION: Secreted.
CC  -1- TISSUE SPECIFICITY: Expressed in the cell bodies of a cluster of
CC  neurons in the midbrain tegmentum.
CC  -1- MISCELLANEOUS: Teleost species possess three paralogous GnRHs:
CC  mGnRH and cGnRH-II have been identified in tetrapods; sGnRH has
CC  no tetrapod ortholog and is thought to be a duplication of cGnRH-
CC  II.
CC  -1- SIMILARITY: Belongs to the GnRH family.
CC  -----
CC  This SWISS-PROT entry is copyright. It is produced through a collaboration
CC  between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC  the European Bioinformatics Institute. There are no restrictions on its
CC  use by non-profit institutions as long as its content is in no way
CC  modified and this statement is not removed. Usage by and for commercial
CC  entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC  or send an email to license@isb-sib.ch).
CC  -----
DR  EMBL; AB041330; BAB16300.1; -.
DR  EMBL; AB041334; BAC06417.1; -.
DR  EMBL; AB074500; BAC06423.1; -.
DR  PIR; JC7394; JCT394.
DR  GO; GO:0005576; C:extracellular; ISS.
DR  GO; GO:0005183; F:luteinizing hormone-releasing factor activity; ISS.
DR  GO; GO:0007275; P:development; ISS.
DR  InterPro; IPR002012; GnRH.
DR  Pfam; PF00446; GnRH; 1.
DR  PROSITE; PS00473; GnRH; 1.
KW  Cleavage on pair of basic residues; Hormone; Amidation; Signal;
KW  Multigene family; Pyrrolidone carboxylic acid.
FT  SIGNAL 1 21
FT  CHAIN 22 80
FT  PEPTIDE 22 31
FT  PEPTIDE 35 80
FT  MOD_RES 22 22
FT  MOD_RES 31 31
FT  MOD_RES 31 31
FT  AMIDATION (G-32 PROVIDE AMIDE GROUP) (BY
FT  SIMILARITY).
FT  T -> A (IN REF. 2; BAC06423).
FT  Y -> F (IN REF. 2; BAC06423).
FT  S -> N (IN REF. 2; BAC06423).
FT  A -> T (IN REF. 2; BAC06423).
FT  CARSFT1E06B9AF26E CRC64;
SQ  SEQUENCE 80 AA; 9311 MW;
Query Match 80.0%; Score 40; DB 1; Length 80;
Best Local Similarity 60.0%; Pred. No. 0.35;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWXGXKPG 10
Db 22 QHWSHGWP 31
RESULT 27
GON3_ONCMA
ID_GON3_ONCMA STANDARD; PRT; 82 AA.

```

```

AC  P30973;
DT  01-JUL-1993 (Rel. 26, Created)
DT  01-JUL-1993 (Rel. 26, Last sequence update)
DT  28-FEB-2003 (Rel. 41, Last annotation update)
DE  Gonadoliberin III precursor (Gonadotropin-releasing hormone III)
DE  (GNRH-III) (LH-RH III) (Luliberin III).
GN  GNRH3.
OS  Oncorhynchus masou (Cherry salmon) (Masu salmon).
OC  Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC  Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC  Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX  NCBI_TaxID=8020;
RN  [1]
RP  SEQUENCE FROM N.A.
RX  MEDLINE=92384893; PubMed=1515027;
RA  Suzuki M., Hyodo S., Kobayashi M., Aida K., Urano A.;
RT  "Characterization and localization of mRNA encoding the salmon-type
RT  gonadotropin-releasing hormone precursor of the masu salmon.";
RL  J. Mol. Endocrinol. 9:73-82 (1992).
CC  -1- FUNCTION: Stimulates the secretion of gonadotropins.
CC  -1- SUBCELLULAR LOCATION: Secreted.
CC  -1- SIMILARITY: Belongs to the GnRH family.
CC  -----
CC  This SWISS-PROT entry is copyright. It is produced through a collaboration
CC  between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC  the European Bioinformatics Institute. There are no restrictions on its
CC  use by non-profit institutions as long as its content is in no way
CC  modified and this statement is not removed. Usage by and for commercial
CC  entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC  or send an email to license@isb-sib.ch).
CC  -----
DR  EMBL; D10946; BAA01740.1; -.
DR  EMBL; S44614; AAB63599.1; -.
DR  PIR; I51180; I51180.
DR  InterPro; IPR002012; GnRH.
DR  Pfam; PF00446; GnRH; 1.
DR  PROSITE; PS00473; GnRH; 1.
KW  Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW  Signal; Pyrrolidone carboxylic acid.
FT  SIGNAL 1 23
FT  CHAIN 24 82
FT  PEPTIDE 24 33
FT  PEPTIDE 37 82
FT  MOD_RES 24 24
FT  MOD_RES 33 33
FT  MOD_RES 82 AA; 9184 MW; 7595A0B896489B86 CRC64;
SQ  SEQUENCE 82 AA; 9184 MW; 7595A0B896489B86 CRC64;
Query Match 80.0%; Score 40; DB 1; Length 82;
Best Local Similarity 60.0%; Pred. No. 0.36;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWXGXKPG 10
Db 24 QHWSHGWP 33
RESULT 28
GON3_SALSA
ID_GON3_SALSA STANDARD; PRT; 82 AA.
AC  P35629; P51920;
DT  01-JUN-1994 (Rel. 29, Created)
DT  01-JUN-1994 (Rel. 29, Last sequence update)
DE  Gonadoliberin III precursor (Gonadotropin-releasing hormone III)
DE  (GNRH-III) (LH-RH III) (Luliberin III).
GN  GNRH3.
OS  Salmo salar (Atlantic salmon).
OS  Salvelinus fontinalis (Brook trout) (Brook char), and
OS  Oncorhynchus nerka (Sockeye salmon).
OC  Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC  Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC  Protacanthopterygii; Salmoniformes; Salmonidae; Salmo.

```

```

OX NCBI_TaxID=8030, 8038, 8023;
RN [1]
RP SEQUENCE FROM N.A.
RC SPECIES=S. salar, and S. fontinalis; TISSUE=Hypothalamus;
RX MEDLINE=92267241; PubMed=1587389;
RA Klungland H., Lorenz J.B., Andersen O., Kisen G.O., Alestroem P.;
RT "The Atlantic salmon prepro-gonadotropin releasing hormone gene and
RN mRNA.";
RL Mol. Cell. Endocrinol. 84:167-174 (1992).
RN [2]
RP SEQUENCE FROM N.A.
RC SPECIES=O. nerka; TISSUE=Liver;
RX MEDLINE=96227617; PubMed=9674859;
RA Coe I.R., von Schalburg K.R., Sherwood N.M.;
RT "Characterization of the Pacific salmon gonadotropin-releasing hormone
RN gene, copy number and transcription start site.";
RL Mol. Cell. Endocrinol. 115:113-122 (1995).
RN [3]
RP SEQUENCE FROM N.A.
RC SPECIES=O. nerka; STRAIN=Nikko; TISSUE=Brain;
RX MEDLINE=9620547; PubMed=8546809;
RA Ashihara M., Suzuki M., Kubokawa K., Aida K., Urano A.;
RT "Two differing precursor genes for the salmon-type gonadotropin-
RN releasing hormone exist in salmonids.";
RL J. Mol. Endocrinol. 15:1-9 (1995).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- TISSUE SPECIFICITY: Brain.
CC -!- SIMILARITY: Belongs to the GnRH family.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; X79709; CAA56148.1; -
DR EMBL; X74957; CAA52912.1; -
DR EMBL; X79712; CAA56151.1; -
DR EMBL; X91408; CAA62751.1; -
DR EMBL; D31869; BAA06667.1; -
DR PIR; I51331; I51331.
DR PIR; I51356; I51355.
DR InterPro; IPR002012; GnRH.
DR Pfam; PF00446; GnRH; 1.
DR PROSITE; PS00473; GnRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Signal; Pyrrolidone carboxylic acid.
FT SIGNAL 1 23
FT CHAIN 24 82
FT PEPTIDE 24 33
FT PEPTIDE 24 33
FT MOD_RES 24 24
FT MOD_RES 33 33
FT MOD_RES 33 33
FT VARIANT 81 81
FT SEQUENCE 82 AA; 9143 MW; 8053F4E44A765408 CRC64;
Query Match 80.0%; Score 40; DB 1; Length 82;
Best Local Similarity 60.0%; Pred. No. 0.36;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWXGXKXPG 10
DB 24 QHWSYGLWLP 33
RESULT 29
CON3_SALTR STANDARD; PRT; 82 AA.
AC P45653;

```

```

DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DT 10-OCT-2003 (Rel. 42, Last annotation update)
DE Progonadoliberein III precursor [Contains: Gonadoliberein III
DE (Luteinizing hormone releasing hormone III) (Gonadotropin-releasing
DE hormone III) (GnRH-III) (LH-RH III) (Luliberin III); GnRH-associated
DE peptide III].
GN GNRH3.
OS Salmo trutta (Brown trout).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Salmo.
OX NCBI_TaxID=8032;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Muscle;
RA Klungland H., Anderson O., Alestroem P.;
RT "The salmon gonadotropin-releasing hormone encoding gene in
RN salmonids.";
RL Mol. Mar. Biol. Biotechnol. 1:420-425 (1992).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GnRH family.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; X79713; CAA56152.1; -
DR PIR; I51365; I51365.
DR InterPro; IPR002012; GnRH.
DR Pfam; PF00446; GnRH; 1.
DR PROSITE; PS00473; GnRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Signal; Pyrrolidone carboxylic acid.
FT SIGNAL 1 23
FT CHAIN 24 82
FT PEPTIDE 24 33
FT PEPTIDE 24 33
FT MOD_RES 24 24
FT MOD_RES 33 33
FT MOD_RES 33 33
FT SEQUENCE 82 AA; 9191 MW; 8053B9534A765408 CRC64;
Query Match 80.0%; Score 40; DB 1; Length 82;
Best Local Similarity 60.0%; Pred. No. 0.36;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWXGXKXPG 10
DB 24 QHWSYGLWLP 33
RESULT 30
CON2_DICLA STANDARD; PRT; 85 AA.
ID GON2_DICLA
AC G91A08;
DT 16-OCT-2001 (Rel. 40, Created)
DT 16-OCT-2001 (Rel. 40, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein II precursor (Gonadotropin-releasing hormone II)
DE (GnRH-II) (LH-RH II) (Luliberin II).
GN GNRH2.
OS Dicertrarchus labrax (European sea bass).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Percoidae;
OC Moronidae; Dicertrarchus.
OX NCBI_TaxID=13489;
RN [1]

```


use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announcement/> or send an email to license@isb-sib.ch).

EMBL; U30386; AAC59858.1; --
EMBL; U40568; AAB87138.1; --
InterPro; IPR002012; GnRH; 1.
Pfam; PF00446; GnRH; 1.
PROSITE; PS00473; GnRH; 1.
Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus; KW
Signal; Pyroglutamate carboxylic acid.
FT SIGNAL 1 24
FT CHAIN 25 86
FT PEPTIDE 25 34
FT PEPTIDE 38 86
FT MOD_RES 25 25
FT MOD_RES 34 34
FT SEQUENCE 86 AA; 9770 MW; 31488ED8EC9D8D54 CRC64;
SQ

Query Match 80.08; Score 40; DB 1; Length 86;
Best Local Similarity 60.08; Pred. No. 0.38;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
DB 25 QHWSHGWPVPG 34

RESULT 35
GO2B CARAU
ID GO2B CARAU STANDARD; PRT; 86 AA.
AC 042471;
DT 28-FEB-2003 (Rel. 41, Created)
DT 28-FEB-2003 (Rel. 41, Last sequence update)
DE DE Progonadoliberin IIB precursor [Contains: Gonadoliberin II (LH-RH II)
(Luteinizing hormone-releasing hormone II) (Gonadotropin-releasing
hormone II) (GnRH II) (Luliberin II); GnRH-associated peptide IIB].
GN GNRH2B
OS Carassius auratus (Goldfish).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Carassius.
ON NCBI_TaxID=7957;
RX [1]
RP SEQUENCE FROM N.A. AND TISSUE SPECIFICITY.
RC STRAIN=Comet, and Common; TISSUE=Liver;
RX MEDLINE=97426020; PubMed=2889408;
LA Lin X.-W., Peter R.E.;
RT "Cloning and expression pattern of a second
RT [M5157pTy-8] gonadotropin-releasing hormone (chicken GnRH-H-II) mRNA
RT in goldfish: evidence for two distinct genes.";
RL Gen. Comp. Endocrinol. 107:262-272(1997).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- TISSUE SPECIFICITY: Olfactory bulbs, hypothalamus and
CC telencephalon, midbrain and posterior brain areas.
CC -!- SIMILARITY: Belongs to the GnRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announcement/>
CC or send an email to license@isb-sib.ch).

EMBL; U40567; AAB86989.1; --
EMBL; U40665; AAB86990.1; --
InterPro; IPR002012; GnRH; 1.
Pfam; PF00446; GnRH; 1.

```

FT SIGNAL 1 24
FT CHAIN 25 86
FT PEPTIDE 25 34
FT PEPTIDE 25 34
FT MOD_RES 38 86
FT MOD_RES 25 25
FT MOD_RES 34 34
FT MOD_RES 34 34
SQ SEQUENCE 86 AA; 9766 MW; 4AD9F24597E77EBF CRC64;

Query Match 80.0%; Score 40; DB 1; Length 86;
Best Local Similarity 60.0%; Pred. No. 0.38;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWXGXKPG 10
    :|||
Db 25 QHWSHGWTG 34

RESULT 37
GON2_ONCMY STANDARD; PRT; 86 AA.
AC 042241;
DT 15-JUL-1998 (Rel. 36, Created)
DT 15-JUL-1998 (Rel. 36, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein II precursor (Gonadotropin-releasing hormone II)
DE (GNRH-II) (LH-RH II) (Luliberin II)
GN GNRH2.
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
RN [1]
RP SEQUENCE FROM N.A.
RA Penlington M.C.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DDBJ databases.
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GNRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; AF023618; AAB82559.1;
CC InterPro; IPR002012; GNRH.
CC Pfam; PF00446; GNRH; 1.
CC PROSITE; PS00473; GNRH; 1.
CC Signal; Pyroliidone carboxylic acid.
CC CHAIN 1 24 BY SIMILARITY.
CC CHAIN 25 86 PROGNADOLIBERIN II.
CC PEPTIDE 25 34 GONADOLIBERIN II.
CC PEPTIDE 38 86 GNRH-ASSOCIATED PEPTIDE II.
CC MOD_RES 25 25 PYRROLIDONE CARBOXYLIC ACID
CC (BY SIMILARITY).
CC MOD_RES 34 34 AMIDATION (G-35 PROVIDE AMIDE GROUP).
CC SEQUENCE 86 AA; 9723 MW; D6EBD59151DC9915 CRC64;

Query Match 80.0%; Score 40; DB 1; Length 86;
Best Local Similarity 60.0%; Pred. No. 0.38;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWXGXKPG 10
    :|||
Db 25 QHWSHGWTG 34

RESULT 38
GON2_ONCMY STANDARD; PRT; 86 AA.
AC 042241;
DT 15-JUL-1998 (Rel. 36, Created)
DT 15-JUL-1998 (Rel. 36, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein II precursor (Gonadotropin-releasing hormone II)
DE (GNRH-II) (LH-RH II) (Luliberin II)
GN GNRH2.
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
RN [1]
RP SEQUENCE FROM N.A.
RA Penlington M.C.;
RL Submitted (SEP-1997) to the EMBL/GenBank/DDBJ databases.
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GNRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; AF023618; AAB82559.1;
CC InterPro; IPR002012; GNRH.
CC Pfam; PF00446; GNRH; 1.
CC PROSITE; PS00473; GNRH; 1.
CC Signal; Pyroliidone carboxylic acid.
CC CHAIN 1 24 BY SIMILARITY.
CC CHAIN 25 86 PROGNADOLIBERIN II.
CC PEPTIDE 25 34 GONADOLIBERIN II.
CC PEPTIDE 38 86 GNRH-ASSOCIATED PEPTIDE II.
CC MOD_RES 25 25 PYRROLIDONE CARBOXYLIC ACID
CC (BY SIMILARITY).
CC MOD_RES 34 34 AMIDATION (G-35 PROVIDE AMIDE GROUP).
CC SEQUENCE 86 AA; 9723 MW; D6EBD59151DC9915 CRC64;

Query Match 80.0%; Score 40; DB 1; Length 86;
Best Local Similarity 60.0%; Pred. No. 0.38;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWXGXKPG 10
    :|||
Db 25 QHWSHGWTG 34

RESULT 39
GON3_PORNO STANDARD; PRT; 89 AA.
AC PS1922;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein III precursor (Gonadotropin-releasing hormone III)
DE (GNRH-III) (LH-RH III) (Luliberin III)
GN GNRH3.
OS Porichthys notatus (Plainfin midshipman).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

```

```

GON2_RUTRU STANDARD; PRT; 86 AA.
AC Q91330;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein II precursor (Gonadotropin-releasing hormone II)
DE (GNRH-II) (LH-RH II) (Luliberin II)
GN GNRH2.
OS Rutilus rutilus (Roach).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Rutilus.
OX NCBI_TaxID=48568;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RX MEDLINE=98121986; PubMed=9460654;
RA Penlington M.C.; Williams M.A.; Sumpter J.P.; Rand-Weaver M.;
RA Hoole D.; Arme C.;
RT "Isolation and characterisation of mRNA encoding the salmon- and
RT chicken- II type gonadotropin-releasing hormones in the teleost fish
RT Rutilus rutilus (Cyprinidae)".
RL J. Mol. Endocrinol. 19:337-346(1997).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GNRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL; U60668; AAB65770.1;
CC InterPro; IPR002012; GNRH.
CC Pfam; PF00446; GNRH; 1.
CC PROSITE; PS00473; GNRH; 1.
CC Signal; Pyroliidone carboxylic acid.
CC CHAIN 1 24 BY SIMILARITY.
CC CHAIN 25 86 PROGNADOLIBERIN II.
CC PEPTIDE 25 34 GONADOLIBERIN II.
CC PEPTIDE 38 86 GNRH-ASSOCIATED PEPTIDE II.
CC MOD_RES 25 25 PYRROLIDONE CARBOXYLIC ACID
CC (BY SIMILARITY).
CC MOD_RES 34 34 AMIDATION (G-35 PROVIDE AMIDE GROUP)
CC (BY SIMILARITY).
CC SEQUENCE 86 AA; 9838 MW; 931E886357715P40 CRC64;

Query Match 80.0%; Score 40; DB 1; Length 86;
Best Local Similarity 60.0%; Pred. No. 0.38;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWXGXKPG 10
    :|||
Db 25 QHWSHGWTG 34

RESULT 39
GON3_PORNO STANDARD; PRT; 89 AA.
AC PS1922;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein III precursor (Gonadotropin-releasing hormone III)
DE (GNRH-III) (LH-RH III) (Luliberin III)
GN GNRH3.
OS Porichthys notatus (Plainfin midshipman).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

```


OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
 OC Acanthomorpha; Paracanthopterygii; Batrachoididae; Porichthys.
 OX NCBI_TaxID=45384;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=95385993; PubMed=7657161;
 RA Grober M.S., Myers T.R., Marchaterra M.A., Bass A.H., Myers D.A.; from
 RT "Structure, localization, and molecular phylogeny of a GnRH cDNA from
 RT a paracanthopterygian fish, the plainfin midshipman (Porichthys
 RT notatus).";
 RL Gen. Comp. Endocrinol. 99:85-99(1995).
 CC -1- FUNCTION: Stimulates the secretion of gonadotropins.
 CC -1- SUBCELLULAR LOCATION: Secreted.
 CC -1- SIMILARITY: Belongs to the GnRH family.
 CC This SWISS-PROT entry is copyrighted. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL; U41669; AAC59754.1; -
 CC EMBL; S79620; AAB35188.1; -
 CC InterPro; IPR002012; GnRH.
 CC Pfam; PF00446; GnRH; 1.
 CC PROSITE; PS00473; GnRH; 1.
 CC Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 CC Signal; Pyrrolidone carboxylic acid.
 CC SIGNAL 1 23 BY SIMILARITY.
 CC CHAIN 24 33 GONADOLIBERIN III.
 CC PEPTIDE 24 33 GONADOLIBERIN III.
 CC PEPTIDE 37 82 GNRH-ASSOCIATED PEPTIDE III (POTENTIAL).
 CC MOD_RES 24 24 PYRROLIDONE CARBOXYLIC ACID
 CC (BY SIMILARITY).
 CC MOD_RES 33 33 AMIDATION (G-34 PROVIDE AMIDE GROUP).
 CC SEQUENCE 89 AA; 10118 MW; AED532789B9F1475 CRC64;
 KW Query Match 80.0%; Score 40; DB 1; Length 89;
 KW Best Local Similarity 60.0%; Pred. No. 0.39;
 KW Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWSGXKXPG 10
 Db 24 QHWSYGLPG 33
 RESULT 40
 GON3_DICLA STANDARD; PRT; 90 AA.
 AC Q91A09;
 DT 16-OCT-2001 (Rel. 40, Created)
 DT 16-OCT-2001 (Rel. 40, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Gonadoliberin III precursor (Gonadotropin-releasing hormone III)
 DE (GNRH-III) (LH-RH III) (Luliberin III).
 GN GNRH3.
 OS Dicotylarchus labrax (European sea bass).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
 OC Acanthomorpha; Acanthopterygii; Perciformes; Percoidae;
 OC Moronidae; Dicentrarchus.
 OX NCBI_TaxID=13489;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;
 RX MEDLINE=20540016; PubMed=11086295;
 RA Gonzalez-Martinez D., Madigou T., Zmora N., Anglade I., Zanuy S.,
 RA Zohar Y., Elizur A., Munoz-Cueto J.A., Kah C.;
 RT "Differential expression of three different prepro-GnRH
 RT (gonadotropin-releasing hormone) messengers in the brain of the
 RT european sea bass (Dicentrarchus labrax).";

RL J. Comp. Neurol. 429:144-155(2001).
 CC -1- FUNCTION: Stimulates the secretion of gonadotropins (By
 CC similarity).
 CC -1- SUBCELLULAR LOCATION: Secreted.
 CC -1- SIMILARITY: Belongs to the GnRH family.
 CC This SWISS-PROT entry is copyrighted. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL; AF224280; AAB62899.1; -
 CC InterPro; IPR002012; GnRH.
 CC Pfam; PF00446; GnRH; 1.
 CC PROSITE; PS00473; GnRH; 1.
 CC Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 CC Signal; Pyrrolidone carboxylic acid.
 CC SIGNAL 1 23 BY SIMILARITY.
 CC CHAIN 24 33 GONADOLIBERIN III.
 CC PEPTIDE 24 33 GONADOLIBERIN III.
 CC PEPTIDE 37 82 GNRH-ASSOCIATED PEPTIDE III (POTENTIAL).
 CC MOD_RES 24 24 PYRROLIDONE CARBOXYLIC ACID
 CC (BY SIMILARITY).
 CC MOD_RES 33 33 AMIDATION (G-34 PROVIDE AMIDE GROUP).
 CC SEQUENCE 90 AA; 10154 MW; B06A7BA413930C67 CRC64;
 KW Query Match 80.0%; Score 40; DB 1; Length 90;
 KW Best Local Similarity 60.0%; Pred. No. 0.39;
 KW Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWSGXKXPG 10
 Db 24 QHWSYGLPG 33
 RESULT 41
 GON3_HAPBU STANDARD; PRT; 90 AA.
 AC P45652;
 DT 01-NOV-1995 (Rel. 32, Created)
 DT 01-NOV-1995 (Rel. 32, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Gonadoliberin III precursor (Gonadotropin-releasing hormone III)
 DE (GNRH-III) (LH-RH III) (Luliberin III).
 GN GNRH3.
 OS Haplochromis burtoni (Burton's mouthbrooder).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
 OC Acanthomorpha; Acanthopterygii; Perciformes; Labroidae;
 OC Cichlidae; Astototilapia.
 OX NCBI_TaxID=8153;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=92049375; PubMed=1944299;
 RA Bond C.T., Francis R.C., Fernald R.D., Adelman J.P.;
 RT "Characterization of complementary DNA encoding the precursor for
 RT gonadotropin-releasing hormone and its associated peptide from a
 RT teleost fish.";
 RL Mol. Endocrinol. 5:931-937(1991).
 CC -1- FUNCTION: Stimulates the secretion of gonadotropins.
 CC -1- SUBCELLULAR LOCATION: Secreted.
 CC -1- TISSUE SPECIFICITY: EXPRESSED ONLY IN THE TERMINAL NERVE NUCLEUS
 CC OF THE TELECEPHALON.
 CC -1- SIMILARITY: Belongs to the GnRH family.
 CC PIR; A23735; A23735.
 CC InterPro; IPR002012; GnRH.
 CC Pfam; PF00446; GnRH; 1.
 CC PROSITE; PS00473; GnRH; 1.
 CC Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 CC Signal; Multigene family; Pyrrolidone carboxylic acid.

DR EMEL; AB074501; BAC06425.1; --
DR PIR; JC7395; JC7395.
DR GO; GO:0005576; C:extracellular; ISS.
DR GO; GO:0005183; P:lutinizing hormone-releasing factor activity; ISS.
DR GO; GO:0007275; P:development; ISS.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Signal;
KW Multigene family; Pyrrolidone carboxylic acid.
FT SIGNAL 1 23
FT CHAIN 24 90
FT PROGNADOLIBERIN III.
FT PEPTIDE 24 33
FT GONADOLIBERIN III.
FT PEPTIDE 37 90
FT GNRH-ASSOCIATED PEPTIDE III.
FT MOD_RES 24 24
FT PYRROLIDONE CARBOXYLIC ACID (BY
FT SIMILARITY).
FT MOD_RES 33 33
FT AMIDATION (G-34 PROVIDE AMIDE GROUP) (BY
FT SIMILARITY).
FT CONFLICT 17 17
FT V -> M (IN REF. 2; BAC06425).
SQ SEQUENCE 90 AA; 10176 MW; AE0B3DC9047475B9 CRC64;

Query Match 80.0%; Score 40; DB 1; Length 90;
Best Local Similarity 60.0%; Pred. No. 0.39;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXXP 10
Db 24 QHWSYGLPG 33

RESULT 43
ID GON3_PAGMA STANDARD; PRT; 90 AA.
AC P51921;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein III precursor (Gonadotropin-releasing hormone III)
DE (GNRH-III) (LH-RH III) (Luliberin III).
GN GNRH3.
OS Pagrus major (Red sea bream) (Chrysophrys major).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Perciformes; Percoidae;
OC Sparidae; Pagrus.
OX NCBI_TaxID=143350;
RN [1].
RP SEQUENCE FROM N.A.
RC TISSUE=Olfactory bulb;
RX MEDLINE=95154651; PubMed=7851723;
RA Okuzawa K., Araki K., Tanaka H., Kagawa H., Hirose K.;
RT "Molecular cloning of a cDNA encoding the prepro-salmon gonadotropin-releasing hormone of the red seabream.";
RL Gen. Comp. Endocrinol. 96:234-242(1994).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GNRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announcements/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; D26108; BAA05104.1; --
DR PIR; I51095; I51095.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
KW Signal; Pyrrolidone carboxylic acid.

FT SIGNAL 1 23
FT CHAIN 24 90
FT PEPTIDE 24 33
FT PEPTIDE 37 82
FT MOD_RES 24 24
FT MOD_RES 33 33
FT MOD_RES 33 33
SQ SEQUENCE 90 AA; 10096 MW; B36362E9F4A53A4E CRC64;

Query Match 80.0%; Score 40; DB 1; Length 90;
Best Local Similarity 60.0%; Pred. No. 0.39;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXXP 10
Db 24 QHWSYGLPG 33

RESULT 42
ID GON3_ORVLA STANDARD; PRT; 90 AA.
AC Q9DD49; Q8J1Q3;
DT 10-OCT-2003 (Rel. 42, Created)
DT 10-OCT-2003 (Rel. 42, Last sequence update)
DT 10-OCT-2003 (Rel. 42, Last annotation update)
DE Prognadoliberein III precursor (Salmon-type gonadotropin-releasing
DE hormone) (sGNRH) [Contains: Gonadoliberein III (LH-RH III) (Luteinizing
DE hormone releasing hormone III) (Gonadotropin releasing hormone III)
DE (GNRH III) (Luliberin III); GNRH-associated peptide III].
OS Oryzias latipes (Medaka fish) (Japanese ricefish).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Perciformes; Atherinomorpha;
OC Belontiiformes; Adrianichthyidae; Oryziinae; Oryzias.
OX NCBI_TaxID=8090;
RN [1]
RP SEQUENCE FROM N.A., AND TISSUE SPECIFICITY.
RC TISSUE=Brain;
RX MEDLINE=20462954; PubMed=11006121;
RA Okubo K., Amano M., Yoshiura Y., Suetake H., Aida K.;
RT "A novel form of gonadotropin-releasing hormone in the medaka,
RT Oryzias latipes.";
RL Biochem. Biophys. Res. Commun. 276:298-303(2000).
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=HNI, and Himekaka;
RX MEDLINE=22133319; PubMed=12137956;
RA Okubo K., Mitani H., Naruse K., Kondo M., Shima A., Tanaka M.,
RA Asakawa S., Shimizu N., Yoshiura Y., Aida K.;
RT "Structural characterization of GNRH loci in the medaka genome.";
RL Gene 293:181-189(2002).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins (By
CC similarity).
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- TISSUE SPECIFICITY: Expressed in neuron cell bodies of the nucleus
CC olfactory terminalis.
CC -!- MISCELLANEOUS: teleost species possess three paralogous GNRHs:
CC mdGNRH and cGNRH-II have been identified in teleosts; sGNRH has
CC no tetrapod ortholog and is thought to be a duplication of cGNRH-
CC II.
CC -!- SIMILARITY: Belongs to the GNRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announcements/>
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; AB041331; BAB16301.1; --
DR EMBL; AB041332; BAB16302.1; --
DR EMBL; AB041335; BAC06418.1; --

FT SIGNAL 1 23 BY SIMILARITY.
 FT CHAIN 24 90 PROGNADOLIBERIN III.
 FT PEPTIDE 24 33 GONADOLIBERIN III.
 FT PEPTIDE 37 82 GNRH-ASSOCIATED PEPTIDE III (POTENTIAL).
 FT MOD_RES 24 24 PYRROLIDONE CARBOXYLIC ACID
 (BY SIMILARITY).
 FT MOD_RES 33 33 AMIDATION (G-34, PROVIDE AMIDE GROUP).
 FT SEQUENCE 90 AA; 10070 MW; FB4E5993868C2FBD CRC64;
 Query Match 80.0%; Score 40; DB 1; Length 90;
 Best Local Similarity 60.0%; Pred. No. 0.39;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXKXPG 10
 DB 24 QHWSYGLWPG 33

RESULT 44
 GON3_SPAU STANDARD; PRT; 90 AA.
 ID GON3_SPAU
 AC P51923;
 DT 01-OCT-1996 (Rel. 34, Created)
 DT 01-OCT-1996 (Rel. 34, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Gonadoliberein III precursor (Gonadotropin-releasing hormone III)
 DE (GNRH-III) (LH-RH III) (Luliberin III).
 GN GNRH3.
 OS Sparus aurata (Gilthead sea bream).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
 OC Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Percoidae;
 OC Sparidae; Sparus.
 OC NCBI_TaxID=8175;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;
 RX MEDLINE=99061849; PubMed=9843645;
 RA Holland M.C.H., Gethif Y., Meiri I., King J.A., Okuzawa K.,
 RA Elizar A., Zohar Y.;
 RT "Levels of the native forms of GnRH in the pituitary of the gilthead
 RT seabream, Sparus aurata, at several characteristic stages of the
 RT gonadal cycle.";
 RL Gen. Comp. Endocrinol. 112:394-405(1998).
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- SIMILARITY: Belongs to the GnRH family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL; U30311; AAA98845.1; -;
 CC InterPro; IPR002012; GNRH.
 CC Pfam; PF00446; GNRH; 1.
 CC PROSITE; PS00473; GNRH; 1.
 CC Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 CC Signal; Pyrrolidone carboxylic acid.
 CC
 CC SIGNAL 1 23 BY SIMILARITY.
 CC CHAIN 24 90 PROGNADOLIBERIN III.
 CC PEPTIDE 24 33 GONADOLIBERIN III.
 CC PEPTIDE 37 82 GNRH-ASSOCIATED PEPTIDE III (POTENTIAL).
 CC MOD_RES 24 24 PYRROLIDONE CARBOXYLIC ACID
 (BY SIMILARITY).
 CC MOD_RES 33 33 AMIDATION (G-34, PROVIDE AMIDE GROUP).
 CC SEQUENCE 90 AA; 10030 MW; FB4E47EB868C2FED CRC64;
 Query Match 80.0%; Score 40; DB 1; Length 90;
 Best Local Similarity 60.0%; Pred. No. 0.39;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXKXPG 10
 DB 24 QHWSYGLWPG 33

RESULT 45
 GON8_RANDY STANDARD; PRT; 90 AA.
 ID GON8_RANDY
 AC Q9IAU2;
 DT 16-OCT-2001 (Rel. 40, Created)
 DT 16-OCT-2001 (Rel. 40, Last sequence update)
 DT 10-OCT-2003 (Rel. 42, Last annotation update)
 DE Trp-8 gonadoliberein precursor (Trp-8 gonadotropin-releasing hormone)
 DE ([Trp8]GNRH) (LH-RH) (Luliberin).
 OS Rana dybowskii (Dybowski's frog) (Korean brown frog).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Amphibia; Batrachia; Anura; Neobatrachia; Ranioidea; Ranidae; Rana.
 OC NCBI_TaxID=71582;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;
 RX MEDLINE=20477595; PubMed=11026571;
 RA Yoo M.S., Kang H.M., Choi H.S., Kim J.W., Troskie B.E., Millar R.P.,
 RA Kwon H.B.;
 RT "Molecular cloning, distribution and pharmacological characterization
 RT of a novel gonadotropin-releasing hormone (Trp8 GNRH) in frog brain.";
 RL Mol. Cell. Endocrinol. 164:197-204(2000).
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- TISSUE SPECIFICITY: Expressed in forebrain but not in testis,
 CC ovary, kidney and liver.
 CC -!- SIMILARITY: Belongs to the GNRH family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL; AF139911; AAF44343.1; -;
 CC InterPro; IPR002012; GNRH.
 CC InterPro; IPR004079; Gonadoliberein1.
 CC Pfam; PF00446; GNRH; 1.
 CC PRINTS; PR01541; GONADOLIBERN1.
 CC PROSITE; PS00473; GNRH; 1.
 CC Cleavage on pair of basic residues; Hormone; Amidation; Signal;
 CC Pyrrolidone carboxylic acid.
 CC
 CC SIGNAL 1 24
 CC CHAIN 25 90 TRP-8 PROGNADOLIBERIN.
 CC PEPTIDE 25 34 TRP-8 GONADOLIBERIN.
 CC PEPTIDE 38 86 GNRH-ASSOCIATED PEPTIDE I.
 CC MOD_RES 25 25 PYRROLIDONE CARBOXYLIC ACID (BY
 CC SIMILARITY).
 CC MOD_RES 34 34 AMIDATION (G-35 PROVIDE AMIDE GROUP) (BY
 CC SIMILARITY).
 CC SEQUENCE 90 AA; 10368 MW; C3D573E78552ABFA CRC64;
 Query Match 80.0%; Score 40; DB 1; Length 90;
 Best Local Similarity 60.0%; Pred. No. 0.39;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXKXPG 10
 DB 25 QHWSYGLWPG 34

RESULT 46
 GON2_RANCA STANDARD; PRT; 93 AA.
 ID GON2_RANCA

```

Q9DG36; Q90Y64;
DT 10-OCT-2003 (Rel. 42, Last sequence update)
DE 10-OCT-2003 (Rel. 42, Last annotation update)
DE Progonadoliberein II precursor [Contains: Gonadoliberein II (LHRH II)
DE (Luteinizing hormone releasing hormone II) (Gonadotropin releasing
DE hormone II) (GnRH II) (Luliberin II); GnRH-associated peptide II
DE (GAP2)].
DE GN2 OR GN2H II.
GN Rana catesbeiana (Bull frog).
OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Amphibia; Batrachia; Anura; Neobatrachia; Ranioidea; Ranidae; Rana.
OX NCBI_TaxID=8400;
RN [1]
RP SEQUENCE FROM N.A. (ISOFORMS 1 AND 2), TISSUE SPECIFICITY, AND
RP DEVELOPMENTAL STAGE.
RP TISSUE=Hindbrain, and Midbrain;
RP TISSUE=Hindbrain, and Midbrain;
RX MEDLINE=21102951; PubMed=11170016;
RA Wang L., Yoo M.S., Kang H.M., Im W.B., Choi H.S., Bogerd J.,
RA Kwon H.B.;
RA Cloning and characterization of cDNAs encoding the GnRH1 and GnRH2
RA precursors from bullfrog (Rana catesbeiana).";
RL J. Exp. Zool. 289:190-201(2001).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins (By
CC similarity).
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- ALTERNATIVE PRODUCTS:
CC Event=Alternative splicing; Named isoforms=2;
CC Name=1;
CC IsoId=Q9DG36-1; Sequence=Displayed;
CC Name=2;
CC IsoId=Q9DG36-2; Sequence=VSP_050476;
CC -!- TISSUE SPECIFICITY: Midbrain and hindbrain.
CC -!- DEVELOPMENTAL STAGE: Expressed at significantly higher levels
CC during hibernation and post-breeding. Not expressed in pituitary.
CC -!- SIMILARITY: Belongs to the GnRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; AF182464; AAC21894.1; -
CC EMBL; AF186096; AAL05971.1; -
CC GO; GO:0005576; C:extracellular; NAS.
CC GO; GO:0005183; F:luteinizing hormone-releasing factor activity; NAS.
CC GO; GO:0009755; P:hormone mediated signaling; NAS.
CC GO; GO:0000003; P:reproduction; NAS.
CC InterPro; IPR002012; GnRH.
CC Pfam; PF00446; GnRH; 1.
CC PROSITE; PS00473; GnRH; 1.
CC Cleavage on pair of basic residues; Hormone; Amidation; Signal;
CC Alternative splicing; Pyrrolidone carboxylic acid.
CC SIGNAL 1 24 POTENTIAL.
CC CHAIN 25 93 PROGNADOLIBERIN II.
CC PEPTIDE 25 34 GONADOLIBERIN II.
CC PEPTIDE 38 93 GnRH-ASSOCIATED PEPTIDE II.
CC MOD_RES 25 25 PYRROLIDONE CARBOXYLIC ACID (BY
CC SIMILARITY).
CC MOD_RES 34 34 AMIDATION (G-35 PROVIDE AMIDE GROUP) (BY
CC SIMILARITY).
CC VARSPLIC 75 82 Missing (in isoform 2).
CC FTID=VSP_050476.
CC SEQUENCE 93 AA; 10668 MW; B3DE9920DCFEAA9 CRC64;
Query Match 80.0%; Score 40; DB 1; Length 93;
Best Local Similarity 60.0%; Pred. No. 0.41;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWXGXKXPG 10

```

```

Db 25 QHWSHGWP 34
:|||||
RESULT 47
GON3_CARAU STANDARD; PRT; 94 AA.
ID GON3_CARAU
AC P51917;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein III precursor (Gonadotropin-releasing hormone III)
DE (GnRH-III) (LH-RH III) (Luliberin III).
GN GN2H3.
OS Carassius auratus (Goldfish).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Carassius.
OX NCBI_TaxID=7957;
RN [1]
RP SEQUENCE FROM N.A.
RP MEDLINE=96276584; PubMed=8729938;
RX Lin X.-W., Peter R.E.;
RA "Expression of salmon gonadotropin-releasing hormone (GnRH) and
RT chicken GnRH-II precursor messenger ribonucleic acids in the brain
RT and ovary of goldfish.";
RL Gen. Comp. Endocrinol. 101:282-296(1996).
CC -!- FUNCTION: Stimulates the secretion of gonadotropins.
CC -!- SUBCELLULAR LOCATION: Secreted.
CC -!- SIMILARITY: Belongs to the GnRH family.
CC
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC
CC EMBL; U30301; AAC59888.1; -
CC InterPro; IPR002012; GnRH.
CC Pfam; PF00446; GnRH; 1.
CC PROSITE; PS00473; GnRH; 1.
CC Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
CC Signal; Pyrrolidone carboxylic acid.
CC SIGNAL 1 23 BY SIMILARITY.
CC CHAIN 24 94 PROGNADOLIBERIN III.
CC PEPTIDE 24 33 GONADOLIBERIN III.
CC PEPTIDE 37 94 GnRH-ASSOCIATED PEPTIDE III (POTENTIAL).
CC MOD_RES 24 24 PYRROLIDONE CARBOXYLIC ACID
CC (BY SIMILARITY).
CC MOD_RES 33 33 AMIDATION (G-34 PROVIDE AMIDE GROUP).
CC SEQUENCE 94 AA; 10511 MW; 14405ED82ECD2BEB CRC64;
Query Match 80.0%; Score 40; DB 1; Length 94;
Best Local Similarity 60.0%; Pred. No. 0.41;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWXGXKXPG 10
:|||||
Db 24 QHWSYGLWPG 33
:|||||
RESULT 48
GON3_RUTRU STANDARD; PRT; 94 AA.
ID GON3_RUTRU
AC Q92156;
DT 15-JUL-1998 (Rel. 36, Created)
DT 15-JUL-1998 (Rel. 36, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Gonadoliberein III precursor (Gonadotropin-releasing hormone III)
DE (GnRH-III) (LH-RH III) (Luliberin III).
GN GN2H3.

```

OS Rutilus rutilus (Roach).
 CC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
 CC Cyprinidae; Rutilidae.
 OX NCBI_TaxID=48668;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Olfactory bulb;
 RX MEDLINE=98121386; PubMed=9460654;
 RA Penlington M.C., Williams M.A., Sumpter J.P., Rand-Weaver M.,
 RA Hooile D., Arme C.;
 RT "Isolation and characterisation of mRNA encoding the salmon- and
 RT chicken- II type gonadotrophin-releasing hormones in the teleost fish
 RT Rutilus rutilus (Cyprinidae).";
 RL J. Mol. Endocrinol. 19:337-346(1997).
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins (By
 CC similarity).
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- SIMILARITY: Belongs to the GnRH family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL; U60667; AAB65821.1; -
 CC InterPro; IPR002012; GnRH.
 CC Pfam; PF00446; GnRH; 1.
 CC PROSITE; PS00473; GnRH; 1.
 CC Cleavage on pair of basic residues; Hormone; Amidation; Hypothalamus;
 CC Signal; Pyrrolidone carboxylic acid.
 CC SIGNAL 1 23 BY SIMILARITY.
 CC CHAIN 24 94 PROGONADOLIBERIN III.
 CC PEPTIDE 24 33 GONADOLIBERIN III.
 CC PEPTIDE 37 94 GnRH-ASSOCIATED PEPTIDE III (POTENTIAL).
 CC MOD_RES 24 24 PYRROLIDONE CARBOXYLIC ACID
 CC MOD_RES 33 33 (BY SIMILARITY).
 CC AMIDATION (G-34 PROVIDE AMIDE GROUP) (BY
 CC SIMILARITY).
 CC SEQUENCE 94 AA; 10683 MW; CB1ED215AA4DC4D CRC64;
 CC
 CC Query Match 80.0%; Score 40; DB 1; Length 94;
 CC Best Local Similarity 60.0%; Pred. No. 0.41;
 CC Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 CC
 CC QY 1 EHWXGXKXP 10
 CC :|||:|
 CC 24 QHWSYGLWLP 33
 CC
 CC RESULT 49
 CC GON2_SUNMU STANDARD; PRT; 110 AA.
 CC ID_GON2_SUNMU
 CC AC 03766;
 CC DT 16-OCT-2001 (Rel. 40, Created)
 CC DT 16-OCT-2001 (Rel. 40, Last sequence update)
 CC DT 28-FEB-2003 (Rel. 41, Last annotation update)
 CC DE Progonadoliberein II precursor [Contains: Gonadoliberein II (LH-RH II)
 CC (Luteinizing hormone-releasing hormone II) (Gonadotropin-releasing
 CC hormone II) (GnRH II) (Luliberin II); GnRH-associated peptide II].
 CC GNRH2.
 CC Suncus murinus (House shrew) (Musk shrew).
 CC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Mammalia; Eutheria; Insectivora; Soricidae; Crocidurinae; Suncus.
 CC OX NCBI_TaxID=9378;
 CC RN [1]
 CC RP SEQUENCE FROM N.A.
 CC RC TISSUE=Brain;
 CC White R.B., Kasten T.L., White S.A., Rissman E.F., Fernald R.D.;
 CC "GnRH-II CDNA expression in the musk shrew.";

RL Submitted (NOV-1998) to the EMBL/GenBank/DBJ databases.
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
 CC the secretion of both luteinizing and follicle-stimulating
 CC hormones (By similarity).
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- TISSUE SPECIFICITY: MIDBRAIN.
 CC -!- SIMILARITY: Belongs to the GnRH family.
 CC
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC
 CC EMBL; AF107315; AAC09114.1; -
 CC InterPro; IPR002012; GnRH.
 CC Pfam; PF00446; GnRH; 1.
 CC PROSITE; PS00473; GnRH; 1.
 CC Cleavage on pair of basic residues; Hormone; Amidation; Signal;
 CC Pyrrolidone carboxylic acid.
 CC SIGNAL 1 26 BY SIMILARITY.
 CC CHAIN 27 110 PROGONADOLIBERIN II.
 CC PEPTIDE 27 36 GONADOLIBERIN II.
 CC PEPTIDE 40 110 GnRH-ASSOCIATED PEPTIDE II.
 CC MOD_RES 27 27 PYRROLIDONE CARBOXYLIC ACID
 CC MOD_RES 36 36 (BY SIMILARITY).
 CC AMIDATION (G-37 PROVIDE AMIDE GROUP).
 CC SEQUENCE 110 AA; 12120 MW; AB986905FB93D9DB CRC84;
 CC
 CC Query Match 80.0%; Score 40; DB 1; Length 110;
 CC Best Local Similarity 60.0%; Pred. No. 0.48;
 CC Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 CC
 CC QY 1 EHWXGXKXP 10
 CC :|||:|
 CC 27 QHWSHGWPY 36
 CC
 CC RESULT 50
 CC GON2_TUPGB STANDARD; PRT; 114 AA.
 CC ID_GON2_TUPGB
 CC AC Q95336;
 CC DT 15-DEC-1998 (Rel. 37, Created)
 CC DT 15-DEC-1998 (Rel. 37, Last sequence update)
 CC DT 28-FEB-2003 (Rel. 41, Last annotation update)
 CC DE Progonadoliberein II precursor [Contains: Gonadoliberein II (LH-RH II)
 CC (Luteinizing hormone-releasing hormone II) (Gonadotropin-releasing
 CC hormone II) (GnRH II) (Luliberin II); GnRH-associated peptide II].
 CC GNRH2.
 CC Tupaia glis belangeri (Common tree shrew).
 CC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Mammalia; Eutheria; Scandentia; Tupaiidae; Tupaiia.
 CC OX NCBI_TaxID=37347;
 CC RN [1]
 CC RP SEQUENCE FROM N.A.
 CC RC TISSUE=Hypothalamus;
 CC RX MEDLINE=97079639; PubMed=8921350;
 CC RA Kasten T.L., White S.A., Norton T.T., Bond C.T., Adelman J.P.,
 CC Fernald R.D.;
 CC "Characterization of two new preproGnRH mRNAs in the tree shrew:
 CC first direct evidence for mesencephalic GnRH gene expression in a
 CC placental mammal.";
 CC RL Gen. Comp. Endocrinol. 104:7-19(1996).
 CC -!- FUNCTION: Stimulates the secretion of gonadotropins; it stimulates
 CC the secretion of both luteinizing and follicle-stimulating
 CC hormones.
 CC -!- SUBCELLULAR LOCATION: Secreted.
 CC -!- TISSUE SPECIFICITY: MIDBRAIN.
 CC -!- SIMILARITY: Belongs to the GnRH family.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration

CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----

DR EMBL: U63327; AAB16838.1; -.
 DR InterPro: IPR002012; GNRH.
 DR Pfam: PF00446; GNRH; 1.
 DR PROSITE: PS00473; GNRH; 1.
 KW Cleavage on pair of basic residues; Hormone; Amidation; Signal;
 KW Pyroglutamate carboxylic acid.
 FT SIGNAL 1 25 BY SIMILARITY.
 FT CHAIN 26 114 PROGNADOLIBERIN II.
 FT PEPTIDE 26 35 GNADOLIBERIN II.
 FT PEPTIDE 39 114 GNRH-ASSOCIATED PEPTIDE II.
 FT MOD_RES 26 26 PYRROLIDONE CARBOXYLIC ACID
 FT (BY SIMILARITY).
 FT MOD_RES 35 35 AMIDATION (G-36 PROVIDE AMIDE GROUP).
 SQ SEQUENCE 114 AA; 12123 MW; 680390E1C6869EC1 CRC64;

Query Match Score 40; DB 1; Length 114;
 Best Local Similarity 60.0%; Pred. No. 0.5;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSXGXXPG 10
 :|||:
 Db 26 QHWSHGWWPG 35

Search completed: March 2, 2004, 19:26:23
 Job time : 18 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 2, 2004, 19:19:03 ; Search time 36 Seconds
(without alignments)
87.644 Million cell updates/sec

Title: US-09-857-115-7

Perfect score: 50

Sequence: 1 EHWSGXPG 10

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 1017041 seqs, 315518202 residues

Total number of hits satisfying chosen parameters: 1017041

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 500 summaries

Database :

SPREMBL_25.*

1: sp_archaea.*

2: sp_bacteria.*

3: sp_fungi.*

4: sp_human.*

5: sp_invertebrate.*

6: sp_mammal.*

7: sp_mmc.*

8: sp_organelle.*

9: sp_phage.*

10: sp_plant.*

11: sp_rodent.*

12: sp_virus.*

13: sp_vertebrate.*

14: sp_unclassified.*

15: sp_rvires.*

16: sp_bacteriap.*

17: sp_archaeap.*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	42	84.0	64	13	Q8JIF3
2	42	84.0	64	13	Q8JIF2
3	42	84.0	68	13	Q8JIF4
4	42	84.0	72	13	Q7TIL2
5	42	84.0	86	13	Q8JH60
6	42	84.0	87	13	Q8JH26
7	42	84.0	94	13	Q8JFY3
8	42	84.0	96	13	Q8JH80
9	42	84.0	98	13	Q8JH45
10	42	84.0	120	13	Q7T059
11	42	84.0	219	5	Q86D90
12	42	84.0	219	5	Q86D89
13	41	82.0	91	13	Q8PRH0
14	40	80.0	33	13	Q8W7G0
15	40	80.0	33	13	Q8PT34
16	40	80.0	54	13	Q90W09

17	40	80.0	62	13	Q90ZE1
18	40	80.0	62	13	Q7TIL5
19	40	80.0	58	13	Q7TIL1
20	40	80.0	75	6	Q9TIV0
21	40	80.0	82	13	Q92094
22	40	80.0	82	13	Q90VY3
23	40	80.0	82	13	Q9W7G1
24	40	80.0	82	13	Q918P9
25	40	80.0	82	13	Q918Q0
26	40	80.0	85	13	Q8JH81
27	40	80.0	86	13	Q9T25
28	40	80.0	86	13	Q9PW69
29	40	80.0	86	13	Q8QF08
30	40	80.0	86	13	Q8UUK5
31	40	80.0	86	13	Q8AWI6
32	40	80.0	86	13	Q8JH11
33	40	80.0	86	13	Q7T217
34	40	80.0	87	13	Q9PRI3
35	40	80.0	88	13	Q9FSY9
36	40	80.0	90	13	Q8UW82
37	40	80.0	90	13	Q8AWF6
38	40	80.0	90	13	Q7ZT00
39	40	80.0	94	13	Q9DD08
40	40	80.0	94	13	Q9DEH5
41	40	80.0	94	13	Q8UUK6
42	40	80.0	94	13	Q9DEH6
43	40	80.0	94	13	Q8JHC3
44	40	80.0	94	13	Q804C1
45	40	80.0	94	13	Q801D6
46	40	80.0	94	13	Q801D5
47	40	80.0	107	6	Q9TSI3
48	40	80.0	114	5	Q9T655
49	40	80.0	517	2	Q69212
50	40	80.0	909	16	Q87CV6
51	40	80.0	1000	16	Q9PCD0
52	39	78.0	404	16	Q7V6V9
53	39	78.0	789	11	Q7TTP13
54	37	74.0	350	10	Q8LB58
55	37	74.0	350	10	Q82279
56	37	74.0	389	16	Q8FNL6
57	37	74.0	602	16	Q8G4B0
58	36	72.0	164	5	Q86D87
59	36	72.0	165	5	Q86D88
60	36	72.0	264	11	Q91VV7
61	36	72.0	264	11	Q8BK27
62	36	72.0	308	16	Q92JTI1
63	36	72.0	571	10	Q7T1W6
64	36	72.0	828	10	Q9SZR5
65	36	72.0	1034	16	Q931E0
66	36	72.0	2491	12	Q7TF57
67	36	72.0	2497	12	Q8QX00
68	36	72.0	2503	12	Q99BU6
69	36	72.0	2503	12	Q91F54
70	35	70.0	122	11	Q8CBN5
71	35	70.0	122	11	Q8C582
72	35	70.0	142	6	Q862S5
73	35	70.0	150	16	Q8EVI7
74	35	70.0	159	12	Q80MM6
75	35	70.0	267	6	Q9TV55
76	35	70.0	358	4	Q8T818
77	35	70.0	380	4	Q15885
78	35	70.0	532	5	Q44866
79	35	70.0	622	16	Q98BN6
80	35	70.0	622	16	Q98BN6
81	35	70.0	673	13	Q90VB3
82	35	70.0	818	4	Q9H6S2
83	35	70.0	865	2	Q8RQZ5
84	35	70.0	1072	16	Q9K6N1
85	35	70.0	2503	12	Q8B912
86	34.5	69.0	955	16	Q89VU0
87	34	68.0	165	4	Q8NF82
88	34	68.0	211	5	Q86PT6
89	34	68.0	245	11	Q8CEB6

Q90ZEL	oncorhynchu
Q7TIL5	odontesthes
Q7TIL1	odontesthes
Q8TIV0	trichosurus
Q92094	oncorhynchu
Q90VY3	oncorhynchu
Q9W7G1	oncorhynchu
Q918P9	oncorhynchu
Q918Q0	oncorhynchu
Q8JH81	verasper mo
Q9T25	oncorhynchu
Q9PW69	typhonecte
Q8QF08	brachydantio
Q8UUK5	scleropages
Q8AWI6	cyprinus ca
Q8JH11	brachydantio
Q7T217	cyprinus ca
Q9PRI3	anguilla ja
Q9FSY9	sparus aura
Q8UW82	verasper mo
Q8AWF6	oreochromis
Q7ZT00	oreochromis
Q9DD08	brachydantio
Q9DEH5	carassius a
Q8UUK6	scleropages
Q9DEH6	carassius a
Q8JHC3	cyprinus ca
Q804C1	cyprinus ca
Q801D6	cyprinus ca
Q801D5	cyprinus ca
Q9TSI3	macaca mula
Q9T655	macaca mula
Q69212	actinosyne
Q87CV6	xytella fas
Q9PCD0	xytella fas
Q7V6V9	prochloroco
Q7TTP13	rattus norv
Q8LB58	arabidopsis
Q82279	arabidopsis
Q8FNL6	corynebacte
Q8G4B0	bifidobacte
Q86D87	ciona intes
Q86D88	ciona intes
Q91VV7	mus musculu
Q8BK27	mus musculu
Q92JTI1	rhizobium m
Q7T1W6	zea mays su
Q9SZR5	arabidopsis
Q931E0	rhizobium m
Q7TF57	porcine rep
Q8QX00	porcine rep
Q99BU6	porcine rep
Q91F54	porcine rep
Q8CBN5	mus musculu
Q8C582	mus musculu
Q862S5	pos taurus
Q8EVI7	mycoplasma
Q80MM6	cytotesia rub
Q9TV55	sus scrofa
Q8T818	homo sapien
Q15885	homo sapien
Q44866	caenorhabdi
Q98BN6	rhizobium l
Q9112	ustilago ma
Q90VB3	paralichthy
Q9H6S2	homo sapien
Q8RQZ5	aeromonas p
Q9K6N1	bacillus ha
Q8B912	porcine rep
Q89VU0	bradyrhizob
Q8NF82	homo sapien
Q86PT6	anopheles g
Q8CEB6	mus musculu

90	34	58.0	292	4	Q96RY6	Q96RY6 homo sapien	163	32	64.0	134	16	P71646	P71646 mycobacteri
91	34	68.0	300	12	Q89582	Q89582 bovine herp	154	32	64.0	134	16	Q7TXU0	Q7TXU0 mycobacteri
92	34	68.0	311	10	Q8WOH9	Q8WOH9 oryza sativ	155	32	64.0	144	11	Q8C6K5	Q8C6K5 mus musculu
93	34	68.0	316	11	Q99JN4	Q99JN4 mus musculu	166	32	64.0	162	10	Q9C6S9	Q9C6S9 arabidopsis
94	34	68.0	316	11	Q08782	Q08782 cricetus	167	32	64.0	166	17	Q9YCD6	Q9YCD6 aeropyrum p
95	34	68.0	333	3	Q8NKE3	Q8NKE3 penicillium	168	32	64.0	171	4	Q8WYF5	Q8WYF5 homo sapien
96	34	68.0	495	5	Q45434	Q45434 caenorhabdi	169	32	64.0	171	4	Q8ZMU4	Q8ZMU4 salmonella
97	34	68.0	497	16	Q9KBN0	Q9KBN0 bacillus ha	170	32	64.0	201	16	Q8FJG8	Q8FJG8 escherichia
98	34	68.0	500	10	Q8ANQ1	Q8ANQ1 oryza sativ	171	32	64.0	201	16	Q8XGS5	Q8XGS5 salmonella
99	34	68.0	508	4	Q8N9M5	Q8N9M5 homo sapien	172	32	64.0	207	16	Q8B25	Q8B25 pseudomonas
100	34	68.0	712	10	Q84Z17	Q84Z17 oryza sativ	173	32	64.0	228	16	Q9X7X3	Q9X7X3 streptomyce
101	34	68.0	763	10	Q9MAP6	Q9MAP6 arabidopsis	174	32	64.0	230	9	Q9ZXE5	Q9ZXE5 bacterioph
102	34	68.0	870	16	Q92DC8	Q92DC8 rickettsia	175	32	64.0	263	13	Q9PFS2	Q9PFS2 agkistrodon
103	34	68.0	905	16	Q9PEK2	Q9PEK2 xylella fas	176	32	64.0	270	5	O17228	O17228 caenorhabdi
104	34	68.0	910	16	Q9PGN1	Q9PGN1 xylella fas	177	32	64.0	282	16	Q7WE01	Q7WE01 bordetella
105	34	68.0	923	16	Q8SDK1	Q8SDK1 pseudomonas	178	32	64.0	282	16	Q7W301	Q7W301 bordetella
106	34	68.0	967	16	Q87ET0	Q87ET0 xylella fas	179	32	64.0	282	16	Q7VT07	Q7VT07 bordetella
107	34	68.0	968	16	Q87EJ4	Q87EJ4 xylella fas	180	32	64.0	288	16	Q91312	Q91312 pseudomonas
108	34	68.0	1940	5	Q9VMV5	Q9VMV5 drosophila	181	32	64.0	295	5	Q9VIX0	Q9VIX0 drosophila
109	34	68.0	2502	12	Q99AV6	Q99AV6 porcine rep	182	32	64.0	314	16	Q8EED0	Q8EED0 shevanelia
110	34	68.0	2503	12	Q9E8N0	Q9E8N0 porcine rep	183	32	64.0	314	16	Q7U6V6	Q7U6V6 synchococc
111	34	68.0	2503	12	Q99136	Q99136 porcine rep	184	32	64.0	349	6	Q8HYA7	Q8HYA7 pteropus hy
112	34	68.0	2503	12	Q9YX02	Q9YX02 porcine rep	185	32	64.0	349	6	Q8HYA7	Q8HYA7 saccopteryx
113	34	68.0	2503	12	Q9WJB2	Q9WJB2 porcine rep	186	32	64.0	350	16	Q9RCF5	Q9RCF5 vibrio chol
114	34	68.0	2503	12	Q9ENK6	Q9ENK6 porcine rep	187	32	64.0	354	16	Q8P598	Q8P598 xanthomonas
115	34	68.0	2503	12	Q8QXK1	Q8QXK1 porcine rep	188	32	64.0	363	5	Q86S48	Q86S48 caenorhabdi
116	34	68.0	2539	12	Q9J7C1	Q9J7C1 porcine rep	189	32	64.0	371	16	Q8KJB7	Q8KJB7 rhizobium 1
117	34	68.0	3956	12	Q9DLN9	Q9DLN9 porcine rep	190	32	64.0	371	16	Q989W5	Q989W5 rhizobium 1
118	34	68.0	3960	12	Q9DLN8	Q9DLN8 porcine rep	191	32	64.0	375	3	Q7Z8C2	Q7Z8C2 fusarium cu
119	34	68.0	3960	12	Q9DLP0	Q9DLP0 porcine rep	192	32	64.0	417	5	Q9TXI2	Q9TXI2 caenorhabdi
120	34	68.0	75	16	Q8UK61	Q8UK61 agrobacteri	193	32	64.0	422	16	Q7VG34	Q7VG34 helicobacte
121	33	66.0	99	16	Q7U6Z8	Q7U6Z8 synchococc	194	32	64.0	434	16	Q8X608	Q8X608 escherichia
122	33	66.0	117	16	Q8VYB8	Q8VYB8 anabaena sp	195	32	64.0	452	16	Q8E8P2	Q8E8P2 oceanobacil
123	33	66.0	161	2	Q93D64	Q93D64 escherichia	196	32	64.0	492	16	P71662	P71662 mycobacteri
124	33	66.0	161	2	Q8PNY7	Q8PNY7 xanthomonas	197	32	64.0	499	16	Q7U5V2	Q7U5V2 mycobacteri
125	33	66.0	189	16	Q8PCA5	Q8PCA5 xanthomonas	198	32	64.0	504	12	Q9WHG7	Q9WHG7 human papil
126	33	66.0	189	16	Q8Y1S6	Q8Y1S6 raietonia s	199	32	64.0	558	16	Q9KY53	Q9KY53 streptomyce
127	33	66.0	190	16	Q8UJVO	Q8UJVO rhizobium 1	200	32	64.0	590	10	Q94DR9	Q94DR9 oryza sativ
128	33	66.0	197	16	Q9ACQ1	Q9ACQ1 streptomyce	201	32	64.0	640	3	Q92495	Q92495 schizophyll
129	33	66.0	219	16	Q9VKE0	Q9VKE0 drosophila	202	32	64.0	640	3	Q8A28	Q8A28 pseudomonas
130	33	66.0	257	5	Q9VKE0	Q9VKE0 drosophila	203	32	64.0	640	16	Q8A28	Q8A28 pseudomonas
131	33	66.0	284	16	Q06252	Q06252 mycobacteri	204	32	64.0	718	5	Q9NEM5	Q9NEM5 caenorhabdi
132	33	66.0	284	16	Q7TWI4	Q7TWI4 mycobacteri	205	32	64.0	739	10	Q9SY32	Q9SY32 arabidopsis
133	33	66.0	312	16	Q8VJ08	Q8VJ08 mycobacteri	206	32	64.0	811	5	Q9SUY4	Q9SUY4 mamestra co
134	33	66.0	331	16	Q82967	Q82967 streptomyce	207	32	64.0	862	2	Q9RQJ3	Q9RQJ3 aeromonas h
135	33	66.0	336	16	Q9KZF0	Q9KZF0 streptomyce	208	32	64.0	865	2	Q43919	Q43919 aeromonas p
136	33	66.0	348	10	Q8S651	Q8S651 oryza sativ	209	32	64.0	865	2	Q9P9Q8	Q9P9Q8 aeromonas h
137	33	66.0	350	16	Q89SW9	Q89SW9 bradyrhizob	210	32	64.0	866	2	Q8GH14	Q8GH14 aeromonas p
138	33	66.0	367	16	Q87IY4	Q87IY4 vibrio para	211	32	64.0	866	2	Q9L5D5	Q9L5D5 aeromonas h
139	33	66.0	371	10	Q9LPP5	Q9LPP5 arabidopsis	212	32	64.0	866	2	Q9L5D5	Q9L5D5 aeromonas h
140	33	66.0	371	10	Q9C3E9	Q9C3E9 arabidopsis	213	32	64.0	860	1	Q84KP6	Q84KP6 cyanidiosch
141	33	66.0	413	11	Q8C7Y7	Q8C7Y7 mus musculu	214	31	63.0	1819	10	Q8GM87	Q8GM87 symbiont ba
142	33	66.0	413	16	Q82C16	Q82C16 streptomyce	215	31	63.0	1309	10	O64428	O64428 chlorella v
143	33	66.0	423	2	Q8KU32	Q8KU32 legionella	216	31	62.0	130	16	Q7V6V2	Q7V6V2 prochloroco
144	33	66.0	448	10	Q9LPS8	Q9LPS8 arabidopsis	217	31	62.0	134	10	Q8L823	Q8L823 arabidopsis
145	33	66.0	465	13	Q98997	Q98997 xenopus lae	218	31	62.0	134	10	Q94515	Q94515 arabidopsis
146	33	66.0	465	16	Q8Q052	Q8Q052 pseudomonas	219	31	62.0	156	1	Q9CFK5	Q9CFK5 arabidopsis
147	33	66.0	492	13	Q8QW9	Q8QW9 oryzias lat	220	31	62.0	157	16	Q9Y5C4	Q9Y5C4 listeria in
148	33	66.0	509	16	Q9K2V2	Q9K2V2 streptomyce	221	31	62.0	161	11	Q8C8T9	Q8C8T9 mus musculu
149	33	66.0	510	12	P89427	P89427 human papil	222	31	62.0	178	7	Q30831	Q30831 ovies aries
150	33	66.0	542	13	Q90ZB6	Q90ZB6 squallus aca	223	31	62.0	183	16	Q93IX2	Q93IX2 streptomyce
151	33	66.0	550	13	P70064	P70064 xenopus lae	224	31	62.0	187	16	Q9CHE2	Q9CHE2 lactococcus
152	33	66.0	550	13	P70064	P70064 xenopus lae	225	31	62.0	201	9	Q856Q1	Q856Q1 mycobacteri
153	33	66.0	551	13	Q90ZB6	Q90ZB6 xenopus lae	226	31	62.0	208	15	Q9IQY0	Q9IQY0 human immun
154	33	66.0	551	13	P70062	P70062 xenopus lae	227	31	62.0	208	15	Q9IQY1	Q9IQY1 human immun
155	33	66.0	565	12	Q9DRD3	Q9DRD3 caenorhabdi	228	31	62.0	208	15	Q9IQY2	Q9IQY2 human immun
156	33	66.0	640	5	Q12884	Q12884 streptomyce	229	31	62.0	210	16	Q99TD0	Q99TD0 staphylococ
157	33	66.0	645	2	Q9FB22	Q9FB22 sodalis glo	230	31	62.0	210	16	Q8NW35	Q8NW35 staphylococ
158	33	66.0	695	2	O52863	O52863 streptomyce	231	31	62.0	211	16	Q812M5	Q812M5 bacillus ce
159	33	66.0	782	16	Q9AK68	Q9AK68 streptomyce	232	31	62.0	211	16	Q812M5	Q812M5 bacillus ce
160	33	66.0	851	10	O65384	O65384 arabidopsis	233	31	62.0	212	10	Q8W599	Q8W599 secale cere
161	33	66.0	4976	2	Q87314	Q87314 mycobacteri	234	31	62.0	216	2	Q8VPM7	Q8VPM7 micrococcus
162	32	64.0	109	4	Q95987	Q95987 homo sapien	235	31	62.0	221	4	Q9HAY3	Q9HAY3 homo sapien

236 31 62.0 228 11 070153 O70153 rattus norv
 237 31 62.0 242 16 09K3Z0 Q9ke20 bacillus ha
 238 31 62.0 246 4 Q8U06 Q8u06 homo sapien
 239 31 62.0 267 5 Q8A06 Q8na6 caenorhabdi
 240 31 62.0 267 17 Q8ZMH9 Q8zwn9 pyrobaculum
 241 31 62.0 274 16 Q7UG11 Q7ug11 rhodopirell
 242 31 62.0 277 5 Q8XW30 Q8xw30 caenorhabdi
 243 31 62.0 285 17 Q8ZV26 Q8zv26 pyrobaculum
 244 31 62.0 286 16 Q8RY13 Q8ry13 deinococcus
 245 31 62.0 301 16 Q8A9W7 Q8a9w7 bacteroides
 246 31 62.0 304 16 Q880C4 Q880c4 pseudomonas
 247 31 62.0 307 16 Q82V04 Q82v04 rhizobium m
 248 31 62.0 314 6 Q8HYA2 Q8hya2 natalus mic
 249 31 62.0 314 6 Q8HYA1 Q8hya1 natalus str
 250 31 62.0 320 6 Q8HYA6 Q8hya6 tadarida br
 251 31 62.0 323 6 Q8HY92 Q8hy92 kerivcula h
 252 31 62.0 324 6 Q8HY93 Q8hy93 harpioceph
 253 31 62.0 325 6 Q8HY94 Q8hy94 plecotus to
 254 31 62.0 334 5 Q84865 Q84865 caenorhabdi
 255 31 62.0 334 6 Q8HYA3 Q8hya3 myzopoda au
 256 31 62.0 334 6 Q8HYA0 Q8hya0 noctilio al
 257 31 62.0 334 6 Q8HY99 Q8hy99 noctilio le
 258 31 62.0 335 6 Q8HYA5 Q8hya5 normoops me
 259 31 62.0 343 5 Q8XW5 Q8xw5 caenorhabdi
 260 31 62.0 348 6 Q8HY97 Q8hy97 desmodus ro
 261 31 62.0 349 6 Q8HY98 Q8hy98 centurio se
 262 31 62.0 349 6 Q8HY96 Q8hy96 thryptera
 263 31 62.0 349 6 Q8HY95 Q8hy95 thryptera
 264 31 62.0 360 3 Q8P964 Q8p964 penicillium
 265 31 62.0 374 16 Q8ZLA7 Q8zla7 salmonella
 266 31 62.0 374 16 Q8Z2A0 Q8z2a0 salmonella
 267 31 62.0 379 4 Q8HYA5 Q8hya5 homo sapien
 268 31 62.0 406 16 Q8ABG4 Q8abg4 bacteroides
 269 31 62.0 409 16 Q88G71 Q88g71 rhizobium l
 270 31 62.0 412 16 Q89FT7 Q89ft7 bradyrhizob
 271 31 62.0 434 16 Q83IR8 Q83ir8 shigella fl
 272 31 62.0 442 5 Q8T9S2 Q8t9s2 dermacentor
 273 31 62.0 443 16 Q8HT65 Q8ht65 pseudomonas
 274 31 62.0 446 5 Q8V813 Q8v813 drosophila
 275 31 62.0 463 16 Q882V2 Q882v2 pseudomonas
 276 31 62.0 475 4 Q8XW5 Q8xw5 homo sapien
 277 31 62.0 476 16 Q87836 Q87836 streptomyce
 278 31 62.0 486 3 Q870J2 Q870j2 emericella
 279 31 62.0 486 16 Q7UG05 Q7ug05 rhodopirell
 280 31 62.0 487 16 Q7VZ47 Q7vz47 bordetella
 281 31 62.0 493 4 Q7S952 Q7s952 homo sapien
 282 31 62.0 495 16 Q7WKJ9 Q7wkj9 bordetella
 283 31 62.0 495 16 Q7W954 Q7w954 bordetella
 284 31 62.0 503 12 Q7IR52 Q7ir52 human papil
 285 31 62.0 503 12 Q933Z3 Q933z3 human papil
 286 31 62.0 509 16 Q8PFD2 Q8pfd2 xanthomonas
 287 31 62.0 510 2 Q8XL41 Q8xl41 rhizobium e
 288 31 62.0 520 16 Q8P3V3 Q8p3v3 xanthomonas
 289 31 62.0 525 16 Q85685 Q85685 mycobacteri
 290 31 62.0 525 16 Q7U4V9 Q7u4v9 synechococ
 291 31 62.0 534 16 Q885H5 Q885h5 rhizobium l
 292 31 62.0 534 16 Q8K5W6 Q8k5w6 bacillus ha
 293 31 62.0 557 16 Q89NT7 Q89nt7 rhizobium l
 294 31 62.0 559 16 Q7UY98 Q7uy98 rhodopirell
 295 31 62.0 599 2 Q8LOX1 Q8lox1 acinetobact
 296 31 62.0 601 16 Q91612 Q91612 pseudomonas
 297 31 62.0 601 16 Q88QW6 Q88qw6 pseudomonas
 298 31 62.0 601 16 Q88A92 Q88a92 pseudomonas
 299 31 62.0 638 16 Q83F61 Q83f61 coxiella bu
 300 31 62.0 659 16 Q98N00 Q98n00 rhizobium l
 301 31 62.0 674 16 Q82LD0 Q82ld0 streptomyce
 302 31 62.0 684 4 Q9V338 Q9v338 homo sapien
 303 31 62.0 684 11 Q62417 Q62417 mus musculu
 304 31 62.0 695 11 Q921F8 Q921f8 mus musculu
 305 31 62.0 698 10 Q84S63 Q84s63 oryza sativ
 306 31 62.0 711 10 Q84S65 Q84s65 oryza sativ
 307 31 62.0 714 11 Q920Z8 Q920z8 mus musculu
 308 31 62.0 724 11 Q920Z9 Q920z9 mus musculu

309 31 62.0 740 11 Q8K3Y2 Q8k3y2 mus musculu
 310 31 62.0 742 11 Q8K4Q8 Q8k4q8 mus musculu
 311 31 62.0 742 11 Q8VIF6 Q8vif6 mus musculu
 312 31 62.0 742 11 Q8C979 Q8c979 mus musculu
 313 31 62.0 760 10 Q84ZH6 Q84zh6 oryza sativ
 314 31 62.0 760 13 Q7Z2S2 Q7zzs2 brachydanio
 315 31 62.0 768 16 Q88988 Q88988 pseudomonas
 316 31 62.0 802 16 Q8ZJV5 Q8zjv5 salmonella
 317 31 62.0 811 4 Q96KF4 Q96kf4 homo sapien
 318 31 62.0 815 4 Q9P2Q0 Q9p2q0 homo sapien
 319 31 62.0 815 5 Q9V6T3 Q9v6t3 drosophila
 320 31 62.0 816 4 Q9UFT2 Q9uft2 homo sapien
 321 31 62.0 836 11 Q8BZ13 Q8bz13 mus musculu
 322 31 62.0 837 16 Q8A1Z6 Q8a1z6 bacteroides
 323 31 62.0 846 4 Q8IVK0 Q8ivk0 homo sapien
 324 31 62.0 905 4 Q9BX64 Q9bx64 homo sapien
 325 31 62.0 932 5 Q86H43 Q86h43 dictyostell
 326 31 62.0 932 5 Q9UHN7 Q9uhn7 homo sapien
 327 31 62.0 1004 4 Q85884 Q85884 mycobacteri
 328 31 62.0 1048 16 Q7TWX3 Q7twx3 mycobacteri
 329 31 62.0 1048 16 Q7TWX3 Q7twx3 mycobacteri
 330 31 62.0 1085 16 Q8VJ44 Q8vj44 mycobacteri
 331 31 62.0 1125 5 Q9W3X0 Q9w3x0 drosophila
 332 31 62.0 1151 4 Q9BX65 Q9bx65 homo sapien
 333 31 62.0 1151 16 Q87YA1 Q87ya1 pseudomonas
 334 31 62.0 1159 16 Q88M79 Q88m79 pseudomonas
 335 31 62.0 1159 16 Q82K57 Q82k57 streptomyce
 336 31 62.0 1205 11 Q8KOP6 Q8kop6 mus musculu
 337 31 62.0 1238 11 Q8KOK6 Q8kok6 mus musculu
 338 31 62.0 1292 4 Q9BX66 Q9bx66 homo sapien
 339 31 62.0 1310 4 Q8TEM3 Q8tem3 homo sapien
 340 31 62.0 1329 11 Q91ZV8 Q91zv8 mus musculu
 341 31 62.0 1331 4 Q96PE1 Q96pe1 homo sapien
 342 31 62.0 1461 5 Q8MYA8 Q8mya8 caenorhabdi
 343 31 62.0 1464 10 Q82061 Q82061 solanum tub
 344 31 62.0 1482 16 Q9AWA5 Q9aw5 solanum tub
 345 31 62.0 1682 16 Q7TYQ7 Q7tyq7 mycobacteri
 346 31 62.0 1787 16 Q86329 Q86329 mycobacteri
 347 31 62.0 2432 12 Q91QP4 Q91qp4 aichi virus
 348 31 62.0 2433 12 Q91464 Q91464 aichi virus
 349 31 62.0 2433 12 Q8BS66 Q8bes6 bovine kobu
 350 31 62.0 2511 11 Q8RAY4 Q8ray4 mus musculu
 351 31 62.0 536 17 Q8FNU7 Q8fnu7 methanosarc
 352 30.5 61.0 574 4 Q9NVB3 Q9nvb3 homo sapien
 353 30.5 61.0 1110 17 Q8PTD2 Q8ptd2 methanosarc
 354 30.5 61.0 1185 4 Q9NTD2 Q9ntd2 homo sapien
 355 30.5 61.0 1329 4 Q86VY3 Q86vy3 homo sapien
 356 30.5 61.0 1598 4 Q9P214 Q9p214 homo sapien
 357 30 60.0 57 16 Q8VKH7 Q8vkh7 mycobacteri
 358 30 60.0 64 11 Q91V56 Q91v56 mus musculu
 359 30 60.0 67 10 Q9FUF9 Q9fuf9 lotus corni
 360 30 60.0 75 16 Q7UIM7 Q7uim7 mycobacteri
 361 30 60.0 95 16 Q911X2 Q911x2 pseudomonas
 362 30 60.0 101 8 Q79746 Q79746 omanosaura
 363 30 60.0 129 10 Q8S6K5 Q8s6k5 oryza sativ
 364 30 60.0 129 10 Q7XF74 Q7xf74 oryza sativ
 365 30 60.0 129 17 Q9ICE5 Q9ice5 aeropyrum p
 366 30 60.0 130 16 Q8ZN98 Q8zn98 salmonella
 367 30 60.0 130 16 Q824X2 Q824x2 salmonella
 368 30 60.0 140 16 Q8Z5Z7 Q8z5z7 salmonella
 369 30 60.0 140 16 Q831Q4 Q831q4 shigella fl
 370 30 60.0 141 6 Q8MMI7 Q8mmi7 macaca mula
 371 30 60.0 144 12 Q8J5K9 Q8jek9 chimpanzee
 372 30 60.0 146 16 Q8EJ15 Q8ej15 shewanella
 373 30 60.0 148 2 Q8KQT3 Q8kqt3 xanthomonas
 374 30 60.0 152 9 Q854J3 Q854j3 mycobacteri
 375 30 60.0 155 13 Q90WP5 Q90wp5 tetraodon n
 376 30 60.0 157 16 Q82ZJ7 Q82zj7 enterococcu
 377 30 60.0 157 3 Q96X41 Q96x41 coccidioid
 378 30 60.0 161 10 Q9ZUG1 Q9zug1 arabidopsis
 379 30 60.0 164 5 Q4493 Q4493 caenorhabdi
 380 30 60.0 170 5 Q8ML87 Q8ml87 drosophila
 381 30 60.0 172 2 Q9AL97 Q9al97 streptomyce

382	30	60.0	173	8	Q9XNL5	Q9xnl5 balearica p	455	30	60.0	360	16	Q7U2S3	Q7u2s3 mycobacteri
383	30	60.0	173	8	Q9XNL4	Q9xnl4 balearica r	456	30	60.0	361	16	Q98FS8	Q98fs8 rhizobium l
384	30	60.0	173	8	Q9VD02	Q9vd02 drosophila	457	30	60.0	362	13	Q9W617	Q9w617 brachydanio
385	30	60.0	180	4	Q8N7E7	Q8n7e7 homo sapien	458	30	60.0	364	16	Q7WCD4	Q7wcd4 bordetella
386	30	60.0	193	4	Q8NHX5	Q8nhx5 homo sapien	459	30	60.0	364	16	Q7VRS5	Q7vrs5 bordetella
387	30	60.0	196	16	Q9HX71	Q9hx71 pseudomonas	460	30	60.0	368	5	Q9ULR7	Q9ulr7 caenorhabdi
388	30	60.0	205	10	Q9AWR9	Q9awr9 oryza sativ	461	30	60.0	370	2	Q9L4G7	Q9l4g7 streptococc
389	30	60.0	212	10	Q8W236	Q8w236 triticum ae	462	30	60.0	374	5	Q9XX13	Q9xx13 caenorhabdi
390	30	60.0	213	16	Q9Z9F1	Q9z9f1 triticum ae	463	30	60.0	378	16	Q87DL4	Q87dl4 xylella fas
391	30	60.0	219	16	Q99QB5	Q99qb5 chlamydia p	464	30	60.0	383	10	Q82091	Q82091 ceratopteri
392	30	60.0	221	10	Q8S4P8	Q8s4p8 streptomyces	465	30	60.0	391	16	Q8U6J2	Q8u6j2 agrobacteri
393	30	60.0	221	17	Q973N3	Q973n3 sulfolobus	466	30	60.0	392	16	Q89JD0	Q89jd0 bradyrhizob
394	30	60.0	223	2	Q8GHE6	Q8ghe6 salmonella	467	30	60.0	396	16	Q8AZS1	Q8azs1 bacteroides
395	30	60.0	223	16	Q8Z1Z0	Q8z1z0 salmonella	468	30	60.0	396	16	Q88GK0	Q88gk0 pseudomonas
396	30	60.0	223	16	Q8Z1N5	Q8z1n5 salmonella	469	30	60.0	397	5	Q17774	Q17774 caenorhabdi
397	30	60.0	224	16	Q8Z3F9	Q8z3f9 streptomyces	470	30	60.0	410	16	Q7WQ68	Q7wq68 bordetella
398	30	60.0	225	16	Q8KE05	Q8ke05 chlorobium	471	30	60.0	410	16	Q7WC64	Q7wc64 bordetella
399	30	60.0	225	5	Q9XUH9	Q9xuh9 caenorhabdi	472	30	60.0	410	16	Q7VSI3	Q7vsi3 bordetella
400	30	60.0	227	10	Q42423	Q42423 arabisopsis	473	30	60.0	414	16	Q8D747	Q8d747 vibrio vuln
401	30	60.0	227	10	Q96289	Q96289 arabisopsis	474	30	60.0	415	10	Q84VX7	Q84vx7 arabisopsis
402	30	60.0	235	16	Q8G548	Q8g548 bifidobacte	475	30	60.0	421	16	Q88M85	Q88m85 pseudomonas
403	30	60.0	235	16	Q89GP3	Q89gp3 bradyrhizob	476	30	60.0	422	16	Q888X1	Q888x1 pseudomonas
404	30	60.0	236	10	Q9FTR4	Q9ftr4 arabisopsis	477	30	60.0	423	16	Q894I8	Q894i8 clostridium
405	30	60.0	256	2	Q9WMD3	Q9wmd3 agrobacteri	478	30	60.0	425	5	Q9U9U4	Q9u9u4 drosophila
406	30	60.0	256	11	Q8VCY0	Q8vcy0 mus musculu	479	30	60.0	427	5	Q9NG48	Q9ng48 apis mellif
407	30	60.0	259	13	Q8AXR4	Q8axr4 brachydanio	480	30	60.0	432	3	Q875E1	Q875e1 podospora a
408	30	60.0	260	12	Q8JL15	Q8jl15 virus phich	481	30	60.0	437	16	Q8E2L0	Q8e2l0 leptospira
409	30	60.0	263	2	Q8VPD5	Q8vpd5 agrobacteri	482	30	60.0	437	16	Q93LK3	Q93lk3 enterococcu
410	30	60.0	263	16	Q8UKH0	Q8ukh0 agrobacteri	483	30	60.0	449	16	Q93LK3	Q93lk3 oryza sativ
411	30	60.0	265	10	Q9SFY6	Q9sfy6 arabisopsis	484	30	60.0	453	10	Q84RN6	Q84rn6 oryza sativ
412	30	60.0	267	12	Q8B3Y0	Q8b3y0 porcine lym	485	30	60.0	453	10	Q7XUF9	Q7xuf9 oryza sativ
413	30	60.0	270	10	Q8W597	Q8w597 secale cere	486	30	60.0	453	16	Q880I5	Q880i5 pseudomonas
414	30	60.0	275	13	Q8AY14	Q8ay14 tetraodon n	487	30	60.0	453	16	Q7UK41	Q7uk41 rhodopirell
415	30	60.0	276	13	Q8AWH7	Q8awh7 tetraodon n	488	30	60.0	463	12	Q85291	Q85291 potato mop-
416	30	60.0	283	16	Q82NR2	Q82nr2 streptomyces	489	30	60.0	473	16	Q7VQZ9	Q7vqz9 rhodopirell
417	30	60.0	284	2	Q84CG3	Q84cg3 streptomyces	490	30	60.0	478	16	Q7VQZ9	Q7vqz9 prochloroco
418	30	60.0	288	10	Q8MOT7	Q8mot7 sorghum bic	491	30	60.0	482	11	Q8BY42	Q8by42 mus musculu
419	30	60.0	288	16	Q9HMI1	Q9hmi1 pseudomonas	492	30	60.0	485	16	Q9RVV5	Q9rvv5 deinococcus
420	30	60.0	291	16	Q8DHV7	Q8dhv7 synchococc	493	30	60.0	500	10	Q8RZJ9	Q8rzj9 oryza sativ
421	30	60.0	294	4	Q8WU03	Q8wu03 homo sapien	494	30	60.0	503	12	Q9WNM4	Q9wnm4 human papil
422	30	60.0	294	4	Q96AT2	Q96at2 homo sapien	495	30	60.0	505	12	Q8JN95	Q8jn95 human papil
423	30	60.0	294	4	Q86WC3	Q86wc3 homo sapien	496	30	60.0	505	12	Q9IXU1	Q9ixu1 human papil
424	30	60.0	298	10	Q84R68	Q84r68 oryza sativ	497	30	60.0	506	12	Q82004	Q82004 human papil
425	30	60.0	301	10	Q9FK61	Q9fk61 arabisopsis	498	30	60.0	507	10	Q852H9	Q852h9 oryza sativ
426	30	60.0	301	16	Q7W1H8	Q7w1h8 bordetella	499	30	60.0	508	12	Q81971	Q81971 human papil
427	30	60.0	302	5	P91541	P91541 caenorhabdi	500	30	60.0	512	16	Q82VM0	Q82vm0 nitrosomona
428	30	60.0	302	16	Q7WPE8	Q7wpe8 bordetella							
429	30	60.0	306	16	Q9HX77	Q9hx77 pseudomonas							
430	30	60.0	314	3	Q96UH3	Q96uh3 coccidioid							
431	30	60.0	319	5	Q9N3J6	Q9n3j6 caenorhabdi							
432	30	60.0	322	2	Q8LOF7	Q8lof7 gamma-prote							
433	30	60.0	322	5	Q9N3G7	Q9n3g7 caenorhabdi							
434	30	60.0	329	2	Q8KZX6	Q8kzx6 gamma-prote							
435	30	60.0	329	16	Q88ZX7	Q88zx7 lactobacill							
436	30	60.0	329	17	Q8TRF1	Q8trf1 methanosarc							
437	30	60.0	332	2	Q8LOA3	Q8loa3 gamma-prote							
438	30	60.0	332	16	Q89CH1	Q89ch1 bradyrhizob							
439	30	60.0	339	16	Q89CH1	Q89ch1 pseudomonas							
440	30	60.0	340	16	Q9HWM1	Q9hwm1 pseudomonas							
441	30	60.0	343	4	Q8NF21	Q8nf21 homo sapien							
442	30	60.0	344	16	Q92MS8	Q92ms8 rhizobium m							
443	30	60.0	348	16	Q8UDU7	Q8udu7 agrobacteri							
444	30	60.0	352	2	Q9AHQ8	Q9ahq8 gamma-prote							
445	30	60.0	352	2	Q8XHW7	Q8xhw7 gamma-prote							
446	30	60.0	352	2	Q8KZW3	Q8kzw3 gamma-prote							
447	30	60.0	352	2	Q8L075	Q8l075 gamma-prote							
448	30	60.0	352	2	Q8L008	Q8l008 gamma-prote							
449	30	60.0	352	2	Q8L0L3	Q8l0l3 gamma-prote							
450	30	60.0	352	2	Q8L0B7	Q8l0b7 gamma-prote							
451	30	60.0	352	2	Q8L043	Q8l043 gamma-prote							
452	30	60.0	352	2	Q8L0K3	Q8l0k3 gamma-prote							
453	30	60.0	354	16	Q8NM26	Q8nm26 corynebacte							
454	30	60.0	357	16	Q7WQD9	Q7wqd9 bordetella							
	30	60.0	360	16	P96809	P96809 mycobacteri							

ALIGNMENTS

RESULT 1

ID Q8JIF3 PRELIMINARY; PRT; 64 AA.

AC Q8JIF3; 01-OCT-2002 (TEMBLrel. 22, Created)
DT 01-OCT-2002 (TEMBLrel. 22, Last sequence update)
DT 01-JUN-2003 (TEMBLrel. 24, Last annotation update)
DE Gonadotropin-releasing hormone (Fragment).OS Dentex dentex.
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Perciformes; Percoidae;
OC Sparidae; Dentex.
CX NCBI_TaxID=94951;

RN [1]

RP SEQUENCE FROM N.A.

RA Kato M., Elmesiry G.E.;

RT "Sequence comparison of GnRH genes in closely-related Sparidae

DR GO:0005183; F:lutetizing hormone-releasing factor activity; IEA.
 DR GO:0007275; P:development; IEA.
 DR InterPro: IPR002012; GNRH.
 DR InterPro: IPR004079; GonadoliberinI.
 DR Pfam: PF00446; GNRH; 1.
 DR PRINTS: PR01541; GONADOLIBRNI.
 DR PROSITE: PS00473; GNRH; 1.
 FT NON_TER 1 1
 FT NON_TER 64 64
 SQ SEQUENCE 64 AA; 7028 MW; 1F91FFFB2B4BB6D0 CRC64;
 Query Match 84.0%; Score 42; DB 13; Length 64;
 Best Local Similarity 60.0%; Pred. No. 1.1; Mismatches 3; Indels 0; Gaps 0;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXKPG 10
 Db 15 QHWSYGLSPG 24
 RESULT 2
 Q8JIF2 PRELIMINARY; PRT; 64 AA.
 AC Q8JIF2
 DT 01-OCT-2002 (TrEMBLrel. 22, Created)
 DT 01-OCT-2002 (TrEMBLrel. 22, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Gonadotropin-releasing hormone (Fragment).
 OS Pagrus major (Red sea bream) (Chrysophrys major).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
 OC Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Percoidae;
 OC Sparidae; Pagrus.
 OX NCBI_TaxID=143350;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Kato M., Elmesiry G.E.;
 RT "Sequence comparison of GnRH genes in closely-related Sparidae fishes";
 RL Submitted (AUG-2002) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB089314; BAC07230.1; -.
 DR GO:0005576; C:extracellular; IEA.
 DR GO:0005183; F:lutetizing hormone-releasing factor activity; IEA.
 DR GO:0007275; P:development; IEA.
 DR InterPro: IPR002012; GNRH.
 DR InterPro: IPR004079; GonadoliberinI.
 DR Pfam: PF00446; GNRH; 1.
 DR PRINTS: PR01541; GONADOLIBRNI.
 DR PROSITE: PS00473; GNRH; 1.
 FT NON_TER 1 1
 FT NON_TER 64 64
 SQ SEQUENCE 64 AA; 5967 MW; 119F0D0CD14BB6D0 CRC64;
 Query Match 84.0%; Score 42; DB 13; Length 64;
 Best Local Similarity 60.0%; Pred. No. 1.1; Mismatches 3; Indels 0; Gaps 0;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXKPG 10
 Db 15 QHWSYGLSPG 24
 RESULT 3
 Q8JIF4 PRELIMINARY; PRT; 68 AA.
 AC Q8JIF4
 DT 01-OCT-2002 (TrEMBLrel. 22, Created)
 DT 01-OCT-2002 (TrEMBLrel. 22, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Gonadotropin-releasing hormone (Fragment).
 OS Acanthopagrus latus (Yellowfin porgy).
 OC Acanthopagrus latus (Yellowfin porgy).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;

OC Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Percoidae;
 OC Sparidae; Acanthopagrus.
 OX NCBI_TaxID=81177;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Kato M., Elmesiry G.E.;
 RT "Sequence comparison of GnRH genes in closely-related Sparidae fishes";
 RL Submitted (AUG-2002) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB089312; BAC07228.1; -.
 DR GO:0005576; C:extracellular; IEA.
 DR GO:0005183; F:lutetizing hormone-releasing factor activity; IEA.
 DR GO:0007275; P:development; IEA.
 DR InterPro: IPR002012; GNRH.
 DR InterPro: IPR004079; GonadoliberinI.
 DR Pfam: PF00446; GNRH; 1.
 DR PRINTS: PR01541; GONADOLIBRNI.
 DR PROSITE: PS00473; GNRH; 1.
 FT NON_TER 1 1
 FT NON_TER 68 68
 SQ SEQUENCE 68 AA; 7543 MW; 067708609FE8E771 CRC64;
 Query Match 84.0%; Score 42; DB 13; Length 68;
 Best Local Similarity 60.0%; Pred. No. 1.2; Mismatches 3; Indels 0; Gaps 0;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXKPG 10
 Db 19 QHWSYGLSPG 28
 RESULT 4
 Q7TIL2 PRELIMINARY; PRT; 72 AA.
 AC Q7TIL2
 DT 01-OCT-2003 (TrEMBLrel. 25, Created)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Gonadotropin-releasing hormone (Fragment).
 OS Odontesthes bonariensis.
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
 OC Acanthomorpha; Acanthopterygii; Percomorpha; Atherinomorpha;
 OC Atheriniformes; Atherinoidae; Atherinidae; Atherinopsinae;
 OC Odontesthes.
 OX NCBI_TaxID=219752;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Tissue-Brain;
 RA Guilgur L.G., Miranda L.A., Somoza G.M.;
 RT "Characterization of three GnRH cDNA sequences in the pejerrey fish Odontesthes bonariensis";
 RL Submitted (JUN-2003) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AY320285; AAP84607.1; -.
 FT NON_TER 1 1
 FT NON_TER 72 72
 SQ SEQUENCE 72 AA; 8064 MW; 0FAACA4E2AB792BF CRC64;
 Query Match 84.0%; Score 42; DB 13; Length 72;
 Best Local Similarity 60.0%; Pred. No. 1.2; Mismatches 3; Indels 0; Gaps 0;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXKPG 10
 Db 1 QHWSYGLSPG 10
 RESULT 5
 Q8JH60 PRELIMINARY; PRT; 86 AA.
 ID Q8JH60
 AC Q8JH60
 DT 01-OCT-2002 (TrEMBLrel. 22, Created)
 DT 01-OCT-2002 (TrEMBLrel. 22, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)

DE	Gonadotropin-releasing hormone.
OS	Aloa sapidissima (American shad).
OC	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC	Actinopterygii; Neopterygii; Teleostei; Clupeomorpha; Clupeidae;
CC	Aloa.
OX	NCBI_TaxID=34773;
RN	[1]_
RP	SEQUENCE FROM N.A.
RT	Abraham E., Gethliff Y., Zohar Y.;
RA	"American shad (Aloa sapidissima) hrGNRH sequence.";
RL	Submitted (AUG-2002) to the EMBL/GenBank/DBJ databases.
DR	EMBL; AF536381; AAN04492.1; -.
DR	GO; GO:0005576; C:extracellular; IEA.
DR	GO; GO:0005175; P:hormone activity; IEA.
DR	GO; GO:0007275; P:development; IEA.
DR	InterPro; IPR002012; GNRH.
DR	Pfam; PF00446; GNRH; 1.
DR	PROSITE; PS00473; GNRH; 1.
DR	SEQUENCE 86 AA; 9554 MW; 9E4921F3CF23350E3 CRC64;

```

RESULT 7
ID Q8JFY3 PRELIMINARY; PRT; 94 AA.
AC Q8JFY3;
DT 01-OCT-2002 (TrEMBLrel. 22, Created)
DT 01-OCT-2002 (TrEMBLrel. 22, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE GNRI preprohormone precursor (Seabream-type gonadotropin-releasing hormone precursor).
DE GNRI.
GN Oreochromis niloticus (Nile tilapia) (tilapia nilotica).
OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Labroidae;
OC Cichlidae; Oreochromis.
OC NCBI_TaxID=8128;
RN [1]_TaxID=8128;
RN [1]_SEQUENCE FROM N.A.
RP Farahmand H., Rahman M.A., Sohn F., Hwang G.-L., Maclean N.;
RT "Isolation and Expression of tilapia (Oreochromis niloticus); Serine 8
RT Type GnRH Coding and Regulatory Sequences.";
RL Submitted (JAN-2002) to the EMBL/GenBank/DBJ databases.
RN [2]
RN [2]_SEQUENCE FROM N.A.
RP Sato H., Sakuma Y., Parhar I.S.;
RT "Molecular cloning of three kinds of GnRH genes and 5' untranslated
RT regions in tilapia (Oreochromis niloticus).";
RL Submitted (MAR-2003) to the EMBL/GenBank/DBJ databases.
DR ENBL; AF467291; AAM90220.1; -.
DR ENBL; AB104861; BAC65154.1; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR DR GO; GO:0005183; F:fluteinizing hormone-releasing factor activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GnRH.
DR InterPro; IPR004079; GonadoliberinI.
DR Pfam; PF00446; GnRH; 1.
DR PRINTS; PR01541; GONADOLIBRNI.
DR PROSITE; PS00473; GnRH; 1.
DR SIGNAL.
KW Signal.
FT SIGNAL.
FT CHAIN.
FT CHAIN.
FT CHAIN.
SQ SEQUENCE 94 AA; 10396 MW; E57DBA832FC078D7 CRC64;

Query Match 84.0%; Score 42; DB 13; Length 94;
Best Local Similarity 60.0%; Pred. No. 1.6;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps

QY 1 EHWXGXGXPXG 10
DB 23 QHWSYGLSPG 32
:|||||:
:|||||:

RESULT 8
Q8UW80 PRELIMINARY; PRT; 96 AA.
AC Q8UW80;
DT 01-MAR-2002 (TrEMBLrel. 20, Created)
DT 01-MAR-2002 (TrEMBLrel. 20, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Seabream-type gonadotropin-releasing hormone precursor (Gonadoliberin)
DE GNRI (LH-RH) (Luliberin).
DE GNRI.
OS Varasper moseri (Barfin flounder).
OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Pleuronectiformes;
OC Pleuronectoidae; Pleuronectidae; Verasper.
OC NCBI_TaxID=59923;
RN [1]_
RN [1]_SEQUENCE FROM N.A.
RP Amano M.;

```

Qy 1 EHWSXGXXPG 10

Best, Local Similar

```
Query Match      84.0%; Score 42; DB 5; Length 219;
Best Local Similarity 60.0%; Pred. No. 4;
```

Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWXGXKXPG 10
Db 138 QHWSKGYSPG 147

RESULT 12

ID Q86D89 PRELIMINARY; PRT; 219 AA.
AC Q86D89;
DT 01-JUN-2003 (TREMELrel. 24, Created)
DT 01-JUN-2003 (TREMELrel. 24, Last sequence update)
DT 01-OCT-2003 (TREMELrel. 25, Last annotation update)
DE Preprogonadotropin-releasing hormone 1 precursor.
OS Ciona intestinalis.
OC Eukaryota; Metazoa; Chordata; Urochordata; Ascidiacea; Enterogona;
OC Phlebobranchia; Cionidae; Ciona.
OX NCBI_TaxID=7719;
RN [1]

SEQUENCE FROM N.A.

RP MEDLINE=22583575; PubMed=12697698;
RA Adams B.A., Tello J.A., Erchevgy J., Warby C., Hong D.J.,
RA Akinsanya K.O., Mackie G.O., Vale W., Rivier J.E., Sherwood N.M.;
RT "Six Novel Gonadotropin-Releasing Hormones Are Encoded as Triplets on
RT Each of Two Genes in the Protochordate, Ciona intestinalis.";
RL Endocrinology 144:1907-1919(2003).

DR EMBL; AY204707; AAP06794.1; -

DR GO; GO:0005576; C:extracellular; IEA.

DR GO; GO:0005179; F:hormone activity; IEA.

DR GO; GO:0007275; P:development; IEA.

DR InterPro; IPR002012; GNRH.

DR Pfam; PF00446; GNRH; 2.

DR PROSITE; PS00473; GNRH; 3.

KW SIGNAL.

FT SIGNAL 1 86 Potential.

FT CHAIN 89 97 gonadotropin-releasing hormone 3.

FT CHAIN 115 124 gonadotropin-releasing hormone 5.

FT CHAIN 138 147 gonadotropin-releasing hormone 6.

FT CHAIN 151 219 GNRH-associated peptide.

FT CHAIN 219 AA; 24956 MW; BB93576CALDFEB7 CRC64;

SQ SEQUENCE 219 AA; 24956 MW; BB93576CALDFEB7 CRC64;

Query Match 84.0%; Score 42; DB 5; Length 219;

Best Local Similarity 60.0%; Pred. No. 4;

Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWXGXKXPG 10
Db 138 QHWSKGYSPG 147

RESULT 13

ID Q9PRH0 PRELIMINARY; PRT; 91 AA.
AC Q9PRH0;
DT 01-MAY-2000 (TREMELrel. 13, Created)
DT 01-MAY-2000 (TREMELrel. 13, Last sequence update)
DT 01-JUN-2003 (TREMELrel. 24, Last annotation update)
DE Prepro-mGnRH precursor (Gonadoliberein) (Gonadotropin-releasing hormone) (LH-RH) (Luliberin).
OS Anguilla japonica (Japanese eel).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Anguilliformes; Anguillidae;
OC Anguilla.
OX NCBI_TaxID=7937;
RN [1]

SEQUENCE FROM N.A.

RP TISSUE=Brain;
RC TISSUE=Brain;
RA Okubo K., Suetake H., Aida K.;
RT "Expression of two gonadotropin-releasing hormone (GnRH) precursor
RT genes in various tissues of the Japanese eel and evolution of GNRH.";
RL Zool. Sci. 16:471-478(1999).
RN [2]

RP SEQUENCE FROM N.A.
RA Okubo K., Suetake H., Aida K.;
RT "A splicing variant for the prepro-mammalian gonadotropin-releasing
RT hormone (prepro-mGnRH) mRNA is present in the brain and various
RT peripheral tissues of the Japanese eel.";
RL Zool. Sci. 16:645-651(1999).
CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC SIMILARITY).

CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.

CC EMBL; AB026989; BAA82608.1; -

DR EMBL; AB026991; BAA83597.1; -

DR GO; GO:0005576; C:extracellular; IEA.

DR GO; GO:0005183; F:luteinizing hormone-releasing factor activity; IEA.

DR GO; GO:0007275; P:development; IEA.

DR InterPro; IPR002012; GNRH.

DR InterPro; IPR004079; Gonadoliberein1.

DR Pfam; PF00446; GNRH; 1.

DR PRINTS; PR01541; GONADOLIBERN1.

DR PROSITE; PS00473; GNRH; 1.

KW Amidation; Hormone; Signal.

FT SIGNAL 1 22 POTENTIAL.

FT CHAIN 23 32 MGNRH.

FT CHAIN 33 91 GNRH ASSOCIATED PEPTIDE.

SQ SEQUENCE 91 AA; 9893 MW; BA15C9DC08434A7B CRC64;

Query Match 82.0%; Score 41; DB 13; Length 91;

Best Local Similarity 60.0%; Pred. No. 2.4;

Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWXGXKXPG 10

Db 23 QHWSYGLRPG 32

RESULT 14

ID Q9W7G0 PRELIMINARY; PRT; 33 AA.

AC Q9W7G0; (TREMELrel. 12, Created)

DT 01-NOV-1999 (TREMELrel. 12, Last sequence update)

DT 01-NOV-1999 (TREMELrel. 12, Last sequence update)

DT 01-JUN-2003 (TREMELrel. 24, Last annotation update)

DE Gonadotropin-releasing hormone (Gonadoliberein) (LH-RH)

DE (Luliberin) (Fragment).

DE GNRH2.

OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;

OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.

OX NCBI_TaxID=8022;

RN [1]

RP SEQUENCE FROM N.A.

RX MEDLINE=9312119; PubMed=10385393;

RA Von Schalburg K.R., Sherwood N.M.;

RT "Regulation and expression of gonadotropin-releasing hormone gene

RT differs in brain and gonads in rainbow trout.";

RL Endocrinology 140:3012-3024(1999).

RN [2]

RP SEQUENCE FROM N.A.

RA von Schalburg K.R., Sherwood N.M.;

RT Submitted (DEC-1998) to the EMBL/GenBank/DBJ databases.

CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY

CC SIMILARITY).

CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.

CC EMBL; AF110993; AAD43463.1; -

DR GO; GO:0005576; C:extracellular; IEA.

DR GO; GO:0005179; F:hormone activity; IEA.

DR GO; GO:0007275; P:development; IEA.

DR InterPro; IPR002012; GNRH.

DR Pfam; PF00446; GNRH; 1.

DR PROSITE; PS00473; GNRH; 1.

KW Amidation; Hormone.

FT NON TER 33 33

SQ SEQUENCE 33 AA; 3668 MW; 099C825E4A72A3BB CRC64;

Query Match 80.0%; Score 40; DB 13; Length 33;
 Best Local Similarity 60.0%; Pred. No. 1.3;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
 DB 24 QHWSYGLWPG 33

RESULT 15
 Q9PT34 PRELIMINARY; PRT; 33 AA.
 AC Q9PT34; (Created)
 DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
 DT 01-MAY-2000 (TReMBLrel. 13, Last sequence update)
 DT 01-JUN-2003 (TReMBLrel. 24, Last annotation update)
 DE Gonadotropin-releasing hormone (Gonadoliberein) (GnRH) (LH-RH)
 DE (Luliberin) (Fragment).
 GN GNRH.
 OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
 OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
 OX NCBI_TaxID=8022;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=99312119; PubMed=10385393;
 RA Von Schalburg K.R., Sherwood N.M.;
 RT "Regulation and expression of gonadotropin-releasing hormone gene
 differs in brain and gonads in rainbow trout.";
 RL Endocrinology 140:3012-3024(1999).
 RN [2]
 RP SEQUENCE FROM N.A.
 RA von Schalburg K.R., Sherwood N.M.;
 RL Submitted (DEC-1998) to the EMBL/GenBank/DBJ databases. (BY
 CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
 CC SIMILARITY).
 CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.
 CC EMBL: AF110533; AAD43461.1; -.
 CC GO: GO:0005576; C:extracellular; IEA.
 CC GO: GO:0005179; F:hormone activity; IEA.
 CC GO: GO:0007275; P:development; IEA.
 CC InterPro: IPR002047; AKH.
 CC InterPro: IPR002012; GNRH.
 CC Pfam: PF00446; GNRH; 1.
 CC PROSITE: PS00256; AKH; 1.
 CC PROSITE: PS00473; GNRH; 1.
 KW Amidation; Hormone.
 FT NON TER 33
 SQ SEQUENCE 33 AA; 3741 MW; 1FE1535E742B7EBB CRC64;

Query Match 80.0%; Score 40; DB 13; Length 33;
 Best Local Similarity 60.0%; Pred. No. 1.3;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
 DB 24 QHWSYGLWPG 33

RESULT 16
 Q9OW09 PRELIMINARY; PRT; 54 AA.
 AC Q9OW09; (Created)
 DT 01-DEC-2001 (TReMBLrel. 19, Last sequence update)
 DT 01-DEC-2001 (TReMBLrel. 19, Last sequence update)
 DT 01-JUN-2003 (TReMBLrel. 24, Last annotation update)
 DE Gonadotropin-releasing hormone precursor II isoform D (Gonadotropin-
 releasing hormone precursor II isoform C) (Gonadoliberein) (GnRH) (LH-
 RH) (Luliberin).
 DE OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
 OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
 OX NCBI_TaxID=8022;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX TISSUE=Testis;
 RX MEDLINE=21232987; PubMed=11335940;
 RA Uzbekova S., Ferriere F., Guiguen Y., Bailhache T., Breton B.,
 RA Lazeyre J.J.;
 RA "Stage-dependent and alternative splicing of sGnRH messengers in
 rainbow trout testis during spermatogenesis.";
 RL Mol. Reprod. Dev. 59:1-10(2001).
 CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
 CC SIMILARITY).
 CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.
 CC EMBL: AF269107; AAK54679.1; -.
 CC EMBL: AF269106; AAK54678.1; -.
 CC GO: GO:0005576; C:extracellular; IEA.
 CC GO: GO:0005179; F:hormone activity; IEA.
 CC GO: GO:0007275; P:development; IEA.
 CC InterPro: IPR002012; GNRH.
 CC Pfam: PF00446; GNRH; 1.
 CC PROSITE: PS00473; GNRH; 1.
 KW Amidation; Hormone.
 SQ SEQUENCE 54 AA; 5963 MW; 06BF365F658E08B7 CRC64;

Query Match 80.0%; Score 40; DB 13; Length 54;
 Best Local Similarity 60.0%; Pred. No. 2.2;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
 DB 24 QHWSYGLWPG 33

RESULT 17
 Q90ZE1 PRELIMINARY; PRT; 62 AA.
 ID Q90ZE1
 AC Q90ZE1; (Created)
 DT 01-DEC-2001 (TReMBLrel. 19, Last sequence update)
 DT 01-DEC-2001 (TReMBLrel. 19, Last sequence update)
 DT 01-JUN-2003 (TReMBLrel. 24, Last annotation update)
 DE Pre-pro-sGnRH-I protein (Gonadoliberein) (Gonadotropin-releasing
 hormone) (LH-RH) (Luliberin) (Fragment).
 DE OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
 OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
 OX NCBI_TaxID=8022;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Uzbekova S., Ferriere F., Breton B.;
 RL Submitted (FEB-2000) to the EMBL/GenBank/DBJ databases.
 CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
 CC SIMILARITY).
 CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.
 CC EMBL: AF231728; AAK82957.1; -.
 CC GO: GO:0005576; C:extracellular; IEA.
 CC GO: GO:0005179; F:hormone activity; IEA.
 CC GO: GO:0007275; P:development; IEA.
 CC InterPro: IPR002047; AKH.
 CC InterPro: IPR002012; GNRH.
 CC Pfam: PF00446; GNRH; 1.
 CC PROSITE: PS00256; AKH; 1.
 CC PROSITE: PS00473; GNRH; 1.
 KW Amidation; Hormone.
 FT NON TER 62
 SQ SEQUENCE 62 AA; 7018 MW; E389AAA57E96B8DC CRC64;

Query Match 80.0%; Score 40; DB 13; Length 62;
 Best Local Similarity 60.0%; Pred. No. 2.5;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSXGXPG 10
:|||||
Db 6 QHWSYGLPG 15

RESULT 18
Q7TIL5
ID Q7TIL5 PRELIMINARY; PRT; 62 AA.
AC Q7TIL5
DT 01-OCT-2003 (TREMELrel. 25, Created)
DT 01-OCT-2003 (TREMELrel. 25, Last sequence update)
DT 01-OCT-2003 (TREMELrel. 25, Last annotation update)
DE Gonadotropin-releasing hormone-II (Fragment).
OS Odontesthes bonariensis.
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Neoteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Atherinomorpha;
OC Atheriniformes; Atherinoidei; Atherinidae; Atherinopsinae;
OC Odontesthes
OK NCBI_TaxID=219752;
[1]
RN SEQUENCE FROM N.A.
RP TISSUE=Brain;
RA Guilgur L.G., Miranda L.A., Somoza G.M.;
RT "Characterization of three GnRH cDNA sequences in the pejerrey fish
RT Odontesthes bonariensis".
RL Submitted (JUN-2003) to the EMBL/GenBank/DBJ databases.
DR EMBL; AY316690; AAP84604.1; -.
FT NON TER 1
SQ SEQUENCE 62 AA; 7259 MW; 0D24C3AA0E94083F CRC64;

Query Match 80.0%; Score 40; DB 13; Length 62;
Best Local Similarity 60.0%; Pred. No. 2.5;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSXGXPG 10
:|||||
Db 1 QHWSHGYPG 10

RESULT 19
Q7TIL1
ID Q7TIL1 PRELIMINARY; PRT; 68 AA.
AC Q7TIL1
DT 01-OCT-2003 (TREMELrel. 25, Created)
DT 01-OCT-2003 (TREMELrel. 25, Last sequence update)
DT 01-OCT-2003 (TREMELrel. 25, Last annotation update)
DE Gonadotropin-releasing hormone (Fragment).
OS Odontesthes bonariensis.
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Atherinomorpha;
OC Atheriniformes; Atherinoidei; Atherinidae; Atherinopsinae;
OC Odontesthes
OK NCBI_TaxID=219752;
[1]
RN SEQUENCE FROM N.A.
RP TISSUE=Brain;
RA Guilgur L.G., Miranda L.A., Somoza G.M.;
RT "Characterization of three GnRH cDNA sequences in the pejerrey fish
RT Odontesthes bonariensis".
RL Submitted (JUN-2003) to the EMBL/GenBank/DBJ databases.
DR EMBL; AY323198; AAP84608.1; -.
FT NON TER 1
SQ SEQUENCE 68 AA; 7717 MW; FAA92A3AD5211AAA CRC64;

Query Match 80.0%; Score 40; DB 13; Length 68;
Best Local Similarity 60.0%; Pred. No. 2.8;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSXGXPG 10
:|||||
Db 1 QHWSHGYPG 10

RESULT 20
Q9TTVO
ID Q9TTVO PRELIMINARY; PRT; 75 AA.
AC Q9TTVO
DT 01-MAY-2000 (TREMELrel. 13, Created)
DT 01-MAY-2000 (TREMELrel. 13, Last sequence update)
DT 01-JUN-2003 (TREMELrel. 24, Last annotation update)
DE Type II gonadotropin-releasing hormone (Gonadoliberin) (Gonadotropin-releasing hormone) (GnRH) (LH-RH) (Luliberin).
OS Trichosurus vulpecula (Brush-tailed possum).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Metatheria; Diprotodontia; Phalangeridae; Trichosurus.
OK NCBI_TaxID=9337;
[1]
RN SEQUENCE FROM N.A.
RP Lawrence S.B., McNatty K.P., Fidler A.E.;
RT "cDNA Sequence of the chicken type II gonadotropin-releasing hormone
RT (cII GnRH) gene of the brushtail possum (Trichosurus vulpecula).";
RL Submitted (OCT-1999) to the EMBL/GenBank/DBJ databases.
CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC -1- SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE GnRH FAMILY.
CC EMBL; AF193516; AAF07190.1; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR02012; GnRH.
DR Pfam; PF00446; GnRH; 1.
DR PROSITE; PS00473; GnRH; 1.
KW Amidation; Hormone.
SQ SEQUENCE 75 AA; 8381 MW; 1C0E324492CA4283 CRC64;

Query Match 80.0%; Score 40; DB 6; Length 75;
Best Local Similarity 60.0%; Pred. No. 3.1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSXGXPG 10
:|||||
Db 23 QHWSHGYPG 32

RESULT 21
Q92094
ID Q92094 PRELIMINARY; PRT; 82 AA.
AC Q92094
DT 01-NOV-1996 (TREMELrel. 01, Created)
DT 01-NOV-1996 (TREMELrel. 01, Last sequence update)
DT 01-JUN-2003 (TREMELrel. 24, Last annotation update)
DE Gonadotropin-releasing hormone precursor (Gonadoliberin) (GnRH) (LH-RH) (luliberin).
GN PREPRO-GNRH-I.
OS Oncorhynchus nerka (Sockeye salmon).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OK NCBI_TaxID=8023;
[1]
RN SEQUENCE FROM N.A.
RP STRAIN=Nikko; TISSUE=Brain;
RC MEDLINE=96020547; PubMed=8546809;
RX Ashihara M., Suzuki M., Kubokawa K., Yoshiura Y., Kobayashi M.,
RA Urano A., Aida K.;
RT "Two different precursor genes for the salmon-type gonadotropin-releasing hormone exist in salmonids.";
RL J. Mol. Endocrinol. 15:1-9(1995).
CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC -1- SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE GnRH FAMILY.
CC EMBL; D31868; BAA06666.1; -.
DR GO; GO:0005576; C:extracellular; IEA.

DR GO; GO:0005179; F: hormone activity; IEA.
 DR GO; GO:0007275; P: development; IEA.
 DR InterPro; IPR02047; AKH.
 DR InterPro; IPR02012; GNRH.
 DR Pfam; PF00446; GNRH; 1.
 DR PROSITE; PS00256; AKH; 1.
 DR PROSITE; PS00473; GNRH; 1.
 KW Amidation; Hormone; Signal.
 FT SIGNAL 1 23
 FT CHAIN 24 33
 FT CHAIN 37 82
 FT CHAIN 82 82
 SQ SEQUENCE 82 AA; 9126 MW; 64044EA521B2B8B CRC64;
 Query Match 80.0%; Score 40; DB 13; Length 82;
 Best Local Similarity 60.0%; Pred. No. 3.4; Indels 0; Gaps 0;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHSXGXKPG 10
 Db 24 QHSYGLWPG 33
 RESULT 22
 Q90VY3 PRELIMINARY; PRT; 82 AA.
 ID Q90VY3
 AC Q90VY3
 DT 01-DEC-2001 (TrEMBLrel. 19, Created)
 DT 01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Gonadotropin-releasing hormone precursor II isoform B2 (Gonadotropin-releasing hormone precursor II isoform A) (Gonadotropin-releasing hormone precursor II isoform B1) (Gonadoliberin) (GNRH) (LH-RH) (Luliberin).
 DE Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Actinopterygii; Neopterygii; Teleostei; Euteleostei; Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus. NCBI_TaxID=8022;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC MEDLINE=21232987; PubMed=11335940;
 RX Uzbekova S., Ferriere F., Guiguen Y., Bailhache T., Breton B., Lareyre J.J.;
 RA "Stage-dependent and alternative splicing of sGNRH messengers in rainbow trout testis during spermatogenesis.";
 RT Mol. Reprod. Dev. 59:1-10(2001).
 RL Mol. Reprod. Dev. 59:1-10(2001).
 CC -|- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY SIMILARITY).
 CC -|- SIMILARITY: BELONGS TO THE GNRH FAMILY.
 CC EMBL; AF110992; AAD43462.1; -;
 CC EMBL; AF269108; AAK54680.1; -;
 CC GO; GO:0005179; F: hormone activity; IEA.
 CC GO; GO:0007275; P: development; IEA.
 CC InterPro; IPR02047; GNRH.
 CC InterPro; IPR02012; GNRH.
 CC Pfam; PF00446; GNRH; 1.
 CC PROSITE; PS00256; AKH; 1.
 CC PROSITE; PS00473; GNRH; 1.
 KW Amidation; Hormone.
 SQ SEQUENCE 82 AA; 9171 MW; 8053F4F23B115408 CRC64;
 Query Match 80.0%; Score 40; DB 13; Length 82;
 Best Local Similarity 60.0%; Pred. No. 3.4; Indels 0; Gaps 0;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHSXGXKPG 10
 Db 24 QHSYGLWPG 33
 RESULT 23
 Q9W7G1 PRELIMINARY; PRT; 82 AA.
 ID Q9W7G1
 AC Q9W7G1
 DT 01-NOV-1999 (TrEMBLrel. 12, Created)
 DT 01-NOV-1999 (TrEMBLrel. 12, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Gonadotropin-releasing hormone (Gonadoliberin) (GNRH) (LH-RH) (Luliberin).
 DE Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Actinopterygii; Neopterygii; Teleostei; Euteleostei; Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus. NCBI_TaxID=8022;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC MEDLINE=99312119; PubMed=10385393;
 RX von Schalburg K.R., Sherwood N.M.;
 RA "Regulation and expression of gonadotropin-releasing hormone gene differs in brain and gonads in rainbow trout.";
 RT Endocrinology 140:3012-3024(1999).
 RL Endocrinology 140:3012-3024(1999).
 CC [2]
 CC SEQUENCE FROM N.A.
 CC von Schalburg K.R., Sherwood N.M.;
 CC Submitted (DEC-1998) to the EMBL/GenBank/DBJ databases.
 CC [3]
 CC SEQUENCE FROM N.A.
 CC MEDLINE=21232987; PubMed=11335940;
 CC Uzbekova S., Ferriere F., Guiguen Y., Bailhache T., Breton B., Lareyre J.J.;
 RA "Stage-dependent and alternative splicing of sGNRH messengers in rainbow trout testis during spermatogenesis.";
 RT Mol. Reprod. Dev. 59:1-10(2001).
 RL Mol. Reprod. Dev. 59:1-10(2001).
 CC -|- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY SIMILARITY).
 CC -|- SIMILARITY: BELONGS TO THE GNRH FAMILY.
 CC EMBL; AF110992; AAD43462.1; -;
 CC EMBL; AF269108; AAK54680.1; -;
 CC GO; GO:0005179; F: hormone activity; IEA.
 CC GO; GO:0007275; P: development; IEA.
 CC InterPro; IPR02047; GNRH.
 CC InterPro; IPR02012; GNRH.
 CC Pfam; PF00446; GNRH; 1.
 CC PROSITE; PS00256; AKH; 1.
 CC PROSITE; PS00473; GNRH; 1.
 KW Amidation; Hormone.
 SQ SEQUENCE 82 AA; 9232 MW; 7595B4FCC65FDFD6 CRC64;
 Query Match 80.0%; Score 40; DB 13; Length 82;
 Best Local Similarity 60.0%; Pred. No. 3.4; Indels 0; Gaps 0;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHSXGXKPG 10
 Db 24 QHSYGLWPG 33
 RESULT 24
 Q918P9 PRELIMINARY; PRT; 82 AA.
 ID Q918P9
 AC Q918P9
 DT 01-OCT-2000 (TrEMBLrel. 15, Created)
 DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Pro-sGNRH-II (Gonadoliberin) (Gonadotropin-releasing hormone) (LH-RH) (Luliberin).
 DE Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Actinopterygii; Neopterygii; Teleostei; Euteleostei; Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus. NCBI_TaxID=8022;
 RN [1]
 RP SEQUENCE FROM N.A.

```

RC TISSUE=Brain;
RA Ferriere F., Bailhache T., Jégo P.;
RT "Oncorhynchus mykiss scRH-II cDNA in the brain.";
RL Submitted (FEB-2000) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE GNRH FAMILY.
DR EMBL: AF232213; AAF91281.1; -.
DR GO: GO:0005576; C:extracellular; IEA.
DR GO: GO:0005179; F:hormone activity; IEA.
DR GO: GO:0007275; P:development; IEA.
DR InterPro: IPR002012; GNRH.
DR Pfam: PF00446; GNRH; 1.
DR PROSITE: PS00473; GNRH; 1.
KW Amidation; Hormone.
SQ SEQUENCE 82 AA; 9203 MW; 8053F4F221A0FF08 CRC64;

Query Match 80.0%; Score 40; DB 13; Length 82;
Best Local Similarity 60.0%; Pred. No. 3.4;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSXGXXPG 10
Db 24 QHWSYGLPG 33

RESULT 25
Q918Q0 PRELIMINARY; PRT; 82 AA.
ID Q918Q0
AC Q918Q0;
DT 01-OCT-2000 (TrEMBLrel. 15, Created)
DT 01-OCT-2000 (TrEMBLrel. 15, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Pro-scNRH-I (Gonadoliberin) (Gonadotropin-releasing hormone) (LH-RH)
DE (Luliberin).
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RA Ferriere F., Bailhache T., Jégo P.;
RT "Oncorhynchus mykiss scRH-I cDNA from brain.";
RL Submitted (FEB-2000) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE GNRH FAMILY.
DR EMBL: AF232212; AAF91280.1; -.
DR GO: GO:0005576; C:extracellular; IEA.
DR GO: GO:0005179; F:hormone activity; IEA.
DR GO: GO:0007275; P:development; IEA.
DR InterPro: IPR002047; AKH.
DR Prosite: PS00446; GNRH; 1.
DR PROSITE: PS00255; AKH; 1.
DR PROSITE: PS00473; GNRH; 1.
KW Amidation; Hormone.
SQ SEQUENCE 82 AA; 9198 MW; 7595A0B896556A69 CRC64;

Query Match 80.0%; Score 40; DB 13; Length 82;
Best Local Similarity 60.0%; Pred. No. 3.4;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSXGXXPG 10
Db 24 QHWSYGLPG 33

RESULT 26
Q8UW81 PRELIMINARY; PRT; 85 AA.
ID Q8UW81
AC Q8UW81;
DT 01-MAR-2002 (TrEMBLrel. 20, Created)
DT 01-MAR-2002 (TrEMBLrel. 20, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Chicken-II type gonadotropin-releasing hormone precursor
DE (Gonadoliberin) (Gnrh) (LH-RH) (Luliberin).
OS Verasper moseri (Barfin flounder).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Acanthomorpha; Acanthopterygii; Percomorpha; Pleuronectiformes;
OC Pleuronectoidei; Pleuronectidae; Verasper.
OX NCBI_TaxID=98923;
RN [1]
RP SEQUENCE FROM N.A.
RA Amaro M.;
RT "Molecular cloning of three cDNAs encoding Gnrh in the brain of barfin
RT flounder.";
RL Submitted (JUL-2001) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE GNRH FAMILY.
DR EMBL: AB066359; BAB81983.1; -.
DR GO: GO:0005576; C:extracellular; IEA.
DR GO: GO:0005179; F:hormone activity; IEA.
DR GO: GO:0007275; P:development; IEA.
DR InterPro: IPR002012; GNRH.
DR Pfam: PF00446; GNRH; 1.
DR PROSITE: PS00473; GNRH; 1.
KW Amidation; Hormone; Signal.
FT SIGNAL 1 23
FT CHAIN 24 33
FT CHAIN 37 85
FT CHAIN 85 9593 MW; 73B102A23528AA02 CRC64;
SQ SEQUENCE 85 AA; 9593 MW; 73B102A23528AA02 CRC64;

Query Match 80.0%; Score 40; DB 13; Length 85;
Best Local Similarity 60.0%; Pred. No. 3.5;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSXGXXPG 10
Db 24 QHWSHGWPY 33

RESULT 27
Q9PT25 PRELIMINARY; PRT; 86 AA.
ID Q9PT25
AC Q9PT25;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Chicken-II type gonadotropin-releasing hormone (Gonadoliberin) (Gnrh)
DE (LH-RH) (Luliberin).
OS CGRH-II.
OS Oncorhynchus mykiss (Rainbow trout) (Salmo gairdneri).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Oncorhynchus.
OX NCBI_TaxID=8022;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Ovary;
RX MEDLINE=20084414; PubMed=10619396;
RA von Schalburg K.R., Harrower W.L., Sherwood N.M.;
RT "Regulation and expression of Gnrh in salmon embryo and gonad.";
RL Mol. Cell. Endocrinol. 157:41-54(1999).
CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE GNRH FAMILY.
DR EMBL: AF125973; AAF08687.1; -.
DR GO: GO:0005576; C:extracellular; IEA.
DR GO: GO:0005179; F:hormone activity; IEA.

```

DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GnRH.
DR Pfam; PF00446; GnRH; 1.
DR PROSITE; PS00473; GnRH; 1.
KW Amidation; Hormone.
SQ SEQUENCE 86 AA; 9811 MW; D5F0A2FDA4DFC257 CRC64;

Query Match 80.0%; Score 40; DB 13; Length 86;
Best Local Similarity 60.0%; Pred. No. 3.5;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
Db 25 QHWSHGWPY 34

RESULT 28
Q9FW69. PRELIMINARY; PRT; 86 AA.
ID Q9FW69
AC Q9FW69
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Gonadotropin-releasing hormone II precursor (Gonadoliberin) (GnRH)
DE (LH-RH) (Luliberin).
OS Typhlonectes natans (Rubber eel).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Amphibia; Gymnophiona; Caeciliidae; Typhlonectes.
OX NCBI_TaxID=8456;
RN 1
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RA Ebersole T.J., Goetz F.W., Boyd S.K.;
RT "Cloning of chicken II (cii) GnRH cDNA from the brain of a caecilian
amphibian, Typhlonectes natans.";
RL Submitted (JUL-1999) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE GnRH FAMILY.
DR EMBL; AF167558; AAD48032.1; --
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GnRH.
DR Pfam; PF00446; GnRH; 1.
DR PROSITE; PS00473; GnRH; 1.
KW Amidation; Hormone; Signal.
FT SIGNAL 1 24
FT CHAIN 25 34
SQ SEQUENCE 86 AA; 9788 MW; 2A02299F73B3720A CRC64;

Query Match 80.0%; Score 40; DB 13; Length 86;
Best Local Similarity 60.0%; Pred. No. 3.5;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
Db 25 QHWSHGWPY 34

RESULT 29
Q8QFUS PRELIMINARY; PRT; 86 AA.
ID Q8QFUS
AC Q8QFUS
DT 01-JUN-2002 (TrEMBLrel. 21, Created)
DT 01-JUN-2002 (TrEMBLrel. 21, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE CII gonadotropin releasing hormone (Gonadoliberin) (GnRH) (LH-RH)
DE (Luliberin).
OS Brachydanio rerio (zebrafish) (Danio rerio).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Danio.

OX NCBI_TaxID=7955;
RN 1
RP SEQUENCE FROM N.A.
RA Whitlock K.E., Gopinath A., Tseng A.L., Boyce M.L.;
RT "Characterization of gonadotropin releasing hormone (GnRH) expression
in the juvenile zebrafish Danio rerio.";
RL Submitted (APR-2002) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE GnRH FAMILY.
DR EMBL; AY094357; AAM15717.1; --
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GnRH.
DR Pfam; PF00446; GnRH; 1.
DR PROSITE; PS00473; GnRH; 1.
KW Amidation; Hormone.
SQ SEQUENCE 86 AA; 9802 MW; 27F5A5CCDC4026D8 CRC64;

Query Match 80.0%; Score 40; DB 13; Length 86;
Best Local Similarity 60.0%; Pred. No. 3.5;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
Db 25 QHWSHGWPY 34

RESULT 30
Q8UUK5 PRELIMINARY; PRT; 86 AA.
ID Q8UUK5
AC Q8UUK5
DT 01-MAR-2002 (TrEMBLrel. 20, Created)
DT 01-MAR-2002 (TrEMBLrel. 20, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Prepro-chicken-II-type gonadotropin-releasing hormone precursor
(Gonadoliberin) (GnRH) (LH-RH) (Luliberin).
GN CGNRH-II.
OS Scleropages jardinii (Australian bonytongue).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Osteoglossomorpha;
OC Osteoglossiformes; Osteoglossidae; Scleropages.
OX NCBI_TaxID=113541;
RN 1
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
EX MEDLINE=21560666; PubMed=11703078;
RA Okubo K., Aida K.;
RT "Gonadotropin-releasing hormones (GnRHs) in a primitive teleost, the
arowana: phylogenetic evidence that three paralogous lineages of GnRH
occurred prior to the emergence of teleosts.";
RL Gen. Comp. Endocrinol. 124:125-133(2001).
CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE GnRH FAMILY.
DR EMBL; AB047326; BAB72183.1; --
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GnRH.
DR Pfam; PF00446; GnRH; 1.
DR PROSITE; PS00473; GnRH; 1.
KW Amidation; Hormone; Signal.
FT SIGNAL 1 24
FT CHAIN 25 34
SQ SEQUENCE 86 AA; 9635 MW; F7A4643016307D05 CRC64;

Query Match 80.0%; Score 40; DB 13; Length 86;
Best Local Similarity 60.0%; Pred. No. 3.5;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

DE Prepro-cGHRH-II precursor (Gonadoliberin) (Gonadotropin-releasing hormone) (LH-RH) (Luliberin).
 DE Anguilla japonica (Japanese eel).
 OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; OC Actinopterygii; Neopterygii; Teleostei; Anguilliformes; Anguillidae; CC Anguilla.
 OX NCBI_TaxID=7937;
 RN [1]
 RN SEQUENCE FROM N.A.
 RP TISSUE=Brain;
 RC Okubo K., Suetake H., Aida K.;
 RA "Expression of two gonadotropin-releasing hormone (GnRH) precursor genes in various tissues of the Japanese eel and evolution of GnRH.";
 RT Zool. Sci. 16:471-478 (1999).
 RL [2]
 RN SEQUENCE FROM N.A.
 RP Okubo K., Suetake H., Aida K.;
 RA "A splicing variant for the prepro-mammalian gonadotropin-releasing hormone (prepro-mGnRH) mRNA is present in the brain and various peripheral tissues of the Japanese eel.";
 RT Zool. Sci. 16:645-651 (1999).
 CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY SIMILARITY).
 CC -!- SIMILARITY: BELONGS TO THE GnRH FAMILY.
 DR EMBL; AB026990; BA83609.1; -;
 DR EMBL; AB026992; BA83598.1; -;
 DR GO; GO:0005576; C:extracellular; IEA.
 DR GO; GO:0005179; F:hormone activity; IEA.
 DR GO; GO:0007275; F:development; IEA.
 DR InterPro; IPR002012; GnRH.
 DR Pfam; PF00446; GnRH; 1.
 DR PROSITE; PS00473; GnRH; 1.
 DR Amidation; Hormone; Signal.
 KW SIGNAL 1 24 POTENTIAL.
 FT CHAIN 25 34 CGNRH-II.
 FT CHAIN 35 87 GnRH ASSOCIATED PEPTIDE.
 SQ SEQUENCE 87 AA; 9837 MW; 6824DE452338B48A CRC64;
 Query Match 80.0%; Score 40; DB 13; Length 87;
 Best Local Similarity 60.0%; Pred. No. 3.6;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXKPG 10
 Db 25 QHWSHGWPY 34
 RESULT 35
 Q9PSY9 ID Q9PSY9 PRELIMINARY; PRT; 88 AA.
 AC Q9PSY9;
 DT 01-MAY-2000 (T-REMBLrel. 13, Created)
 DT 01-MAY-2000 (T-REMBLrel. 13, Last sequence update)
 DT 01-JUN-2003 (T-REMBLrel. 24, Last annotation update)
 DE SGNRH (Gonadoliberin) (Gonadotropin-releasing hormone) (LH-RH) (Luliberin) (Fragment).
 OS Sparus aurata (Gilthead sea bream).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei; OC Acanthomorpha; Acanthopterygii; Perciformes; Percoidae; OC Sparidae; Sparus.
 OX NCBI_TaxID=8175;
 RN [1]
 RN SEQUENCE FROM N.A.
 RP TISSUE=Ovary;
 RC Nabissi M.;
 RA Submitted (FEB-1998) to the EMBL/GenBank/DBJ databases.
 CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY SIMILARITY).
 CC -!- SIMILARITY: BELONGS TO THE GnRH FAMILY.
 DR EMBL; AF046799; AAD02425.1; -;
 DR GO; GO:0005576; C:extracellular; IEA.
 DR GO; GO:0005179; F:hormone activity; IEA.

DR GO; GO:0007275; F:development; IEA.
 DR InterPro; IPR002012; GnRH.
 DR Pfam; PF00446; GnRH; 1.
 DR PROSITE; PS00473; GnRH; 1.
 KW Amidation; Hormone.
 FT NON_TER 88 88
 SQ SEQUENCE 88 AA; 9788 MW; F7EB868C2FDDF19F CRC64;
 Query Match 80.0%; Score 40; DB 13; Length 88;
 Best Local Similarity 60.0%; Pred. No. 3.6;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXKPG 10
 Db 24 QHWSYGLPG 33
 RESULT 36
 Q8UW82 ID Q8UW82 PRELIMINARY; PRT; 90 AA.
 AC Q8UW82;
 DT 01-MAR-2002 (T-REMBLrel. 20, Created)
 DT 01-MAR-2002 (T-REMBLrel. 20, Last sequence update)
 DT 01-JUN-2003 (T-REMBLrel. 24, Last annotation update)
 DE Salmon-type gonadotropin-releasing hormone precursor (Gonadoliberin) (GnRH) (LH-RH) (Luliberin).
 OS Verasper moseri (Barfin flounder).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei; OC Acanthomorpha; Acanthopterygii; Perciformes; Pleuronectiformes; OC Pleuronectoidae; Pleuronectidae; Verasper.
 OX NCBI_TaxID=98923;
 RN [1]
 RN SEQUENCE FROM N.A.
 RA Arano M.;
 RT "Molecular cloning of three cDNAs encoding GnRH in the brain of barfin flounder.";
 RL Submitted (JUL-2001) to the EMBL/GenBank/DBJ databases.
 CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY SIMILARITY).
 CC -!- SIMILARITY: BELONGS TO THE GnRH FAMILY.
 DR EMBL; AB066358; BAB83982.1; -;
 DR GO; GO:0005576; C:extracellular; IEA.
 DR GO; GO:0005179; F:hormone activity; IEA.
 DR GO; GO:0007275; F:development; IEA.
 DR InterPro; IPR002012; GnRH.
 DR Pfam; PF00446; GnRH; 1.
 DR PROSITE; PS00473; GnRH; 1.
 KW Amidation; Hormone; Signal.
 FT SIGNAL 1 23 POTENTIAL.
 FT CHAIN 24 33 SALMON-TYPE GONADOTROPIN-RELEASING HORMONE.
 FT CHAIN 37 90 GONADOTROPIN-RELEASING HORMONE ASSOCIATED PEPTIDE.
 SQ SEQUENCE 90 AA; 10090 MW; 5BFD01586CEABC9D CRC64;
 Query Match 80.0%; Score 40; DB 13; Length 90;
 Best Local Similarity 60.0%; Pred. No. 3.7;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 QY 1 EHWXGXKPG 10
 Db 24 QHWSYGLPG 33
 RESULT 37
 Q8AWF6 ID Q8AWF6 PRELIMINARY; PRT; 90 AA.
 AC Q8AWF6;
 DT 01-MAR-2003 (T-REMBLrel. 23, Created)
 DT 01-MAR-2003 (T-REMBLrel. 23, Last sequence update)
 DT 01-OCT-2003 (T-REMBLrel. 25, Last annotation update)
 DE Gonadotropin-releasing hormone III precursor.

Wed Mar 3 08:43:42 2004

GN GNRH3.
 OS Oreochromis mossambicus (Mozambique tilapia) (Tilapia mossambica).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
 OC Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Labroidae;
 OC Cichlidae; Oreochromis.
 OX NCBI_TaxID=8127;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Molina A.I., Pellegrini E., Baihache T., Martial J.A., Muller M.;
 RT "Cloning and brain expression analysis of the tilapia salmon type
 RT GNRH".
 RL Submitted (OCT-2002) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AY167989; AAC11648.1; --
 DR GO; GO:0005576; C:extracellular; IEA.
 DR GO; GO:0005179; F:hormone activity; IEA.
 DR GO; GO:0007275; P:development; IEA.
 DR InterPro; IPR002012; GNRH.
 DR Pfam; PF00446; GNRH.1.
 DR PROSITE; PS00473; GNRH; 1.
 KW Signal.
 FT SIGNAL.
 SQ SEQUENCE 1 33 POTENTIAL.
 SEQUENCE 90 AA; 10083 MW; B3637E3839A53A4E CRC64;
 Query Match 80.0%; Score 40; DB 13; Length 90;
 Best Local Similarity 60.0%; Pred. No. 3.7; Indels 0; Gaps 0;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 OY 1 EHWSGXYPG 10
 Db 24 QHWSYGLPG 33
 RESULT 38
 ID Q7ZT00 PRELIMINARY; PRT; 90 AA.
 AC Q7ZT00;
 DT 01-JUN-2003 (TrEMBLrel. 24, Created)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Salmon-type gonadotropin-releasing hormone precursor.
 GN GNRH3.
 OS Oreochromis niloticus (Nile tilapia) (Tilapia nilotica).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei; Neoteleostei;
 OC Acanthomorpha; Acanthopterygii; Percomorpha; Perciformes; Labroidae;
 OC Cichlidae; Oreochromis.
 OX NCBI_TaxID=8128;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Sato H., Sakuma Y., Farhar I.S.;
 RT "Molecular cloning of three kinds of GNRH genes and 5' untranslated
 RT regions in tilapia (Oreochromis niloticus).";
 RL Submitted (MAR-2003) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;
 RA Farhar I.S., Ogawa S., Sakuma Y.;
 RT "Molecular cloning of tilapia (Oreochromis niloticus) GNRH cDNA.";
 RL Submitted (FEB-2003) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB104863; BAC65156.1; --
 DR EMBL; AB101667; BAC56851.1; --
 DR GO; GO:0005576; C:extracellular; IEA.
 DR GO; GO:0005179; F:hormone activity; IEA.
 DR GO; GO:0007275; P:development; IEA.
 DR InterPro; IPR002012; GNRH.
 DR Pfam; PF00446; GNRH; 1.
 DR PROSITE; PS00473; GNRH; 1.
 KW Signal.
 FT SIGNAL.
 SQ SEQUENCE 1 23 Potential.
 SEQUENCE 24 33 salmon-type gonadotropin-releasing
 hormone.
 FT CHAIN 24 33
 FT CHAIN 34 46 GNRH-associated peptide.

FT CHAIN 47 73 GNRH-associated peptide.
 SQ SEQUENCE 90 AA; 10083 MW; B3637E3839A53A4E CRC64;
 Query Match 80.0%; Score 40; DB 13; Length 90;
 Best Local Similarity 60.0%; Pred. No. 3.7; Indels 0; Gaps 0;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
 OY 1 EHWSGXYPG 10
 Db 24 QHWSYGLPG 33
 RESULT 39
 ID Q9DD8 PRELIMINARY; PRT; 94 AA.
 AC Q9DD8;
 DT 01-MAR-2001 (TrEMBLrel. 16, Created)
 DT 01-MAR-2001 (TrEMBLrel. 16, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Gonadotropin releasing hormone precursor (Gonadoliberin) (GNRH) (LH-
 DE RH) (Luliberin).
 GN GNRH.
 OS Brachydanio rerio (Zebrafish) (Danio rerio).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
 OC Cyprinidae; Danio.
 OX NCBI_TaxID=7955;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;
 RA Torgersen J., Nourizadeh-Lillabadi R., Husebye H., Liang M.R.;
 RT "Characterization and Functional Studies of the Zebrafish (Danio
 RT rerio) GNRH Gene.";
 RL Submitted (DEC-2000) to the EMBL/GenBank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;
 RA Husebye H.;
 RL Thesis (1997), Department of Food Science,
 RL Agricultural University of Norway, As, Norway.
 RN [3]
 RP SEQUENCE FROM N.A.
 RA Husebye H.;
 RT "Characterization and Functional Studies of the Zebrafish (Danio
 RT rerio) GNRH Gene.";
 RL Thesis (1997), Department of Food Science,
 RL Agricultural University of Norway, Aas, Norway.
 RN [4]
 RP SEQUENCE FROM N.A.
 RA Torgersen J., Nourizadeh-Lillabadi R., Husebye H., Alestrom P.;
 RT "In Silico and In Situ Characterization of the Zebrafish (Danio rerio)
 RT GNRH III Gene.";
 RL Submitted (MAR-2002) to the EMBL/GenBank/DBJ databases.
 CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS. (BY
 CC SIMILARITY).
 CC -!- SIMILARITY: BELONGS TO THE GNRH FAMILY.
 CC EMBL; AJ304429; CAC18539.1; --
 CC EMBL; AF490354; AAL99294.1; --
 CC GO; GO:0005576; C:extracellular; IEA.
 CC GO; GO:0005179; F:hormone activity; IEA.
 CC GO; GO:0007275; P:development; IEA.
 CC InterPro; IPR002012; GNRH.
 CC Pfam; PF00446; GNRH; 1.
 CC PROSITE; PS00473; GNRH; 1.
 KW Amidation; Hormone; Signal.
 FT SIGNAL.
 SQ SEQUENCE 94 AA; 10576 MW; D0101FF655A81726 CRC64;
 Query Match 80.0%; Score 40; DB 13; Length 94;
 Best Local Similarity 60.0%; Pred. No. 3.9;

Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
 Db 24 QHWSYGLPG 33

RESULT 40

Q9DEH5 PRELIMINARY; PRT; 94 AA.

AC Q9DEH5; 94 AA.

DT 01-MAR-2001 (TREMELrel. 16, Created)

DT 01-MAR-2001 (TREMELrel. 16, Last sequence update)

DT 01-JUN-2003 (TREMELrel. 24, Last annotation update)

DE Salmon-type gonadotropin-releasing hormone (Gonadoliberein) (GNRH) (LH-RH) (Luliberin).

GN SGNRH.

OS Carassius auratus (Goldfish).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;

OC Cyprinidae; Carassius.

OX NCBI_TaxID=7957;

RN [1]

RP SEQUENCE FROM N.A.

RA Suetake H.;

RT "Two salmon gonadotropin-releasing hormone genes and their differential expressions in the goldfish Carassius auratus.";

RL Fisheries Sci. 66:49-57(2000).

CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY SIMILARITY).

CC -!- SIMILARITY: BELONGS TO THE GNRH FAMILY.

DR EMBL; AB017272; BAB18905.1; .

DR GO; GO:0005576; C:extracellular; IEA.

DR GO; GO:0005179; P:hormone activity; IEA.

DR GO; GO:0007275; P:development; IEA.

DR InterPro; IPR002012; GNRH.

DR Pfam; PF00446; GNRH; 1.

DR PROSITE; PS00473; GNRH; 1.

KW Amidation; Hormone.

SQ SEQUENCE 94 AA; 10545 MW; 18E5SD54EC0468B CRC64;

Query Match 80.0%; Score 40; DB 13; Length 94;
 Best Local Similarity 60.0%; Pred. No. 3.9;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
 Db 24 QHWSYGLPG 33

RESULT 41

Q8UUK6 PRELIMINARY; PRT; 94 AA.

AC Q8UUK6; 94 AA.

DT 01-MAR-2002 (TREMELrel. 20, Created)

DT 01-MAR-2002 (TREMELrel. 20, Last sequence update)

DT 01-JUN-2003 (TREMELrel. 24, Last annotation update)

DE Prepro-salmon-type gonadotropin-releasing hormone precursor (Gonadoliberein) (GNRH) (LH-RH) (Luliberin).

GN SGNRH.

OS Scieropages jardiinii (Australian bonytongue).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Actinopterygii; Neopterygii; Teleostei; Osteoglossomorpha;

OC Osteoglossiformes; Osteoglossidae; Scieropages.

OX NCBI_TaxID=113541;

RN [1]

RP SEQUENCE FROM N.A.

RA TISSUE=Brain;

RC MEDLINE=21560666; PubMed=11703078;

RA Okubo K.; Aida K.;

RT "Gonadotropin-releasing hormones (GNRHs) in a primitive teleost, the arawana: phylogenetic evidence that three paralogous lineages of GNRH occurred prior to the emergence of teleosts.";

RL Gen. Comp. Endocrinol. 124:125-133(2001).

CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY SIMILARITY).

CC -!- SIMILARITY: BELONGS TO THE GNRH FAMILY.

DR EMBL; AB047325; BAB72182.1; .

DR GO; GO:0005576; C:extracellular; IEA.

DR GO; GO:0005179; P:hormone activity; IEA.

DR GO; GO:0007275; P:development; IEA.

DR InterPro; IPR002012; GNRH.

DR Pfam; PF00446; GNRH; 1.

DR PROSITE; PS00473; GNRH; 1.

KW Amidation; Hormone; Signal.

FT SIGNAL 1 23 POTENTIAL.

FT CHAIN 24 36 SALMON-TYPE GONADOTROPIN-RELEASING HORMONE.

SQ SEQUENCE 94 AA; 10541 MW; 7790050E92FA0D66 CRC64;

Query Match 80.0%; Score 40; DB 13; Length 94;
 Best Local Similarity 60.0%; Pred. No. 3.9;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
 Db 24 QHWSYGLPG 33

RESULT 42

Q9DEH6 PRELIMINARY; PRT; 94 AA.

AC Q9DEH6; 94 AA.

DT 01-MAR-2001 (TREMELrel. 16, Created)

DT 01-MAR-2001 (TREMELrel. 16, Last sequence update)

DT 01-JUN-2003 (TREMELrel. 24, Last annotation update)

DE Salmon-type gonadotropin-releasing hormone (Gonadoliberein) (GNRH) (LH-RH) (Luliberin).

GN SGNRH.

OS Carassius auratus (Goldfish).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;

OC Cyprinidae; Carassius.

OX NCBI_TaxID=7957;

RN [1]

RP SEQUENCE FROM N.A.

RA Suetake H.;

RT "Two salmon gonadotropin-releasing hormone genes and their differential expressions in the goldfish Carassius auratus.";

RL Fisheries Sci. 66:49-57(2000).

CC -!- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY SIMILARITY).

CC -!- SIMILARITY: BELONGS TO THE GNRH FAMILY.

DR EMBL; AB017271; BAB18904.1; .

DR GO; GO:0005576; C:extracellular; IEA.

DR GO; GO:0005179; P:hormone activity; IEA.

DR GO; GO:0007275; P:development; IEA.

DR InterPro; IPR002012; GNRH.

DR Pfam; PF00446; GNRH; 1.

DR PROSITE; PS00473; GNRH; 1.

KW Amidation; Hormone.

SQ SEQUENCE 94 AA; 10573 MW; 0141745425917385 CRC64;

Query Match 80.0%; Score 40; DB 13; Length 94;
 Best Local Similarity 60.0%; Pred. No. 3.9;
 Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
 Db 24 QHWSYGLPG 33

RESULT 43

Q8JHC3 PRELIMINARY; PRT; 94 AA.

ID Q8JHC3

AC Q8JHC3;

DT 01-OCT-2002 (TReMBLrel. 22, Created)
DT 01-OCT-2002 (TReMBLrel. 22, Last sequence update)
DT 01-JUN-2003 (TReMBLrel. 24, Last annotation update)
DE Salmon-type gonadotropin-releasing hormone.
OS Cyprinus carpio (Common carp).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Cyprinus.
OX NCBI_TaxID=7962;
RN [1]
RP SEQUENCE FROM N.A.
RA Li S.F., Hu W., Wang Y.P., Zhu Z.Y.;
RT "Gene clone and promoter functional analysis of sGRH.";
RL Submitted (JUN-2002) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF211130; AAW7760.1;
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
SQ SEQUENCE 94 AA; 10445 MW; C3DD3F7C2A852A80 CRC64;
Query Match 80.0%; Score 40; DB 13; Length 94;
Best Local Similarity 60.0%; Pred. No. 3.9;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWSXGXPG 10
DB 24 QHWSYGLPG 33
RESULT 44
Q804C1 PRELIMINARY; PRT; 94 AA.
AC Q804C1
DT 01-JUN-2003 (TReMBLrel. 24, Created)
DT 01-JUN-2003 (TReMBLrel. 24, Last sequence update)
DT 01-OCT-2003 (TReMBLrel. 25, Last annotation update)
DE Salmon-type gonadotropin-releasing hormone precursor.
GN GNRH.
OS Cyprinus carpio (Common carp).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Cyprinus.
OX NCBI_TaxID=7962;
RN [1]
RP SEQUENCE FROM N.A.
RA Li S.F., Hu W., Wang Y.P., Zhu Z.Y.;
RT "Isolation and identification of two differing sGRH from common carp
RT (Cyprinus carpio).";
RL Submitted (DEC-2002) to the EMBL/GenBank/DBJ databases.
DR EMBL; AY189960; AAO39752.1;
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW SIGNAL.
FT CHAIN 1 23
FT SIGNAL 24 33
FT CHAIN 34 94
FT CHAIN 34 94
SQ SEQUENCE 94 AA; 10698 MW; C0CFAC698BFD36 CRC64;
Query Match 80.0%; Score 40; DB 13; Length 94;
Best Local Similarity 60.0%; Pred. No. 3.9;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWSXGXPG 10
DB 24 QHWSYGLPG 33

Db 24 QHWSYGLPG 33
RESULT 45
Q801D6 PRELIMINARY; PRT; 94 AA.
AC Q801D6
DT 01-JUN-2003 (TReMBLrel. 24, Created)
DT 01-JUN-2003 (TReMBLrel. 24, Last sequence update)
DT 01-OCT-2003 (TReMBLrel. 25, Last annotation update)
DE Salmon-type gonadotropin-releasing hormone preproprotein
DE precursor.
OS Cyprinus carpio (Common carp).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Cyprinus.
OX NCBI_TaxID=7962;
RN [1]
RP SEQUENCE FROM N.A.
RA Li S.F., Hu W., Wang Y.P., Zhu Z.Y.;
RT "Isolation of two different sGRH precursor mRNAs and expression assay
RT in dissected brain regions in the common carp.";
RL Submitted (FEB-2003) to the EMBL/GenBank/DBJ databases.
DR EMBL; AY186621; AAO39975.2;
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW SIGNAL.
FT SIGNAL 1 23
FT SIGNAL 24 94
FT SIGNAL 24 94
SQ SEQUENCE 94 AA; 10574 MW; 131D9B82247E7E85 CRC64;
Query Match 80.0%; Score 40; DB 13; Length 94;
Best Local Similarity 60.0%; Pred. No. 3.9;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWSXGXPG 10
DB 24 QHWSYGLPG 33
RESULT 46
Q801D5 PRELIMINARY; PRT; 94 AA.
AC Q801D5
DT 01-JUN-2003 (TReMBLrel. 24, Created)
DT 01-JUN-2003 (TReMBLrel. 24, Last sequence update)
DT 01-OCT-2003 (TReMBLrel. 25, Last annotation update)
DE Salmon-type gonadotropin-releasing hormone II preproprotein
DE precursor.
OS Cyprinus carpio (Common carp).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Cyprinus.
OX NCBI_TaxID=7962;
RN [1]
RP SEQUENCE FROM N.A.
RA Li S.F., Hu W., Wang Y.P., Zhu Z.Y.;
RT "Isolation of two different sGRH precursor mRNAs and expression assay
RT in dissected brain regions in the common carp.";
RL Submitted (FEB-2003) to the EMBL/GenBank/DBJ databases.
DR EMBL; AY186622; AAO39976.2;
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW SIGNAL.
FT SIGNAL 1 23
FT SIGNAL 24 94
FT SIGNAL 24 94
SQ SEQUENCE 94 AA; 10708 MW; C0CFAC6AB08CBD36 CRC64;

Query Match 80.0%; Score 40; DB 13; Length 94;
Best Local Similarity 60.0%; Pred. No. 3.9;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
DB 24 QHWSHGWP 34

RESULT 47

Q9TSI3 PRELIMINARY; PRT; 107 AA.

AC Q9TSI3;
DT 01-MAY-2000 (TREMELrel. 13, Created)
DT 01-MAY-2000 (TREMELrel. 13, Last sequence update)
DT 01-JUN-2003 (TREMELrel. 24, Last annotation update)
DE Chicken luteinizing hormone-releasing hormone II (Gonadoliberin)
DE (Gonadotropin-releasing hormone) (GnRH) (LH-RH) (Luliberin)
DE (Fragment).
OS Macaca mulatta (Rhesus macaque).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Euthera; Primates; Catarrhini; Cercopitheidae;
OC Cercopitheidae; Macaca.
OX NCBI_TaxID=9544;
RN [1]
RP SEQUENCE FROM N.A.

RA Abler L.A., Sherwood N.M., Grendell R.L., Golos T.G., Terasawa E.;
RT "cDNA of a second form of luteinizing hormone releasing, chicken LHRH-II, isolated from the non-human primate brain (Abstract 632.8).";
RL Abstr. - Soc. Neurosci. 24:1607-1607(1998).

CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.
CC EMBL; AF104307; AAD13775.1; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Amidation; Hormone.
SQ SEQUENCE 107 AA; 11823 MW; FACEE52703C3CB1D CRC64;

Query Match 80.0%; Score 40; DB 6; Length 107;
Best Local Similarity 60.0%; Pred. No. 4.4;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
DB 25 QHWSHGWP 34

RESULT 48

O97655 PRELIMINARY; PRT; 114 AA.

AC O97655;
DT 01-MAY-1999 (TREMELrel. 10, Created)
DT 01-MAY-1999 (TREMELrel. 10, Last sequence update)
DT 01-JUN-2003 (TREMELrel. 24, Last annotation update)
DE Gonadotropin-releasing hormone II (Gonadoliberin) (GnRH) (LH-RH)
DE (Luliberin).
GN GNRH2.
OS Macaca mulatta (Rhesus macaque).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Euthera; Primates; Catarrhini; Cercopitheidae;
OC Cercopitheidae; Macaca.
OX NCBI_TaxID=9544;
RN [1]
RP SEQUENCE FROM N.A.

RA White R.B., Urbanski H.F., Fernald R.D.;
RT "A second gene for gonadotropin-releasing hormone is expressed in the

rhesus macaque (Abstract #632.18).";
RL Abstr. - Soc. Neurosci. 24:1609-1609(1998).

CC -1- FUNCTION: STIMULATES THE SECRETION OF GONADOTROPINS (BY
CC -1- SIMILARITY: BELONGS TO THE GNRH FAMILY.
CC EMBL; AF097356; AAD09106.1; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR GO; GO:0007275; P:development; IEA.
DR InterPro; IPR002012; GNRH.
DR Pfam; PF00446; GNRH; 1.
DR PROSITE; PS00473; GNRH; 1.
KW Amidation; Hormone.
SQ SEQUENCE 114 AA; 12533 MW; 8B70D690DBD5103 CRC64;

Query Match 80.0%; Score 40; DB 6; Length 114;
Best Local Similarity 60.0%; Pred. No. 4.8;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
DB 25 QHWSHGWP 34

RESULT 49

O69212 PRELIMINARY; PRT; 517 AA.

AC O69212;
DT 01-AUG-1998 (TREMELrel. 07, Created)
DT 01-AUG-1998 (TREMELrel. 07, Last sequence update)
DT 01-OCT-2003 (TREMELrel. 25, Last annotation update)
DE Transcription activator (Fragment).
OS Actinosynnema pretiosum (subsp. auranticum).
OC Bacteria; Actinobacteria; Actinobacteridae; Actinomycetales;
OC Pseudococcineae; Actinosynnemataceae; Actinosynnema.
OX NCBI_TaxID=42198;
RN [1]
RP SEQUENCE FROM N.A.

RA Kim C.G., Kirschning A., Bergon P., Ahn Y., Wang J.J., Shibuya M.,
RT "Formation of 3-amino-5-hydroxy-benzoic acid, the precursor of mC7N units in ansamycin antibiotics, by a new variant of the shikimate pathway.";
RL J. Am. Chem. Soc. 114:4941-4943(1992).

CC [2]
RP SEQUENCE FROM N.A.

RA STRAIN=ATCC31565;
RX MEDLINE=98174053; PubMed=9512878;
RA August P.R., Tang L., Yoon Y.J., Ning S., Mueller R., Yu T.W.,
RA Taylor M., Hoffmann D., Kim C.G., Zhang X., Hutchinson C.R.,
RA Floss H.G.;
RT "Biosynthesis of the ansamycin antibiotic rifamycin: deductions from the molecular analysis of the rif biosynthetic gene cluster of Amycolatopsis mediterranei S699.";
RL Chem. Biol. 5:69-79(1998).

CC [3]
RP SEQUENCE FROM N.A.

RA STRAIN=ATCC31565;
RX MEDLINE=98165773; PubMed=9497318;
RA Kim C.G., Yu T.W., Fryhle C.B., Handa S., Floss H.G.;
RT "3-Amino-5-hydroxybenzoic acid synthase, the terminal enzyme in the formation of the precursor of mC7N units in rifamycin and related antibiotics.";
RL J. Biol. Chem. 273:6030-6040(1998).

CC -1- SIMILARITY: BELONGS TO THE LUXR/UHPA FAMILY OF TRANSCRIPTIONAL REGULATORS.
CC EMBL; U33059; AAC14007.1; -.
DR GO; GO:0005622; C:intracellular; IEA.
DR GO; GO:0003700; F:transcription factor activity; IEA.
DR GO; GO:0006355; P:regulation of transcription, DNA-dependent; IEA.
DR GO; GO:0006350; P:transcription; IEA.
DR InterPro; IPR000792; HTH_LuxR.

DR InterPro: IPR008941; TPR-like.
DR Pfam: PF00136; GerB; 1.
DR PRINTS: PR00038; HTHLXR.
DR PRODOM: PD000307; HTH_LUXR; 1.
DR SMART: SMC0421; HTH_LUXR; 1.
DR PROSITE: PS00622; HTH_LUXR_FAMILY; 1.
KW DNA-binding; Transcription; Transcription regulation.
FT NON_TER 1
SQ SEQUENCE 517 AA; 54927 MW; 0A86AA596D237893 CRC64;
Query Match 80.0%; Score 40; DB 2; Length 517;
Best Local Similarity 60.0%; Pred. No. 23;
Matches 6; Conservative 0; Mismatches 4; Indels 0; Gaps 0;
Qy 1 EHWSXGXXPG 10
Db 85 EHLAGAYPG 94

Qy 1 EHWSXGXXPG 10
Db 92 EHWPGGIAPG 101

Search completed: March 2, 2004, 19:28:02
Job time : 51 secs

RESULT 50
Q87CV6 PRELIMINARY; PRT; 909 AA.
AC Q87CV6
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Serine protease.
GN PD0950.
OS Xylella fastidiosa (strain Temecula / ATCC 700964).
OC Bacteria; Proteobacteria; Gammaproteobacteria; Xanthomonadales;
OC Xanthomonadaceae; Xylella.
OX NCBI_TaxID=183190;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=2241331; PubMed=12533478;
RA Van Sluys M.A., de Oliveira M.C., Monteiro-Vitorello C.B.,
RA Miyaki C.Y., Furlan L.R., Camargo L.E.A., da Silva A.C.R., Moon D.H.,
RA Takita M.A., Demos E.G.M., Machado M.A., Ferro M.I.T., da Silva P.R.,
RA Goldman M.H.S., Goldman G.H., Lemos M.V.F., El-Dorri H., Tsai S.M.,
RA Carrer H., Carraro D.M., de Oliveira R.C., Nunes L.R., Siqueira W.J.,
RA Coutinho L.L., Kimura E.T., Ferro E.S., Harakava R., Kuramae E.E.,
RA Marino C.L., Gigliotti E., Abreu I.L., Alves L.M.C., do Amaral A.M.,
RA Baia G.S., Blanco S.R., Brito M.S., Cannavan F.S., Celestino A.V.,
RA da Cunha A.F., Fenille R.C., Ferro J.A., Formighieri E.F., Kishi L.T.,
RA Leoni S.G., Oliveira A.R., Rosa V.E. Jr., Saseaki F.T., Sena J.A.D.,
RA de Souza A.A., Truffi D., Tsukumo F., Yanai G.M., Zaros L.G.,
RA Civerolo E.L., Simpson A.J.G., Almeida N.F. Jr., Setubal J.C.,
RA Kitajima J.P.;
RT "Comparative analyses of the complete genome sequences of Pierce's
RT disease and citrus variegated chlorosis strains of Xylella
RT fastidiosa.";
RL J. Bacteriol. 185:1018-1026(2003).
DR EMBL; AF012556; AAC2884.1; -;
DR GO; GO:0004190; F:aspartic-type endopeptidase activity; IEA.
DR GO; GO:0004197; F:cysteine-type endopeptidase activity; IEA.
DR GO; GO:0008233; F:peptidase activity; IEA.
DR GO; GO:0004289; F:subtilase activity; IEA.
DR GO; GO:0006508; P:proteolysis and peptidolysis; IEA.
DR InterPro; IPR001969; Aspartase_AS.
DR InterPro; IPR005546; Autotransporter.
DR InterPro; IPR000209; Peptidase_S8.
DR InterPro; IPR000169; SHprot_acsite.
DR Pfam; PF03797; Autotransporter; 1.
DR Pfam; PF00082; Peptidase_S8; 1.
DR PRINTS; PR00723; SUBTILISIN.
DR PROSITE; PS00141; ASP_PROTEASE; 1.
DR PROSITE; PS00136; SUBTILASE_ASP; 1.
DR PROSITE; PS00138; SUBTILASE_SER; 1.
DR PROSITE; PS00639; THIOL_PROTEASE_HIS; 1.
KW Protease; Complete proteome.
SQ SEQUENCE 909 AA; 96066 MW; 86DA98FACDC8845F CRC64;
Query Match 80.0%; Score 40; DB 16; Length 909;

GenCore version 5.1.6
Copyright (c) 1993 - 2004 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: March 2, 2004, 19:24:53 ; Search time 16 Seconds
(without alignments)
32.266 Million cell updates/sec

Title: US-09-857-115-7
Perfect score: 50
Sequence: 1 EHWSXGXXPG 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 389414 seqs, 51625971 residues

Total number of hits satisfying chosen parameters: 389414

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 500 summaries

Database : Issued Patents AA.*

- 1: /cgn2_6/ptodata/2/iaa/5A_COMB.pep.*
- 2: /cgn2_6/ptodata/2/iaa/5B_COMB.pep.*
- 3: /cgn2_6/ptodata/2/iaa/5A_COMB.pep.*
- 4: /cgn2_6/ptodata/2/iaa/5B_COMB.pep.*
- 5: /cgn2_6/ptodata/2/iaa/PTCUS_COMB.pep.*
- 6: /cgn2_6/ptodata/2/iaa/Backfiles1.pep.*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	ID	Description
1	45	90.0	6	Patent No. 5198533-2
2	44	88.0	10	US-07-714-540-9
3	44	88.0	10	US-07-690-983D-2
4	44	88.0	10	US-07-690-983D-32
5	44	88.0	10	US-08-343-883-1
6	44	88.0	10	US-08-000-931-5
7	44	88.0	10	US-08-428-488-22
8	44	88.0	10	US-08-341-219-11
9	44	88.0	10	US-08-341-219-12
10	44	88.0	10	US-08-341-219-13
11	44	88.0	10	US-08-453-588-22
12	44	88.0	10	US-08-591-917-1
13	44	88.0	10	US-08-446-692-1
14	44	88.0	10	US-08-796-598-6
15	44	88.0	10	US-08-694-865-18
16	44	88.0	10	US-08-488-351A-1
17	44	88.0	10	US-08-488-351A-17
18	44	88.0	10	US-08-447-175A-6
19	44	88.0	10	US-08-521-079-22
20	44	88.0	10	US-09-124-491-18
21	44	88.0	10	US-09-100-414B-77
22	44	88.0	10	US-08-927-128-13
23	44	88.0	10	US-08-912-314A-11
24	44	88.0	10	US-08-912-314A-12
25	44	88.0	10	US-08-912-314A-13
26	44	88.0	10	US-09-303-323-77
27	44	88.0	10	US-09-373-180-1

28	44	88.0	10	US-09-026-276-28	Sequence 28, Appl
29	44	88.0	10	US-09-451-013-1	Sequence 1, Appl
30	44	88.0	10	US-08-973-378-1	Sequence 1, Appl
31	44	88.0	10	US-09-698-134-1	Sequence 1, Appl
32	44	88.0	10	US-09-256-599-1	Sequence 1, Appl
33	44	88.0	10	US-09-639-483C-3	Sequence 3, Appl
34	44	88.0	10	US-09-383-913-18	Sequence 18, Appl
35	44	88.0	10	US-09-770-014-77	Sequence 77, Appl
36	44	88.0	10	US-09-525-007-1	Sequence 1, Appl
37	44	88.0	10	US-09-964-201A-28	Sequence 28, Appl
38	44	88.0	10	US-09-890-650-28	Sequence 28, Appl
39	44	88.0	10	5168061-1	Patent No. 5168061
40	44	88.0	10	5169865-10	Patent No. 5169865
41	44	88.0	10	5169935-1	Patent No. 5169935
42	44	88.0	10	5488036-1	Patent No. 5488036
43	44	88.0	10	5492893-1	Patent No. 5492893
44	44	88.0	10	US-08-302-915-2	Sequence 2, Appl
45	44	88.0	12	US-07-690-983D-22	Sequence 22, Appl
46	44	88.0	14	US-07-690-983D-24	Sequence 24, Appl
47	44	88.0	14	US-07-690-983D-26	Sequence 26, Appl
48	44	88.0	14	US-07-690-983D-28	Sequence 28, Appl
49	44	88.0	16	US-07-690-983D-30	Sequence 30, Appl
50	44	88.0	17	US-07-690-983D-14	Sequence 14, Appl
51	44	88.0	17	US-07-690-983D-16	Sequence 16, Appl
52	44	88.0	18	US-07-690-983D-18	Sequence 18, Appl
53	44	88.0	18	US-07-690-983D-20	Sequence 20, Appl
54	44	88.0	20	US-07-690-983D-40	Sequence 40, Appl
55	44	88.0	20	US-09-026-276-29	Sequence 29, Appl
56	44	88.0	20	US-09-026-276-30	Sequence 30, Appl
57	44	88.0	20	US-09-026-276-31	Sequence 31, Appl
58	44	88.0	20	US-09-964-201A-29	Sequence 29, Appl
59	44	88.0	20	US-09-964-201A-30	Sequence 30, Appl
60	44	88.0	20	US-09-964-201A-31	Sequence 31, Appl
61	44	88.0	24	US-07-690-983D-43	Sequence 43, Appl
62	44	88.0	25	US-08-446-692-12	Sequence 12, Appl
63	44	88.0	25	US-08-446-692-17	Sequence 17, Appl
64	44	88.0	25	US-08-488-351A-12	Sequence 12, Appl
65	44	88.0	25	US-08-488-351A-17	Sequence 17, Appl
66	44	88.0	26	US-08-446-692-29	Sequence 29, Appl
67	44	88.0	26	US-08-488-351A-29	Sequence 29, Appl
68	44	88.0	27	US-08-446-692-13	Sequence 13, Appl
69	44	88.0	27	US-08-446-692-19	Sequence 19, Appl
70	44	88.0	27	US-08-488-351A-13	Sequence 13, Appl
71	44	88.0	27	US-08-488-351A-19	Sequence 19, Appl
72	44	88.0	27	US-09-100-414B-36	Sequence 36, Appl
73	44	88.0	27	US-09-100-414B-41	Sequence 41, Appl
74	44	88.0	27	US-09-100-414B-42	Sequence 42, Appl
75	44	88.0	27	US-09-100-414B-43	Sequence 43, Appl
76	44	88.0	27	US-09-100-414B-44	Sequence 44, Appl
77	44	88.0	27	US-09-100-414B-47	Sequence 47, Appl
78	44	88.0	27	US-09-100-414B-48	Sequence 48, Appl
79	44	88.0	27	US-09-100-414B-49	Sequence 49, Appl
80	44	88.0	27	US-09-100-414B-50	Sequence 50, Appl
81	44	88.0	27	US-09-100-414B-51	Sequence 51, Appl
82	44	88.0	27	US-09-100-414B-65	Sequence 65, Appl
83	44	88.0	27	US-09-303-323-36	Sequence 36, Appl
84	44	88.0	27	US-09-303-323-41	Sequence 41, Appl
85	44	88.0	27	US-09-303-323-42	Sequence 42, Appl
86	44	88.0	27	US-09-303-323-43	Sequence 43, Appl
87	44	88.0	27	US-09-303-323-44	Sequence 44, Appl
88	44	88.0	27	US-09-303-323-47	Sequence 47, Appl
89	44	88.0	27	US-09-303-323-48	Sequence 48, Appl
90	44	88.0	27	US-09-303-323-49	Sequence 49, Appl
91	44	88.0	27	US-09-303-323-50	Sequence 50, Appl
92	44	88.0	27	US-09-303-323-51	Sequence 51, Appl
93	44	88.0	27	US-09-303-323-65	Sequence 65, Appl
94	44	88.0	27	US-09-770-014-36	Sequence 36, Appl
95	44	88.0	27	US-09-770-014-41	Sequence 41, Appl
96	44	88.0	27	US-09-770-014-42	Sequence 42, Appl
97	44	88.0	27	US-09-770-014-43	Sequence 43, Appl
98	44	88.0	27	US-09-770-014-44	Sequence 44, Appl
99	44	88.0	27	US-09-770-014-47	Sequence 47, Appl
100	44	88.0	27	US-09-770-014-48	Sequence 48, Appl

101	44	88.0	27	4	US-09-770-014-49	Sequence 49, Appl	174	44	88.0	31	3	US-09-303-323-61	Sequence 61, Appl
102	44	88.0	27	4	US-09-770-014-50	Sequence 50, Appl	175	44	88.0	31	3	US-09-303-323-64	Sequence 64, Appl
103	44	88.0	27	4	US-09-770-014-51	Sequence 51, Appl	176	44	88.0	31	3	US-09-303-323-76	Sequence 76, Appl
104	44	88.0	27	4	US-09-770-014-51	Sequence 51, Appl	176	44	88.0	31	3	US-09-303-323-76	Sequence 76, Appl
105	44	88.0	27	4	US-09-770-014-65	Sequence 65, Appl	177	44	88.0	31	3	US-09-303-323-106	Sequence 106, Appl
106	44	88.0	28	1	US-08-446-692-10	Sequence 10, Appl	178	44	88.0	31	4	US-09-770-014-53	Sequence 53, Appl
107	44	88.0	28	1	US-08-446-692-38	Sequence 38, Appl	179	44	88.0	31	4	US-09-770-014-54	Sequence 54, Appl
108	44	88.0	28	2	US-08-488-351A-10	Sequence 10, Appl	180	44	88.0	31	4	US-09-770-014-55	Sequence 55, Appl
109	44	88.0	28	2	US-08-488-351A-38	Sequence 38, Appl	181	44	88.0	31	4	US-09-770-014-56	Sequence 56, Appl
110	44	88.0	28	3	US-09-100-414B-37	Sequence 37, Appl	182	44	88.0	31	4	US-09-770-014-59	Sequence 59, Appl
111	44	88.0	28	3	US-09-100-414B-38	Sequence 38, Appl	183	44	88.0	31	4	US-09-770-014-61	Sequence 61, Appl
112	44	88.0	28	3	US-09-100-414B-39	Sequence 39, Appl	184	44	88.0	31	4	US-09-770-014-64	Sequence 64, Appl
113	44	88.0	28	3	US-09-100-414B-40	Sequence 40, Appl	185	44	88.0	31	4	US-09-770-014-76	Sequence 76, Appl
114	44	88.0	28	3	US-09-100-414B-74	Sequence 74, Appl	186	44	88.0	31	4	US-09-770-014-106	Sequence 106, Appl
115	44	88.0	28	3	US-09-303-323-37	Sequence 37, Appl	187	44	88.0	32	1	US-08-446-692-14	Sequence 14, Appl
116	44	88.0	28	3	US-09-303-323-38	Sequence 38, Appl	188	44	88.0	32	1	US-08-446-692-21	Sequence 21, Appl
117	44	88.0	28	3	US-09-303-323-39	Sequence 39, Appl	189	44	88.0	32	1	US-08-446-692-31	Sequence 31, Appl
118	44	88.0	28	3	US-09-303-323-40	Sequence 40, Appl	190	44	88.0	32	2	US-08-488-351A-14	Sequence 14, Appl
119	44	88.0	28	3	US-09-303-323-74	Sequence 74, Appl	191	44	88.0	32	2	US-08-488-351A-21	Sequence 21, Appl
120	44	88.0	28	4	US-09-770-014-38	Sequence 38, Appl	192	44	88.0	33	1	US-08-446-692-27	Sequence 27, Appl
121	44	88.0	28	4	US-09-770-014-39	Sequence 39, Appl	193	44	88.0	33	2	US-08-488-351A-27	Sequence 27, Appl
122	44	88.0	28	4	US-09-770-014-40	Sequence 40, Appl	194	44	88.0	33	2	US-08-446-692-16	Sequence 16, Appl
123	44	88.0	28	4	US-09-770-014-74	Sequence 74, Appl	195	44	88.0	34	1	US-08-488-351A-16	Sequence 16, Appl
124	44	88.0	29	1	US-08-446-692-28	Sequence 28, Appl	196	44	88.0	34	2	US-08-488-351A-82	Sequence 82, Appl
125	44	88.0	29	2	US-08-488-351A-28	Sequence 28, Appl	197	44	88.0	34	3	US-09-303-323-82	Sequence 82, Appl
126	44	88.0	29	3	US-09-100-414B-72	Sequence 72, Appl	198	44	88.0	34	4	US-09-770-014-82	Sequence 82, Appl
127	44	88.0	29	3	US-09-303-323-72	Sequence 72, Appl	199	44	88.0	35	1	US-08-446-692-25	Sequence 25, Appl
128	44	88.0	29	4	US-08-446-692-18	Sequence 18, Appl	200	44	88.0	35	2	US-08-488-351A-25	Sequence 25, Appl
129	44	88.0	30	1	US-08-446-692-23	Sequence 23, Appl	201	44	88.0	35	2	US-09-100-414B-80	Sequence 80, Appl
130	44	88.0	30	1	US-08-446-692-39	Sequence 39, Appl	202	44	88.0	35	3	US-09-100-414B-81	Sequence 81, Appl
131	44	88.0	30	1	US-08-488-351A-18	Sequence 18, Appl	203	44	88.0	35	3	US-09-303-323-81	Sequence 81, Appl
132	44	88.0	30	2	US-08-488-351A-23	Sequence 23, Appl	204	44	88.0	35	3	US-09-303-323-81	Sequence 81, Appl
133	44	88.0	30	2	US-08-488-351A-39	Sequence 39, Appl	205	44	88.0	35	4	US-09-770-014-81	Sequence 81, Appl
134	44	88.0	30	3	US-09-100-414B-66	Sequence 66, Appl	206	44	88.0	35	4	US-09-770-014-81	Sequence 81, Appl
135	44	88.0	30	3	US-09-100-414B-67	Sequence 67, Appl	207	44	88.0	35	4	US-09-770-014-81	Sequence 81, Appl
136	44	88.0	30	3	US-09-100-414B-68	Sequence 68, Appl	208	44	88.0	37	1	US-08-446-692-15	Sequence 15, Appl
137	44	88.0	30	3	US-09-100-414B-69	Sequence 69, Appl	209	44	88.0	37	2	US-08-446-692-24	Sequence 24, Appl
138	44	88.0	30	3	US-09-100-414B-70	Sequence 70, Appl	210	44	88.0	37	2	US-08-488-351A-15	Sequence 15, Appl
139	44	88.0	30	3	US-09-100-414B-71	Sequence 71, Appl	211	44	88.0	37	2	US-08-488-351A-24	Sequence 24, Appl
140	44	88.0	30	3	US-09-100-414B-73	Sequence 73, Appl	212	44	88.0	38	1	US-08-446-692-11	Sequence 11, Appl
141	44	88.0	30	3	US-09-303-323-66	Sequence 66, Appl	213	44	88.0	38	2	US-08-488-351A-11	Sequence 11, Appl
142	44	88.0	30	3	US-09-303-323-67	Sequence 67, Appl	214	44	88.0	42	1	US-08-446-692-20	Sequence 20, Appl
143	44	88.0	30	3	US-09-303-323-68	Sequence 68, Appl	215	44	88.0	42	2	US-08-488-351A-20	Sequence 20, Appl
144	44	88.0	30	3	US-09-303-323-69	Sequence 69, Appl	216	44	88.0	44	1	US-07-690-983D-45	Sequence 45, Appl
145	44	88.0	30	3	US-09-303-323-70	Sequence 70, Appl	217	44	88.0	44	1	US-08-446-692-33	Sequence 33, Appl
146	44	88.0	30	3	US-09-303-323-71	Sequence 71, Appl	218	44	88.0	45	1	US-08-446-692-33	Sequence 33, Appl
147	44	88.0	30	3	US-09-303-323-72	Sequence 72, Appl	219	44	88.0	45	2	US-08-488-351A-32	Sequence 32, Appl
148	44	88.0	30	3	US-09-770-014-66	Sequence 66, Appl	220	44	88.0	45	2	US-08-488-351A-33	Sequence 33, Appl
149	44	88.0	30	4	US-09-770-014-67	Sequence 67, Appl	221	44	88.0	45	3	US-09-100-414B-45	Sequence 45, Appl
150	44	88.0	30	4	US-09-770-014-68	Sequence 68, Appl	222	44	88.0	45	3	US-09-100-414B-52	Sequence 52, Appl
151	44	88.0	30	4	US-09-770-014-69	Sequence 69, Appl	223	44	88.0	45	3	US-09-100-414B-52	Sequence 52, Appl
152	44	88.0	30	4	US-09-770-014-70	Sequence 70, Appl	224	44	88.0	45	3	US-09-303-323-46	Sequence 46, Appl
153	44	88.0	30	4	US-09-770-014-71	Sequence 71, Appl	225	44	88.0	45	3	US-09-303-323-46	Sequence 46, Appl
154	44	88.0	30	4	US-09-770-014-73	Sequence 73, Appl	226	44	88.0	45	4	US-09-770-014-45	Sequence 45, Appl
155	44	88.0	31	1	US-08-446-692-22	Sequence 22, Appl	227	44	88.0	45	4	US-09-770-014-46	Sequence 46, Appl
156	44	88.0	31	1	US-08-488-351A-22	Sequence 22, Appl	228	44	88.0	45	4	US-09-770-014-46	Sequence 46, Appl
157	44	88.0	31	2	US-08-488-351A-30	Sequence 30, Appl	229	44	88.0	46	1	US-08-446-692-40	Sequence 40, Appl
158	44	88.0	31	2	US-09-100-414B-53	Sequence 53, Appl	230	44	88.0	46	2	US-08-488-351A-40	Sequence 40, Appl
159	44	88.0	31	3	US-09-100-414B-54	Sequence 54, Appl	231	44	88.0	46	3	US-09-100-414B-75	Sequence 75, Appl
160	44	88.0	31	3	US-09-100-414B-55	Sequence 55, Appl	232	44	88.0	46	3	US-09-303-323-75	Sequence 75, Appl
161	44	88.0	31	3	US-09-100-414B-56	Sequence 56, Appl	233	44	88.0	46	4	US-09-770-014-75	Sequence 75, Appl
162	44	88.0	31	3	US-09-100-414B-59	Sequence 59, Appl	234	44	88.0	47	1	US-08-446-692-35	Sequence 35, Appl
163	44	88.0	31	3	US-09-100-414B-61	Sequence 61, Appl	235	44	88.0	47	1	US-08-488-351A-35	Sequence 35, Appl
164	44	88.0	31	3	US-09-100-414B-64	Sequence 64, Appl	236	44	88.0	47	2	US-09-100-414B-60	Sequence 60, Appl
165	44	88.0	31	3	US-09-100-414B-76	Sequence 76, Appl	237	44	88.0	47	3	US-09-100-414B-63	Sequence 63, Appl
166	44	88.0	31	3	US-09-100-414B-106	Sequence 106, Appl	238	44	88.0	47	3	US-09-303-323-60	Sequence 60, Appl
167	44	88.0	31	3	US-09-303-323-53	Sequence 53, Appl	239	44	88.0	47	3	US-09-303-323-63	Sequence 63, Appl
168	44	88.0	31	3	US-09-303-323-54	Sequence 54, Appl	240	44	88.0	47	4	US-09-770-014-60	Sequence 60, Appl
169	44	88.0	31	3	US-09-303-323-55	Sequence 55, Appl	241	44	88.0	47	4	US-09-770-014-63	Sequence 63, Appl
170	44	88.0	31	3	US-09-303-323-56	Sequence 56, Appl	242	44	88.0	48	1	US-08-446-692-37	Sequence 37, Appl
171	44	88.0	31	3	US-09-303-323-59	Sequence 59, Appl	243	44	88.0	48	1	US-08-446-692-41	Sequence 41, Appl
172	44	88.0	31	3	US-09-303-323-59	Sequence 59, Appl	244	44	88.0	48	2	US-08-488-351A-37	Sequence 37, Appl
173	44	88.0	31	3	US-09-303-323-59	Sequence 59, Appl	245	44	88.0	48	2	US-08-488-351A-41	Sequence 41, Appl

247	44	88.0	49	1	US-08-446-692-36	Sequence 36, Appl	320	41	82.0	14	3	US-08-521-079-23	Sequence 23, Appl
248	44	88.0	49	2	US-08-488-351A-36	Sequence 36, Appl	321	41	82.0	15	1	US-08-453-588-25	Sequence 25, Appl
249	44	88.0	49	3	US-09-100-414B-57	Sequence 57, Appl	322	41	82.0	15	3	US-08-521-079-25	Sequence 25, Appl
250	44	88.0	49	3	US-09-100-414B-58	Sequence 58, Appl	323	41	82.0	16	1	US-08-453-588-26	Sequence 26, Appl
251	44	88.0	49	3	US-09-100-414B-62	Sequence 57, Appl	324	41	82.0	16	3	US-08-521-079-26	Sequence 26, Appl
252	44	88.0	49	3	US-09-303-323-57	Sequence 57, Appl	325	41	82.0	18	3	US-09-082-279B-1146	Sequence 1146, Ap
253	44	88.0	49	3	US-09-303-323-58	Sequence 58, Appl	326	41	82.0	18	3	US-09-082-279B-1147	Sequence 1147, Ap
254	44	88.0	49	3	US-09-303-323-62	Sequence 58, Appl	327	41	82.0	18	3	US-09-082-279B-1148	Sequence 1148, Ap
255	44	88.0	49	3	US-09-770-014-57	Sequence 57, Appl	328	41	82.0	18	3	US-09-082-279B-1172	Sequence 1172, Ap
256	44	88.0	49	4	US-09-770-014-58	Sequence 58, Appl	329	41	82.0	18	4	US-09-315-304B-1147	Sequence 1147, Ap
257	44	88.0	49	4	US-09-770-014-62	Sequence 58, Appl	330	41	82.0	18	4	US-09-315-304B-1148	Sequence 1148, Ap
258	44	88.0	51	1	US-08-446-692-26	Sequence 26, Appl	331	41	82.0	18	4	US-09-315-304B-1172	Sequence 1172, Ap
259	44	88.0	51	2	US-08-488-351A-26	Sequence 26, Appl	332	41	82.0	18	4	US-09-315-304B-1173	Sequence 1173, Ap
260	44	88.0	52	3	US-08-458-814-6	Sequence 34, Appl	333	41	82.0	18	4	US-09-834-784-1146	Sequence 1146, Ap
261	44	88.0	54	1	US-08-446-692-34	Sequence 34, Appl	334	41	82.0	18	4	US-09-834-784-1147	Sequence 1147, Ap
262	44	88.0	54	2	US-08-488-351A-34	Sequence 34, Appl	335	41	82.0	18	4	US-09-834-784-1148	Sequence 1148, Ap
263	44	88.0	55	3	US-08-458-814-7	Sequence 7, Appl	336	41	82.0	18	4	US-09-834-784-1149	Sequence 1149, Ap
264	44	88.0	84	1	US-07-690-983D-47	Sequence 47, Appl	337	41	82.0	18	4	US-09-834-784-1150	Sequence 1150, Ap
265	44	88.0	10	1	US-08-341-219-14	Sequence 14, Appl	338	41	82.0	18	4	US-09-834-784-1151	Sequence 1151, Ap
266	43	86.0	10	1	US-08-341-219-15	Sequence 15, Appl	339	41	82.0	18	4	US-09-834-784-1152	Sequence 1152, Ap
267	43	86.0	10	1	US-08-341-219-16	Sequence 16, Appl	340	41	82.0	18	4	US-09-834-784-1153	Sequence 1153, Ap
268	43	86.0	10	3	US-08-341-219-16	Sequence 16, Appl	341	41	82.0	18	4	US-09-834-784-1154	Sequence 1154, Ap
269	43	86.0	10	3	US-08-912-314A-15	Sequence 15, Appl	342	41	82.0	18	4	US-09-834-784-1155	Sequence 1155, Ap
270	43	86.0	10	3	US-08-912-314A-16	Sequence 16, Appl	343	41	82.0	18	4	US-09-834-784-1156	Sequence 1156, Ap
271	42	84.0	13	1	US-08-341-219-4	Sequence 4, Appl	344	41	82.0	18	4	US-09-834-784-1157	Sequence 1157, Ap
272	42	84.0	13	3	US-08-912-314A-4	Sequence 4, Appl	345	41	82.0	18	4	US-09-834-784-1158	Sequence 1158, Ap
273	42	84.0	95	1	US-08-341-219-2	Sequence 2, Appl	346	41	82.0	18	4	US-09-834-784-1159	Sequence 1159, Ap
274	42	84.0	95	3	US-08-912-314A-2	Sequence 2, Appl	347	41	82.0	18	4	US-09-834-784-1160	Sequence 1160, Ap
275	41	82.0	10	1	US-08-453-588-2	Sequence 2, Appl	348	41	82.0	18	4	US-09-834-784-1161	Sequence 1161, Ap
276	41	82.0	10	1	US-08-453-588-4	Sequence 4, Appl	349	41	82.0	18	4	US-09-834-784-1162	Sequence 1162, Ap
277	41	82.0	10	1	US-08-453-588-6	Sequence 6, Appl	350	41	82.0	18	4	US-09-834-784-1163	Sequence 1163, Ap
278	41	82.0	10	1	US-08-453-588-8	Sequence 8, Appl	351	41	82.0	18	4	US-09-834-784-1164	Sequence 1164, Ap
279	41	82.0	10	1	US-08-453-588-10	Sequence 10, Appl	352	41	82.0	18	4	US-09-834-784-1165	Sequence 1165, Ap
280	41	82.0	10	1	US-08-453-588-12	Sequence 12, Appl	353	41	82.0	18	4	US-09-834-784-1166	Sequence 1166, Ap
281	41	82.0	10	1	US-08-453-588-14	Sequence 14, Appl	354	41	82.0	18	4	US-09-834-784-1167	Sequence 1167, Ap
282	41	82.0	10	1	US-08-453-588-16	Sequence 16, Appl	355	41	82.0	18	4	US-09-834-784-1168	Sequence 1168, Ap
283	41	82.0	10	1	US-08-453-588-19	Sequence 19, Appl	356	41	82.0	18	4	US-09-834-784-1169	Sequence 1169, Ap
284	41	82.0	10	1	US-08-453-588-19	Sequence 19, Appl	357	41	82.0	18	4	US-09-834-784-1170	Sequence 1170, Ap
285	41	82.0	10	2	US-08-387-156-2	Sequence 2, Appl	358	41	82.0	18	4	US-09-834-784-1171	Sequence 1171, Ap
286	41	82.0	10	2	US-08-694-865-2	Sequence 2, Appl	359	41	82.0	18	4	US-09-834-784-1172	Sequence 1172, Ap
287	41	82.0	10	3	US-08-521-079-2	Sequence 2, Appl	360	41	82.0	18	4	US-09-834-784-1173	Sequence 1173, Ap
288	41	82.0	10	3	US-08-521-079-4	Sequence 4, Appl	361	41	82.0	18	4	US-09-834-784-1174	Sequence 1174, Ap
289	41	82.0	10	3	US-08-521-079-6	Sequence 6, Appl	362	41	82.0	18	4	US-09-834-784-1175	Sequence 1175, Ap
290	41	82.0	10	3	US-08-521-079-8	Sequence 8, Appl	363	41	82.0	18	4	US-09-834-784-1176	Sequence 1176, Ap
291	41	82.0	10	3	US-08-521-079-10	Sequence 10, Appl	364	41	82.0	18	4	US-09-834-784-1177	Sequence 1177, Ap
292	41	82.0	10	3	US-08-521-079-12	Sequence 12, Appl	365	41	82.0	18	4	US-09-834-784-1178	Sequence 1178, Ap
293	41	82.0	10	3	US-08-521-079-14	Sequence 14, Appl	366	41	82.0	18	4	US-09-834-784-1179	Sequence 1179, Ap
294	41	82.0	10	3	US-08-521-079-16	Sequence 16, Appl	367	41	82.0	18	4	US-09-834-784-1180	Sequence 1180, Ap
295	41	82.0	10	3	US-08-521-079-19	Sequence 19, Appl	368	41	82.0	18	4	US-09-834-784-1181	Sequence 1181, Ap
296	41	82.0	10	3	US-08-521-079-21	Sequence 21, Appl	369	41	82.0	18	4	US-09-834-784-1182	Sequence 1182, Ap
297	41	82.0	10	3	US-09-082-279B-1143	Sequence 1143, Ap	370	41	82.0	18	4	US-09-834-784-1183	Sequence 1183, Ap
298	41	82.0	10	3	US-09-082-279B-1309	Sequence 1309, Ap	371	41	82.0	18	4	US-09-834-784-1184	Sequence 1184, Ap
299	41	82.0	10	3	US-09-082-279B-1344	Sequence 1344, Ap	372	41	82.0	18	4	US-09-834-784-1185	Sequence 1185, Ap
300	41	82.0	10	3	US-09-026-276-32	Sequence 32, Appl	373	41	82.0	18	4	US-09-026-276-33	Sequence 33, Appl
301	41	82.0	10	4	US-09-315-304B-1143	Sequence 1143, Ap	374	41	82.0	18	4	US-09-315-304B-1144	Sequence 1144, Ap
302	41	82.0	10	4	US-09-315-304B-1309	Sequence 1309, Ap	375	41	82.0	18	4	US-09-315-304B-1145	Sequence 1145, Ap
303	41	82.0	10	4	US-09-315-304B-1344	Sequence 1344, Ap	376	41	82.0	18	4	US-09-315-304B-1146	Sequence 1146, Ap
304	41	82.0	10	4	US-09-383-912-2	Sequence 2, Appl	377	41	82.0	18	4	US-09-383-912-3	Sequence 3, Appl
305	41	82.0	10	4	US-09-834-784-1143	Sequence 1143, Ap	378	41	82.0	18	4	US-09-834-784-1144	Sequence 1144, Ap
306	41	82.0	10	4	US-09-834-784-1309	Sequence 1309, Ap	379	41	82.0	18	4	US-09-834-784-1145	Sequence 1145, Ap
307	41	82.0	10	4	US-09-834-784-1344	Sequence 1344, Ap	380	41	82.0	18	4	US-09-834-784-1146	Sequence 1146, Ap
308	41	82.0	10	4	US-09-515-965A-1143	Sequence 1143, Ap	381	41	82.0	18	4	US-09-515-965A-1144	Sequence 1144, Ap
309	41	82.0	10	4	US-09-515-965A-1309	Sequence 1309, Ap	382	41	82.0	18	4	US-09-515-965A-1145	Sequence 1145, Ap
310	41	82.0	10	4	US-09-515-965A-1344	Sequence 1344, Ap	383	41	82.0	18	4	US-09-515-965A-1146	Sequence 1146, Ap
311	41	82.0	10	4	US-09-381-879-9	Sequence 9, Appl	384	41	82.0	18	4	US-09-381-879-10	Sequence 10, Appl
312	41	82.0	10	4	US-09-350-641C-1143	Sequence 1143, Ap	385	41	82.0	18	4	US-09-350-641C-1144	Sequence 1144, Ap
313	41	82.0	10	4	US-09-350-641C-1309	Sequence 1309, Ap	386	41	82.0	18	4	US-09-350-641C-1145	Sequence 1145, Ap
314	41	82.0	10	4	US-09-350-641C-1344	Sequence 1344, Ap	387	41	82.0	18	4	US-09-350-641C-1146	Sequence 1146, Ap
315	41	82.0	10	4	US-09-964-201A-32	Sequence 32, Appl	388	41	82.0	18	4	US-09-964-201A-33	Sequence 33, Appl
316	41	82.0	10	4	US-09-486-143B-9	Sequence 9, Appl	389	41	82.0	18	4	US-09-486-143B-10	Sequence 10, Appl
317	41	82.0	12	1	US-08-453-588-24	Sequence 24, Appl	390	41	82.0	18	4	US-08-453-588-25	Sequence 25, Appl
318	41	82.0	12	3	US-08-521-079-24	Sequence 24, Appl	391	41	82.0	18	4	US-08-521-079-25	Sequence 25, Appl
319	41	82.0	14	1	US-08-453-588-23	Sequence 23, Appl	392	41	82.0	18	4	US-08-453-588-24	Sequence 24, Appl

333	41	52.0	977	2	US-08-694-865-8	Sequence 8, Appl	466	33	66.0	10	1	US-08-188-223-1	Sequence 1, Appl
334	41	82.0	977	2	US-08-878-748-8	Sequence 8, Appl	467	33	66.0	10	1	US-08-188-223-8	Sequence 8, Appl
335	41	82.0	977	2	US-09-124-491-8	Sequence 8, Appl	468	33	66.0	10	1	US-08-747-137-116	Sequence 116, App
336	41	82.0	977	4	US-09-393-912-8	Sequence 8, Appl	469	33	66.0	10	3	US-08-968-466-1	Sequence 1, Appl
337	40	80.0	9	1	US-08-341-219-8	Sequence 8, Appl	470	33	66.0	10	3	US-08-968-466-8	Sequence 8, Appl
338	40	80.0	9	3	US-08-912-314A-8	Sequence 8, Appl	471	33	66.0	10	4	US-08-089-522A-2	Sequence 2, Appl
339	40	80.0	85	1	US-08-341-219-22	Sequence 22, Appl	472	33	66.0	10	4	US-08-478-546B-1	Sequence 1, Appl
340	40	80.0	85	3	US-08-912-314A-22	Sequence 24, Appl	473	33	66.0	10	4	US-09-297-989-2	Sequence 2, Appl
400	40	80.0	90	1	US-08-341-219-24	Sequence 24, Appl	474	33	66.0	10	4	US-09-269-954-1	Sequence 1, Appl
401	40	80.0	90	3	US-08-912-314A-24	Sequence 24, Appl	475	33	66.0	10	4	US-09-269-954-4	Sequence 4, Appl
402	40	80.0	90	3	US-08-912-314A-24	Sequence 24, Appl	476	33	66.0	508	4	US-08-724-281-1	Sequence 1, Appl
403	39	78.0	9	4	US-09-690-650-29	Sequence 29, Appl	477	33	66.0	508	4	US-09-134-377-1	Sequence 1, Appl
404	39	78.0	10	1	US-09-572-339-1	Sequence 1, Appl	478	33	66.0	856	4	US-09-252-991A-17850	Sequence 17850, A
405	39	78.0	10	1	US-08-103-082-1	Sequence 1, Appl	479	33	66.0	1105	4	US-08-710-249-2	Sequence 2, Appl
406	39	78.0	10	1	US-08-184-935-6	Sequence 6, Appl	480	33	66.0	1105	4	US-09-220-157A-2	Sequence 2, Appl
407	39	78.0	10	1	US-08-188-223-3	Sequence 3, Appl	481	32	64.0	10	1	US-07-690-983D-5	Sequence 5, Appl
408	39	78.0	10	1	US-08-406-935-5	Sequence 5, Appl	482	32	64.0	10	1	US-07-690-983D-5	Sequence 5, Appl
409	39	78.0	10	1	US-08-474-555-1	Sequence 1, Appl	483	32	64.0	10	1	US-08-193-374-3	Sequence 3, Appl
410	39	78.0	10	1	US-08-242-678D-1	Sequence 1, Appl	484	32	64.0	10	1	US-08-193-374-8	Sequence 8, Appl
411	39	78.0	10	1	US-08-242-678D-1	Sequence 1, Appl	485	32	64.0	10	3	US-08-893-749-13	Sequence 13, Appl
412	39	78.0	10	3	US-08-893-749-24	Sequence 24, Appl	486	32	64.0	10	3	US-08-893-749-26	Sequence 26, Appl
413	39	78.0	10	3	US-08-968-466-3	Sequence 3, Appl	487	32	64.0	10	3	US-09-317-125-18	Sequence 18, Appl
414	39	78.0	10	3	US-09-317-125-2	Sequence 2, Appl	488	32	64.0	10	3	US-09-317-125-19	Sequence 19, Appl
415	39	78.0	10	4	US-08-478-546B-3	Sequence 3, Appl	489	32	64.0	10	4	US-09-089-522A-4	Sequence 4, Appl
416	39	78.0	10	4	US-09-450-443E-9	Sequence 9, Appl	490	32	64.0	10	4	US-09-089-522A-5	Sequence 5, Appl
417	39	78.0	10	4	US-09-450-443E-39	Sequence 39, Appl	491	32	64.0	10	4	US-09-297-989-4	Sequence 4, Appl
418	39	78.0	10	4	US-09-381-879-1	Sequence 1, Appl	492	32	64.0	10	4	US-09-297-989-5	Sequence 5, Appl
419	39	78.0	10	4	US-09-381-879-17	Sequence 17, Appl	493	32	64.0	10	4	US-09-450-443E-11	Sequence 11, Appl
420	39	78.0	10	4	US-09-486-143B-1	Sequence 1, Appl	494	32	64.0	10	4	US-09-450-443E-13	Sequence 13, Appl
421	39												

TITLE OF INVENTION: ENZYME AND NOVEL COMPOUNDS USEFUL AS INHIBITORS THEREOF
NUMBER OF SEQUENCES: 13
CORRESPONDENCE ADDRESS:
ADDRESSEE: Irell & Manella
STREET: 545 Middlefield Road, Suite 200
CITY: Menlo Park
STATE: California
COUNTRY: USA
ZIP: 94025
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/07/714,540
FILING DATE: 19910607
CLASSIFICATION: 530
ATTORNEY/AGENT INFORMATION:
NAME: Reed, Dianne E.
REGISTRATION NUMBER: 31,292
REFERENCE/DOCKET NUMBER: 8500-0135.00
TELECOMMUNICATION INFORMATION:
TELEPHONE: 415-327-7250
TELEFAX: 415-327-2951
TELEX: 706141
INFORMATION FOR SEQ ID NO: 9:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: AMINO ACID
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
US-07-714-540-9

Query Match 88.0%; Score 44; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSXGXXPG 10
Db 1 EHWSYGLRPG 10

RESULT 3
US-07-690-983D-2
Sequence 2, Application US/07690983D
Patent No. 5403586
GENERAL INFORMATION:
APPLICANT: RUSSELL-JONES, Gregory J.
APPLICANT: STEWART, Andrew G.
APPLICANT: TSONIS, Con G.
TITLE OF INVENTION: FUSION PROTEINS
NUMBER OF SEQUENCES: 47
CORRESPONDENCE ADDRESS:
ADDRESSEE: Foley & Lardner
STREET: 3000 K Street, N.W.
CITY: Washington, D.C.
COUNTRY: USA
ZIP: 20007-5109
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/07/690,983D
FILING DATE: 25-JUN-1991
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/AU90/00373
FILING DATE: 24-AUG-1990
ATTORNEY/AGENT INFORMATION:

NAME: BENT, Stephen A.
REGISTRATION NUMBER: 29,768
REFERENCE/DOCKET NUMBER: 16786/148 CHAC
TELECOMMUNICATION INFORMATION:
TELEPHONE: (202)672-5300
TELEFAX: (202)672-5399
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: unknown
MOLECULE TYPE: protein
US-07-690-983D-2

Query Match 88.0%; Score 44; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSXGXXPG 10
Db 1 EHWSYGLRPG 10

RESULT 4
US-07-690-983D-32
Sequence 32, Application US/07690983D
Patent No. 5403586
GENERAL INFORMATION:
APPLICANT: RUSSELL-JONES, Gregory J.
APPLICANT: STEWART, Andrew G.
APPLICANT: TSONIS, Con G.
TITLE OF INVENTION: FUSION PROTEINS
NUMBER OF SEQUENCES: 47
CORRESPONDENCE ADDRESS:
ADDRESSEE: Foley & Lardner
STREET: 3000 K Street, N.W.
CITY: Washington, D.C.
COUNTRY: USA
ZIP: 20007-5109
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/07/690,983D
FILING DATE: 25-JUN-1991
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/AU90/00373
FILING DATE: 24-AUG-1990
ATTORNEY/AGENT INFORMATION:
NAME: BENT, Stephen A.
REGISTRATION NUMBER: 29,768
REFERENCE/DOCKET NUMBER: 16786/148 CHAC
TELECOMMUNICATION INFORMATION:
TELEPHONE: (202)672-5300
TELEFAX: (202)672-5399
INFORMATION FOR SEQ ID NO: 32:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-07-690-983D-32

Query Match 88.0%; Score 44; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSXGXXPG 10
Db 1 EHWSYGLRPG 10

RESULT 5
US-08-343-883-1
; Sequence 1, Application US/08343883
; Patent No. 5573767
; GENERAL INFORMATION:
; APPLICANT: Dufour, Raymond J.
; APPLICANT: Roulet, Claude J.M.
; APPLICANT: Chouvet, Claire D.
; APPLICANT: Bonneau, Michel B.
; TITLE OF INVENTION: Method for improving the organoleptic
; qualities of the meat from uncastrated male domestic
; animals, vaccines which are usable in this method, new
; peptide, in particular for producing these vaccines...
; TITLE OF INVENTION: peptide,
; NUMBER OF SEQUENCES: 2
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Larson and Taylor
; STREET: 727 Twenty-third Street, South
; CITY: Arlington
; STATE: Virginia
; COUNTRY: USA
; ZIP: 22202
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent in Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/343.883
; FILING DATE: 17-NOV-1994
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/946,495
; FILING DATE: 09-NOV-1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: FR 9102513
; FILING DATE: 01-MAR-1991
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: FR 9115289
; FILING DATE: 10-DEC-1991
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: Peptide
; FEATURE:
; NAME/KEY: Peptide
; LOCATION: 1
; OTHER INFORMATION: /label= pyro
; OTHER INFORMATION: /note= "pyroglutamic acid"
; PUBLICATION INFORMATION:
; AUTHORS: Matsuo, H.
; AUTHORS: Baba, Y.
; AUTHORS: G. Nair, R. M.
; AUTHORS: Arimura, A. V.
; AUTHORS: Schally, A. V.
; TITLE: Structure of the porcine LH- and
; TITLE: FSH-releasing hormone. I. The proposed amino acid
; TITLE: sequence.
; JOURNAL: Biochem. Biophys. Res. Commun.
; VOLUME: 43
; ISSUE: 6
; PAGES: 1334-1339
; DATE: 1971
; RELEVANT RESIDUES IN SEQ ID NO: 1: FROM 1 TO 10
US-08-343-883-1

Query Match 88.0%; Score 44; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0;
Gaps 0;
Qy 1 EHWSGXGXP 10
Db 1 EHWSYGLRPG 10
RESULT 6
US-08-000-931-5
; Sequence 5, Application US/08000931
; Patent No. 5576477
; GENERAL INFORMATION:
; APPLICANT: Tamanoi Dr., Fuyuhiko
; TITLE OF INVENTION: IDENTIFICATION AND CHARACTERIZATION OF
; INHIBITORS OF PROTEIN FARNESYLTRANSFERASE
; TITLE OF INVENTION: INHIBITORS OF PROTEIN FARNESYLTRANSFERASE
; NUMBER OF SEQUENCES: 10
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Foley & Lardner
; STREET: 3000 K Street, N.W., Suite 500
; CITY: Washington, D.C.
; COUNTRY: USA
; ZIP: 20007-5109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent in Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/000,931
; FILING DATE: 05-JAN-1994
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: BENT, Stephen A.
; REGISTRATION NUMBER: 29,768
; REFERENCE/DOCKET NUMBER: 64098/102/ARDE
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 672-5300
; TELEFAX: (202) 672-5399
; TELEX: 904136
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-000-931-5
Query Match 88.0%; Score 44; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0;
Gaps 0;
Qy 1 EHWSGXGXP 10
Db 1 EHWSYGLRPG 10
RESULT 7
US-08-428-488-22
; Sequence 22, Application US/08428488
; Patent No. 5624894
; GENERAL INFORMATION:
; APPLICANT: BODOR, Nicholas S.
; TITLE OF INVENTION: BRAIN-ENHANCED DELIVERY OF NEUROACTIVE
; PEPTIDES BY SEQUENTIAL METABOLISM
; TITLE OF INVENTION: PEPTIDES BY SEQUENTIAL METABOLISM
; NUMBER OF SEQUENCES: 107
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Burns, Doane, Swecker & Mathis
; STREET: P.O. Box 1404
; CITY: Alexandria


```

; STATE: Virginia
; COUNTRY: United States
; ZIP: 22313-1404
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/428,488
; FILING DATE: 27-APR-1995
; CLASSIFICATION: 514
; ATTORNEY/AGENT INFORMATION:
; NAME: Baumeister Mary Katherine
; REGISTRATION NUMBER: 26,254
; REFERENCE/DOCKET NUMBER: 028724-087
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (703) 836-6620
; TELEFAX: (703) 836-2021
; INFORMATION FOR SEQ ID NO: 22:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: 1
; OTHER INFORMATION: /note= "Position 1 = p-Glu."
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: 10
; OTHER INFORMATION: /note= "Position 10 = Gly-NH2."
; US-08-428-488-22

Query Match 88.0%; Score 44; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels

QY 1 EHWSGXREG 10
DB 1 EHWSYGLRPG 10

RESULT 8
US-08-341-219-11
; Sequence 11, Application US/08341219
; Patent No. 5643877
; GENERAL INFORMATION:
; APPLICANT: Zohar, Y.
; APPLICANT: Rivier, J.
; APPLICANT: Powell, J.
; APPLICANT: Sherwood, N.
; APPLICANT: Gothliff, Y.
; TITLE OF INVENTION: Compounds and Methods For Controlling
; TITLE OF INVENTION: Reproduction in Fish
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: N.Y.
; COUNTRY: USA
; ZIP: 10036-2711
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: IBM PC compatible
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/341,219
; FILING DATE: 05-DEC-1994

```

TELECOMMUNICATION INFORMATION:
TELEPHONE: (212) 790-9090
TELEFAX: (212) 869-8864/9741
INFORMATION FOR SEQ ID NO: 12:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS: not relevant
TOPOLOGY: unknown
MOLECULE TYPE: peptide
HYPOTHETICAL: NO
ANTI-SENSE: NO
FEATURE:
NAME/KEY: Modified-site
LOCATION: 1
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Glu1
OTHER INFORMATION: /note= "pyroglutamic acid"
FEATURE:
NAME/KEY: Modified-site
LOCATION: 10
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Gly10
OTHER INFORMATION: /note= "amidated"
US-08-341-219-12

Query Match 88.0%; Score 44; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043; 3; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSXGXKPG 10
Db 1 EHWSYGLQPG 10

RESULT 10
US-08-341-219-13
Sequence 13, Application US/08341219
Patent No. 5643877
GENERAL INFORMATION:
APPLICANT: Zohar, Y.
APPLICANT: Rivier, J.
APPLICANT: Powell, J.
APPLICANT: Sherwood, N.
APPLICANT: Gothelf, Y.
TITLE OF INVENTION: Compounds and Methods For Controlling
TITLE OF INVENTION: Reproduction in Fish
NUMBER OF SEQUENCES: 26
CORRESPONDENCE ADDRESS:
ADDRESSEE: Pennie & Edmonds
STREET: 1155 Avenue of the Americas
CITY: New York
STATE: N.Y.
COUNTRY: USA
ZIP: 10036-2711
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/341,219
FILING DATE: 05-DEC-1994
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Coruzzi, Laura A.
REGISTRATION NUMBER: 30742
REFERENCE/DOCKET NUMBER: 8399-003-999
TELECOMMUNICATION INFORMATION:
TELEPHONE: (212) 790-9090
TELEFAX: (212) 869-8864/9741
INFORMATION FOR SEQ ID NO: 13:
SEQUENCE CHARACTERISTICS:

LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS: not relevant
TOPOLOGY: unknown
MOLECULE TYPE: peptide
HYPOTHETICAL: NO
ANTI-SENSE: NO
FEATURE:
NAME/KEY: Modified-site
LOCATION: 1
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Glu1
OTHER INFORMATION: /note= "pyroglutamic acid"
FEATURE:
NAME/KEY: Modified-site
LOCATION: 10
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Gly10
OTHER INFORMATION: /note= "amidated"
US-08-341-219-13

Query Match 88.0%; Score 44; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043; 3; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSXGXKPG 10
Db 1 EHWSHGLNPG 10

RESULT 11
US-08-453-588-22
Sequence 22, Application US/08453588
Patent No. 5684145
GENERAL INFORMATION:
APPLICANT: Anna van der Zee, Irma Marianne van Die,
APPLICANT: Willem Pieter Martin Hoekstra,
APPLICANT: Josephus Theodorus Gielen.
TITLE OF INVENTION: Carrier system against GnRH
NUMBER OF SEQUENCES: 30
CORRESPONDENCE ADDRESS:
ADDRESSEE: Akzo No. 5684145el Patent Department
STREET: 1300 Piccard Drive, Suite 206
CITY: Rockville
STATE: Maryland
COUNTRY: U.S.A.
ZIP: 20850
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/453,588
FILING DATE: 30-MAY-1995
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/078,661
FILING DATE: 16-JUN-1993
ATTORNEY/AGENT INFORMATION:
NAME: Mary E. Gormley
REGISTRATION NUMBER: 34,409
TELECOMMUNICATION INFORMATION:
TELEPHONE: (301) 258-5200
INFORMATION FOR SEQ ID NO: 22:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
FEATURE:
NAME/KEY: Glu at position 1 is pyroglutamic acid
US-08-453-588-22

Query Match 88.0%; Score 44; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXKXPG 10
|||||
DB 1 EHWSYGLRPG 10

RESULT 12
US-08-591-917-1
; Sequence 1, Application US/08591917
; Patent No. 5707964
; GENERAL INFORMATION:
; APPLICANT: Nett, Torrance M
; APPLICANT: Glode, Leonard Michael
; TITLE OF INVENTION: A METHOD FOR TREATING CANCER
; NUMBER OF SEQUENCES: 3
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sheridan Ross & McIntosh
; STREET: 1700 Lincoln Street, Suite 3500
; CITY: Denver
; STATE: Colorado
; COUNTRY: USA
; ZIP: 80203

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/591,917
FILING DATE: 26-JAN-1996
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Kovarik, Joseph E.
REGISTRATION NUMBER: 33,005
REFERENCE/DOCKET NUMBER: 2730-3-2-1-1
TELECOMMUNICATION INFORMATION:
TELEPHONE: (303) 863-9700
TELEFAX: (303) 863-0223
INFORMATION FOR SEQ ID NO: 1:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-08-591-917-1

Query Match 88.0%; Score 44; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXKXPG 10
|||||
DB 1 EHWSYGLRPG 10

RESULT 13
US-08-446-692-1
; Sequence 1, Application US/08446692
; Patent No. 5759551
; GENERAL INFORMATION:
; APPLICANT: Ladd, Anna
; APPLICANT: Wang, Chang Yi
; APPLICANT: Zamb, Timothy
; TITLE OF INVENTION: Immunogenic LHRH peptide constructs
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Maria C.H. Lin
; STREET: 345 Park Avenue

CITY: New York
STATE: NY
COUNTRY: US
ZIP: 10154-0053
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/446,692
FILING DATE: 7-JUN-1995
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Maria C.H. Lin
REGISTRATION NUMBER: 29,323
REFERENCE/DOCKET NUMBER: 1151-4146 US2
TELECOMMUNICATION INFORMATION:
TELEPHONE: (212) 415-8745
TELEFAX: (516) 751-6849
INFORMATION FOR SEQ ID NO: 1:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-446-692-1

Query Match 88.0%; Score 44; DB 1; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXKXPG 10
|||||
DB 1 EHWSYGLRPG 10

RESULT 14
US-08-796-598-6
; Sequence 6, Application US/08796598
; Patent No. 5827659
; GENERAL INFORMATION:
; APPLICANT: PATTERSON, DALE H.
; APPLICANT: TARR, GEORGE E.
; TITLE OF INVENTION: METHODS AND APPARATUS FOR SEQUENCING
; TITLE OF INVENTION: POLYMERS USING MASS SPECTROMETRY.
; NUMBER OF SEQUENCES: 23
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Patent Administrator - Testa, Hurwitz &
; ADDRESSEE: Thibeault
; STREET: High Street Tower, 125 High Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02110

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent In Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/796,598
FILING DATE: 07-FEB-1997
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/446,055
FILING DATE: 19-MAY-1995
ATTORNEY/AGENT INFORMATION:
NAME: FLYNN Esq., Kerry A.
REGISTRATION NUMBER: 33,693
REFERENCE/DOCKET NUMBER: SYP-115
TELECOMMUNICATION INFORMATION:
TELEPHONE: (617) 248-7000

```

; TELEFAX: (617) 248-7100
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-796-598-6

Query Match      88.0%; Score 44; DB 2; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWXGXKPG 10
   |||||
Db 1 EHWYGLRPG 10

RESULT 15
US-08-694-865-18
; Sequence 18, Application US/08694865
; Patent No. 5837268
; GENERAL INFORMATION:
; APPLICANT: POTTER, ANDREW A.
; APPLICANT: MANN, JOHN G.
; TITLE OF INVENTION: GRH-LEUKOTOXIN CHIMERAS
; NUMBER OF SEQUENCES: 34
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: REED & ROBINS LLP
; STREET: 285 HAMILTON AVENUE, SUITE 200
; CITY: PALO ALTO
; STATE: CA
; COUNTRY: USA
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/694,865
; FILING DATE: 09-AUG-1996
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: MCCracken, THOMAS P.
; REGISTRATION NUMBER: 38,548
; REFERENCE/DOCKET NUMBER: 9001-0016.22
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 327-3400
; TELEFAX: (415) 327-3231
; INFORMATION FOR SEQ ID NO: 18:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: 1
; OTHER INFORMATION: /note= "This position is pyroGlu."
US-08-694-865-18

Query Match      88.0%; Score 44; DB 2; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWXGXKPG 10
   |||||
Db 1 EHWYGLRPG 10

; TELEFAX: (617) 248-7100
; INFORMATION FOR SEQ ID NO: 6:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-796-598-6

Query Match      88.0%; Score 44; DB 2; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWXGXKPG 10
   |||||
Db 1 EHWYGLRPG 10

RESULT 16
US-08-488-351A-1
; Sequence 1, Application US/08488351A
; Patent No. 5843446
; GENERAL INFORMATION:
; APPLICANT: Ladd, Anna
; APPLICANT: Wang, Chang Yi
; APPLICANT: Zamb, Timothy
; TITLE OF INVENTION: Immunogenic LHRH peptide constructs
; TITLE OF INVENTION: and synthetic universal immune stimulators for vaccines
; NUMBER OF SEQUENCES: 114
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Maria C.H. Lin
; STREET: 345 Park Avenue
; CITY: New York
; STATE: NY
; COUNTRY: US
; ZIP: 10154-0053
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/488,351A
; FILING DATE: 7-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/446,692
; FILING DATE: 7-JUN-1995
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/229,275
; FILING DATE: 14-APR-1994
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/057,166
; FILING DATE: 27-APR-1992
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Maria C.H. Lin
; REGISTRATION NUMBER: 29,323
; REFERENCE/DOCKET NUMBER: 1151-4146 US2
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212) 415-8745
; TELEFAX: (516) 751-6849
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-488-351A-1

Query Match      88.0%; Score 44; DB 2; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWXGXKPG 10
   |||||
Db 1 EHWYGLRPG 10

RESULT 17
US-08-480-494B-1
; Sequence 1, Application US/08480494B
; Patent No. 5843901
; GENERAL INFORMATION:
; APPLICANT: Roeseke, Roger W.
; TITLE OF INVENTION: LHRH Antagonist Peptides
; NUMBER OF SEQUENCES: 6
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: LAHIVE & COCKFIELD
```

STREET: 60 State Street, Suite 510
CITY: Boston
STATE: Massachusetts
COUNTRY: USA
ZIP: 02109-1875
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/480,494B
FILING DATE: 07-JUN-1995
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: DeConti, Giulio A.
REGISTRATION NUMBER: 31,503
REFERENCE/DOCKET NUMBER: PPI-007
TELECOMMUNICATION INFORMATION:
TELEPHONE: (617)227-7400
TELEFAX: (617)227-5941
INFORMATION FOR SEQ ID NO: 1:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-480-494B-1

Query Match 88.0%; Score 44; DB 2; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWXGXKPG 10
Db 1 EHWXGLRPG 10

RESULT 18
US-08-447-175A-6
Sequence 6, Application US/08447175A
Patent No. 5869240
GENERAL INFORMATION:
APPLICANT: PATTERSON, DALE H.
TITLE OF INVENTION: METHODS AND APPARATUS FOR SEQUENCING
TITLE OF INVENTION: POLYMERS WITH A STATISTICAL CERTAINTY USING MASS
TITLE OF INVENTION: SPECTROMETRY.
NUMBER OF SEQUENCES: 23
CORRESPONDENCE ADDRESS:
ADDRESSEE: Patent Administrator - Testa, Hurwitz &
ADDRESSEE: Thibeault, LLP
STREET: High Street Tower, 125 High Street
CITY: Boston
STATE: MA
COUNTRY: USA
ZIP: 02110
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/447,175A
FILING DATE: 19-MAY-1995
CLASSIFICATION: 422
ATTORNEY/AGENT INFORMATION:
NAME: RAUSCHENBACH, Kurt
REGISTRATION NUMBER: 40,137
REFERENCE/DOCKET NUMBER: SYP-114
TELECOMMUNICATION INFORMATION:
TELEPHONE: (617) 248-7000
TELEFAX: (617) 248-7100
INFORMATION FOR SEQ ID NO: 6:

SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-08-447-175A-6

Query Match 88.0%; Score 44; DB 2; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWXGXKPG 10
Db 1 EHWXGLRPG 10

RESULT 19
US-08-521-079-22
Sequence 22, Application US/08521079
Patent No. 6019983
GENERAL INFORMATION:
APPLICANT: Anna van der Zee, Irma Marianne van Die,
APPLICANT: Willem Pieter Martin Hoekstra,
APPLICANT: Josephus Theodorus Gielen.
TITLE OF INVENTION: Carrier system against GnRH
NUMBER OF SEQUENCES: 30
CORRESPONDENCE ADDRESS:
ADDRESSEE: Akzo Pharma
STREET: 1330 Piccard Drive
CITY: Rockville
STATE: Maryland
COUNTRY: U.S.A.
ZIP: 20850
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25 (EPO)
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/521,079
FILING DATE:
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/078,661
FILING DATE: 16-JUN-1993
APPLICATION NUMBER: EPA No. 6019983 92.201.775.1
FILING DATE: 18-JUN-1992
CLASSIFICATION: 435
ATTORNEY/AGENT INFORMATION:
NAME: William M. Blackstone
REGISTRATION NUMBER: 29,772
REFERENCE/DOCKET NUMBER:
TELECOMMUNICATION INFORMATION:
TELEPHONE: (301) 258-5200
INFORMATION FOR SEQ ID NO: 22:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
FEATURE:
OTHER INFORMATION: Glu at position 1 is pyroglutamic acid
US-08-521-079-22

Query Match 88.0%; Score 44; DB 3; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWXGXKPG 10
Db 1 EHWXGLRPG 10

RESULT 21
 US-09-100-414B-77
 ; Sequence 77, Application US/09100414B
 ; Patent No. 6025468
 ; GENERAL INFORMATION:
 ; APPLICANT: Wang, Chang Yi
 ; TITLE OF INVENTION: NOVEL IHRH PEPTIDE

Query Match	88.0%;	Score 44;	DB 3;	Length 10;
Best Local Similarity	70.0%;	Pred. No. 0.043;		
Matches	7;	Conservative	0;	Mismatches
			3;	Indels

Qy	EHWSXGXXPG	10
Db	EHWSYGLRPG	10

RESULT 22
US-08-927-128-13
Sequence 13, Application US/08927128
Patent No. 6127150
GENERAL INFORMATION:
APPLICANT: Coolidge, Thomas
APPLICANT: Wagner, Fred
APPLICANT: ven Heeke, Gino
APPLICANT: Schuster, Sheidon
APPLICANT: Stout, Jay
APPLICANT: Wylie, Dwane
TITLE OF INVENTION: PURIFICATION DIRECTED CLOSING OF PEPTIDES
NUMBER OF SEQUENCES: 28
CORRESPONDENCE ADDRESS:
ADDRESSEE: Merchant & Gould
STREET: 3100 No. 6127150west Center, 90 S. 7th Street
CITY: Minneapolis
STATE: MN
COUNTRY: U.S.A.
ZIP: 55402
COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette
COMPUTER: IBM Compatible
OPERATING SYSTEM: DOS
SOFTWARE: FastSeq Version 1.5
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/927,128
FILING DATE: 05-SEP-1997
CLASSIFICATION: 435
PRIORITY APPLICATION DATA:
APPLICATION NUMBER: 08/680,004

;; FILING DATE: 15-JUL-1995
;; ATTORNEY/AGENT INFORMATION:
;; NAME: Carter, Charles G
;; REGISTRATION NUMBER: 35,093
;; REFERENCE/DOCKET NUMBER: 8648.2USD1
;; TELECOMMUNICATION INFORMATION:
;; TELEPHONE: 612/332-5300
;; TELEFAX: 612/332-9081
;; TELEX:
;; INFORMATION FOR SEQ ID NO: 13:
;; SEQUENCE CHARACTERISTICS:
;; LENGTH: 10 amino acids
;; TYPE: amino acid
;; STRANDEDNESS: single
;; TOPOLOGY: linear
;; MOLECULE TYPE: peptide
;; HYPOTHETICAL: NO
;; ANTI-SENSE: NO
;; FRAGMENT TYPE: N-terminal
;; ORIGINAL SOURCE:
;; US-08-927-128-13
;
Query Match 88.0%; Score 44; DB 3; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043; 3; Indels 0;
Matches 7; Conservative 0; Mismatches 3; Gaps 0;
;
Qy 1 EHWSXGXPG 10
||| |
Db 1 EHWSYGLRPG 10
;
RESULT 23
US-08-912-314A-11
; Sequence 11, Application US/08912314A
; Patent No. 6210927
; GENERAL INFORMATION:
; APPLICANT: Zohar, Y.
; APPLICANT: Rivier, J.
; APPLICANT: Powell, J.
; APPLICANT: Sherwood, N.
; APPLICANT: Gothliff, Y.
; TITLE OF INVENTION: Compounds and Methods For Controlling
; TITLE OF INVENTION: Reproduction in Fish
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: N.Y.
; COUNTRY: USA
; ZIP: 10036-2711
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/912,314A
; FILING DATE: 30-JUN-1997
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/341,219
; FILING DATE: 05-DEC-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: Coruzzi, Laura A.
; REGISTRATION NUMBER: 30742
; REFERENCE/DOCKET NUMBER: 8399-003-999
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212) 790-9090
; TELEFAX: (212) 869-8864/9741
; INFORMATION FOR SEQ ID NO: 11:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids

;; TYPE: amino acid
;; STRANDEDNESS: not relevant
;; TOPOLOGY: unknown
;; MOLECULE TYPE: peptide
;; HYPOTHETICAL: NO
;; ANTI-SENSE: NO
;; FEATURE:
;; NAME/KEY: Modified-site
;; LOCATION: 1
;; OTHER INFORMATION: /product= "OTHER"
;; OTHER INFORMATION: /label= Glu1
;; OTHER INFORMATION: /note= "pyroglutamic acid"
;; FEATURE:
;; NAME/KEY: Modified-site
;; LOCATION: 10
;; OTHER INFORMATION: /product= "OTHER"
;; OTHER INFORMATION: /label= Gly10
;; OTHER INFORMATION: /note= "amidated"
;; US-08-912-314A-11
;
Query Match 88.0%; Score 44; DB 3; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043; 3; Indels 0;
Matches 7; Conservative 0; Mismatches 3; Gaps 0;
;
Qy 1 EHWSXGXPG 10
||| |
Db 1 EHWSYGLRPG 10
;
RESULT 24
US-08-912-314A-12
; Sequence 12, Application US/08912314A
; Patent No. 6210927
; GENERAL INFORMATION:
; APPLICANT: Zohar, Y.
; APPLICANT: Rivier, J.
; APPLICANT: Powell, J.
; APPLICANT: Sherwood, N.
; APPLICANT: Gothliff, Y.
; TITLE OF INVENTION: Compounds and Methods For Controlling
; TITLE OF INVENTION: Reproduction in Fish
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: N.Y.
; COUNTRY: USA
; ZIP: 10036-2711
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/912,314A
; FILING DATE: 30-JUN-1997
; CLASSIFICATION: 514
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/341,219
; FILING DATE: 05-DEC-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: Coruzzi, Laura A.
; REGISTRATION NUMBER: 30742
; REFERENCE/DOCKET NUMBER: 8399-003-999
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212) 790-9090
; TELEFAX: (212) 869-8864/9741
; INFORMATION FOR SEQ ID NO: 12:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant

TOPOLOGY: unknown
MOLECULE TYPE: peptide
HYPOTHETICAL: NO
ANTI-SENSE: NO
FEATURE:
NAME/KEY: Modified-site
LOCATION: 1
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Glu1
OTHER INFORMATION: /note= "pyroglutamic acid"
FEATURE:
NAME/KEY: Modified-site
LOCATION: 10
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Gly10
OTHER INFORMATION: /note= "amidated"
US-08-912-314A-12

Query Match 88.0%; Score 44; DB 3; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSXGXPG 10
||| |
Db 1 EHWSYGLPG 10

RESULT 25
US-08-912-314A-13
Sequence 13, Application US/08912314A
Patent No. 6210927
GENERAL INFORMATION:
APPLICANT: Zohar, Y.
APPLICANT: Rivier, J.
APPLICANT: Powell, J.
APPLICANT: Sherwood, N.
APPLICANT: Gothelf, Y.
TITLE OF INVENTION: Compounds and Methods For Controlling
REPRODUCTION IN FISH
NUMBER OF SEQUENCES: 26
CORRESPONDENCE ADDRESS:
ADDRESSEE: Pennle & Edmonds
STREET: 1155 Avenue of the Americas
CITY: New York
STATE: N.Y.
COUNTRY: USA
ZIP: 10036-2711
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent in Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/912,314A
FILING DATE: 30-JUN-1997
CLASSIFICATION: 514
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/341,219
FILING DATE: 05-DEC-1994
ATTORNEY/AGENT INFORMATION:
NAME: Coruzzi, Laura A.
REGISTRATION NUMBER: 30742
REFERENCE/DOCKET NUMBER: 8399-003-999
TELEPHONE: (212) 790-9090
TELEFAX: (212) 869-8864/9741
INFORMATION FOR SEQ ID NO: 13:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
STRANDEDNESS: not relevant
TOPOLOGY: unknown
MOLECULE TYPE: peptide

HYPOTHETICAL: NO
ANTI-SENSE: NO
FEATURE:
NAME/KEY: Modified-site
LOCATION: 1
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Glu1
OTHER INFORMATION: /note= "pyroglutamic acid"
FEATURE:
NAME/KEY: Modified-site
LOCATION: 10
OTHER INFORMATION: /product= "OTHER"
OTHER INFORMATION: /label= Gly10
OTHER INFORMATION: /note= "amidated"
US-08-912-314A-13

Query Match 88.0%; Score 44; DB 3; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSXGXPG 10
||| |
Db 1 EHWSHGLNPG 10

RESULT 26
US-09-303-323-77
Sequence 77, Application US/09303323
Patent No. 6228987
GENERAL INFORMATION:
APPLICANT: Wang, Chang Yi
TITLE OF INVENTION: NOVEL LHRH PEPTIDE
NUMBER OF SEQUENCES: 106
CORRESPONDENCE ADDRESS:
ADDRESSEE: Morgan & Finnegan, L.L.P.
STREET: 345 Park Avenue
CITY: New York
STATE: NY
COUNTRY: USA
ZIP: 10154-0054
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC Windows
SOFTWARE: Word 97
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/303,323
FILING DATE: 30-APR-1999
CLASSIFICATION:
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 09/100,414
FILING DATE: 20-JUNE-1998
ATTORNEY/AGENT INFORMATION:
NAME: Maria H. Lin
REGISTRATION NUMBER: 29,323
REFERENCE/DOCKET NUMBER: 1151-4157
TELEPHONE: 212-758-4800
TELEFAX: 212-751-6849
INFORMATION FOR SEQ ID NO: 77:
SEQUENCE CHARACTERISTICS:
LENGTH: 10 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
US-09-303-323-77

Query Match 88.0%; Score 44; DB 3; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSXGXPG 10


```
Db 1 EHWSYGLRPG 10
|||||
RESULT 27
US-09-373-180-1
; Sequence 1, Application US/09373180
; Patent No. 6297354
; GENERAL INFORMATION:
; APPLICANT: Abbott Laboratories
; APPLICANT: Haviv, J.
; APPLICANT: Dwight, W.
; APPLICANT: Greer, J.
; TITLE OF INVENTION: PENTAPEPTIDE LHRH ANALOGS
; FILE REFERENCE: 6389-US-02
; CURRENT APPLICATION NUMBER: US/09/373,180
; CURRENT FILING DATE: 1999-08-12
; EARLIER APPLICATION NUMBER: US 60/096,292
; EARLIER FILING DATE: 1998-08-12
; NUMBER OF SEQ ID NOS: 1
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 1
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-373-180-1
Query Match 88.0%; Score 44; DB 3; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043; 3; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
Qy 1 EHWSGXKXPG 10
|||||
Db 1 EHWSYGLRPG 10
|||||
RESULT 28
US-09-026-276-28
; Sequence 28, Application US/09026276
; Patent No. 6319503
; GENERAL INFORMATION:
; APPLICANT: Kenten, John H
; APPLICANT: Tramontano, Alfonso
; APPLICANT: Pilon, April L
; APPLICANT: Lohnas, Gerald L
; APPLICANT: Roberts, Steven F
; TITLE OF INVENTION: HEAT-SHOCK FUSION-BASED VACCINE SYSTEM
; FILE REFERENCE: U.S. Patent Application No. 6319503 09/026,276
; CURRENT APPLICATION NUMBER: US/09/026,276
; CURRENT FILING DATE: 1998-02-19
; NUMBER OF SEQ ID NOS: 35
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 28
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Porcine
US-09-026-276-28
Query Match 88.0%; Score 44; DB 4; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043; 3; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
Qy 1 EHWSGXKXPG 10
|||||
Db 1 EHWSYGLRPG 10
|||||
RESULT 29
US-09-451-013-1
; Sequence 1, Application US/09451013
; Patent No. 6331520
; GENERAL INFORMATION:
; APPLICANT: Richardson, Peter
; TITLE OF INVENTION: Pharmaceutical Compositions of Peptides Having Low
; Solubility in Physiological Medium
; FILE REFERENCE: P/717-175
; CURRENT APPLICATION NUMBER: US/09/451,013
; CURRENT FILING DATE: 1999-11-29
; PRIOR APPLICATION NUMBER: PCT/EP98/03079
; PRIOR FILING DATE: 1998-05-26
; PRIOR APPLICATION NUMBER: EP 97108593.1
; PRIOR FILING DATE: 1997-05-28
; PRIOR APPLICATION NUMBER: EP 97121246.9
; PRIOR FILING DATE: 1997-12-03
; NUMBER OF SEQ ID NOS: 1
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 1
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Homo sapiens
; FEATURE:
; NAME/KEY: UNSURE
; LOCATION: (1)..(10)
; OTHER INFORMATION: Luteinising hormone releasing hormone
US-09-451-013-1
Query Match 88.0%; Score 44; DB 4; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043; 3; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
Qy 1 EHWSGXKXPG 10
|||||
Db 1 EHWSYGLRPG 10
|||||
RESULT 30
US-08-973-378-1
; Sequence 1, Application US/08973378
; Patent No. 6423686
; GENERAL INFORMATION:
; APPLICANT: Roeske, Roger W.
; TITLE OF INVENTION: LHRH Antagonist Peptides
; FILE REFERENCE: PPI-007CPUS
; CURRENT APPLICATION NUMBER: US/08/973,378
; CURRENT FILING DATE: 1998-04-06
; EARLIER APPLICATION NUMBER: 08/480,494
; EARLIER FILING DATE: 1995-06-07
; NUMBER OF SEQ ID NOS: 1
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 1
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Homo sapiens
US-08-973-378-1
Query Match 88.0%; Score 44; DB 4; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043; 3; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
Qy 1 EHWSGXKXPG 10
|||||
Db 1 EHWSYGLRPG 10
|||||
RESULT 31
US-09-698-134-1
; Sequence 1, Application US/09698134
; Patent No. 6433135
; GENERAL INFORMATION:
; APPLICANT: EL TAYAR, Nabil
; APPLICANT: ZHAO, Xuan
; APPLICANT: BENTLEY, Michael D.
; TITLE OF INVENTION: PEG-LHRH ANALOG CONJUGATES
; FILE REFERENCE: EL-TAYAR=2A
; CURRENT APPLICATION NUMBER: US/09/698,134
; CURRENT FILING DATE: 2000-10-30
```

```
; PRIOR APPLICATION NUMBER: 60/083,340
; PRIOR FILING DATE: 1998-04-28
; PRIOR APPLICATION NUMBER: PCT/US99/09160
; PRIOR FILING DATE: 1999-04-28
; NUMBER OF SEQ ID NOS: 1
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 1
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: synthetic
; NAME/KEY: misc_feature
; LOCATION: (1)...(1)
; OTHER INFORMATION: Glu is modified with a pyro group.
; NAME/KEY: misc_feature
; LOCATION: (10)...(10)
; OTHER INFORMATION: Gly is modified with -NH2 group.
US-09-698-134-1

Query Match      88.0%; Score 44; DB 4; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 3; Gaps 0;

QY      1 EHWXGXKXPG 10
      |||||
Db      1 EHWXGGLRPG 10

RESULT 32
US-09-256-599-1
; Sequence 1, Application US/09256599
; Patent No. 6455499
; GENERAL INFORMATION:
; APPLICANT: Roeske, Roger W.
; TITLE OF INVENTION: LHRH Antagonist Peptides
; FILE REFERENCE: PPI-007CUPUS
; CURRENT APPLICATION NUMBER: US/09/256,599
; CURRENT FILING DATE: 1999-02-23
; EARLIER APPLICATION NUMBER: 08/480,494
; EARLIER FILING DATE: 1995-06-07
; NUMBER OF SEQ ID NOS: 1
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 1
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-256-599-1

Query Match      88.0%; Score 44; DB 4; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 3; Gaps 0;

QY      1 EHWXGXKXPG 10
      |||||
Db      1 EHWXGGLRPG 10

RESULT 33
US-09-639-483C-3
; Sequence 3, Application US/09639483C
; Patent No. 6506730
; GENERAL INFORMATION:
; APPLICANT: LEE, KANG CHON
; APPLICANT: PARK, MYUNG-OK
; TITLE OF INVENTION: THE NASAL TRANSMUCOSAL DELIVERY OF PEPTIDES
; TITLE OF INVENTION: CONJUGATED WITH BIOCOMPATIBLE POLYMERS
; FILE REFERENCE: 428,1002
; CURRENT APPLICATION NUMBER: US/09/639,483C
; CURRENT FILING DATE: 2000-08-15
; PRIOR APPLICATION NUMBER: KR99-33984
; PRIOR FILING DATE: 1999-08-17
; NUMBER OF SEQ ID NOS: 3
```

```
; SOFTWARE: PatentIn version 2.1
; SEQ ID NO 3
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Synthetic
; OTHER INFORMATION: LH-RH
US-09-639-483C-3

Query Match      88.0%; Score 44; DB 4; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 3; Gaps 0;

QY      1 EHWXGXKXPG 10
      |||||
Db      1 EHWXGGLRPG 10

RESULT 34
US-09-383-912-18
; Sequence 18, Application US/09383912
; Patent No. 6521746
; GENERAL INFORMATION:
; APPLICANT: POTTER, ANDREW A.
; APPLICANT: MANN, JOHN G.
; TITLE OF INVENTION: GnRH-LEUKOTOXIN CHIMERAS
; NUMBER OF SEQUENCES: 34
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: REED & ROBINS LLP
; STREET: 285 HAMILTON AVENUE, SUITE 200
; CITY: PALO ALTO
; STATE: CA
; COUNTRY: USA
; ZIP: 94301
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/383,912
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/694,865
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: MCCracken, Thomas P.
; REGISTRATION NUMBER: 38,548
; REFERENCE/DOCKET NUMBER: 9001-0016.22
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415)327-3400
; TELEFAX: (415)327-3231
; INFORMATION FOR SEQ ID NO: 18:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: 1
; OTHER INFORMATION: /note= "This position is pyroGlu."
US-09-383-912-18

Query Match      88.0%; Score 44; DB 4; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 3; Gaps 0;

QY      1 EHWXGXKXPG 10
      |||||
```

```
Db      1 EHWXYGLRPG 10

RESULT 35
US-09-770-014-77
; Sequence 77, Application US/09770014
; Patent No. 6559282
; GENERAL INFORMATION:
; APPLICANT: Wang, Chang Yi
; TITLE OF INVENTION: NOVEL LHRH PEPTIDE
; NUMBER OF SEQUENCES: 106
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Morgan & Finnegan, L.L.P.
; STREET: 345 Park Avenue
; CITY: New York
; STATE: NY
; COUNTRY: USA
; ZIP: 10154-0054
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC Windows
; SOFTWARE: Word 97
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/770,014
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 09/100,414
; FILING DATE: 20-JUNE-1998
; ATTORNEY/AGENT INFORMATION:
; NAME: Maria H. Lin
; REGISTRATION NUMBER: 29,323
; REFERENCE/DOCKET NUMBER: 1151-4157
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-758-4800
; TELEFAX: 212-751-6849
; INFORMATION FOR SEQ ID NO: 77:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-09-770-014-77

Query Match      88.0%; Score 44; DB 4; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy      1 EHWXGXKPG 10
      |||||
Db      1 EHWXYGLRPG 10

RESULT 36
US-09-525-007-1
; Sequence 1, Application US/09525007
; Patent No. 6627609
; GENERAL INFORMATION:
; APPLICANT: BERND, MICHAEL
; APPLICANT: KUTSCHER, BERNHARD
; APPLICANT: GUNTHER, ECKHARD
; APPLICANT: ROMEIS, PETER
; APPLICANT: REISSMANN, THOMAS
; TITLE OF INVENTION: NOVEL LHRH ANTAGONISTS HAVING IMPROVED SOLUBILITY
; FILE REFERENCE: MAS/098501/257744
; CURRENT APPLICATION NUMBER: US/09/525,007
; CURRENT FILING DATE: 2000-03-14
; PRIOR APPLICATION NUMBER: DE 199 11 771.3
; PRIOR FILING DATE: 1999-03-17
; NUMBER OF SEQ ID NOS: 1

Query Match      88.0%; Score 44; DB 4; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy      1 EHWXGXKPG 10
      |||||
Db      1 EHWXYGLRPG 10

RESULT 37
US-09-964-201A-28
; Sequence 28, Application US/09964201A
; Patent No. 6660271
; GENERAL INFORMATION:
; APPLICANT: Kenten, John H
; APPLICANT: Tramontano, Alfonso
; APPLICANT: Pilon, Aprile L
; APPLICANT: Lohnas, Gerald L
; APPLICANT: Roberts, Steven P
; TITLE OF INVENTION: HEAT-SHOCK FUSION-BASED VACCINE SYSTEM
; FILE REFERENCE: U.S. Patent Application No. 6660271 09/025,276
; CURRENT APPLICATION NUMBER: US/09/964,201A
; CURRENT FILING DATE: 2002-05-21
; NUMBER OF SEQ ID NOS: 35
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 28
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Porcine
US-09-964-201A-28

Query Match      88.0%; Score 44; DB 4; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy      1 EHWXGXKPG 10
      |||||
Db      1 EHWXYGLRPG 10

RESULT 38
US-09-890-650-28
; Sequence 28, Application US/09890650
; Patent No. 6685947
; GENERAL INFORMATION:
; APPLICANT: JACKSON, DAVID CHARLES
; APPLICANT: SOURAVI, GHOSH
; APPLICANT: WALKER, JOHN
; TITLE OF INVENTION: T HELPER CELL EPITOPES
; FILE REFERENCE: 47-152
; CURRENT APPLICATION NUMBER: US/09/890,650
; CURRENT FILING DATE: 2001-11-05
; NUMBER OF SEQ ID NOS: 30
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 28
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Canis sp.
; FEATURE:
; NAME/KEY: MOD_RES
; LOCATION: (1)
; OTHER INFORMATION: pyroglutamic acid
US-09-890-650-28
```

Wed Mar 3 08:43:40 2004

```
Query Match      88.0%; Score 44; DB 4; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSGXKXPG 10
Db 1 EHWSYGLRPG 10

RESULT 39
;Patent No. 5168061
; APPLICANT: Siler-Khodr, Theresa M.
; TITLE OF INVENTION: HUMAN CHORIONIC PEPTIDASE-1
; NUMBER OF SEQUENCES: 2
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/323,325
; FILING DATE: 14-MAR-1989
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 863,310
; FILING DATE: 15-MAY-1986
; SEQ ID NO:1:
; LENGTH: 10
5168061-1

Query Match      88.0%; Score 44; DB 6; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSGXKXPG 10
Db 1 EHWSYGLRPG 10

RESULT 40
;Patent No. 5169865
; APPLICANT: ANANTHANARAYANAN, V.S.
; TITLE OF INVENTION: METHOD AND COMPOSITION FOR CALCIUM
; BINDING TRANSLOCATION AND MEDIATING
; NUMBER OF SEQUENCES: 12
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/323,421
; FILING DATE: 14-MAR-1989
; SEQ ID NO:10:
; LENGTH: 10
5169865-10

Query Match      88.0%; Score 44; DB 6; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSGXKXPG 10
Db 1 EHWSYGLRPG 10

RESULT 41
;Patent No. 5169935
; APPLICANT: HOEGER, CARL A.; THEOBALD, PAULA G.; PORTER,
; JOHN S.; RIVIER, JEAN E.F.
; TITLE OF INVENTION: METHOD OF MAKING PEPTIDES
; NUMBER OF SEQUENCES: 6
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/541,810
; FILING DATE: 20-JUN-1990
; SEQ ID NO:1:
; LENGTH: 10
5169935-1

Query Match      88.0%; Score 44; DB 6; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSGXKXPG 10
Db 1 EHWSYGLRPG 10

RESULT 42
;Patent No. 5488036
; APPLICANT: NETT, TORANCE M.; GLODE, LEONARD M.
; TITLE OF INVENTION: METHOD FOR STERILIZING ANIMALS USING
; HORMONE-TOXIN CONJUGATE COMPOUNDS
; NUMBER OF SEQUENCES: 5
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/94,625
; FILING DATE: 20-JUL-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 837,639
; FILING DATE: 14-FEB-1992
; APPLICATION NUMBER: 314,653
; FILING DATE: 23-FEB-1992
; SEQ ID NO:1:
; LENGTH: 10
5488036-1

Query Match      88.0%; Score 44; DB 6; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSGXKXPG 10
Db 1 EHWSYGLRPG 10

RESULT 43
;Patent No. 5492893
; APPLICANT: NETT, TORANCE M.; GLODE, LEONARD M.
; TITLE OF INVENTION: HORMONE-TOXIN CONJUGATE COMPOUNDS
; NUMBER OF SEQUENCES: 4
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/94,250
; FILING DATE: 20-JUL-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 837,639
; FILING DATE: 14-FEB-1992
; APPLICATION NUMBER: 314,653
; FILING DATE: 23-FEB-1989
; SEQ ID NO:1:
; LENGTH: 10
5492893-1

Query Match      88.0%; Score 44; DB 6; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.043;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSGXKXPG 10
Db 1 EHWSYGLRPG 10

RESULT 44
US-08-302-915-2
; Sequence 2, Application US/08302915
; Patent No. 5679355
; GENERAL INFORMATION:
; APPLICANT: Alexander, James
; APPLICANT: Brewer, James
; TITLE OF INVENTION: Vaccines Containing No. 5679355-Ionic Surfactant
; TITLE OF INVENTION: Vesicles
; NUMBER OF SEQUENCES: 2
```

; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: New York
; COUNTRY: USA
; ZIP: 10036-2711
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/302,915
; FILING DATE: 19-SEP-1994
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Panucci, Allan
; REGISTRATION NUMBER: 30,256
; REFERENCE/DOCKET NUMBER: 8080-008-999
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212) 790-9090
; TELEFAX: (212) 869-8864
; TELEX: 66441 PENNIE
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 12 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
US-08-302-915-2

Query Match 88.0%; Score 44; DB 1; Length 12;
Best Local Similarity 70.0%; Pred. No. 0.052; Indels 3; Mismatches 0; Gaps 0;
Matches 7; Conservative 0;

Qy 1 EHWSXGXXPG 10
Db 1 EHWSYGLRPG 10

RESULT 45
US-07-690-983D-22
; Sequence 22, Application US/07690983D
; Patent No. 5403586
; GENERAL INFORMATION:
; APPLICANT: RUSSELL-JONES, Gregory J.
; APPLICANT: STEWART, Andrew G.
; APPLICANT: TSONIS, Con G.
; TITLE OF INVENTION: FUSION PROTEINS
; NUMBER OF SEQUENCES: 47
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Foley & Lardner
; STREET: 3000 K Street, N.W.
; CITY: Washington, D.C.
; COUNTRY: USA
; ZIP: 20007-5109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/690,983D
; FILING DATE: 25-JUN-1991
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/AU90/00373
; FILING DATE: 24-AUG-1990
; NAME: BENT, Stephen A.
; REGISTRATION NUMBER: 29,768
; REFERENCE/DOCKET NUMBER: 16786/148 CHAC
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 672-5300
; TELEFAX: (202) 672-5399
; INFORMATION FOR SEQ ID NO: 24:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 14 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-07-690-983D-24

Query Match 88.0%; Score 44; DB 1; Length 14;
Best Local Similarity 70.0%; Pred. No. 0.06; Indels 3; Mismatches 0; Gaps 0;
Matches 7; Conservative 0;

Qy 1 EHWSXGXXPG 10
Db 3 EHWSYGLRPG 12

; REFERENCE/DOCKET NUMBER: 16786/148 CHAC
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 672-5300
; TELEFAX: (202) 672-5399
; INFORMATION FOR SEQ ID NO: 22:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 14 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-07-690-983D-22

Query Match 88.0%; Score 44; DB 1; Length 14;
Best Local Similarity 70.0%; Pred. No. 0.06; Indels 3; Mismatches 0; Gaps 0;
Matches 7; Conservative 0;

Qy 1 EHWSXGXXPG 10
Db 3 EHWSYGLRPG 12

RESULT 46
US-07-690-983D-24
; Sequence 24, Application US/07690983D
; Patent No. 5403586
; GENERAL INFORMATION:
; APPLICANT: RUSSELL-JONES, Gregory J.
; APPLICANT: STEWART, Andrew G.
; APPLICANT: TSONIS, Con G.
; TITLE OF INVENTION: FUSION PROTEINS
; NUMBER OF SEQUENCES: 47
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Foley & Lardner
; STREET: 3000 K Street, N.W.
; CITY: Washington, D.C.
; COUNTRY: USA
; ZIP: 20007-5109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/690,983D
; FILING DATE: 25-JUN-1991
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/AU90/00373
; FILING DATE: 24-AUG-1990
; NAME: BENT, Stephen A.
; REGISTRATION NUMBER: 29,768
; REFERENCE/DOCKET NUMBER: 16786/148 CHAC
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202) 672-5300
; TELEFAX: (202) 672-5399
; INFORMATION FOR SEQ ID NO: 24:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 14 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-07-690-983D-24

Query Match 88.0%; Score 44; DB 1; Length 14;
Best Local Similarity 70.0%; Pred. No. 0.06; Indels 3; Mismatches 0; Gaps 0;
Matches 7; Conservative 0;

Qy 1 EHWSXGXXPG 10
Db 3 EHWSYGLRPG 12

RESULT 47
US-07-690-983D-26
; Sequence 26, Application US/07690983D
; Patent No. 5403586
; GENERAL INFORMATION:
; APPLICANT: RUSSELL-JONES, Gregory J.
; APPLICANT: STEWART, Andrew G.
; APPLICANT: TSONIS, Con G.
; TITLE OF INVENTION: FUSION PROTEINS
; NUMBER OF SEQUENCES: 47
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Foley & Lardner
; STREET: 3000 K Street, N.W.
; CITY: Washington, D.C.
; COUNTRY: USA
; ZIP: 20007-5109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent in Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/690,983D
; FILING DATE: 25-JUN-1991
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/AU90/00373
; FILING DATE: 24-AUG-1990
; NAME: BENT, Stephen A.
; REGISTRATION NUMBER: 29,768
; REFERENCE/DOCKET NUMBER: 16786/148 CHAC
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202)672-5300
; TELEFAX: (202)672-5399
; INFORMATION FOR SEQ ID NO: 26:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 14 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: Protein
US-07-690-983D-26

Query Match 88.0%; Score 44; DB 1; Length 14;
Best Local Similarity 70.0%; Pred. No. 0.06;
Matches 7; Conservative 0; Mismatches 3; Indels 3; Gaps 0;

Qy 1 EHWSGXGXP 10
Db 3 EHWSYGLRPG 12

RESULT 48
US-07-690-983D-30
; Sequence 30, Application US/07690983D
; Patent No. 5403586
; GENERAL INFORMATION:
; APPLICANT: RUSSELL-JONES, Gregory J.
; APPLICANT: STEWART, Andrew G.
; APPLICANT: TSONIS, Con G.
; TITLE OF INVENTION: FUSION PROTEINS
; NUMBER OF SEQUENCES: 47
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Foley & Lardner
; STREET: 3000 K Street, N.W.
; CITY: Washington, D.C.
; COUNTRY: USA
; ZIP: 20007-5109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent in Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/690,983D
; FILING DATE: 25-JUN-1991
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/AU90/00373
; FILING DATE: 24-AUG-1990
; NAME: BENT, Stephen A.
; REGISTRATION NUMBER: 29,768
; REFERENCE/DOCKET NUMBER: 16786/148 CHAC
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202)672-5300
; TELEFAX: (202)672-5399
; INFORMATION FOR SEQ ID NO: 30:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 14 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: Protein
US-07-690-983D-30

Query Match 88.0%; Score 44; DB 1; Length 14;
Best Local Similarity 70.0%; Pred. No. 0.06;
Matches 7; Conservative 0; Mismatches 3; Indels 3; Gaps 0;

Qy 1 EHWSGXGXP 10
Db 3 EHWSYGLRPG 12

RESULT 49
US-07-690-983D-14
; Sequence 14, Application US/07690983D
; Patent No. 5403586
; GENERAL INFORMATION:
; APPLICANT: RUSSELL-JONES, Gregory J.
; APPLICANT: STEWART, Andrew G.
; APPLICANT: TSONIS, Con G.
; TITLE OF INVENTION: FUSION PROTEINS
; NUMBER OF SEQUENCES: 47
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Foley & Lardner
; STREET: 3000 K Street, N.W.
; CITY: Washington, D.C.
; COUNTRY: USA
; ZIP: 20007-5109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent in Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/690,983D
; FILING DATE: 25-JUN-1991
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/AU90/00373
; FILING DATE: 24-AUG-1990
; NAME: BENT, Stephen A.
; REGISTRATION NUMBER: 29,768
; REFERENCE/DOCKET NUMBER: 16786/148 CHAC
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202)672-5300
; TELEFAX: (202)672-5399
; INFORMATION FOR SEQ ID NO: 14:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 16 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: Protein
US-07-690-983D-14

Wed Mar 3 08:43:40 2004

Query Match 88.0%; Score 44; DB 1; Length 16;
Best Local Similarity 70.0%; Pred. No. 0.069;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
DB 4 EHWYGLRPG 13

RESULT 50
US-07-690-983D-16
; Sequence 16, Application US/07690983D
; Patent No. 5403586
; GENERAL INFORMATION:
; APPLICANT: RUSSELL-JONES, Gregory J.
; APPLICANT: STEWART, Andrew G.
; APPLICANT: TSONIS, Con G.
; TITLE OF INVENTION: FUSION PROTEINS
; NUMBER OF SEQUENCES: 47
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Foley & Lardner
; STREET: 3000 K Street, N.W.
; CITY: Washington, D.C.
; COUNTRY: USA
; ZIP: 20007-5109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/07/690,983D
; FILING DATE: 25-JUN-1991
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/AU90/00373
; FILING DATE: 24-AUG-1990
; ATTORNEY/AGENT INFORMATION:
; NAME: BENT, Stephen A.
; REGISTRATION NUMBER: 29,768
; REFERENCE/DOCKET NUMBER: 16786/148 CHAC
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (202)672-5300
; TELEFAX: (202)672-5399
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 17 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
; US-07-690-983D-16

Query Match 88.0%; Score 44; DB 1; Length 17;
Best Local Similarity 70.0%; Pred. No. 0.073;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
DB 5 EHWYGLRPG 14

Search completed: March 2, 2004, 19:28:55
Job time : 17 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 2, 2004, 19:25:48 ; Search time 27 Seconds
(without alignments)
78.205 Million cell updates/sec

Title: US-09-857-115-7
Perfect score: 50
Sequence: 1 EHWXGXKPG 10

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 809742 seqs, 211153259 residues

Total number of hits satisfying chosen parameters: 809742

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 500 summaries

Database : Published Applications AA:*
1: /cgn2_6/ptodata/2/pubpaa/US07_PUBCOMB.pep.*
2: /cgn2_6/ptodata/2/pubpaa/PCT_NEW_PUB.pep.*
3: /cgn2_6/ptodata/2/pubpaa/US05_NEW_PUB.pep.*
4: /cgn2_6/ptodata/2/pubpaa/US05_PUBCOMB.pep.*
5: /cgn2_6/ptodata/2/pubpaa/US07_NEW_PUB.pep.*
6: /cgn2_6/ptodata/2/pubpaa/PCTUS_PUBCOMB.pep.*
7: /cgn2_6/ptodata/2/pubpaa/US08_NEW_PUB.pep.*
8: /cgn2_6/ptodata/2/pubpaa/US08_PUBCOMB.pep.*
9: /cgn2_6/ptodata/2/pubpaa/US09A_PUBCOMB.pep.*
10: /cgn2_6/ptodata/2/pubpaa/US09B_PUBCOMB.pep.*
11: /cgn2_6/ptodata/2/pubpaa/US09C_PUBCOMB.pep.*
12: /cgn2_6/ptodata/2/pubpaa/US09D_NEW_PUB.pep.*
13: /cgn2_6/ptodata/2/pubpaa/US10A_PUBCOMB.pep.*
14: /cgn2_6/ptodata/2/pubpaa/US10B_PUBCOMB.pep.*
15: /cgn2_6/ptodata/2/pubpaa/US10C_PUBCOMB.pep.*
16: /cgn2_6/ptodata/2/pubpaa/US10D_NEW_PUB.pep.*
17: /cgn2_6/ptodata/2/pubpaa/US10E_PUBCOMB.pep.*
18: /cgn2_6/ptodata/2/pubpaa/US60_PUBCOMB.pep.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	44	88.0	10	10	US-09-964-201A-28
2	44	88.0	10	13	US-10-184-126-1
3	44	88.0	10	14	US-10-115-553-1
4	44	88.0	10	14	US-10-122-483-1
5	44	88.0	10	14	US-10-117-364-1
6	44	88.0	10	14	US-10-311-688-4
7	44	88.0	10	15	US-10-353-160A-1
8	44	88.0	10	16	US-10-298-378-1
9	44	88.0	10	16	US-10-298-851-1
10	44	88.0	17	10	US-09-305-924-3
11	44	88.0	20	10	US-09-964-201A-29
12	44	88.0	20	10	US-09-964-201A-30
13	44	88.0	20	10	US-09-964-201A-31
14	44	88.0	27	14	US-10-076-674-7
15	44	88.0	27	15	US-10-355-161A-7

16	44	88.0	45	14	US-10-076-674-8	Sequence 8, Appli
17	44	88.0	45	14	US-10-076-674-9	Sequence 9, Appli
18	44	88.0	45	15	US-10-355-161A-8	Sequence 8, Appli
19	44	88.0	45	15	US-10-355-161A-9	Sequence 9, Appli
20	41	82.0	10	9	US-09-019-010-2	Sequence 2, Appli
21	41	82.0	10	10	US-09-964-201A-32	Sequence 32, Appli
22	41	82.0	10	10	US-09-305-924-9	Sequence 9, Appli
23	41	82.0	10	14	US-10-351-641-1143	Sequence 1143, Ap
24	41	82.0	10	14	US-10-351-641-1309	Sequence 1309, Ap
25	41	82.0	10	14	US-10-351-641-1344	Sequence 1344, Ap
26	41	82.0	10	15	US-10-360-101-1	Sequence 1, Appli
27	41	82.0	10	15	US-10-360-101-299	Sequence 299, App
28	41	82.0	10	15	US-10-617-561-9	Sequence 9, Appli
29	41	82.0	11	13	US-10-044-034-17	Sequence 17, Appli
30	41	82.0	18	14	US-10-351-641-1146	Sequence 1146, Ap
31	41	82.0	18	14	US-10-351-641-1147	Sequence 1147, Ap
32	41	82.0	18	14	US-10-351-641-1148	Sequence 1148, Ap
33	41	82.0	18	14	US-10-351-641-1172	Sequence 1172, Ap
34	41	82.0	18	14	US-10-351-641-1173	Sequence 1173, Ap
35	41	82.0	20	10	US-09-964-201A-26	Sequence 26, Appli
36	41	82.0	22	14	US-10-351-641-1145	Sequence 1145, Ap
37	41	82.0	22	14	US-10-351-641-1144	Sequence 1144, Ap
38	41	82.0	33	15	US-10-617-561-3	Sequence 3, Appli
39	41	82.0	33	15	US-10-617-561-4	Sequence 4, Appli
40	41	82.0	40	10	US-09-964-201A-35	Sequence 35, Appli
41	41	82.0	40	10	US-09-964-201A-34	Sequence 34, Appli
42	41	82.0	49	9	US-09-019-010-4	Sequence 4, Appli
43	41	82.0	49	10	US-09-305-924-11	Sequence 11, Appli
44	41	82.0	695	10	US-09-305-924-13	Sequence 13, Appli
45	40	80.0	10	15	US-10-354-433-2	Sequence 2, Appli
46	40	80.0	10	15	US-10-360-101-2	Sequence 126, App
47	40	80.0	10	15	US-10-360-101-136	Sequence 136, App
48	40	80.0	10	15	US-10-360-101-166	Sequence 303, App
49	40	80.0	10	15	US-10-360-101-303	Sequence 304, App
50	40	80.0	10	15	US-10-360-101-304	Sequence 309, App
51	40	80.0	10	9	US-10-360-101-309	Sequence 1, Appli
52	39	78.0	10	10	US-09-810-601-1	Sequence 1, Appli
53	39	78.0	10	10	US-09-305-924-1	Sequence 153, App
54	39	78.0	10	15	US-10-360-101-153	Sequence 298, App
55	39	78.0	10	15	US-10-360-101-298	Sequence 301, App
56	39	78.0	10	15	US-10-360-101-301	Sequence 306, App
57	39	78.0	10	15	US-10-360-101-306	Sequence 1, Appli
58	39	78.0	10	15	US-10-617-561-1	Sequence 17, Appli
59	39	78.0	10	15	US-10-617-561-17	Sequence 5, Appli
60	39	78.0	16	10	US-09-305-924-5	Sequence 4, Appli
61	39	78.0	17	10	US-09-305-924-4	Sequence 15, Appli
62	39	78.0	31	9	US-09-848-834A-15	Sequence 13, Appli
63	39	78.0	34	9	US-09-848-834A-13	Sequence 16, Appli
64	39	78.0	36	9	US-09-848-834A-16	Sequence 14, Appli
65	39	78.0	37	9	US-09-848-834A-14	Sequence 19, Appli
66	39	78.0	46	9	US-09-848-834A-19	Sequence 17, Appli
67	39	78.0	47	9	US-09-848-834A-17	Sequence 18, Appli
68	39	78.0	50	9	US-09-848-834A-18	Sequence 20, Appli
69	39	78.0	51	9	US-09-848-834A-20	Sequence 138, App
70	38	76.0	10	15	US-10-360-101-138	Sequence 302, App
71	38	76.0	10	15	US-10-360-101-302	Sequence 18, Appli
72	38	76.0	10	15	US-10-617-561-18	Sequence 4, Appli
73	38	76.0	10	16	US-10-298-378-4	Sequence 4, Appli
74	38	76.0	10	16	US-10-298-851-4	Sequence 155, App
75	37	74.0	10	15	US-10-360-101-155	Sequence 2, Appli
76	37	74.0	10	16	US-10-298-378-2	Sequence 2, Appli
77	37	74.0	10	16	US-10-298-851-2	Sequence 2, Appli
78	36	72.0	10	9	US-09-941-094A-2	Sequence 4, Appli
79	36	72.0	10	9	US-09-941-094A-4	Sequence 3, Appli
80	36	72.0	10	14	US-10-311-688-3	Sequence 38872, A
81	36	72.0	68	9	US-09-864-761-38872	Sequence 2, Appli
82	36	72.0	383	9	US-09-147-346-2	Sequence 128, App
83	35	70.0	10	15	US-10-360-101-128	Sequence 520, App
84	35	70.0	82	9	US-09-764-847-520	Sequence 17445, A
85	35	70.0	82	14	US-10-092-154-520	Sequence 27, Appli
86	35	70.0	1072	15	US-10-369-493-17445	Sequence 29, Appli
87	34	68.0	10	15	US-10-170-096A-29	
88	34	68.0	10	15	US-10-170-096A-29	

89	34	68.0	10	15	US-10-170-096A-31	Sequence 31, Appl	162	31	62.0	10	15	US-10-617-561-16	Sequence 16, Appl
90	34	68.0	10	15	US-10-354-433-1	Sequence 1, Appli	163	31	62.0	38	15	US-10-617-561-15	Sequence 15, Appl
91	34	68.0	10	15	US-10-360-101-127	Sequence 127, App	164	31	62.0	33	9	US-09-864-761-36040	Sequence 36040, A
92	34	68.0	10	15	US-10-360-101-145	Sequence 145, App	165	31	62.0	79	9	US-09-879-957-126	Sequence 126, App
93	34	68.0	118	15	US-10-262-237-1426	Sequence 1426, Ap	166	31	62.0	79	9	US-09-879-957-1517	Sequence 1517, Ap
94	34	68.0	301	14	US-10-321-204-51	Sequence 51, Appl	167	31	62.0	79	9	US-09-796-692-1609	Sequence 1609, Ap
95	34	68.0	508	15	US-10-108-260A-2504	Sequence 2504, Ap	168	31	62.0	79	9	US-09-796-692-1747	Sequence 1747, Ap
96	34	68.0	2502	9	US-09-772-316-1	Sequence 1, Appli	169	31	62.0	79	9	US-09-796-692-1760	Sequence 1760, Ap
97	34	68.0	8360	14	US-10-600-058-1	Sequence 1, Appli	170	31	62.0	79	9	US-09-796-692-1944	Sequence 1944, Ap
98	34	68.0	8360	14	US-10-132-134-34	Sequence 34, Appl	171	31	62.0	79	9	US-09-796-692-1963	Sequence 1963, Ap
99	33	66.0	10	9	US-09-848-834A-1	Sequence 1, Appli	172	31	62.0	79	9	US-09-796-692-2029	Sequence 2029, Ap
100	33	66.0	10	9	US-09-810-601-2	Sequence 2, Appli	173	31	62.0	79	9	US-09-796-692-2042	Sequence 2042, Ap
101	33	66.0	10	9	US-09-810-601-3	Sequence 3, Appli	174	31	62.0	79	14	US-10-040-863-1517	Sequence 1517, Ap
102	33	66.0	10	9	US-09-810-601-4	Sequence 4, Appli	175	31	62.0	79	14	US-10-040-863-1609	Sequence 1609, Ap
103	33	66.0	10	13	US-10-109-331-2	Sequence 2, Appli	176	31	62.0	79	14	US-10-040-862-1747	Sequence 1747, Ap
104	33	66.0	10	15	US-10-170-096A-23	Sequence 23, Appl	177	31	62.0	79	14	US-10-040-862-1760	Sequence 1760, Ap
105	33	66.0	10	15	US-10-170-096A-25	Sequence 25, Appl	178	31	62.0	79	14	US-10-040-863-1944	Sequence 1944, Ap
106	33	66.0	10	15	US-10-170-096A-30	Sequence 30, Appl	179	31	62.0	79	14	US-10-040-863-1963	Sequence 1963, Ap
107	33	66.0	10	15	US-10-360-101-140	Sequence 140, App	180	31	62.0	79	14	US-10-040-862-2033	Sequence 2033, Ap
108	33	66.0	10	15	US-10-360-101-143	Sequence 143, App	181	31	62.0	79	14	US-10-040-862-2042	Sequence 2042, Ap
109	33	66.0	10	15	US-10-360-101-144	Sequence 144, App	182	31	62.0	79	15	US-10-057-475B-1517	Sequence 1517, Ap
110	33	66.0	10	15	US-10-360-101-160	Sequence 160, App	183	31	62.0	79	15	US-10-057-475B-1509	Sequence 1509, Ap
111	33	66.0	28	9	US-09-848-834A-11	Sequence 11, Appl	184	31	62.0	79	15	US-10-057-475B-1747	Sequence 1747, Ap
112	33	66.0	31	9	US-09-848-834A-9	Sequence 9, Appli	185	31	62.0	79	15	US-10-057-475B-1760	Sequence 1760, Ap
113	33	66.0	33	9	US-09-848-834A-12	Sequence 12, Appl	186	31	62.0	79	15	US-10-057-475B-1944	Sequence 1944, Ap
114	33	66.0	34	9	US-09-848-834A-10	Sequence 10, Appl	187	31	62.0	79	15	US-10-057-475B-1963	Sequence 1963, Ap
115	33	66.0	92	15	US-10-170-096A-6	Sequence 6, Appli	188	31	62.0	79	15	US-10-057-475B-2029	Sequence 2029, Ap
116	33	66.0	93	15	US-10-170-096A-8	Sequence 8, Appli	189	31	62.0	79	15	US-10-057-475B-2042	Sequence 2042, Ap
117	33	66.0	94	15	US-10-170-096A-2	Sequence 2, Appli	190	31	62.0	79	15	US-10-154-884B-1517	Sequence 1517, Ap
118	33	66.0	131	14	US-10-029-386-31420	Sequence 31420, A	191	31	62.0	79	15	US-10-154-884B-1609	Sequence 1609, Ap
119	33	66.0	331	14	US-10-156-761-8196	Sequence 8196, Ap	192	31	62.0	79	15	US-10-154-884B-1747	Sequence 1747, Ap
120	33	66.0	388	14	US-10-126-279-6	Sequence 6, Appli	193	31	62.0	79	15	US-10-154-884B-1760	Sequence 1760, Ap
121	33	66.0	388	14	US-10-286-606-6	Sequence 6, Appli	194	31	62.0	79	15	US-10-154-884B-1944	Sequence 1944, Ap
122	33	66.0	413	14	US-10-156-761-12893	Sequence 12893, A	195	31	62.0	79	15	US-10-154-884B-2029	Sequence 2029, Ap
123	33	66.0	508	9	US-09-134-377-1	Sequence 1, Appli	196	31	62.0	79	15	US-10-154-884B-2042	Sequence 2042, Ap
124	33	66.0	508	9	US-09-822-662-1	Sequence 1, Appli	197	31	62.0	117	9	US-09-925-300-958	Sequence 958, App
125	33	66.0	622	9	US-09-147-346-4	Sequence 4, Appli	198	31	62.0	121	14	US-10-106-698-4777	Sequence 4777, Ap
126	33	66.0	1105	11	US-09-895-606-2	Sequence 2, Appli	199	31	62.0	125	13	US-10-038-107A-4	Sequence 4, Appli
127	32	64.0	10	13	US-10-109-331-4	Sequence 4, Appli	200	31	62.0	125	13	US-10-371-069-20	Sequence 20, Appl
128	32	64.0	10	13	US-10-109-331-5	Sequence 5, Appli	201	31	62.0	152	15	US-10-371-069-20	Sequence 20, Appl
129	32	64.0	10	15	US-10-170-096A-26	Sequence 26, Appl	202	31	62.0	152	15	US-10-371-260-20	Sequence 20, Appl
130	32	64.0	10	15	US-10-170-096A-28	Sequence 28, Appl	203	31	62.0	156	15	US-10-108-260A-3817	Sequence 3817, Ap
131	32	64.0	10	15	US-10-170-096A-32	Sequence 32, Appl	204	31	62.0	182	9	US-09-879-957-200	Sequence 200, App
132	32	64.0	10	15	US-10-170-096A-33	Sequence 33, Appl	205	31	62.0	182	9	US-10-108-260A-4794	Sequence 4794, Ap
133	32	64.0	10	15	US-10-360-101-116	Sequence 116, App	206	31	62.0	201	15	US-10-108-260A-4794	Sequence 122, App
134	32	64.0	10	15	US-10-360-101-157	Sequence 157, App	207	31	62.0	212	15	US-10-421-138A-122	Sequence 27, Appl
135	32	64.0	10	15	US-10-617-561-13	Sequence 13, Appl	208	31	62.0	228	11	US-09-939-537-27	Sequence 27, Appl
136	32	64.0	10	15	US-10-617-561-14	Sequence 14, Appl	209	31	62.0	228	11	US-09-243-008-27	Sequence 4, Appli
137	32	64.0	14	10	US-09-305-924-2	Sequence 2, Appli	210	31	62.0	228	14	US-10-079-130-4	Sequence 3, Appli
138	32	64.0	16	9	US-09-758-128-53	Sequence 53, Appl	211	31	62.0	229	13	US-10-038-107A-3	Sequence 34, Appl
139	32	64.0	16	9	US-09-916-940-89	Sequence 89, Appl	212	31	62.0	229	13	US-10-371-069-34	Sequence 34, Appl
140	32	64.0	16	9	US-09-758-426-53	Sequence 53, Appl	213	31	62.0	229	15	US-10-371-645-34	Sequence 34, Appl
141	32	64.0	16	9	US-09-758-198-53	Sequence 53, Appl	214	31	62.0	229	15	US-10-371-660-34	Sequence 34, Appl
142	32	64.0	16	10	US-09-861-661-53	Sequence 53, Appl	215	31	62.0	229	15	US-10-371-660-34	Sequence 415, Ap
143	32	64.0	16	14	US-10-096-550-89	Sequence 89, Appl	216	31	62.0	255	14	US-10-108-260A-4415	Sequence 45, Appl
144	32	64.0	51	15	US-10-375-913-14	Sequence 14, Appl	217	31	62.0	257	9	US-09-925-299-891	Sequence 891, App
145	32	64.0	70	9	US-09-864-761-35060	Sequence 35060, A	218	31	62.0	257	10	US-09-925-399-891	Sequence 3, Appli
146	32	64.0	417	15	US-10-369-493-4987	Sequence 6, Appli	219	31	62.0	280	14	US-10-244-586-3	Sequence 3, Appli
147	32	64.0	421	14	US-10-021-723A-6	Sequence 6, Appli	220	31	62.0	298	14	US-10-235-026-2	Sequence 2, Appli
148	32	64.0	434	14	US-09-815-242-10441	Sequence 10441, A	221	31	62.0	355	14	US-10-235-026-2	Sequence 44, Appl
149	32	64.0	434	14	US-10-114-048-2	Sequence 2, Appli	222	31	62.0	468	9	US-09-764-868-655	Sequence 665, App
150	32	64.0	434	14	US-10-071-894-6	Sequence 6, Appli	223	31	62.0	496	15	US-10-369-493-20988	Sequence 20988, A
151	32	64.0	834	14	US-10-112-674-5	Sequence 5, Appli	224	31	62.0	601	9	US-09-815-242-5070	Sequence 5070, Ap
152	32	64.0	1055	14	US-10-039-761-2	Sequence 2, Appli	225	31	62.0	633	15	US-10-369-493-8543	Sequence 8543, Ap
153	32	64.0	1075	14	US-10-112-674-2	Sequence 4, Appli	226	31	62.0	674	14	US-10-156-761-9618	Sequence 9618, Ap
154	32	64.0	1075	14	US-10-112-674-4	Sequence 4, Appli	227	31	62.0	697	15	US-10-181-638A-2	Sequence 2, Appli
155	32	64.0	1075	14	US-10-116-375-244	Sequence 244, App	228	31	62.0	742	14	US-10-203-860-4	Sequence 4, Appli
156	32	64.0	2339	15	US-10-054-552-1	Sequence 1, Appli	229	31	62.0	788	9	US-09-879-957-30	Sequence 30, Appl
157	31	62.0	10	13	US-10-278-364A-9	Sequence 9, Appli	230	31	62.0	975	14	US-10-271-697-5	Sequence 5, Appli
158	31	62.0	10	14	US-10-181-638A-11	Sequence 11, Appl	231	31	62.0	1049	14	US-10-317-835-16	Sequence 16, Appl
159	31	62.0	10	15	US-10-360-101-137	Sequence 137, App	232	31	62.0	1060	10	US-09-954-342-46	Sequence 46, Appl
160	31	62.0	10	15	US-10-360-101-308	Sequence 308, App	233	31	62.0	1060	14	US-10-225-567A-408	Sequence 408, App
161	31	62.0	10	15	US-10-360-101-308	Sequence 308, App	234	31	62.0	1199	14	US-10-156-761-10084	Sequence 10084, A

235	31	62.0	1331	16	US-10-311-623-7	Sequence 7, Appli	308	30	60.0	393	16	US-10-344-738-75	Sequence 75, Appli
236	31	62.0	1464	9	US-09-746-390-2	Sequence 2, Appli	309	30	60.0	403	14	US-10-021-723A-8	Sequence 8, Appli
237	31	62.0	1464	15	US-10-607-095-21	Sequence 21, Appli	310	30	60.0	456	14	US-10-259-165-132	Sequence 132, App
238	31	62.0	19695	15	US-10-084-846A-3	Sequence 3, Appli	311	30	60.0	457	9	US-09-745-763-218	Sequence 218, App
239	30.5	61.0	747	9	US-09-874-069-6	Sequence 6, Appli	312	30	60.0	459	9	US-09-772-719-2	Sequence 2, Appli
240	30.5	61.0	988	9	US-09-874-069-4	Sequence 4, Appli	313	30	60.0	459	10	US-09-967-237-2	Sequence 2, Appli
241	30	60.0	9	9	US-09-746-945-2	Sequence 2, Appli	314	30	60.0	459	14	US-10-301-822-12	Sequence 12, Appli
242	30	60.0	10	15	US-10-360-101-114	Sequence 114, App	315	30	60.0	459	15	US-10-465-572-10	Sequence 10, Appl
243	30	60.0	10	15	US-10-360-101-154	Sequence 154, App	316	30	60.0	459	15	US-10-295-027-306	Sequence 306, App
244	30	60.0	18	14	US-10-225-567A-2244	Sequence 2244, App	317	30	60.0	459	15	US-10-295-027-1239	Sequence 1239, App
245	30	60.0	44	9	US-09-864-761-42097	Sequence 42097, A	318	30	60.0	476	14	US-10-017-161-758	Sequence 758, App
246	30	60.0	88	11	US-09-833-245-293	Sequence 293, App	319	30	60.0	535	15	US-10-369-493-12444	Sequence 12444, A
247	30	60.0	91	9	US-09-867-550-910	Sequence 910, App	320	30	60.0	542	9	US-09-745-763-219	Sequence 219, App
248	30	60.0	92	15	US-10-170-036A-4	Sequence 4, Appli	321	30	60.0	568	10	US-09-991-053-3	Sequence 3, Appli
249	30	60.0	96	9	US-09-764-860-575	Sequence 575, App	322	30	60.0	568	14	US-10-301-260A-3	Sequence 3, Appli
250	30	60.0	96	9	US-09-764-904-57	Sequence 57, Appli	323	30	60.0	603	14	US-10-273-051-2	Sequence 2, Appli
251	30	60.0	96	14	US-10-091-548-57	Sequence 57, Appli	324	30	60.0	603	15	US-10-129-518-2	Sequence 1, Appli
252	30	60.0	96	14	US-10-074-095-575	Sequence 575, App	325	30	60.0	610	14	US-10-203-860-24	Sequence 24, Appli
253	30	60.0	96	15	US-10-212-872-575	Sequence 575, App	326	30	60.0	628	14	US-10-097-340-208	Sequence 208, App
254	30	60.0	170	9	US-09-772-719-54	Sequence 54, Appli	327	30	60.0	628	14	US-10-157-031-245	Sequence 245, App
255	30	60.0	205	9	US-09-234-717-19	Sequence 19, Appli	328	30	60.0	628	15	US-10-099-322-4	Sequence 4, Appli
256	30	60.0	205	14	US-10-185-567-19	Sequence 19, Appli	329	30	60.0	628	15	US-10-099-322-46	Sequence 46, Appli
257	30	60.0	222	14	US-10-238-075-587	Sequence 587, App	330	30	60.0	628	15	US-10-173-999-38	Sequence 38, Appli
258	30	60.0	224	14	US-10-156-761-11958	Sequence 11958, A	331	30	60.0	628	15	US-10-044-564-4	Sequence 4, Appli
259	30	60.0	227	15	US-09-934-455-100	Sequence 100, App	332	30	60.0	628	15	US-10-044-564-46	Sequence 46, Appli
260	30	60.0	227	15	US-10-225-068-58	Sequence 58, Appli	333	30	60.0	628	15	US-10-203-860-2	Sequence 2, Appli
261	30	60.0	227	15	US-10-374-780A-104	Sequence 104, App	334	30	60.0	742	14	US-10-308-448-11	Sequence 11, Appli
262	30	60.0	253	15	US-10-369-493-10635	Sequence 10635, A	335	30	60.0	742	15	US-10-341-434-85	Sequence 85, Appli
263	30	60.0	256	9	US-09-772-719-51	Sequence 51, Appli	336	30	60.0	742	15	US-10-389-566-1488	Sequence 1488, Ap
264	30	60.0	257	10	US-09-967-237-51	Sequence 51, Appli	337	30	60.0	778	16	US-10-389-566-1517	Sequence 1517, Ap
265	30	60.0	270	15	US-10-421-138A-118	Sequence 118, App	338	30	60.0	795	16	US-10-389-566-1797	Sequence 1797, Ap
266	30	60.0	283	14	US-10-156-761-8768	Sequence 8768, Ap	339	30	60.0	944	14	US-10-369-493-23636	Sequence 23636, A
267	30	60.0	294	14	US-10-182-951-2	Sequence 2, Appli	340	30	60.0	1016	15	US-10-017-161-2416	Sequence 2416, Ap
268	30	60.0	296	10	US-09-782-974C-12	Sequence 12, Appli	341	30	60.0	1130	15	US-10-292-798-2056	Sequence 2056, Ap
269	30	60.0	300	15	US-10-369-493-14179	Sequence 14179, A	342	30	60.0	1138	14	US-10-206-933-8	Sequence 8, Appli
270	30	60.0	305	16	US-10-038-854-105	Sequence 105, App	343	30	60.0	1151	14	US-10-206-933-10	Sequence 10, Appli
271	30	60.0	308	14	US-10-017-161-768	Sequence 768, App	344	30	60.0	1467	14	US-10-017-161-2044	Sequence 2044, Ap
272	30	60.0	340	9	US-09-815-242-11980	Sequence 11980, A	345	30	60.0	1467	15	US-10-232-798-1690	Sequence 1690, Ap
273	30	60.0	341	15	US-09-769-734-58	Sequence 58, Appli	346	30	60.0	1563	15	US-10-334-143-34	Sequence 34, Appli
274	30	60.0	341	15	US-10-334-143-74	Sequence 74, Appli	347	30	60.0	1967	14	US-10-219-834-85	Sequence 85, Appli
275	30	60.0	342	14	US-10-092-135-2	Sequence 2, Appli	348	30	60.0	1967	14	US-10-225-567A-575	Sequence 575, App
276	30	60.0	342	14	US-10-223-085-28	Sequence 28, Appli	349	30	60.0	2092	14	US-10-147-026-12	Sequence 12, Appli
277	30	60.0	342	14	US-10-223-084-28	Sequence 28, Appli	350	30	60.0	2756	14	US-10-331-061-7	Sequence 7, Appli
278	30	60.0	342	14	US-10-223-088-28	Sequence 28, Appli	351	30	60.0	4307	15	US-10-369-493-5698	Sequence 5698, Ap
279	30	60.0	342	14	US-10-223-090-28	Sequence 28, Appli	352	30	60.0	4307	15	US-10-369-493-5699	Sequence 5699, Ap
280	30	60.0	342	14	US-10-223-087-28	Sequence 28, Appli	353	30	60.0	4307	15	US-10-369-493-5700	Sequence 5700, Ap
281	30	60.0	342	14	US-10-223-083-28	Sequence 28, Appli	354	30	60.0	6304	14	US-10-147-026-16	Sequence 16, Appli
282	30	60.0	342	14	US-10-223-089-28	Sequence 28, Appli	355	30	60.0	7349	14	US-10-314-657-46	Sequence 46, Appli
283	30	60.0	342	14	US-10-223-081-28	Sequence 28, Appli	356	30	60.0	513	15	US-10-115-479-84	Sequence 84, Appli
284	30	60.0	342	14	US-10-223-082-28	Sequence 28, Appli	357	29.5	59.0	513	10	US-10-360-101-139	Sequence 139, Appl
285	30	60.0	346	9	US-09-862-274-2	Sequence 2, Appli	358	29	58.0	12	10	US-09-965-738-269	Sequence 269, Appl
286	30	60.0	346	9	US-09-942-374-2	Sequence 2, Appli	359	29	58.0	21	11	US-09-773-830-20	Sequence 22, Appli
287	30	60.0	346	10	US-09-886-041-2	Sequence 2, Appli	360	29	58.0	21	11	US-09-773-830-22	Sequence 22, Appli
288	30	60.0	346	10	US-09-782-974C-80	Sequence 80, Appli	361	29	58.0	47	9	US-09-764-877-1517	Sequence 1517, Ap
289	30	60.0	346	14	US-10-094-417-8	Sequence 8, Appli	362	29	58.0	47	15	US-10-242-515-1517	Sequence 1517, Ap
290	30	60.0	346	14	US-10-188-149A-2	Sequence 2, Appli	363	29	58.0	47	9	US-09-796-692-1197	Sequence 1197, Ap
291	30	60.0	346	14	US-10-079-364-18	Sequence 18, Appli	364	29	58.0	50	9	US-09-796-692-1659	Sequence 1659, Ap
292	30	60.0	346	14	US-10-240-842-2	Sequence 2, Appli	365	29	58.0	50	9	US-09-796-692-1659	Sequence 1659, Ap
293	30	60.0	346	14	US-10-225-567A-668	Sequence 668, App	366	29	58.0	50	9	US-09-796-692-2223	Sequence 2223, Ap
294	30	60.0	346	14	US-10-201-481-7	Sequence 7, Appli	367	29	58.0	50	14	US-10-040-862-1137	Sequence 1137, Ap
295	30	60.0	346	14	US-10-278-141-3	Sequence 3, Appli	368	29	58.0	50	14	US-10-040-862-1659	Sequence 1659, Ap
296	30	60.0	346	14	US-10-321-807-24	Sequence 24, Appli	369	29	58.0	50	15	US-10-057-475B-1197	Sequence 1197, Ap
297	30	60.0	346	14	US-10-076-260-2	Sequence 2, Appli	370	29	58.0	50	15	US-10-057-475B-1659	Sequence 1659, Ap
298	30	60.0	346	14	US-10-044-643-5	Sequence 5, Appli	371	29	58.0	50	15	US-10-057-475B-2223	Sequence 2223, Ap
299	30	60.0	346	15	US-10-296-081-3	Sequence 3, Appli	372	29	58.0	50	15	US-10-154-884B-1197	Sequence 1197, Ap
300	30	60.0	346	15	US-10-369-493-11556	Sequence 11556, A	373	29	58.0	50	15	US-10-154-884B-1559	Sequence 1559, Ap
301	30	60.0	346	15	US-10-369-493-14593	Sequence 14593, A	374	29	58.0	50	15	US-10-154-884B-2223	Sequence 2223, Ap
302	30	60.0	346	15	US-10-369-493-14593	Sequence 14593, A	375	29	58.0	52	11	US-09-864-761-45538	Sequence 45538, Ap
303	30	60.0	346	15	US-10-369-493-14961	Sequence 14961, A	376	29	58.0	55	9	US-09-864-761-45538	Sequence 45538, Ap
304	30	60.0	354	9	US-09-738-626-6529	Sequence 6529, Ap	377	29	58.0	55	9	US-10-001-870-163	Sequence 163, App
305	30	60.0	377	10	US-09-967-237-87	Sequence 87, Appli	378	29	58.0	77	13	US-10-001-870-163	Sequence 163, App
306	30	60.0	380	14	US-10-017-161-306	Sequence 2010, Ap	379	29	58.0	98	9	US-09-864-761-37529	Sequence 37529, A
307	30	60.0	380	15	US-10-292-798-1656	Sequence 1656, Ap	380	29	58.0	108	14	US-10-029-386-33930	Sequence 33930, A

381	29	58.0	109	14	US-10-106-698-4315	Sequence 4315, Ap	454	29	58.0	505	10	US-09-986-118A-2	Sequence 2, Appli
382	29	58.0	127	11	US-09-833-245-1766	Sequence 1766, Ap	455	29	58.0	505	13	US-10-367-095-6	Sequence 6, Appli
383	29	58.0	137	15	US-10-104-047-2374	Sequence 2374, Ap	456	29	58.0	507	15	US-10-369-493-8605	Sequence 8605, Ap
384	29	58.0	138	1	US-09-925-300-1617	Sequence 1617, Ap	457	29	58.0	513	15	US-10-369-493-3356	Sequence 3356, Ap
385	29	58.0	139	11	US-09-864-408A-6950	Sequence 6950, Ap	458	29	58.0	528	13	US-10-024-623-5	Sequence 5, Appli
386	29	58.0	144	15	US-10-094-749-2816	Sequence 2816, Ap	459	29	58.0	528	14	US-10-154-419-55	Sequence 55, Appli
387	29	58.0	150	9	US-09-860-670-140	Sequence 140, App	460	29	58.0	528	14	US-10-146-733-50	Sequence 50, Appli
388	29	58.0	150	10	US-09-764-891-4579	Sequence 4579, Ap	461	29	58.0	531	10	US-09-991-053-1	Sequence 1, Appli
389	29	58.0	150	15	US-10-227-646-140	Sequence 140, App	462	29	58.0	531	14	US-10-101-260A-1	Sequence 1, Appli
390	29	58.0	152	15	US-10-264-237-2532	Sequence 2532, Ap	463	29	58.0	547	15	US-10-108-260A-430	Sequence 430, Ap
391	29	58.0	163	11	US-09-997-003-30	Sequence 30, Appl	464	29	58.0	547	15	US-10-004-551-10	Sequence 10, Appl
392	29	58.0	166	11	US-09-997-003-43	Sequence 43, Appl	465	29	58.0	580	15	US-10-104-047-2876	Sequence 2876, Ap
393	29	58.0	172	14	US-10-156-761-112173	Sequence 112173, A	466	29	58.0	580	14	US-10-156-761-10688	Sequence 10688, A
394	29	58.0	174	9	US-09-925-301-1182	Sequence 1182, Ap	467	29	58.0	580	15	US-10-156-761-10531	Sequence 10531, A
395	29	58.0	174	9	US-09-925-301-1182	Sequence 1182, Ap	468	29	58.0	580	15	US-10-156-761-10531	Sequence 10531, A
396	29	58.0	185	9	US-09-764-870-753	Sequence 753, App	469	29	58.0	599	15	US-10-369-493-17162	Sequence 17162, A
397	29	58.0	185	9	US-09-764-870-753	Sequence 753, App	470	29	58.0	602	15	US-10-158-057-184	Sequence 184, App
398	29	58.0	185	9	US-09-764-853-471	Sequence 471, App	471	29	58.0	602	15	US-10-369-493-7132	Sequence 7132, Ap
399	29	58.0	185	14	US-10-125-540-355	Sequence 355, App	472	29	58.0	666	15	US-10-369-493-4378	Sequence 4378, Ap
400	29	58.0	185	14	US-10-125-540-355	Sequence 355, App	473	29	58.0	682	9	US-09-788-791-2	Sequence 2, Appli
401	29	58.0	185	14	US-10-103-313-302	Sequence 302, App	474	29	58.0	689	15	US-10-369-493-17280	Sequence 17280, A
402	29	58.0	185	15	US-10-158-057-285	Sequence 285, App	475	29	58.0	706	15	US-10-369-493-10838	Sequence 10838, A
403	29	58.0	198	15	US-10-264-049-3505	Sequence 3505, Ap	476	29	58.0	745	15	US-10-108-260A-4341	Sequence 4341, Ap
404	29	58.0	221	14	US-10-156-761-12345	Sequence 12345, A	477	29	58.0	815	15	US-10-369-493-4407	Sequence 4407, Ap
405	29	58.0	225	14	US-10-294-444-1	Sequence 1, Appli	478	29	58.0	827	15	US-10-369-493-7163	Sequence 7163, Ap
406	29	58.0	239	10	US-09-374-046A-158	Sequence 158, App	479	29	58.0	828	15	US-10-369-493-901	Sequence 901, App
407	29	58.0	247	10	US-09-933-767-1141	Sequence 1141, Ap	480	29	58.0	829	15	US-10-369-493-14754	Sequence 14754, A
408	29	58.0	247	14	US-10-023-282-1141	Sequence 1141, Ap	481	29	58.0	831	15	US-10-369-493-7854	Sequence 7854, Ap
409	29	58.0	249	10	US-09-880-748-1419	Sequence 1419, Ap	482	29	58.0	834	15	US-10-369-493-11481	Sequence 11481, A
410	29	58.0	255	10	US-09-866-050A-690	Sequence 690, App	483	29	58.0	836	15	US-10-369-493-9999	Sequence 9999, Ap
411	29	58.0	260	14	US-10-441-626-23	Sequence 23, Appl	484	29	58.0	850	15	US-10-369-493-15233	Sequence 15233, A
412	29	58.0	261	13	US-10-003-759-2	Sequence 2, Appli	485	29	58.0	897	15	US-10-320-797-3319	Sequence 3319, Ap
413	29	58.0	263	14	US-10-265-811-2	Sequence 2, Appli	486	29	58.0	922	15	US-10-369-493-14013	Sequence 14013, A
414	29	58.0	269	14	US-10-156-761-11351	Sequence 11351, A	487	29	58.0	1019	15	US-10-369-493-4940	Sequence 4940, Ap
415	29	58.0	273	15	US-10-156-761-11107	Sequence 11107, A	488	29	58.0	1019	15	US-10-369-493-7698	Sequence 7698, Ap
416	29	58.0	273	15	US-10-108-260A-3955	Sequence 3955, Ap	489	29	58.0	1020	15	US-10-369-493-14106	Sequence 14106, A
417	29	58.0	295	15	US-10-017-161-2164	Sequence 2164, A	490	29	58.0	1203	15	US-10-369-493-8333	Sequence 8333, Ap
418	29	58.0	295	15	US-10-292-798-1810	Sequence 1810, Ap	491	29	58.0	1203	15	US-10-310-154-702	Sequence 702, App
419	29	58.0	299	10	US-09-809-391-396	Sequence 396, App	492	29	58.0	1355	15	US-10-369-493-1388	Sequence 1388, Ap
420	29	58.0	299	10	US-09-882-171-396	Sequence 171, App	493	29	58.0	1355	15	US-10-369-493-802	Sequence 802, App
421	29	58.0	333	15	US-10-094-749-2203	Sequence 2203, Ap	494	29	58.0	2220	16	US-10-011-366-6	Sequence 6, Appli
422	29	58.0	339	10	US-09-934-455-492	Sequence 455, App	495	29	58.0	2710	14	US-10-354-774-6	Sequence 6, Appli
423	29	58.0	339	14	US-10-156-761-8365	Sequence 8365, Ap	496	29	58.0	2710	15	US-10-271-012-6	Sequence 6, Appli
424	29	58.0	339	14	US-10-156-761-9813	Sequence 9813, Ap	497	29	58.0	2710	15	US-09-965-738-146	Sequence 146, App
425	29	58.0	342	9	US-09-738-626-5165	Sequence 5165, Ap	498	29	58.0	9799	10	US-09-965-738-162	Sequence 162, App
426	29	58.0	347	14	US-10-156-761-10951	Sequence 10851, A	499	29	58.0	11721	10	US-10-084-846A-5	Sequence 5, Appli
427	29	58.0	356	9	US-09-738-626-6756	Sequence 6756, Ap	500	29	58.0	19723	15	US-10-084-846A-4	Sequence 4, Appli
428	29	58.0	367	15	US-10-104-047-3653	Sequence 3653, Ap	501	29	58.0	19725	15	US-10-106-698-5904	Sequence 5904, Ap
429	29	58.0	382	15	US-10-369-493-22437	Sequence 22437, A	502	29	58.0	571	14		
430	29	58.0	385	13	US-10-000-512-14	Sequence 14, Appl	503	29	58.0				
431	29	58.0	385	15	US-10-074-566-14	Sequence 14, Appl	504	29	58.0				
432	29	58.0	385	15	US-10-074-566-49	Sequence 49, Appl	505	29	58.0				
433	29	58.0	385	15	US-10-074-566-78	Sequence 78, Appl	506	29	58.0				
434	29	58.0	393	15	US-10-094-749-1651	Sequence 1651, Ap	507	29	58.0				
435	29	58.0	403	14	US-10-156-761-8886	Sequence 8886, Ap	508	29	58.0				
436	29	58.0	424	10	US-09-809-391-555	Sequence 555, App	509	29	58.0				
437	29	58.0	424	10	US-09-882-171-555	Sequence 555, App	510	29	58.0				
438	29	58.0	429	15	US-10-369-493-17876	Sequence 17876, A	511	29	58.0				
439	29	58.0	431	10	US-09-986-480-189	Sequence 189, App	512	29	58.0				
440	29	58.0	442	10	US-09-866-050A-659	Sequence 659, App	513	29	58.0				
441	29	58.0	446	14	US-10-156-761-7892	Sequence 7892, Ap	514	29	58.0				
442	29	58.0	455	15	US-10-264-237-2641	Sequence 2641, Ap	515	29	58.0				
443	29	58.0	460	15	US-10-108-260A-3539	Sequence 3539, Ap	516	29	58.0				
444	29	58.0	474	16	US-10-354-437-32	Sequence 32, Appl	517	29	58.0				
445	29	58.0	476	14	US-10-168-651-12	Sequence 12, Appl	518	29	58.0				
446	29	58.0	477	15	US-10-369-493-18329	Sequence 18329, A	519	29	58.0				
447	29	58.0	484	15	US-10-369-493-2915	Sequence 2915, Ap	520	29	58.0				
448	29	58.0	498	15	US-10-369-493-17267	Sequence 17267, A	521	29	58.0				
449	29	58.0	498	15	US-10-369-493-19128	Sequence 19128, A	522	29	58.0				
450	29	58.0	505	14	US-10-224-999A-3459	Sequence 3459, Ap	523	29	58.0				
451	29	58.0	505	9	US-09-162-904A-3	Sequence 3, Appli	524	29	58.0				
452	29	58.0	505	9	US-09-162-904A-4	Sequence 4, Appli	525	29	58.0				
453	29	58.0	505	9	US-09-824-017-2	Sequence 2, Appli	526	29	58.0				

ALIGNMENTS

RESULT 1

US-09-964-201A-28

; Sequence 28, Application US/09964201A

; Publication No. US20030091575A1

; GENERAL INFORMATION:

; APPLICANT: Kanten, John H

; APPLICANT: Tramontano, Alfonso

; APPLICANT: Pilon, Aprile L

; APPLICANT: Lohnas, Gerald L

; APPLICANT: Roberts, Steven F

; TITLE OF INVENTION: HEAT-SHOCK FUSION-BASED VACCINE SYSTEM

; FILE REFERENCE: U.S. Patent Application No. US20030091575A1 09\026, 276

; CURRENT FILING DATE: 2002-05-21

; NUMBER OF SEQ ID NOS: 35

; SOFTWARE: Patent in Ver. 2.0

; SEQ ID NO 28

; LENGTH: 10

; TYPE: PRT

; ORGANISM: Porcine

US-09-964-201A-28

Query Match 88.0%; Score 44; DB 10; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.31;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
||| |||
DB 1 EHWSYGLRPG 10

RESULT 2

US-10-184-126-1
; Sequence 1, Application US/10184126
; Publication No. US20020183257A1
; GENERAL INFORMATION:
; APPLICANT: EL TAYAR, Nabil
; APPLICANT: ZHAO, Xuan
; APPLICANT: BENTLEY, Michael D.
; TITLE OF INVENTION: PEG-LHRH ANALOG CONJUGATES
; FILE REFERENCE: EL-TAYAR=2A
; CURRENT APPLICATION NUMBER: US/10/184,126
; PRIOR FILING DATE: 2002-06-28
; PRIOR APPLICATION NUMBER: US/09/698,134
; PRIOR FILING DATE: 2000-10-30
; PRIOR APPLICATION NUMBER: 60/083,340
; PRIOR FILING DATE: 1998-04-28
; PRIOR APPLICATION NUMBER: PCT/US99/09160
; PRIOR FILING DATE: 1999-04-28
; NUMBER OF SEQ ID NOS: 1
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 1
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: synthetic
; FEATURE:
; NAME/KEY: misc feature
; LOCATION: (1)..(1)
; OTHER INFORMATION: Glu is modified with a pyro group.
; FEATURE:
; NAME/KEY: misc feature
; LOCATION: (10)..(10)
; OTHER INFORMATION: Gly is modified with -NH2 group.
US-10-184-126-1

Query Match 88.0%; Score 44; DB 13; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.31;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
||| |||
DB 1 EHWSYGLRPG 10

RESULT 3

US-10-115-553-1
; Sequence 1, Application US/10115553
; Publication No. US20030040482A1
; GENERAL INFORMATION:
; APPLICANT: Roeseke, Roger W.
; TITLE OF INVENTION: LHRH Antagonist Peptides
; FILE REFERENCE: PPI-007CPUS
; CURRENT APPLICATION NUMBER: US/10/115,553
; CURRENT FILING DATE: 2002-04-02
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/973,378
; PRIOR FILING DATE: EARLIER FILING DATE: 1998-04-06
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/480,494
; PRIOR FILING DATE: EARLIER FILING DATE: 1995-06-07
; NUMBER OF SEQ ID NOS: 1
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 1
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-117-364-1

Query Match 88.0%; Score 44; DB 14; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.31;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
||| |||
DB 1 EHWSYGLRPG 10

; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-115-553-1

Query Match 88.0%; Score 44; DB 14; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.31;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
||| |||
DB 1 EHWSYGLRPG 10

RESULT 4

US-10-122-483-1
; Sequence 1, Application US/10122483
; Publication No. US20030044936A1
; GENERAL INFORMATION:
; APPLICANT: Hwang, Jaulang
; APPLICANT: Heu, Chia-Tse
; APPLICANT: Ting, Chun-Jen
; TITLE OF INVENTION: PEPTIDE REPEAT IMMUNOGENS
; FILE REFERENCE: 08919-071001
; CURRENT APPLICATION NUMBER: US/10/122,483
; PRIOR FILING DATE: 2002-07-15
; PRIOR APPLICATION NUMBER: 09/412,558
; PRIOR FILING DATE: 1999-10-05
; NUMBER OF SEQ ID NOS: 13
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 1
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-122-483-1

Query Match 88.0%; Score 44; DB 14; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.31;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
||| |||
DB 1 EHWSYGLRPG 10

RESULT 5

US-10-117-364-1
; Sequence 1, Application US/10117364
; Publication No. US20030181385A1
; GENERAL INFORMATION:
; APPLICANT: Roeseke, Roger W.
; TITLE OF INVENTION: LHRH Antagonist Peptides
; FILE REFERENCE: PPI-007CPUS
; CURRENT APPLICATION NUMBER: US/10/117,364
; CURRENT FILING DATE: 2002-04-05
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/973,378
; PRIOR FILING DATE: EARLIER FILING DATE: 1998-04-06
; PRIOR APPLICATION NUMBER: EARLIER APPLICATION NUMBER: 08/480,494
; PRIOR FILING DATE: EARLIER FILING DATE: 1995-06-07
; NUMBER OF SEQ ID NOS: 1
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 1
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-117-364-1

Query Match 88.0%; Score 44; DB 14; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.31;
Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
||| |||
DB 1 EHWSYGLRPG 10

```
RESULT 6
US-10-311-688-4
; Sequence 4, Application US/10311688
; Publication No. US20030191164A1
; GENERAL INFORMATION:
; APPLICANT: Yamahouchi Pharmaceutical Co., Ltd.
; TITLE OF INVENTION: PROSPAN-1,3-DIONE DERIVATIVE
; FILE REFERENCE: Q73475
; CURRENT APPLICATION NUMBER: US/10/311,688
; CURRENT FILING DATE: 2002-12-19
; PRIOR APPLICATION NUMBER: JPA P. 2000-204425
; PRIOR FILING DATE: 2000-07-05
; PRIOR APPLICATION NUMBER: JPA P. 2001-153372
; PRIOR FILING DATE: 2001-05-23
; PRIOR APPLICATION NUMBER: PCT/JP01/05813
; PRIOR FILING DATE: 2001-05-23
; NUMBER OF SEQ ID NOS: 4
; SOFTWARE: Patentin version 3.2
; SEQ ID NO 4
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-311-688-4

Query Match      88.0%; Score 44; DB 14; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.31;
Matches 7; Conservative 0; Mismatches 3; Indels 3; Gaps 0;

QY 1 EHWXGXKXPG 10
DB 1 EHWYGLRPG 10

RESULT 7
US-10-353-160A-1
; Sequence 1, Application US/10353160A
; Publication No. US20040010033A1
; GENERAL INFORMATION:
; APPLICANT: Agouron Pharmaceuticals, Inc./A Pfizer Company
; TITLE OF INVENTION: No. US20040010033A1-Peptide GnRH Agonists, Methods And Intermediate
; FILE REFERENCE: 0059-02-US
; CURRENT APPLICATION NUMBER: US/10/353,160A
; CURRENT FILING DATE: 2003-01-27
; PRIOR APPLICATION NUMBER: 09/763,216
; PRIOR FILING DATE: 2001-02-20
; PRIOR APPLICATION NUMBER: 60/097,520
; PRIOR FILING DATE: 1998-08-20
; NUMBER OF SEQ ID NOS: 1
; SOFTWARE: Patentin version 3.1
; SEQ ID NO 1
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial
; FEATURE:
; OTHER INFORMATION: Gonadotropin-releasing hormone, also known as luteinizing hormone
; OTHER INFORMATION: -releasing hormone, which plays a central role in the biology of
; OTHER INFORMATION: reproduction.
US-10-353-160A-1

Query Match      88.0%; Score 44; DB 15; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.31;
Matches 7; Conservative 0; Mismatches 3; Indels 3; Gaps 0;

QY 1 EHWXGXKXPG 10
DB 1 EHWYGLRPG 10

RESULT 8
US-10-298-378-1
; Sequence 1, Application US/10298378
```

```
; Publication No. US20040022739A1
; GENERAL INFORMATION:
; APPLICANT: Daniels, John
; APPLICANT: Pike, Malcolm
; APPLICANT: Spicer, Darcy
; APPLICANT: Daniels, AnnaMarie
; TITLE OF INVENTION: Nasal Spray Formulation and Method
; FILE REFERENCE: 38931.8002.US00
; CURRENT APPLICATION NUMBER: US/10/298,378
; CURRENT FILING DATE: 2002-11-15
; PRIOR APPLICATION NUMBER: US 60/400,575
; PRIOR FILING DATE: 2002-08-02
; NUMBER OF SEQ ID NOS: 4
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 1
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: synthetic
; NAME/KEY: VARIANT
; LOCATION: 10
; OTHER INFORMATION: amino acid linked to NH2
US-10-298-378-1

Query Match      88.0%; Score 44; DB 16; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.31;
Matches 7; Conservative 0; Mismatches 3; Indels 3; Gaps 0;

QY 1 EHWXGXKXPG 10
DB 1 EHWYGLRPG 10

RESULT 9
US-10-298-851-1
; Sequence 1, Application US/10298851
; Publication No. US20040023867A1
; GENERAL INFORMATION:
; APPLICANT: Daniels, AnnaMarie
; APPLICANT: Daniels, John
; APPLICANT: Pike, Malcolm
; APPLICANT: Spicer, Darcy
; TITLE OF INVENTION: Methods and Compositions for Treating
; TITLE OF INVENTION: Benign Gynecological Disorders
; FILE REFERENCE: 38931-8001.US00
; CURRENT APPLICATION NUMBER: US/10/298,851
; CURRENT FILING DATE: 2002-11-15
; PRIOR APPLICATION NUMBER: US 60/400,626
; PRIOR FILING DATE: 2002-08-02
; NUMBER OF SEQ ID NOS: 4
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 1
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: synthetic
; NAME/KEY: VARIANT
; LOCATION: 10
; OTHER INFORMATION: amino acid linked to NH2
US-10-298-851-1

Query Match      88.0%; Score 44; DB 16; Length 10;
Best Local Similarity 70.0%; Pred. No. 0.31;
Matches 7; Conservative 0; Mismatches 3; Indels 3; Gaps 0;

QY 1 EHWXGXKXPG 10
DB 1 EHWYGLRPG 10
```

; TITLE OF INVENTION: HEAT-SHOCK FUSION-BASED VACCINE SYSTEM
 ; FILE REFERENCE: U.S. Patent Application No. US20030091575A1 09\026,276
 ; CURRENT APPLICATION NUMBER: US/09/964,201A
 ; CURRENT FILING DATE: 2002-05-21
 ; NUMBER OF SEQ ID NOS: 35
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 30
 ; LENGTH: 20
 ; TYPE: PRT
 ; ORGANISM: Porcine
 ; US-09-964-201A-30

Query Match 88.0%; Score 44; DB 10; Length 20;
 Best Local Similarity 70.0%; Pred. No. 0.58;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
 |||||
 Db 1 EHWSYGLRPG 10

RESULT 13

US-09-964-201A-31
 ; Sequence 31, Application US/09964201A
 ; Publication No. US20030091575A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Kenten, John H
 ; APPLICANT: Tramontano, Alfonso
 ; APPLICANT: Pilon, Aprile L
 ; APPLICANT: Lohnas, Gerald L
 ; APPLICANT: Roberts, Steven F

; TITLE OF INVENTION: HEAT-SHOCK FUSION-BASED VACCINE SYSTEM
 ; FILE REFERENCE: U.S. Patent Application No. US20030091575A1 09\026,276
 ; CURRENT APPLICATION NUMBER: US/09/964,201A
 ; CURRENT FILING DATE: 2002-05-21
 ; NUMBER OF SEQ ID NOS: 35
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 31
 ; LENGTH: 20
 ; TYPE: PRT
 ; ORGANISM: Porcine
 ; US-09-964-201A-31

Query Match 88.0%; Score 44; DB 10; Length 20;
 Best Local Similarity 70.0%; Pred. No. 0.58;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
 |||||
 Db 11 EHWSYGLRPG 20

RESULT 14

US-10-076-674-7
 ; Sequence 7, Application US/10076674
 ; Publication No. US20030165478A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Sokoll, Kenneth K.

; TITLE OF INVENTION: Stabilized Synthetic Immunogen Delivery System
 ; FILE REFERENCE: Immunogen Delivery System
 ; CURRENT APPLICATION NUMBER: US/10/076,674
 ; CURRENT FILING DATE: 2002-04-23
 ; NUMBER OF SEQ ID NOS: 11
 ; SOFTWARE: PatentIn version 3.1
 ; SEQ ID NO 7
 ; LENGTH: 27
 ; TYPE: PRT
 ; ORGANISM: Human
 ; US-10-076-674-7

Query Match 88.0%; Score 44; DB 14; Length 27;
 Best Local Similarity 70.0%; Pred. No. 0.76;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

RESULT 10

US-09-305-924-3
 ; Sequence 3, Application US/09305924A
 ; Publication No. US20030091579A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Jack G. Manns
 ; APPLICANT: Stephen D. Acres
 ; APPLICANT: Richard Harland

; TITLE OF INVENTION: METHODS OF RAISING ANIMALS FOR MEAT PRODUCTION
 ; FILE REFERENCE: 9001-0048
 ; CURRENT APPLICATION NUMBER: US/09/305,924A
 ; CURRENT FILING DATE: 1999-05-05
 ; EARLIER APPLICATION NUMBER: US 60/084,217
 ; EARLIER FILING DATE: 1998-05-05
 ; NUMBER OF SEQ ID NOS: 14
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 3
 ; LENGTH: 17
 ; TYPE: PRT
 ; ORGANISM: GNRH
 ; US-09-305-924-3

Query Match 88.0%; Score 44; DB 10; Length 17;
 Best Local Similarity 70.0%; Pred. No. 0.5;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
 |||||
 Db 8 EHWSYGLRPG 17

RESULT 11

US-09-964-201A-29
 ; Sequence 29, Application US/09964201A
 ; Publication No. US20030091575A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Kenten, John H
 ; APPLICANT: Tramontano, Alfonso
 ; APPLICANT: Pilon, Aprile L
 ; APPLICANT: Lohnas, Gerald L
 ; APPLICANT: Roberts, Steven F

; TITLE OF INVENTION: HEAT-SHOCK FUSION-BASED VACCINE SYSTEM
 ; FILE REFERENCE: U.S. Patent Application No. US20030091575A1 09\026,276
 ; CURRENT APPLICATION NUMBER: US/09/964,201A
 ; CURRENT FILING DATE: 2002-05-21
 ; NUMBER OF SEQ ID NOS: 35
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 29
 ; LENGTH: 20
 ; TYPE: PRT
 ; ORGANISM: Porcine
 ; US-09-964-201A-29

Query Match 88.0%; Score 44; DB 10; Length 20;
 Best Local Similarity 70.0%; Pred. No. 0.58;
 Matches 7; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXGXP 10
 |||||
 Db 1 EHWSYGLRPG 10

RESULT 12

US-09-964-201A-30
 ; Sequence 30, Application US/09964201A
 ; Publication No. US20030091575A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Kenten, John H
 ; APPLICANT: Tramontano, Alfonso
 ; APPLICANT: Pilon, Aprile L
 ; APPLICANT: Lohnas, Gerald L
 ; APPLICANT: Roberts, Steven F

QY 1 EHWSGXGXP 10
| | | | |
Db 18 EHWSYGLRPG 27

RESULT 15

US-10-355-161A-7
; Sequence 9, Application US/10355161A
; Publication No. US20040009897A1
; GENERAL INFORMATION:
; APPLICANT: Sokoll, Kenneth K.
; TITLE OF INVENTION: Stabilized Synthetic Immunogen Delivery System
; FILE REFERENCE: Immunogen Delivery System
; CURRENT APPLICATION NUMBER: US/10/355,161A
; CURRENT FILING DATE: 2003-01-31
; PRIOR APPLICATION NUMBER: US 10/076674
; PRIOR FILING DATE: 2002-02-14
; NUMBER OF SEQ ID NOS: 13
; SOFTWARE: Patent in version 3.1
; SEQ ID NO 7
; LENGTH: 27
; TYPE: PRT
; ORGANISM: Human
US-10-355-161A-7

Query Match 88.0%; Score 44; DB 15; Length 27;
Best Local Similarity 70.0%; Pred. No. 0.76; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 3

QY 1 EHWSGXGXP 10
| | | | |
Db 18 EHWSYGLRPG 27

RESULT 16

US-10-076-674-8
; Sequence 8, Application US/10076674
; Publication No. US20030165478A1
; GENERAL INFORMATION:
; APPLICANT: Sokoll, Kenneth K.
; TITLE OF INVENTION: Stabilized Synthetic Immunogen Delivery System
; FILE REFERENCE: Immunogen Delivery System
; CURRENT APPLICATION NUMBER: US/10/076,674
; CURRENT FILING DATE: 2002-04-23
; NUMBER OF SEQ ID NOS: 11
; SOFTWARE: Patent in version 3.1
; SEQ ID NO 8
; LENGTH: 45
; TYPE: PRT
; ORGANISM: Human
US-10-076-674-8

Query Match 88.0%; Score 44; DB 14; Length 45;
Best Local Similarity 70.0%; Pred. No. 1.2; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 3

QY 1 EHWSGXGXP 10
| | | | |
Db 36 EHWSYGLRPG 45

RESULT 17

US-10-076-674-9
; Sequence 9, Application US/10076674
; Publication No. US20030165478A1
; GENERAL INFORMATION:
; APPLICANT: Sokoll, Kenneth K.
; TITLE OF INVENTION: Stabilized Synthetic Immunogen Delivery System
; FILE REFERENCE: Immunogen Delivery System
; CURRENT APPLICATION NUMBER: US/10/076,674
; CURRENT FILING DATE: 2002-04-23
; NUMBER OF SEQ ID NOS: 11

; SOFTWARE: Patent in version 3.1
; SEQ ID NO 9
; LENGTH: 45
; TYPE: PRT
; ORGANISM: Human
US-10-076-674-9

Query Match 88.0%; Score 44; DB 14; Length 45;
Best Local Similarity 70.0%; Pred. No. 1.2; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 3

QY 1 EHWSGXGXP 10
| | | | |
Db 36 EHWSYGLRPG 45

RESULT 18

US-10-355-161A-8
; Sequence 8, Application US/10355161A
; Publication No. US20040009897A1
; GENERAL INFORMATION:
; APPLICANT: Sokoll, Kenneth K.
; TITLE OF INVENTION: Stabilized Synthetic Immunogen Delivery System
; FILE REFERENCE: Immunogen Delivery System
; CURRENT APPLICATION NUMBER: US/10/355,161A
; CURRENT FILING DATE: 2003-01-31
; PRIOR APPLICATION NUMBER: US 10/076674
; PRIOR FILING DATE: 2002-02-14
; NUMBER OF SEQ ID NOS: 13
; SOFTWARE: Patent in version 3.1
; SEQ ID NO 8
; LENGTH: 45
; TYPE: PRT
; ORGANISM: Human
US-10-355-161A-8

Query Match 88.0%; Score 44; DB 15; Length 45;
Best Local Similarity 70.0%; Pred. No. 1.2; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 3

QY 1 EHWSGXGXP 10
| | | | |
Db 36 EHWSYGLRPG 45

RESULT 19

US-10-355-161A-9
; Sequence 9, Application US/10355161A
; Publication No. US20040009897A1
; GENERAL INFORMATION:
; APPLICANT: Sokoll, Kenneth K.
; TITLE OF INVENTION: Stabilized Synthetic Immunogen Delivery System
; FILE REFERENCE: Immunogen Delivery System
; CURRENT APPLICATION NUMBER: US/10/355,161A
; CURRENT FILING DATE: 2003-01-31
; PRIOR APPLICATION NUMBER: US 10/076674
; PRIOR FILING DATE: 2002-02-14
; NUMBER OF SEQ ID NOS: 13
; SOFTWARE: Patent in version 3.1
; SEQ ID NO 9
; LENGTH: 45
; TYPE: PRT
; ORGANISM: Human
US-10-355-161A-9

Query Match 88.0%; Score 44; DB 15; Length 45;
Best Local Similarity 70.0%; Pred. No. 1.2; Indels 0; Gaps 0;
Matches 7; Conservative 0; Mismatches 3

QY 1 EHWSGXGXP 10
| | | | |
Db 36 EHWSYGLRPG 45

RESULT 20
US-09-019-010-2
; Sequence 2, Application US/09019010
; Patent No. US20010014330A1
; GENERAL INFORMATION:
; APPLICANT: HARLAND, RICHARD
; APPLICANT: MANN, JOHN G.
; APPLICANT: ACRES, STEPHEN D.
; TITLE OF INVENTION: IMMUNIZATION AGAINST ENDOGENOUS
; MOLECULES
; NUMBER OF SEQUENCES: 6
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: ROBINS & ASSOCIATES
; STREET: 90 MIDDLEFIELD ROAD, SUITE 200
; CITY: MENLO PARK
; STATE: CA
; COUNTRY: USA
; ZIP: 94025
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/019,010
; FILING DATE: 05-FEB-1998
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 60/036,883
; FILING DATE: 05-FEB-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: MCCracken, THOMAS P.
; REGISTRATION NUMBER: 38,548
; REFERENCE/DOCKET NUMBER: 9001-0035
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (650) 325-7812
; TELEFAX: (650) 325-7823
; INFORMATION FOR SEQ ID NO: 2:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-019-010-2

Query Match 82.0%; Score 41; DB 9; Length 10;
Best Local Similarity 60.0%; Pred. No. 1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
:|||||
DB 1 QHWSYGLRPG 10

RESULT 21
US-09-964-201A-32
; Sequence 32, Application US/09964201A
; Publication No. US20030091575A1
; GENERAL INFORMATION:
; APPLICANT: Kanten, John H
; APPLICANT: Tramontano, Alfonso
; APPLICANT: Pilon, Aprile L
; APPLICANT: Lohns, Gerald L
; APPLICANT: Roberts, Steven F
; TITLE OF INVENTION: HEAT-SHOCK FUSION-BASED VACCINE SYSTEM
; FILE REFERENCE: U.S. Patent Application No. US20030091575A1 09\026,276
; CURRENT APPLICATION NUMBER: US/09/964,201A
; CURRENT FILING DATE: 2002-05-21
; NUMBER OF SEQ ID NOS: 35
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 32
; LENGTH: 10

; TYPE: PRT
; ORGANISM: Porcine
US-09-964-201A-32

Query Match 82.0%; Score 41; DB 10; Length 10;
Best Local Similarity 60.0%; Pred. No. 1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
:|||||
DB 1 QHWSYGLRPG 10

RESULT 22
US-09-305-924-9
; Sequence 9, Application US/09305924A
; Publication No. US20030091579A1
; GENERAL INFORMATION:
; APPLICANT: Jack G. Manns
; APPLICANT: Stephen D. Acres
; APPLICANT: Richard Harland
; TITLE OF INVENTION: METHODS OF RAISING ANIMALS FOR MEAT PRODUCTION
; FILE REFERENCE: 9001-0048
; CURRENT APPLICATION NUMBER: US/09/305,924A
; CURRENT FILING DATE: 1999-05-05
; EARLIER APPLICATION NUMBER: US 60/084,217
; EARLIER FILING DATE: 1998-05-05
; NUMBER OF SEQ ID NOS: 14
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 9
; LENGTH: 10
; TYPE: PRT
; ORGANISM: GnRH
US-09-305-924-9

Query Match 82.0%; Score 41; DB 10; Length 10;
Best Local Similarity 60.0%; Pred. No. 1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
:|||||
DB 1 QHWSYGLRPG 10

RESULT 23
US-10-351-641-1143
; Sequence 1143, Application US/10351641
; Publication No. US20030186874A1
; GENERAL INFORMATION:
; APPLICANT: Barney, S.
; APPLICANT: Guthrie, K.
; APPLICANT: Merutka, G.
; APPLICANT: Anwer, M.
; APPLICANT: Lambert, D.
; TITLE OF INVENTION: HYBRID POLYPEPTIDES WITH ENHANCED PHARMACOKINETIC
; PROPERTIES
; FILE REFERENCE: 7872-100
; CURRENT APPLICATION NUMBER: US/10/351,641
; CURRENT FILING DATE: 2003-01-24
; PRIOR APPLICATION NUMBER: 09/350,641
; PRIOR FILING DATE: 1999-07-09
; PRIOR APPLICATION NUMBER: 09/315,304
; PRIOR FILING DATE: 1999-05-20
; PRIOR APPLICATION NUMBER: 09/082,279
; PRIOR FILING DATE: 1998-05-20
; NUMBER OF SEQ ID NOS: 1757
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 1143
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Core polypeptide

Query Match 82.0%; Score 41; DB 10; Length 10;
Best Local Similarity 60.0%; Pred. No. 1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
:|||||
DB 1 QHWSYGLRPG 10


```
US-10-351-641-1143
Query Match      82.0%; Score 41; DB 14; Length 10;
Best Local Similarity 60.0%; Pred. No. 1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXXPG 10
Db 1 QHWSYGLRPG 10

RESULT 24
US-10-351-641-1309
; Sequence 1309, Application US/10351641
; Publication No. US20030186874A1
; GENERAL INFORMATION:
; APPLICANT: Barney, S.
; APPLICANT: Guthrie, K.
; APPLICANT: Merutka, G.
; APPLICANT: Anwer, M.
; APPLICANT: Lambert, D.
; TITLE OF INVENTION: HYBRID POLYPEPTIDES WITH ENHANCED PHARMACOKINETIC
; TITLE OF INVENTION: PROPERTIES
; FILE REFERENCE: 7872-100
; CURRENT APPLICATION NUMBER: US/10/351,641
; PRIOR FILING DATE: 2003-01-24
; PRIOR APPLICATION NUMBER: 09/350,641
; PRIOR FILING DATE: 1999-07-09
; PRIOR APPLICATION NUMBER: 09/315,304
; PRIOR FILING DATE: 1999-05-20
; PRIOR APPLICATION NUMBER: 09/082,279
; PRIOR FILING DATE: 1998-05-20
; NUMBER OF SEQ ID NOS: 1757
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 1309
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Core polypeptide
US-10-351-641-1309

Query Match      82.0%; Score 41; DB 14; Length 10;
Best Local Similarity 60.0%; Pred. No. 1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXXPG 10
Db 1 QHWSYGLRPG 10

RESULT 25
US-10-351-641-1344
; Sequence 1344, Application US/10351641
; Publication No. US20030186874A1
; GENERAL INFORMATION:
; APPLICANT: Barney, S.
; APPLICANT: Guthrie, K.
; APPLICANT: Merutka, G.
; APPLICANT: Anwer, M.
; APPLICANT: Lambert, D.
; TITLE OF INVENTION: HYBRID POLYPEPTIDES WITH ENHANCED PHARMACOKINETIC
; TITLE OF INVENTION: PROPERTIES
; FILE REFERENCE: 7872-100
; CURRENT APPLICATION NUMBER: US/10/351,641
; CURRENT FILING DATE: 2003-01-24
; PRIOR APPLICATION NUMBER: 09/350,641
; PRIOR FILING DATE: 1999-07-09
; PRIOR APPLICATION NUMBER: 09/315,304
; PRIOR FILING DATE: 1999-05-20
; PRIOR APPLICATION NUMBER: 09/082,279
; PRIOR FILING DATE: 1998-05-20
; NUMBER OF SEQ ID NOS: 1757
```

```
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 1344
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Core polypeptide
US-10-351-641-1344

Query Match      82.0%; Score 41; DB 14; Length 10;
Best Local Similarity 60.0%; Pred. No. 1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXXPG 10
Db 1 QHWSYGLRPG 10

RESULT 26
US-10-360-101-1
; Sequence 1, Application US/10360101
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.
; APPLICANT: Leenhouts, Cornelis J.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5673
; CURRENT APPLICATION NUMBER: US/10/360,101
; PRIOR FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 1
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: LHRH1 sequence
US-10-360-101-1

Query Match      82.0%; Score 41; DB 15; Length 10;
Best Local Similarity 60.0%; Pred. No. 1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXXPG 10
Db 1 QHWSYGLRPG 10

RESULT 27
US-10-360-101-299
; Sequence 299, Application US/10360101
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.
; APPLICANT: Leenhouts, Cornelis J.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5673
; CURRENT APPLICATION NUMBER: US/10/360,101
; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 299
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: LHRH1 analogue
US-10-360-101-299
```

Query Match 82.0%; Score 41; DB 15; Length 10;
Best Local Similarity 60.0%; Pred. No. 1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
DB 1 QHWSYGLRPG 10

RESULT 28
US-10-617-561-9
; Sequence 9, Application US/10617561
; Publication No. US20040018967A1
; GENERAL INFORMATION:
; APPLICANT: La. State Univ. & Mech. Coll., Board of Supervisors
; Enright, Frederick M.
; Jaynes, Jesse M.
; Hansel, William
; Koonce, Kenneth L.
; McCann, Samuel M.
; Yu, Wen H.
; Melrose, Patricia A.
; Foil, Lane D.
; Elzer, Philip H.
; TITLE OF INVENTION: Ligand/Lytic Peptide Compositions and
; Methods of Use
; NUMBER OF SEQUENCES: 18
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: John H. Runnels
; STREET: P. O. Box 2471
; CITY: Baton Rouge
; STATE: LA
; COUNTRY: USA
; ZIP: 70821-2471
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/10/617,561
; FILING DATE: 11-Jul-2003
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/09/381,879
; FILING DATE: 25-Aug-1999
; ATTORNEY/AGENT INFORMATION:
; NAME: Runnels, John H.
; REGISTRATION NUMBER: 33,451
; REFERENCE/DOCKET NUMBER: 96A3.2-US
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (225) 387-3221
; TELEFAX: (225) 346-8049
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; NAME/KEY: Peptide
; LOCATION: 1..10
; OTHER INFORMATION: /note= "This sequence is a modified
; GnRH."
; SEQUENCE DESCRIPTION: SEQ ID NO: 9:
US-10-617-561-9

Query Match 82.0%; Score 41; DB 15; Length 10;
Best Local Similarity 60.0%; Pred. No. 1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
DB 1 QHWSYGLRPG 10

Db 1 QHWSYGLRPG 10

RESULT 29
US-10-044-034-17
; Sequence 17, Application US/10044034
; Publication No. US20020169264A1
; GENERAL INFORMATION:
; APPLICANT: JACKSON, DAVID C.
; APPLICANT: O'BRIEN-SIMPSON, NEIL M.
; APPLICANT: BROWN, LORENA E.
; APPLICANT: EDE, NICHOLAS J.
; APPLICANT: BRANDT, EVELYN R.
; APPLICANT: GOOD, MICHAEL F.
; TITLE OF INVENTION: POLYMERS INCORPORATING PEPTIDES
; FILE REFERENCE: PBR006
; CURRENT APPLICATION NUMBER: US/10/044,034
; CURRENT FILING DATE: 2002-01-11
; PRIOR APPLICATION NUMBER: P05071
; PRIOR FILING DATE: 1997-02-11
; NUMBER OF SEQ ID NOS: 28
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 17
; LENGTH: 11
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Synthetic
; OTHER INFORMATION: Peptides
US-10-044-034-17

Query Match 82.0%; Score 41; DB 13; Length 11;
Best Local Similarity 60.0%; Pred. No. 1.1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWXGXKPG 10
DB 2 QHWSYGLRPG 11

RESULT 30
US-10-351-641-1146
; Sequence 1146, Application US/10351641
; Publication No. US2003018687A1
; GENERAL INFORMATION:
; APPLICANT: Barney, S.
; APPLICANT: Guthrie, K.
; APPLICANT: Merutka, G.
; APPLICANT: Anwer, M.
; APPLICANT: Lambert, D.
; TITLE OF INVENTION: HYBRID POLYPEPTIDES WITH ENHANCED PHARMACOKINETIC
; FILE REFERENCE: 7872-100
; CURRENT APPLICATION NUMBER: US/10/351,641
; CURRENT FILING DATE: 2003-01-24
; PRIOR APPLICATION NUMBER: 09/350,641
; PRIOR FILING DATE: 1999-07-09
; PRIOR APPLICATION NUMBER: 09/315,304
; PRIOR FILING DATE: 1999-05-20
; PRIOR APPLICATION NUMBER: 09/082,279
; PRIOR FILING DATE: 1998-05-20
; NUMBER OF SEQ ID NOS: 1757
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 1146
; LENGTH: 18
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Core polypeptide
US-10-351-641-1146

Query Match 82.0%; Score 41; DB 14; Length 18;
Best Local Similarity 60.0%; Pred. No. 1.7;

Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSXGXPG 10
:|||||
Db 5 QHWSYGLRPG 14

RESULT 31

US-10-351-641-1147
; Sequence 1147, Application US/10351641
; Publication No. US20030186874A1
; GENERAL INFORMATION:
; APPLICANT: Barney, S.
; APPLICANT: Guthrie, K.
; APPLICANT: Merutka, G.
; APPLICANT: Anwer, M.
; APPLICANT: Lambert, D.
; TITLE OF INVENTION: HYBRID POLYPEPTIDES WITH ENHANCED PHARMACOKINETIC
; FILE REFERENCE: 7872-100
; CURRENT APPLICATION NUMBER: US/10/351,641
; CURRENT FILING DATE: 2003-01-24
; PRIOR APPLICATION NUMBER: 09/350,641
; PRIOR FILING DATE: 1999-07-09
; PRIOR APPLICATION NUMBER: 09/315,304
; PRIOR FILING DATE: 1999-05-20
; PRIOR APPLICATION NUMBER: 09/082,279
; PRIOR FILING DATE: 1998-05-20
; NUMBER OF SEQ ID NOS: 1757
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 1147
; LENGTH: 18
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Core polypeptide
US-10-351-641-1147

Query Match 82.0%; Score 41; DB 14; Length 18;

Best Local Similarity 60.0%; Pred. NO. 1.7;

Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSXGXPG 10
:|||||
Db 5 QHWSYGLRPG 14

RESULT 32

US-10-351-641-1148
; Sequence 1148, Application US/10351641
; Publication No. US20030186874A1
; GENERAL INFORMATION:
; APPLICANT: Barney, S.
; APPLICANT: Guthrie, K.
; APPLICANT: Merutka, G.
; APPLICANT: Anwer, M.
; APPLICANT: Lambert, D.
; TITLE OF INVENTION: HYBRID POLYPEPTIDES WITH ENHANCED PHARMACOKINETIC
; FILE REFERENCE: 7872-100
; CURRENT APPLICATION NUMBER: US/10/351,641
; CURRENT FILING DATE: 2003-01-24
; PRIOR APPLICATION NUMBER: 09/350,641
; PRIOR FILING DATE: 1999-07-09
; PRIOR APPLICATION NUMBER: 09/315,304
; PRIOR FILING DATE: 1999-05-20
; PRIOR APPLICATION NUMBER: 09/082,279
; PRIOR FILING DATE: 1998-05-20
; NUMBER OF SEQ ID NOS: 1757
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 1148
; LENGTH: 18
; TYPE: PRT

; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Core polypeptide
US-10-351-641-1148

Query Match 82.0%; Score 41; DB 14; Length 18;
Best Local Similarity 60.0%; Pred. NO. 1.7;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSXGXPG 10
:|||||
Db 5 QHWSYGLRPG 14

RESULT 33

US-10-351-641-1172
; Sequence 1172, Application US/10351641
; Publication No. US20030186874A1
; GENERAL INFORMATION:
; APPLICANT: Barney, S.
; APPLICANT: Guthrie, K.
; APPLICANT: Merutka, G.
; APPLICANT: Anwer, M.
; APPLICANT: Lambert, D.
; TITLE OF INVENTION: HYBRID POLYPEPTIDES WITH ENHANCED PHARMACOKINETIC
; FILE REFERENCE: 7872-100
; CURRENT APPLICATION NUMBER: US/10/351,641
; CURRENT FILING DATE: 2003-01-24
; PRIOR APPLICATION NUMBER: 09/350,641
; PRIOR FILING DATE: 1999-07-09
; PRIOR APPLICATION NUMBER: 09/315,304
; PRIOR FILING DATE: 1999-05-20
; PRIOR APPLICATION NUMBER: 09/082,279
; PRIOR FILING DATE: 1998-05-20
; NUMBER OF SEQ ID NOS: 1757
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 1172
; LENGTH: 18
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Core polypeptide
US-10-351-641-1172

Query Match 82.0%; Score 41; DB 14; Length 18;

Best Local Similarity 60.0%; Pred. NO. 1.7;

Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSXGXPG 10
:|||||
Db 5 QHWSYGLRPG 14

RESULT 34

US-10-351-641-1173
; Sequence 1173, Application US/10351641
; Publication No. US20030186874A1
; GENERAL INFORMATION:
; APPLICANT: Barney, S.
; APPLICANT: Guthrie, K.
; APPLICANT: Merutka, G.
; APPLICANT: Anwer, M.
; APPLICANT: Lambert, D.
; TITLE OF INVENTION: HYBRID POLYPEPTIDES WITH ENHANCED PHARMACOKINETIC
; FILE REFERENCE: 7872-100
; CURRENT APPLICATION NUMBER: US/10/351,641
; CURRENT FILING DATE: 2003-01-24
; PRIOR APPLICATION NUMBER: 09/350,641
; PRIOR FILING DATE: 1999-07-09
; PRIOR APPLICATION NUMBER: 09/315,304
; PRIOR FILING DATE: 1999-05-20

; PRIOR APPLICATION NUMBER: 09/082,279
; NUMBER OF SEQ ID NOS: 1757
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 1145
; LENGTH: 22
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Core polypeptide
US-10-351-641-1145

Query Match 82.0%; Score 41; DB 14; Length 18;
Best Local Similarity 60.0%; Pred. No. 1.7;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSXGXPG 10
:|||||
Db 5 QHWSYGLRPG 14

RESULT 35
US-09-964-201A-26
; Sequence 26, Application US/09964201A
; Publication No. US20030091575A1
; GENERAL INFORMATION:
; APPLICANT: Kanten, John H
; APPLICANT: Tramontano, Alfonso
; APPLICANT: Pilon, Aprile L
; APPLICANT: Lohnas, Gerald L
; APPLICANT: Roberts, Steven F
; TITLE OF INVENTION: HEAT-SHOCK FUSION-BASED VACCINE SYSTEM
; FILE REFERENCE: U.S. Patent Application No. US20030091575A1 09/026,276
; CURRENT APPLICATION NUMBER: US/09/964,201A
; CURRENT FILING DATE: 2002-05-21
; NUMBER OF SEQ ID NOS: 35
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 26
; LENGTH: 20
; TYPE: PRT
; ORGANISM: Porcine
US-09-964-201A-26

Query Match 82.0%; Score 41; DB 10; Length 20;
Best Local Similarity 60.0%; Pred. No. 1.9;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSXGXPG 10
:|||||
Db 1 QHWSYGLRPG 10

RESULT 36
US-10-351-641-1145
; Sequence 1145, Application US/10351641
; Publication No. US20030186874A1
; GENERAL INFORMATION:
; APPLICANT: Barney, S.
; APPLICANT: Guthrie, K.
; APPLICANT: Merutka, G.
; APPLICANT: Anwer, M.
; APPLICANT: Lambert, D.
; TITLE OF INVENTION: HYBRID POLYPEPTIDES WITH ENHANCED PHARMACOKINETIC
; FILE REFERENCE: 7872-100
; CURRENT APPLICATION NUMBER: US/10/351,641
; CURRENT FILING DATE: 2003-01-24
; PRIOR APPLICATION NUMBER: 09/350,641
; PRIOR FILING DATE: 1999-07-09
; PRIOR APPLICATION NUMBER: 09/315,304
; PRIOR FILING DATE: 1999-05-20
; PRIOR APPLICATION NUMBER: 09/082,279
; PRIOR FILING DATE: 1998-05-20

; NUMBER OF SEQ ID NOS: 1757
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 1145
; LENGTH: 22
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Core polypeptide
US-10-351-641-1145

Query Match 82.0%; Score 41; DB 14; Length 22;
Best Local Similarity 60.0%; Pred. No. 2.1;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSXGXPG 10
:|||||
Db 9 QHWSYGLRPG 18

RESULT 37
US-10-351-641-1144
; Sequence 1144, Application US/10351641
; Publication No. US20030186874A1
; GENERAL INFORMATION:
; APPLICANT: Barney, S.
; APPLICANT: Guthrie, K.
; APPLICANT: Merutka, G.
; APPLICANT: Anwer, M.
; APPLICANT: Lambert, D.
; TITLE OF INVENTION: HYBRID POLYPEPTIDES WITH ENHANCED PHARMACOKINETIC
; FILE REFERENCE: 7872-100
; CURRENT APPLICATION NUMBER: US/10/351,641
; CURRENT FILING DATE: 2003-01-24
; PRIOR APPLICATION NUMBER: 09/350,641
; PRIOR FILING DATE: 1999-07-09
; PRIOR APPLICATION NUMBER: 09/315,304
; PRIOR FILING DATE: 1999-05-20
; PRIOR APPLICATION NUMBER: 09/082,279
; PRIOR FILING DATE: 1998-05-20
; NUMBER OF SEQ ID NOS: 1757
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 1144
; LENGTH: 26
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Core polypeptide
US-10-351-641-1144

Query Match 82.0%; Score 41; DB 14; Length 26;
Best Local Similarity 60.0%; Pred. No. 2.4;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

Qy 1 EHWSXGXPG 10
:|||||
Db 9 QHWSYGLRPG 18

RESULT 38
US-10-617-561-3
; Sequence 3, Application US/10617561
; Publication No. US20040018967A1
; GENERAL INFORMATION:
; APPLICANT: La. State Univ. & Mech. Coll., Board of Supervisors
; Enright, Frederick M.
; Jaynes, Jesse M.
; Hansel, William
; Koonce, Kenneth L.
; McCann, Samuel M.
; Yu, Wen H.
; Melrose, Patricia A.
; Foll, Lane D.

Elzer, Philip H.
TITLE OF INVENTION: Ligand/Lytic Peptide Compositions and Methods of Use
NUMBER OF SEQUENCES: 18
CORRESPONDENCE ADDRESS:
ADDRESSEE: John H. Runnels
STREET: P. O. Box 2471
CITY: Baton Rouge
STATE: LA
COUNTRY: USA
ZIP: 70821-2471
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.25
CURRENT APPLICATION NUMBER: US/10/617,561
FILING DATE: 11-Jul-2003
CLASSIFICATION: <Unknown>
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/09/381,879
FILING DATE: 25-Aug-1999
ATTORNEY/AGENT INFORMATION:
NAME: Runnels, John H.
REGISTRATION NUMBER: 33,451
REFERENCE/DOCKET NUMBER: 96A3.2-US
TELEPHONE: (225) 387-3221
TELEFAX: (225) 346-8049
INFORMATION FOR SEQ ID NO: 3:
SEQUENCE CHARACTERISTICS:
LENGTH: 33 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
FEATURE:
NAME/KEY: Peptide
LOCATION: 1..33
OTHER INFORMATION: /note= "This sequence is a modified GhrH/hecate fusion peptide."
SEQUENCE DESCRIPTION: SEQ ID NO: 3:
US-10-617-561-3
Query Match 82.0%; Score 41; DB 15; Length 33;
Best Local Similarity 60.0%; Pred. No. 3;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWSGXKPG 10
Db 1 QHWSYGLRPG 10
RESULT 39
US-10-617-561-4
Sequence 4, Application US/10617561
Publication No. US20040018967A1
GENERAL INFORMATION:
APPLICANT: La. State Univ. & Mech. Coll., Board of Supervisors
Enright, Frederick M.
Jaynes, Jesse M.
Hansel, William
Koonce, Kenneth L.
McCann, Samuel M.
Yu, Wen H.
Melrose, Patricia A.
Foil, Lane D.
Elzer, Philip H.
TITLE OF INVENTION: Ligand/Lytic Peptide Compositions and Methods of Use
NUMBER OF SEQUENCES: 18
CORRESPONDENCE ADDRESS:
ADDRESSEE: John H. Runnels

STREET: P. O. Box 2471
CITY: Baton Rouge
STATE: LA
COUNTRY: USA
ZIP: 70821-2471
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.25
CURRENT APPLICATION NUMBER: US/10/617,561
FILING DATE: 11-Jul-2003
CLASSIFICATION: <Unknown>
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US/09/381,879
FILING DATE: 25-Aug-1999
ATTORNEY/AGENT INFORMATION:
NAME: Runnels, John H.
REGISTRATION NUMBER: 33,451
REFERENCE/DOCKET NUMBER: 96A3.2-US
TELEPHONE: (225) 387-3221
TELEFAX: (225) 346-8049
INFORMATION FOR SEQ ID NO: 4:
SEQUENCE CHARACTERISTICS:
LENGTH: 33 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: peptide
FEATURE:
NAME/KEY: Peptide
LOCATION: 1..33
OTHER INFORMATION: /note= "This sequence is a hecate/modified GhrH fusion peptide."
SEQUENCE DESCRIPTION: SEQ ID NO: 4:
US-10-617-561-4
Query Match 82.0%; Score 41; DB 15; Length 33;
Best Local Similarity 60.0%; Pred. No. 3;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
QY 1 EHWSGXKPG 10
Db 24 QHWSYGLRPG 33
RESULT 40
US-09-964-201A-35
Sequence 35, Application US/09964201A
Publication No. US20030091575A1
GENERAL INFORMATION:
APPLICANT: Kenten, John H
APPLICANT: Tramontano, Alfonso
APPLICANT: Pilon, Aprile L
APPLICANT: Lohnas, Gerald L
APPLICANT: Roberts, Steven F
TITLE OF INVENTION: HEAT-SHOCK FUSION-BASED VACCINE SYSTEM
FILE REFERENCE: U.S. Patent Application No. US20030091575A1 09\026,276
CURRENT APPLICATION NUMBER: US/09/964,201A
CURRENT FILING DATE: 2002-05-21
NUMBER OF SEQ ID NOS: 35
SOFTWARE: Patentin Ver. 2.0
SEQ ID NO 35
LENGTH: 40
TYPE: PRT
ORGANISM: Porcine
US-09-964-201A-35
Query Match 82.0%; Score 41; DB 10; Length 40;
Best Local Similarity 60.0%; Pred. No. 3.5;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

```
QY 1 EHWSGXKXPG 10
:|||||
Db 1 QHWSYGLRPG 10

RESULT 41
US-09-964-201A-34
; Sequence 34, Application US/09964201A
; Publication No. US20030091575A1
; GENERAL INFORMATION:
; APPLICANT: Kanten, John H
; APPLICANT: Tramtano, Alfonso
; APPLICANT: Pilon, Aprile L
; APPLICANT: Lohmas, Gerald L
; APPLICANT: Roberts, Steven F
; TITLE OF INVENTION: HEAT-SHOCK FUSION-BASED VACCINE SYSTEM
; FILE REFERENCE: U.S. Patent Application No. US20030091575A1 09\026,276
; CURRENT APPLICATION NUMBER: US/09/964,201A
; CURRENT FILING DATE: 2002-05-21
; NUMBER OF SEQ ID NOS: 35
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 34
; LENGTH: 41
; TYPE: PRT
; ORGANISM: Porcine
US-09-964-201A-34

Query Match 82.0%; Score 41; DB 10; Length 41;
Best Local Similarity 60.0%; Pred. No. 3.6;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXKXPG 10
:|||||
Db 1 QHWSYGLRPG 10

RESULT 42
US-09-019-010-4
; Sequence 4, Application US/09019010
; Patent No. US20010014330A1
; GENERAL INFORMATION:
; APPLICANT: HARLAND, RICHARD
; APPLICANT: MANN, JOHN G.
; APPLICANT: ACRES, STEPHEN D.
; TITLE OF INVENTION: IMMUNIZATION AGAINST ENDOGENOUS
; MOLECULES
; NUMBER OF SEQUENCES: 6
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: ROBINS & ASSOCIATES
; STREET: 90 MIDDLEFIELD ROAD, SUITE 200
; CITY: MENLO PARK
; STATE: CA
; COUNTRY: USA
; ZIP: 94025
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/019,010
; FILING DATE: 05-FEB-1998
; CLASSIFICATION: 424
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 60/036,883
; FILING DATE: 05-FEB-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: MCCracken, THOMAS P.
; REGISTRATION NUMBER: 38,548
; REFERENCE/DOCKET NUMBER: 9001-0035
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (650) 325-7812
; TELEFAX: (650) 325-7823

; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 49 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-09-019-010-4

Query Match 82.0%; Score 41; DB 9; Length 49;
Best Local Similarity 60.0%; Pred. No. 4.2;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXKXPG 10
:|||||
Db 1 QHWSYGLRPG 10

RESULT 43
US-09-305-924-11
; Sequence 11, Application US/09305924A
; Publication No. US20030091579A1
; GENERAL INFORMATION:
; APPLICANT: Jack G. Manns
; APPLICANT: Stephen D. Acres
; APPLICANT: Richard Harland
; TITLE OF INVENTION: METHODS OF RAISING ANIMALS FOR MEAT PRODUCTION
; FILE REFERENCE: 9001-0048
; CURRENT APPLICATION NUMBER: US/09/305,924A
; CURRENT FILING DATE: 1999-05-05
; EARLIER APPLICATION NUMBER: US 60/084,217
; EARLIER FILING DATE: 1998-05-05
; NUMBER OF SEQ ID NOS: 14
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 11
; LENGTH: 49
; TYPE: PRT
; ORGANISM: GnRH
US-09-305-924-11

Query Match 82.0%; Score 41; DB 10; Length 49;
Best Local Similarity 60.0%; Pred. No. 4.2;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

QY 1 EHWSGXKXPG 10
:|||||
Db 1 QHWSYGLRPG 10

RESULT 44
US-09-305-924-13
; Sequence 13, Application US/09305924A
; Publication No. US20030091579A1
; GENERAL INFORMATION:
; APPLICANT: Jack G. Manns
; APPLICANT: Stephen D. Acres
; APPLICANT: Richard Harland
; TITLE OF INVENTION: METHODS OF RAISING ANIMALS FOR MEAT PRODUCTION
; FILE REFERENCE: 9001-0048
; CURRENT APPLICATION NUMBER: US/09/305,924A
; CURRENT FILING DATE: 1999-05-05
; EARLIER APPLICATION NUMBER: US 60/084,217
; EARLIER FILING DATE: 1998-05-05
; NUMBER OF SEQ ID NOS: 14
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 13
; LENGTH: 695
; TYPE: PRT
; ORGANISM: GnRH
US-09-305-924-13

Query Match 82.0%; Score 41; DB 10; Length 695;
Best Local Similarity 60.0%; Pred. No. 44;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;
```



```

; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 303
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: LHRH1 analogue
; NAME/KEY: SITE
; LOCATION: (4)..(6)
; OTHER INFORMATION: No. US20040009550A1e = "A" on pos. 4 and 6 are linked by "S"
US-10-360-101-303

```

```

Query Match      80.0%; Score 40; DB 15; Length 10;
Best Local Similarity 60.0%; Pred. No. 1.5;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

```

```

QY      1 EHWXGXKPG 10
Db      1 QHWSHGWP 10

```

```

RESULT 50
US-10-360-101-304
; Sequence 304, Application US/10360101
; Publication No. US20040009550A1
; GENERAL INFORMATION:
; APPLICANT: Moll, Gert N.
; TITLE OF INVENTION: Export and modification of (poly)peptide in the lantibiotic way
; FILE REFERENCE: 2183-5873
; CURRENT APPLICATION NUMBER: US/10/360,101
; CURRENT FILING DATE: 2003-02-07
; PRIOR APPLICATION NUMBER: EP 02077060.8
; PRIOR FILING DATE: 2002-05-24
; NUMBER OF SEQ ID NOS: 309
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 304
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: LHRH2 analogue
US-10-360-101-304

```

```

Query Match      80.0%; Score 40; DB 15; Length 10;
Best Local Similarity 60.0%; Pred. No. 1.5;
Matches 6; Conservative 1; Mismatches 3; Indels 0; Gaps 0;

```

```

QY      1 EHWXGXKPG 10
Db      1 QHWSHGWP 10

```

```

Search completed: March 2, 2004, 19:30:08
Job time : 31 secs

```